

Contents

Motivation – Who should read the book!? XVII

Acknowledgments XIX

Abbreviations XXI

Nomenclature XXIII

- 1 From Green Chemistry to Green Engineering – Fostered by Novel Process Windows Explored in Micro-Process Engineering/Flow Chemistry 1**
- 1.1 Prelude – Potential for Green Chemistry and Engineering 1
 - 1.2 Green Chemistry 2
 - 1.2.1 12 Principles in Green Chemistry 2
 - 1.3 Green Engineering 3
 - 1.3.1 10 Key Research Areas in Green Engineering 3
 - 1.3.2 12 Principles in Chemical Product Design 4
 - 1.4 Micro- and Milli-Process Technologies 6
 - 1.4.1 Microreactors 6
 - 1.4.2 Microstructured Reactors 6
 - 1.5 Flow Chemistry 9
 - 1.5.1 10 Key Research Areas in Flow Chemistry 9
 - 1.6 Two Missing Links – Cross-Related 9
 - References 12
- 2 Novel Process Windows 15**
- 2.1 Transport Intensification – The Potential of Reaction Engineering 15
 - 2.2 Chemical Reactivity in Match or Mismatch to Intensified Engineering 17
 - 2.3 Chemical Intensification through Harsh Conditions – Novel Process Windows 18
 - 2.4 Flash Chemistry 19
 - 2.5 Process-Design Intensification 21
 - References 23

3	Chemical Intensification – Fundamentals	25
3.1	Length Scale	25
3.2	Time Scale	26
3.3	Length and Time Scale of Chemical Reactions	28
3.3.1	Solution of Kinetic Equations	29
3.3.2	Reaction Time and Reaction Classification	31
3.3.3	Example for Reaction Time and Residence Time	32
3.4	Temperature Intensification	33
3.4.1	Harsh Process Conditions	33
3.4.2	New Temperature Windows	33
3.4.3	Reaction Rate – Arrhenius Equation	35
3.5	Pressure Intensification	36
3.5.1	Reaction Rate – Activation Volumes	36
3.5.2	Equilibrium	37
3.5.3	Electron Kinetic Energy	38
3.5.4	Material Properties	38
3.5.5	Mixture Properties	40
3.5.6	Illustration of Pressure Effect on Selected Chemical Reactions	41
	References	42
4	Making Use of the “Forbidden” – Ex-Regime/High Safety Processing	45
4.1	Hazardous Reactants and Intermediates	45
4.1.1	Tetrazole Formation	45
4.1.2	Strecker Synthesis	47
4.1.3	Phosgene Chemistry	47
4.1.4	Diazomethane Synthesis	48
4.1.5	Ozonolysis	50
4.1.6	Organic Peroxide Formation	51
4.2	Ex-Regime and Thermal Runaway Processing	52
4.2.1	Oxidation	52
4.2.2	Hydrogen Peroxide Synthesis	52
4.2.3	Direct Fluorination	53
4.2.4	Ionic Liquid Synthesis	53
4.2.5	Moffatt–Swern Oxidation	54
4.2.6	Reaction Between Cyclohexanecarboxylic Acid and Oleum	55
4.2.7	Nitration of Toluene	55
4.2.8	Aromatic Amidoxime Formation	56
4.2.9	Decarboxylative Trichloromethylation of Aromatic Aldehydes	56
4.2.10	Dihydroxylation Reactions with Nanobrush-Immobilized OsO ₄	58
	References	58
5	Exploring New Paths – New Chemical Transformations	61
5.1	Direct Syntheses via One Step	61

5.1.1	Fluorination with Elemental Fluorine	61
5.1.2	Hydrogen Peroxide Synthesis out of the Elements	62
5.1.3	Direct Aryllithiums Route	62
5.1.4	C–O Bond Formation by a Direct α -C–H Bond Activation	63
5.1.5	Direct Adipic Acid Route from Cyclohexene	65
5.1.6	New Biocatalytic Pathways without Protecting Groups – Inter-Glycosidic Condensation	68
5.2	Direct Syntheses via Multicomponent Reactions	69
5.2.1	“Odor-Sealed” Isocyanide Formation	69
5.3	Multistep One-Flow Syntheses	70
5.4	Multistep Syntheses in One Microreactor/Chip	73
5.4.1	Multistep Synthesis of [18F]-Radiolabeled Molecular Imaging Probe	73
5.4.2	Combining Asymmetric Organocatalysis and Analysis on a Single Microchip	75
5.4.3	Two-Step Strecker Reaction	75
5.5	Multistep Syntheses in Coupled Microreactors/Chips	76
5.5.1	Chlorohydration of Allyl Chloride	76
5.5.2	Lithiation/Borylation/Suzuki–Miyaura Cross-Coupling	77
5.5.3	Suzuki–Miyaura Cross-Coupling-Phenols-Aryl Triflates-Biaryls	77
5.5.4	Ring-Closing Metathesis and Heck Reaction	77
5.5.5	Imidazo[1,2-a]pyridine-2-carboxylic Acids in Two Steps	78
5.5.6	Suzuki–Miyaura Cross-Coupling/Hydrogenation	78
5.5.7	Sodium Nitrotetrazolate – Diazonium Ion Formation/Sandmeyer Reaction	79
5.5.8	Murahashi Coupling/Br–Li Exchange	79
5.5.9	5'-Deoxyribonucleoside Glycosylation	80
5.5.10	Two-Carbon Homologation of Esters to α,β -Unsaturated Esters	81
5.5.11	Low-Pressure Carbonylations with Acids as CO Precursors	81
5.5.12	Coupled Microreactor-Purification-Analytics for δ -Opioid Receptor Agonist	82
5.5.13	Synthesis of TAC-101 Analogs	82
5.5.14	Multistep Enzymatic Synthesis to 2-Amino-1,3,4-Butanetriol	83
5.5.15	Multistep Enzymatic Synthesis to δ -D-Gluconolactone	83
5.5.16	Diarylethene Synthesis in Two Steps	87
	References	87
6	Activate – High-T Processing	91
6.1	Tailored High-T Microreactor Design and Fabrication	93
6.1.1	Glass Capillary Coil in Ceramic Housing	93
6.1.2	Modularly Packaged Silicon Microreactor	93
6.1.3	Modular Thermal Platform for High-Temperature Flow Reactions	93
6.2	Cryogenic to Ambient – Allowing Fast Reactions to be Fast	94
6.2.1	Synthesis of Triflates for the Heck Alkenylation	94

- 6.2.2 Enantioselective 1,4-Addition of Enones 96
- 6.2.3 Swern–Moffatt Oxidation of Benzyl Alcohol 97
- 6.2.4 Tf₂NH-Catalyzed [2+2] Cycloaddition 98
- 6.3 From Reflux to Superheated – Speeding-Up Reactions 99
- 6.3.1 Kolbe–Schmitt Reaction 99
- 6.3.2 C–F Bond Formation 99
- 6.3.3 NMP Radical Polymerization of Styrene 100
- 6.3.4 Noncatalytic Claisen Rearrangement 100
- 6.3.5 Nucleophilic Substitution of Difluoro-benzenes 100
- 6.3.6 Aminolysis of Epoxides 101
- 6.3.7 Synthesis of 2,4,5-Trisubstituted Imidazoles 102
- 6.3.8 2-Methylbenzimidazole Formation, 3,5-Dimethyl-1-Phenylpyrazole Formation, and Diels–Alder Cycloaddition – Benchmarking High-p,t Flow to Microwave 102
- 6.3.9 Fischer Indole Synthesis of Tetrahydrocarbazole 103
- 6.3.10 Thermal Hydrolysis of Triglycerides 103
- 6.3.11 Chlorodehydroxylation to *n*-Alkyl Chlorides 104
- 6.3.12 1,3,4-Oxadiazoles via *N*-Acylation of 5-Substituted Tetrazoles 105
- 6.3.13 Cobalt-Catalyzed Borohydride Reduction of Tetralone 106
- 6.3.14 Dimethylcarbonate Methylation 107
- 6.3.15 Selective Aerobic Oxidation of Benzyl Alcohol Using Iron Oxide Nano-/TEMPO Catalyst 108
- 6.3.16 Rufinamide Synthesis 110
- 6.3.17 Several High-T, High-p Processes 111
- 6.3.18 Click Chemistry 111
- 6.3.19 4-(Pyrazol-1-yl) Carboxanilide Multistep Synthesis 112
- 6.3.20 4-Hydroxy-2-cyclopentenone Synthesis 113
- 6.3.21 Hydrothermal Treatment of Glucose 114
- 6.3.22 Tetrahydroisoquinoline Synthesis 114
- 6.4 Solvent-Scope Widening by Virtue of Pressurizing Existing High-T Reactions 116
- 6.4.1 Nucleophilic Aromatic Substitution of 2-Halopyridines 116
- 6.4.2 Intramolecular Thermal Cyclization and Benzannulation 116
- 6.4.3 Catalyst-Free Transesterification and Esterification of Aliphatic and Aromatic Acids 117
- 6.4.4 Aminolysis of Epoxides 117
- 6.5 New Temperature Field for Product and Material Control 118
- 6.5.1 Palladium-Catalyzed Aminocarbonylation 118
- 6.5.2 Aminolysis of Epoxides 119
- 6.5.3 Flash Flow Pyrolysis 119
- 6.5.4 Indium Phosphide Nanocrystal 120
- 6.5.5 Quantum Dot Synthesis 121
- 6.5.6 High-T Flow Cycloaddition to Fullerene Derivatives 123
- 6.6 Energy Activation Other than Temperature – Photo, Electrochemical, Plasma 125

- 6.6.1 Photo-Oxygenation of Dimethylsulfide 125
- 6.6.2 Microwave Flow Reactor for Stable High-p,T Operation 125
- References 125

- 7 Press – High-p Processing 129**
- 7.1 Tailored High-p Microreactor Design and Fabrication 129
- 7.1.1 Solder-Based Silicon Microsystem 129
- 7.1.2 In-Plane Fiber-Based Interfaced Microreactor 129
- 7.2 High Pressure to Intensify Interfacial Transport in Gas–Liquid Reactions 130
- 7.2.1 Hydrogenation of Cyclohexane 130
- 7.2.2 Carbamic Acid Formation 130
- 7.2.3 Intramolecular Aldol Condensation to 1-Methyl-1-cyclopenten-3-one 131
- 7.2.4 Catalytic Hydrogenation of Acetone 131
- 7.2.5 Propylene Oxide Synthesis 132
- 7.2.6 Asymmetric Amino-2-indanol Hydrogenation 132
- 7.2.7 Hydrogen Gas Liquefaction in Guaiacol Conversion (hydroprocessing) 132
- 7.3 Pressure as Direct Means – Activation Volume Effects and More 133
- 7.3.1 Claisen Rearrangement 133
- 7.3.2 Nucleophilic Aromatic Substitution of Three p-Halonitrobenzenes 133
- 7.3.3 Diels–Alder Reaction with Furylmethanols and Cyclopentadiene 134
- 7.3.4 Aza Diels–Alder Reaction 136
- 7.3.5 Esterification of Phthalic Anhydride 136
- 7.4 Pressure for Advanced Fluidic Studies – to be Used for Shaping Materials and More 137
- 7.4.1 scCO_2 Droplets or Jets in Liquid Water 138
- References 138

- 8 Collide and Slide – High-c and Tailored-Solvent Processing 141**
- 8.1 Batch Process-Based Inspirations for High-c Flow Processes 141
- 8.1.1 Polypropylene and Polycarbonate Polymerizations 141
- 8.1.2 Enantioselective Thermal and Photochemical Solid-State Reaction 142
- 8.2 Solvent-Free or Solvent-Less Operation – “Highest-c” 142
- 8.2.1 Bromination of 3-Bromo-imidazo[1,2-a]Pyridine 142
- 8.2.2 Thiophene Bromination 142
- 8.2.3 Claisen Rearrangement of Substituted Phenyl Phenols 142
- 8.2.4 Michael Addition 143
- 8.2.5 Peroxidation of Methyl Ethyl Ketone 144
- 8.2.6 Beckmann Rearrangement (High-c) 144

- 8.2.7 [2+2] Photocycloaddition of a Chiral Cyclohexenone (High-c) 145
- 8.2.8 Bromination of Toluene (Solvent-Free) 148
- 8.2.9 Sulfonation of Nitrobenzene (Solvent-Free) 148
- 8.2.10 Synthesis of Nitro Herbicides (High-c, Solvent-Free) 148
- 8.2.11 Suzuki–Miyaura Reaction over Sol–Gel Entrapped Catalyst SiliaCat DPP-Pd 150
- 8.2.12 Enzyme and Coenzyme (High-c in Bioprocessing) 150
- 8.2.13 Enzyme and Coenzyme (High-c in Bioprocessing) 151
- 8.3 Supercritical Fluids to Combine the Former Separated – Mass Transfer Boost 152
 - 8.3.1 Supercritical Hydrogenation of Cyclohexene 155
 - 8.3.2 Supercritical Hydrogenations of Double and Triple Bounds 155
 - 8.3.3 Ascaridole Synthesis under Photo-Supercritical Conditions 157
 - 8.3.4 Citronellol Oxidation under Photo-Supercritical Conditions 157
 - 8.3.5 Near-scCO₂ Enzymatic Biodiesel Synthesis 157
 - 8.3.6 Supercritical Water, Non-Catalytic Beckmann Rearrangement 158
 - 8.3.7 Supercritical Water, Non-Catalytic Pinacol Rearrangement 159
 - 8.3.8 Supercritical Water Oxidation 159
 - 8.3.9 Supercritical-Acetonitrile, Nitriles from Carboxylic Acids 162
 - 8.3.10 Self-Optimizing Continuous Reactions under Supercritical Conditions 162
 - References 163
- 9 Doing More by Combining – Process Integration 165**
 - 9.1 Integration of Reaction and Cooling/Heating, Separation, or Other 165
 - 9.1.1 Integrated Micro-Steam Reformer-Catalytic Combustor for Methane Fuel Processing 165
 - 9.1.2 Integrated Microburner/Thermoelectric Device for System Start-Up 166
 - 9.1.3 Integrated Micro Reactor–Evaporative Cooler 167
 - 9.1.4 Integrated Microwave–Microreactor 167
 - 9.1.5 Integrated Enzyme Microreactor–Extractor 167
 - 9.1.6 Integrated Membrane Microreactor for Knoevenagel Reaction 168
 - 9.1.7 Continuous Multiple Liquid–Liquid Separation: Diazotization of Amino Acids 169
 - 9.1.8 Coupling of the Hydroxylation of Progesterone Using *Rhizopus Nigricans* with Flow Extraction 169
 - 9.1.9 Coupling of the Esterification to Isoamyl Acetate Using Lipase B with Flow Extraction 170
 - 9.2 Integration of Process Control and Sensing 171
 - 9.2.1 Integrated Process Control for Methanol Steam Reforming 171
 - 9.2.2 Integrated Sensing, Catalyst, and Heating for Ammonia Oxidation 171

- 9.2.3 Integration of the Esterification to Ethyl Oleate Using Lipase B with Photoionization Mass Spectrometry 172
- 9.2.4 Integration of the Intramolecular Friedel–Crafts Addition with Ultra-High-Pressure Liquid Chromatography 173
- 9.2.5 Integration of Pyrane Flow Reaction and Synchrotron-Based IR and X-Ray Beam Analysis 174
- 9.2.6 Integration of Multistep Organic Transformations Catalyzed by Au Nanoclusters 176
- 9.3 Thermal Integration on a Process Level 177
- 9.3.1 Thermal Integration of a Methanol Micro-fuel Processor/Fuel Cell 177
- 9.4 Integration of Units on Racks, Backbones, Frames, Interfaces, or Similar Level 178
- 9.4.1 Integrated Circuit Socket for Fluidic-Electric Interface 178
- 9.4.2 Chassis-Type Unit Racking and System Automation 178
- 9.4.3 Modularization of (Flow) Plant Equipment 179
- 9.4.4 Modular Gas–Liquid Microreactor 179
- 9.5 Fully Intensified/Flow Process Development 179
- 9.5.1 Adipic Acid Large-Scale Manufacture 179
- References 183

- 10 Doing the Same with Less – Process Simplification 185**
- 10.1 Omitting the Use of a Catalyst 185
- 10.1.1 Air Oxidation of Cyclohexane 185
- 10.1.2 Bromination of Toluene 185
- 10.1.3 Tetrazole Click Chemistry 186
- 10.2 Simplifying Separation 186
- 10.2.1 Phenyl Boronic Acid Synthesis 187
- 10.2.2 Simplifying Operation 188
- 10.2.3 Trans-1,2-Cyclohexanediol – Exothermic Steps Done “All-in-Once” 188
- 10.2.4 Olefin Autoxidation 189
- References 190

- 11 Implications of NPW to Green and Cost Efficient Processing 191**
- 11.1 Introduction 191
- 11.2 Knowledge-Based Design of Future Chemistry – Coupling the Implementation of NPW with Evaluation and Decision Support Tools 192
- 11.3 Evaluation Methods 192
- 11.3.1 Single Metrics 193
- 11.3.2 Holistic Approaches 194
- 11.3.3 Life Cycle Costing 201
- 11.3.3.1 Cradle-to-Gate Approach in LCC 202
- 11.3.3.2 Calculation of Costs 204

11.3.3.3	Separation of Costs in Variable and Fixed Costs	206
11.3.4	Summary of Life Cycle-Based Evaluation Methods	206
11.4	Evaluation of the NPW Concept Impact on Sustainability	206
11.4.1	Evaluation of New Chemical Transformations	207
11.4.1.1	One-Pot Multistep Synthesis of Fine Chemicals	207
11.4.1.2	Avoidance of Waste Products	207
11.4.2	Evaluation of High-Temperature, High-Pressure Operation	208
11.4.2.1	p-Xylene Partial Oxidation under Harsh Conditions	208
11.4.2.2	Process Intensification of Biodiesel Generation	209
11.4.2.3	Generation of Carbon Nanotubes at High Temperatures	211
11.4.2.4	Activation of Carbon Dioxide	213
11.4.2.5	Impact of Harsh Process Conditions of Catalyst Deactivation	215
11.4.2.6	Methane Decomposition at High Reaction Temperatures	216
11.4.2.7	Synthesis of Fullerenes by Pyrolysis versus Plasma	217
11.4.2.8	Epoxidation Reaction at Accelerated Temperature	219
11.4.2.9	Trade-Off Designs for a Hydrocarbon Biorefinery	220
11.4.3	Reduction and Replacement of Solvents	222
11.4.3.1	Sildenafil Citrate Process	222
11.4.3.2	Suzuki–Miyaura Cross-Coupling	224
11.4.3.3	Synthesis and Application of Ionic Liquids	225
11.4.4	Evaluation of Process Integration	226
11.4.4.1	Acceleration of Multiphase Reactions via Ultrasound	226
11.4.4.2	Process Optimization of a Pharmaceutical Synthesis	229
11.4.4.3	Process Simplification of Adipic Acid Synthesis	231
11.4.4.4	Process Enhancement via Phase Transfer Catalysis	232
11.4.4.5	Separate Step versus Coproduction for Methanol Production	234
11.4.4.6	Process Integration in Terms of Costs	234
11.4.4.7	The Effects of Modular Plants	235
11.5	Future Environmental and Economic Sustainability Evaluation in the Context of Flow-Chemistry under NPW Conditions	236
	References	238

12 From Milligrams to Kilograms – Scale-Up in Modular Flow Reactors 241

12.1	Reactor Types	241
12.2	Scale-Up Parameters	243
12.2.1	Geometry	244
12.3	Numbering-Up	246
12.3.1	Internal Numbering-Up	246
12.3.2	External Numbering-Up	246
12.4	Single-Channel Operation	247
12.4.1	Fluid Dynamics in a Rectangular Channel	247
12.4.2	Mean Residence Time and Its Distribution	248
12.4.3	Pressure Loss and Mixing	252
12.4.4	Heat Transfer in Channel Reactors	254

12.4.5	Parametric Sensitivity and Reactor Thermal Stability	256
12.5	Methodology for Continuous-Flow Process Development	258
12.5.1	General Chemical Plants and Modular Setup	261
12.5.2	Platform Concept and Scalability	264
12.5.3	Modular Process Development	267
12.5.3.1	Module A: Feasibility Study – Milestone Decision  	268
12.5.3.2	Module B: Process Synthesis and Optimization – Milestone Decision  	270
12.5.3.3	Module C: Process Robustness and Economy – Milestone Decision  	273
12.5.3.4	Module D: Pilot Production and Commercial Manufacturing	274
12.6	Conclusions	278
	References	280
13	Evolution of Novel Process Windows	283
13.1	Multifaceted Novel Process Windows: Evolution	283
13.1.1	Novel Chemistry – Liberation of Chemical Potential (2005)	283
13.1.2	NPW-Route Classification and Experimental Demonstration (2009)	283
13.1.3	NPW-Reaction Compilation Out of One Source – 1 (2010)	284
13.1.4	NPW-Reaction Compilation Out of One Source – 2 (2010)	284
13.1.5	Flow Chemistry High-T Overview – Superheated Processing (2010)	284
13.1.6	Flow Chemistry High-T Overview – from-Cryo-to-Ambient Processing	285
13.1.7	NPW-Methodology and Intensification Considerations for High-T Flow Reactions (2011)	285
13.2	High-p,T Commercial Flow Chemistry Equipment	286
13.3	Funding Agency Initiatives	286
13.3.1	DBU Cluster Novel Process Windows	287
13.3.2	EU Funding	289
	References	291
14	Scientific Dissemination of Novel Process Windows	293
14.1	Literature Share for Chemical Intensification	293
14.1.1	Search Methodology and Limitations	293
14.1.2	High-Temperature, High-Pressure, High-Concentration in Chemistry and Chemical Engineering Literature	294
14.1.3	High-T, -p, -c in Microreactor Literature	295
14.1.4	High-(T, p, c) and NPW Importance in Current Microreactor and Overall Literature	298
14.2	Literature Share for Process-Design Intensification	298
	References	300

15	Outlook	<i>301</i>
15.1	Process Automation	<i>301</i>
15.1.1	Computer-Controlled Flow Processing	<i>301</i>
15.1.2	Process-Automated Application Example	<i>301</i>
15.2	Means of Activation Other than High-Temperature, High-Pressure, High-Concentration, and High-Solvent	<i>303</i>
15.2.1	Photoactivation	<i>303</i>
15.2.2	Activation by Instable Catalyst Precursors	<i>305</i>
	References	<i>307</i>
	Index	<i>309</i>