

Index

a

- Ag/AgNO₃, photoelectrochemical cell 179
- antennas 46
 - bacterial antenna complex proteins 47–49
 - light-harvesting antennas 46
 - photosystems I and II harvesting antennas 49–53
- Au(111) electrodes 141
- AuNP/ITO electrodes 141
- Az (An) electron exchange, logarithmic plots of 139

b

- back electron transfer (BET) reaction 129
- bacterial antenna complex proteins 47.
 - See also* Light-harvesting complex
- BHJ solar cells 205
- bisPC71BM, molecular structures of 228
- bis(phenylethynyl)anthracene (BPEA) 99
- blue copper protein 139, 140
- Boltzmann constant 34
- Born–Oppenheimer approximation (BOA) 33
- borondipyrromethene (BDPY) 91
- bovine serum albumin (BSA)
 - with dual fluorophore–nitroxide probe 117
 - FN1 incorporated into 116
- bpyRu-C9-Ad bound to P450cam, structure of 115
- Brunauer–Emmett–Teller (BET), surface area measurement 240
- bulk heterojunction (BHJ)
 - photocatalyst of interfacing CaFe₂O₄ and MgFe₂O₄ 238
 - photovoltaics with 225
 - polymer:fullerene 227, 228
 - solar cells

- consisting of P3OT and C₆₀, positive impact on 226
- metal oxide nanocomposites, effect of 180, 212
- structures, development of 213

c

- cadmium sulfide (CdS), nanoparticles of 238
- C₆₀ anion radical 137
- carbon nanodiamond (ND) 135
- carbon nanotubes (CNTs) 103, 134, 180, 186, 220
- carotenoid 99
- cascade tunneling hypothesis 55
- CdSe nanocrystals 145, 167, 222
- CdSe nanoribbons, light irradiation 237
- CdSe-sensitized electrodes, ZnS coating on 210
- CdSe–TiO₂ nanocomposites, formation of 222
- CdS nanocrystals 210
- CdS quantum dots 210
- CdS/TiO₂ composite system, photoinduced electron transfer 129
- C101 dye 169
- CEPO. *See* coherent electron-phonon oscillator (CEPO)
- charge carrier 104, 154, 226
 - systems 175–182
- charge recombination (CR) 91
- charge separation (CS)
 - in donor–acceptor pairs 92
 - requirements for 92, 93
 - electron transfer models 35
 - for photogenerated radical pairs 28
 - in photosynthetic reaction centers, level structure 60
 - process 91

- spin effects on 28, 29
 - charge transfer
 - modeling beyond Condon approximation 10
 - NC effects in kinetics of 10, 15
 - static and dynamic torsional disorder on kinetics of 10
 - charge transfer exciton (CTE) 224
 - emission intensity 224
 - photoluminescence intensity of 226
 - chemical bath deposition (CBD) 170, 210
 - chenodeoxycholic acid (DCA) 161, 223
 - Chlorobium tepidum* 70
 - chlorophyll 45, 46, 50, 62, 70, 75, 120, 141, 241
 - cofacial porphyrin dimers (CPDs) 95
 - cofactor–protein complex 59
 - coherent electron–phonon oscillator (CEPO) 8, 9, 28
 - colloidal quantum dot photovoltaic devices 210
 - concerted, and multielectron processes 38–40
 - constrained density functional theory (CDFT) 8, 15
 - electron transfer coupling elements from 8
 - energies 8
 - weak interactions encountered in 15
 - copper surface, photoelectron transfer 144
 - counterelectrodes (CEs) 182
 - CS. *See* charge separation (CS)
 - cubanes 243, 244
 - cubanes $[\text{Mn}_4\text{O}_4]^{6+}$ 244
 - PCET reactions of 245
 - reaction pathways 247
 - CuPcF_{16}
 - film deposited on a GaAs(100) wafer 132
 - lowest unoccupied molecular level (LUMO) 133
 - photoinduced electron transfer from 133
 - current density
 - for hydrogen evolution at Pt electrode 34
 - short-circuit 200
 - of top and bottom cells 202
 - vs. voltage 174
 - current–voltage characteristics 135
 - cyanobacteria 50, 52, 53, 68, 69, 72
 - cyclic tetrapyrroles 93–101
 - cyclic voltammetry 138, 139, 142
 - cyclopentadithiophene (CDT)-based low-bandgap copolymers 212
 - cytochrome P450scc (CYP11A1) 142
- d**
- Dawson-type dirhenium(V)-oxido-bridge POM 237
 - D149 chemical structures of 167
 - dendric structures 134
 - density functional theory (DFT) 9, 127, 141, 159, 160, 175
 - deoxycholic acid (DCA) 167, 223
 - p*-diaminobenzene 101
 - di-branched DSSC organic sensitizers, structures of 162
 - 4,40-dimethyl-2,20-bipyridinium 240
 - direct adsorption (DA) 210
 - donor–acceptor systems 101–106, 134
 - donor F6T2, chemical structures of 206
 - DSSCs. *See* dye-sensitized solar cells (DSSCs)
 - dual fluorophore–nitroxide molecules
 - chemical structures 108
 - factors affecting light energy conversion in 116–118
 - photophysical and photochemical processes in 106, 107
 - system 1 107–109
 - system 2 109–113
 - dual FNO* as model systems, for conversion of light energy 106
 - dye molecules, photoinduced processes on semiconductor nanoparticles 128
 - dye-sensitized heterojunctions (DSHs) 186
 - dye-sensitized solar cells (DSSCs) 91, 153, 157, 158, 161, 173, 183, 185, 199, 203, 208. *See also* individual cells
 - carbon black-based counterelectrodes 184
 - design and principle of 201
 - efficiency 229
 - electron transfer processes, schematic diagram of 154
 - fabricated on 200
 - fluorine-doped tin oxide (FTO) 183
 - IPCE of 206
 - IR 166
 - quantum dot 210
 - quasi-solid-state 188
 - solid-state 185
 - structure of 203
 - three-dimensional 200
 - dye-sensitized solar cells I
 - cathode 182–185
 - charge carrier systems 175–182
 - general description 153–155
 - Grätzel design 155–157
 - injection/recombination 171–175
 - photoanode 168–171
 - sensitizers

- metalloporphyrins 159–161
- organic dyes 161–167
- ruthenium complexes 158, 159
- semiconductor 167, 168
- on solar cells 151–153
- solid-state 185–189
- dye-sensitized solar cells II
 - fabrication of 219–223
 - fullerene-based solar cells 223–229
 - optical fiber 199–202
 - polymers in 211–218
 - quantum dot (QD) 208–211
 - tandem approach 202–208
- dye-sensitized titanium dioxide surfaces 216
- dye solar cells 147, 153
- dye structures 178

e

- EIS. *See* electrochemical impedance spectroscopy (EIS)
- electrochemical electron transfer
 - adiabatic 37
 - probability of elementary act in outer-sphere 37
 - specificity of 33–38
- electrochemical impedance spectroscopy (EIS) 138, 165, 175, 216
- electrochemical proton-coupled electron transfer (EPCET) 34, 35
- electron-deficient bithiazole (BT) 212
- electron diffusion coefficient 175
- electron diffusion length 171–173
- electron donor–acceptor composite system 133
- electron exchange processes 25
- electron flow, through proteins 113–116
- electronic excitations, in conjugated polyme/fullerene blends 227
- electron–proton transfer coupling 29–33
- electron transfer (ET) 1, 91, 172. *See also* charge transfer
 - Born–Oppenheimer (BO) formulation 15
 - cumulant expansion (CE) method to derive 12
 - dependent of the Franck–Condon weighted density 13
 - dynamics in low temperature 16
 - effect of solvent fluctuations 17
 - electronic and nuclear quantum mechanical effects 5–7
 - energy *vs.* reaction coordinates 2
 - Franck–Condon principle 1
 - Gibbs energy for 12
 - Marcus equation, validation 4
 - methods to study, kinetics of 54
 - role by electronic interaction 3
 - schematic representation of 137
 - temperature dependence 14
 - theoretical models 1–7
 - transition coefficient 3
 - variation in energy of system and 2
- electron transport 173. *See also* electron transfer
 - blends suitable way to improve 226
 - chain based on CdS/Cu_xS nanoheterostructures 238
 - and chemically sensing properties 145
 - with coherent electron–phonon oscillator 9
 - dynamics of 173
 - fullerene phase in 227
 - intrinsic 169
 - in molecular wire junctions 141
 - pyrene-sensitized 118
 - rate 169
 - and recombination in dye-sensitized solar cells 173
 - through dyad molecules 131
 - voltammetric studies on 120
- electron tunneling pathway 113, 114
- ENDOR spectroscopy 98
- energy conversion efficiency 157
- energy-storable dye-sensitized solar cell (ES-DSSC) 181, 185
- exchange integral 25

f

- F-doped SnO₂ (FTO) 184
- Fermi level 33–35, 37, 141, 151, 172
- ferredoxin 45, 68, 69, 71
- ferrocene–porphyrin–C₆₀ triads 143
 - self-assembled monolayers of 142
- FE-SEM micrographs
 - NW arrays, images 222
 - of TiO₂ photoelectrode 163, 216
- fill factor (FF) 163
- flavodoxin 68, 71
- fluorescence, electrochemical modulation of 142
- fluorescence emission 138
- fluorinated copper phthalocyanine. *See* CuPcF₁₆
- fluorine-doped tin oxide (FTO) 183, 221
- fluorophore–nitroxide compounds 107
- Förster resonance energy transfer (FRET) 46
- Franck–Condon factor 2, 23
- free energy 2, 6, 12, 23, 31, 33, 59, 180
- fullerene-based solar cells 223–229

g

- GaN:ZnO catalysts, H₂ and O₂ evolution 247
 Gertzel dye-sensitized solar cell 155
 Gibbs energy 12, 18, 21–23, 72, 118
 glassy carbon (GC) electrode 135
 gold nanoclusters 141, 142
 graphene nanoplatelets
 – electrocatalytic properties of 184
 graphene oxide (GO) suspension 256
 graphene Pt nanoparticles, dispersion of 255
 Grätzel design 155–157

h

- hollow core-mesoporous shell carbon (HCMSC) 219
 homodimeric PSII complex 73
 hybrid polymer solar cells, morphology on 218
 hydrogen, photogeneration of 240, 242
 hydrophobic magnetic nanoparticles (NPs) 138
 hydroxylamine derivatives 107
 hyperfine sublevel correlation (HYSCORE) spectroscopy 81

i

- idealized photovoltaic converter 152
 impedance spectroscopy (IS) 171
 incident photon-to-current efficiencies (IPCE) 159, 163, 180, 204, 206, 209, 211, 252
 indium tin oxide (ITO) 131, 141
 – electrodes 141
 – layer 200
 inducible nitric oxide synthase (iNOSoxy) 115
 In₂S₃ SEM images of 220
 integral encounter theory 6
 intensity-modulated photocurrent spectroscopy 173
 interfacial electron transfer (IET) 127
 intramolecular electron transfer 103
 ionic liquid electrolytes 181
 IPCE. *See* incident photon-to-current efficiencies (IPCE)
 IR absorption 133
 IR bandgap 210
 IR spectroscopy 130, 135, 216, 243
 ITO nanoelectrodes 212

j

- JK-64/JK-65/JK-64Hx, structure of 164
 J–V curves, for devices constructed from compounds 131

k

- KCa₂Nb₃O₁₀, structure 239
 K₄Nb₆O₁₇, structure 239

l

- lamination, schematic representation of 214
 Landau–Zener model, of electron transfer 1–3
 layered basic zinc acetate (LBZA) nanoparticle 173
 layered hydroxide zinc carbonate (LHZA) 170
 LC/SAM/Au electrode, electron transfer on 138
 lead selenide (PbSe) nanocrystals 131
 Lhca4 polypeptide 51
 LHC II trimer 52
 light energy conversion 45, 69, 91, 127
 light-harvesting antennas 46
 – requirements for 47
 light-harvesting complex
 – dynamic processes in 48, 49
 – of plants 46
 – structure of 47, 48
 light-harvesting efficiency 206
 long-range electron transfer (LRET) 24–28
 – analysis of biological systems 28
 – decay factor 25
 – dependence of logarithm of relative parameters of 26
 – rate constant of TTET 25
 – triplet–singlet spin conversion of radical pair 26
 – values of attenuation parameter of 27
 low-bandgap polymer fullerene solar cell (pBEHTB) 224
 lowest unoccupied molecular orbital (LUMO) 133, 166, 180, 215, 218
 LRET. *See* long-range electron transfer (LRET)

m

- manganese–oxo cube [Mn₄O₄]ⁿ⁺ 243
 Marcus equation 242
 – analysis 139
 – classical 242
 – semiclassical 103
 – validation 4
 Marcus model, of electron transfer 3–7
 – driving force and reorganization energy 9–17
 – electron coupling 7–9
 Marcus theory 4, 8, 9, 13, 15, 95, 140
 – applied to interfacial ET kinetics 38
 – potential dependence yielded an extremely low value for 140

- MCM-48 silica 138
 3-mercaptopropionic acid (MPA) 210
 mesoporous carbon (MC) 171
 mesoporous titanium dioxide 163
 metal cations, doping of 250
 metallic bonds 136
 metalloporphyrins 160
 – application of 159
 MKZ-21 molecular structures of 164
 Mn₃O₄
 – GaN:ZnO modified
 –– water splitting on 248
 – Mn₃O₄ NPs as 246
 Mn₄O₄-cubane water oxidation catalysts,
 development of 243
 Mn-oxo cubane complex 245
 molar extinction coefficient 158
 MoS₂ ultrasonication of 238
 multiwalled carbon nanotube (MWCNT)-
 free solar cells 216
- n**
- Nafion 245
 – coated polypyrrole 180, 185
 – film 244
 – schematic persantation 246
 nanocarbon materials 133
 nanostructured NiO film 202
 nanowire (NW) arrays 199
 naphthalenediimide (NDI) 98
 naphthaleneimide (NI) 98
 nickel oxide (NiO)
 – nanopowders 206
 – photocathodes 206
 – thin films 204
 –– erythrosin J-sensitized
 nanostructured 204
 NK-4432, molecular structures of 167
 NK-6037, molecular structures of 167
 nonadiabatic electron transfer 11
 – dependence of ET constants
 logarithm on 23
 – electronic potential energy surfaces 22
 nonadiabatic theory, for electron
 transfer 8
 nonequilibrium, on driving force 21–23
 nonlinear recombination kinetics,
 effect of 171
 NP composite 173, 174
- o**
- open-circuit voltage 160
 organic sensitizers 163
 – comprising donor 161
 OTE/SnO₂/ND-TCPP, current–voltage
 characteristics 135
 oxygen evolution complex (OEC) 72, 242
- p**
- pBTTT, molecular structures of 228
 PC71BM, molecular structures of 228
 PCET. *See* proton-coupled electron transfer
 (PCET)
 p-conducting Nafion membrane 244
 perturbation molecular orbital (PMO)
 theory 9
 Ph C₆₁ butyric acid Me ester (PCBM) 131,
 144, 205, 213, 217, 224, 226
 (6,6)-phenyl-C61-butyric acid methyl ester
 (PCBM)) solar cells 205, 218, 224, 225
 phospholipid-linked naphthoquinones 135,
 136
 photoanodes 168–171
 – photovoltaic performance of 219
 photocatalytic dihydrogen production 236.
See also photocatalytic water splitting
 – H₂ evolution
 –– over TiO₂ 236, 237
 –– semiconductor 237–240
 –– from water based on platinum and
 palladium 240, 241
 – O₂ evolution
 –– water splitting 241
 photocatalytic reduction 235
 photocatalytic water splitting 241, 255.
See also water splitting
 – heterogeneous process of 249
 – H₂ evolution 241
 –– Mn clusters 242–248
 –– thermodynamics, and feasible mechanism
 of 241, 242
 – O₂ evolution 241
 – schematic energy diagrams of 249
 – on semiconductor 250
 photoconductive atomic force
 microscopy 224
 photoconversion properties 218
 photocurrent generation mechanism 143
 photodetector 199
 photoelectrochemical cell 235
 – catalyzes 243
 photoelectrochemical system 153
 – charge transport, difference 236
 photoelectrochemical water splitting, using
 hematite 251
 photoelectrochem system 250
 photoelectron transfer, on copper surface 144
 photoevolution dioxygen 241

- photogenerated catalysis 236
 photoinduced charge injection 132
 photoinduced charge transfer 145
 photoinduced electron injection 133
 photoinduced electron transfer 7, 15, 91, 95, 101, 114, 133, 141, 143, 144
 photoinduced hydrogen producing system 241
 photoinduced interlayer electron transfer, in lipid films 118–121
 photoinduced processes, occurring in (ZnP)2-Cu(I) (phen)2, 95
 photooxidation, of water 46
 photosynthesis 45, 46
 – problems of 45
 photosystem II (PS II) complex 77
 photosystems I and II harvesting antennas 49–53
 photovoltaic current 154
 photovoltaic (PV) fiber 200
 photovoltaic parameters 182
 phycobilisome 52, 53
 phycocyanobilin 52
 phycoerythrobilin 52
 picosecond laser flash photolysis experiments 130
 plastic film electrodes 128
 plastoquinol–plastoquinone exchange 73
 platinum thermal cluster catalyst (PTCC) 180
 poly(3,4-alkylenedioxythiophene) films 185
 polyaniline (PANI) 183
 poly[3,4-ethylenedioxythiophene:paratoluenesulfonate] (PEDOT:PTS) 184
 polyethyleneterephthalate (PET) substrate 215
 poly(3-hexylthiophene) (P3HT) 131, 144, 212, 213, 218, 226
 – molecular structures and absorption spectra of 214
 – P3HT:PCBM bulk heterojunction solar cells 218
 polymer electrolyte 216
 polymer/fullerene blend films 228
 polymer:fullerene bulk heterojunction organic solar cells 227
 polymer–fullerene solar cells
 – charge transfer and transport 224
 – open-circuit voltage of 225
 polymer photovoltaic devices 211
 polymer solar cells 211–218
 polymer tandem solar cell, device structure of 205
 poly(3,4-methylenedioxythiophene) 183
 poly-(3-(2-methylhexyloxy)carbonyl)dithiophene) (P3MHOCT) 213
 polyphenol oxidase (PPO), adsorption of 136
 poly(3,4-ethylenedioxythiophene):poly(styrene sulfonic acid) (PEDOT:PSS) 217
 poly(p-phenylenevinylene) (PPV) 213
 polypyrrole nanoparticles (NPs) 164
 poly(4-styrenesulfonic acid) (PSS) nanowires 145
 poly(6,6',12,12'-tetraoctylindeno[1,2-*b*]fluorene-co-5,7-dithien-2-yl-thieno [3,4-*b*]pyrazine) (PIF-DTP) 216
 polythiophene (PT) 213
 polythiophene:fullerene solar cells, thermal stability of 225
 porphyrin (Por) 98, 135, 159, 160, 161
 – molecular orbitals (MOs) of 159
 potassium niobate nanoscrolls 239
 power conversion efficiency (PCE) 204
 1-propyl-3-methylimidazolium iodide (PMII) 181
 proton-coupled electron transfer (PCET) 29
 – heterogeneous 35
 – importance in redox reactions with 244
 – magnetic properties of protonated semiquinone and 63
 – reactions of cubane model complexes 245
 – regimes of 31
 – requires reorganization of solvent and 30
 – role in chemical and biological processes 29
 – theoretical description of 31
 proton transfer pathway, in photosynthetic reaction centers 74
Pseudomonas aeruginosa 139
 Pt nanoparticles 171
 pulsed laser excitation 159
 pyrene-sensitized electron transport 118
- q**
 QE. *See* quantum efficiency (QE)
 quantum-dot-sensitized solar cell (QDSC) 208–211
 quantum dot solar cells 189, 208, 210
 quantum efficiency (QE) 138, 153, 218, 220, 250, 251
 quantum kramers theory 8
 quantum theory, of electron transfer reactions 34
- r**
 Raman scattering spectra 240
 rapid-scan FTIR difference spectroscopy 75

- reaction center of photosynthetic bacteria (RCPB) 53–56
 – electron transfer, and molecular dynamics in 64–68
 – kinetics and mechanism, of electron transfer in 58–64
 – model of 55
 – structure of 56–58
 reaction centers of photosystems I and II 68, 69
 – reaction center of photosystem II 72–76
 – reaction centers of PS I 69–72
 red absorbing chromophores 163
 $\text{ReI}(\text{CO})_3(\text{dmp})\text{-His124}||(\text{Trp122})|\text{AzCuI}$ 113
 – architecture of 114
 – kinetic model, of photoinduced electron transfer in 113, 114
 resonance integral 25
 reversible hydrogen electrode (RHE) 252
Rhacophorus viridis 55, 56
Rhodobacter sphaeroides 48
 – energy transfer
 – within B850 ring of light-harvesting complex 48
 – effect of Bchl redox potential of 59
 – mutant reaction centers from 68
 – pheophytin-modified reaction centers 60
 – proton transfer pathways 65, 74
 – reaction center from 56–59, 64, 75
 – crystallographic structures 63
 – light minus dark difference absorption spectra 61
 – structure and mechanism 57
 – role of dynamic effects on 67
Rhodospseudomonas palustris 47
Rhodospseudomonas viridis 54
 rotaxane molecules 94
 Ru bipyridyl complexes 130, 244
 Ru–I complex geometry of 175
 $\text{Ru}^{\text{II}}\text{-Pd}^{\text{II}}$ complex Pd colloid system, dihydrogen evolution 239
 ruthenium complexes, ligands of 158
- S**
- SAMgold electrodes 140
 SBA-15/ Co_3O_4 , TEM images of 253
 SBA-15/ NiO , oxygen evolution 254
 scanning electron microscopy (SEM) 173, 205, 220
 scanning Kelvin probe microscopy (SKPM) 223
 scanning tunneling microscope (STM) break junction method 130
 self-assembled monolayer (SAM) 244
 semiconductor-sensitized analogue (SSSC) 167, 168
 semiconductors, redox processes 127–147
 – on carbon materials 133–136
 – electron transfer
 – donor–bridge–nanoparticle acceptor complexes 130–132
 – electron transfer in 144–147
 – on metal surfaces 136–144
 – sensitized TiO_2
 – interfacial electron transfer dynamics 127–130
 silicon naphthalocyanine bis(trihexylsilyl oxide) (SiNc) 227
 silicon phthalocyanine (SiPc) triads 99
 single-walled carbon nanotubes (SWNTs) 103, 134, 135
 – electron donor–acceptor hybrids 134
 – immobilization strength 135
 – polyphenol oxidase (PPO), adsorption of 136
 solar cells
 – components, fabrication of 219
 – energy conversion efficiency 153
 – equivalent circuit 151, 152
 – photocatalysts/dye sensitizers in 127
 solar hydrogen production systems 250
 sol–gel-processed nanoparticles 189
 solid-state dye-sensitized photovoltaic cell 187
 solid-state/nanocrystalline solar cells 187
 solvent-free liquid redox electrolytes 181
 Soret band 161
 spin-coated PEDOT:PSS 215
 spin exchange (SE) 25
 spin-selective charge transport pathways 102
 SRhB-silane-SnO_2 , schematic structure of 133
 stacked cup C nanotube (SCCNT) 209
 Stark shift 131
 structure-sensitizing dyes 203
 substrate–ITO–PEDOT:PSS–(active layer)–aluminum 215
 sulforhodamine B (SRhB) 130
 superexchange 25
 supported bilayer lipid membrane (s-BLM) 138
 SWNTs. *See* single-walled carbon nanotubes (SWNTs)
Synechococcus elongatus 69

- t**
- tandem dye-sensitized solar cells (TDSC) 203, 207
 - TC201-TC602, molecular structures of 166
 - TDDFT. *See* time-dependent density functional theory (TDDFT)
 - TDSC. *See* tandem dye-sensitized solar cells (TDSC)
 - tetra *n*-butylammonium (TBA) 158
 - tetrathiafulvalene (TTF) sensitizers, photooxidized 128
 - Thermochromatium tepidum* 56
 - Thermosynechococcus elongatus* 72
 - thiazolothiazole (TZ) 212
 - thiophene-substituted metalloporphyrins, DFT study of 160
 - thylakoid membranes 118
 - time-dependent density functional theory (TDDFT) 56, 63, 159
 - time-resolved fluorescence spectra of dansyl-TEMPO dual probe 117
 - titanium dioxide (TiO₂)
 - bandgap excitation of 178
 - CdSe nanoparticles, coupling of 146, 223
 - chemical vapor deposition 128
 - chromophores 156
 - conduction band (CB) 208
 - Cu₂O microgrid 251
 - CuSCN layers 188
 - different molecular layers 165
 - distance dependence of 179
 - DSSC composed of 202
 - dye-sensitized solar cells 169
 - dye/solution interface 129
 - energy level diagram 146, 178
 - fabrication protocols for 207
 - FE-SEM micrographs 216, 217
 - hollow fibers
 - DSSC, nanoribbon network electrode for 169
 - nanostructured 169
 - mesoporous films 170
 - nanobelt–ZnO nanowire array 168
 - nanoparticles 175
 - nanorod/nanotube (NR/NT) adjacent film 219
 - nanotube(NT)array 177
 - photoanode, nanocrystalline 221
 - photovoltaic performance 177
 - scheme of 211, 251
 - semiconductor photocatalysts 239
 - SEM images of 220
 - transient kinetics of 172
 - titanium dioxide nanotubes (TiO₂ NTs) 170
 - transmission electron microscopy 173
 - transparent conducting oxide (TCO) 170, 186
 - transparent electrode 154
 - triethanolamine (TEOA) 240
 - trinitrotricyanomethylenefluorene SiPc-(TNDCF) 101
 - trinitrofluorenone SiPc-(TNF) 101
 - triphenylamine (TPA) 102
 - derivatives 165
 - triphenylamine-based metal-free organic dyes (TC15) 188
 - triplet–triplet energy transfer (TTET) 25
 - TExchange integral 25
 - tunneling-electron rate constants, plots of logarithms 116
- u**
- ultrafast electron transfer (UFET) 8, 28, 139, 145, 209
 - ultrafast vibrational spectroscopy 131
 - ultraviolet photoemission spectroscopy (UPS) 132
 - UV–visible absorption spectra 170
- v**
- valence band (VB) 127, 202, 207, 252
 - variational transition-state theory 7
 - vectorial multistep electron transfer 137
- w**
- water oxidation system (WOS) 235. *See also* photosystem II (PS II) complex
 - based on titanium oxides 250, 251
 - heterogeneous catalysts for
 - general 248–250
 - O₂ evolution 245
 - photocatalysis 246, 250
 - semiconductors for 251–256
 - water oxidizing complex (WOC) 82, 242, 243, 245, 246
 - water splitting 249. *See also* photocatalytic water splitting
 - hydrogen generation 242
 - O₂ evolution 241
 - photochemical splitting of 235
 - RuO₂ nanoparticles 254
 - seawater 254
 - by two-photon process 256
 - WOC. *See* water oxidizing complex (WOC)
 - WOS. *See* water oxidation system (WOS)
- x**
- X-ray diffraction (XRD) 186, 240, 242

Z

- zeolite-based materials 250
- zeolite membrane 238
- zinc naphthalocyanine 225
- zinc oxide (ZnO)
 - Al transparent current collector layer 199
 - nanowire arrays 170, 173, 174, 201, 222
 - schematics of 174
 - porous electrode 189
- zinc phthalocyanine 95, 225
- zinc porphyrin 93, 96, 99
 - arrays 97
 - β -substituted 160
 - and C₆₀ fullerene moieties incorporated 93
 - hexaphenylbenzene core bearing 99
- ZINDO-1 parameter method 132
- ZrO₂ surface, role of 144
- Zusman model 17–21. *See also* Electron transfer (ET)
 - equations generalization to 18
 - equation to include quantum nuclear dynamics 19
 - ET reaction rates calculation 18, 19
 - features of ET of complex molecules 20, 21
 - Gibbs energy activation 18
 - influence of solvent polarization diffusion 19
 - resonance splitting, lowers activation free energy 21
 - treatment of experimental data for complex systems 20

