

Index

a

- adsorption on nanotube surfaces 142
 - encapsulation of organic molecules 105
 - of aromatic amino acids 104
 - of charged surfactants 91
 - of chloroform 103
 - of electrolytes 91
 - of metalloporphyrin complexes 104, 275
 - of nanoparticles on charged CNT-g-polyelectrolytes 189, 275
 - of nitrogen 148
 - of polymers by π - π stacking 259
 - of triglycerides 150
- aminated acrylonitrile (mAN) 242
- amine functionalization of CNTs
 - application of 143
 - limitations of 154f
 - strategies for 139ff, 143
 - via 1,3-dipolar cycloaddition of azomethine ylide 296
- 3-aminopropyltriethoxysilane (APTES) 7
- 3-aminopropyltrimethoxysilane (APTS) 13
- application of functionalized CNTs 37, 40, 45ff, 67, 123, 257
 - application of CNT/polymer composites 81f, 294
 - as catalyst in organic reactions 150f
 - as CO sensor 151
 - as composite electrolytes in PEM fuel cells 154
 - as DNA detector 151
 - as fluorescent probe 296
 - as molecular transporters for biomolecules 126f, 139
 - as nanoelectronic devices 135
 - as vapor sensor 164f
 - in drug delivery 234f, 296
 - in molecular electronics 152f
 - in semiconductor chemistry 153
 - manipulation of solubility 149f
 - of amine-functionalized CNTs 149ff
 - of CNT-QD in the detection of proteins 131
 - of MWCNT-g-PEI 233ff
 - of nanoparticles-conjugated CNTs composites 129f, 135
 - of pyrrolidine ring decorated CNTs in microelectronics 297
 - of sulfonated CNTs 136
 - superhydrophobic coating for glass 295
- APTES, *see* 3-aminopropyltriethoxysilane
- APTS, *see* 3-aminopropyltrimethoxysilane
- atom transfer radical polymerization (ATRP) 15f, 30, 35, 45, 53, 69, 83, 168, 179
 - CNT-based macroinitiators for 180f, 197
 - CNT-initiated ATRP of (meth)acrylates 183ff
 - CNT-initiated ATRP of acrylamides 195f
 - CNT-initiated ATRP of styrenes 194ff
 - controllability of CNT-initiated 197
 - sequential 199
 - vinyl monomers for 183
- ATRP, *see* atom transfer radical polymerization
- azide-alkyne click chemistry 35f, 203
- azomethine ylide
 - from α -amino acid and aldehyde 291f
 - from aziridines 297

b

- biocompatibility of functionalized CNTs 153
- biosensor 45ff
- biotin 3, 39
- 2,2'-bipyridyl (bpy) 180
- boron nitride nanotube (BNNT) 207f

c

- cadmium selenide nanoparticle
 - mercaptoacetic acid coating of 114f
- cadmium telluride nanoparticle 44
- carbon nanotube (CNT) 25
 - amidation of 143
 - amine functionalization of 138ff
 - as charged polymer-functionalized nanosubstrate 189ff
 - bearing substituted pyrrolidine rings
 - bioapplications of 45ff
 - buckling of 96f
 - defect site functionalization of 140f
 - dispersants for 68
 - donor acceptor assemblies based on 43f
 - filling with biomolecules 127
 - fluorination of 148
 - free-radical-functionalized 106f
 - functionalization strategies for 136ff
 - hyperbranched polymer-grafted 204
 - interaction with aromatic amino acids 104f
 - interaction with dispersive conjugated polymers 68
 - interaction with pyrene-containing block copolymer 52ff, 57
 - interaction with pyrene-containing random copolymer 57
 - LbL modification of 28ff
 - linear block-copolymer-grafted 199f
 - linear homopolymer-grafted 183
 - mechanism of CNT-block copolymer interaction 72ff
 - modification by π - π stacking 52ff
 - modification of the electronic band gap 148f
 - nylon-functionalized 163
 - oxidized 31
 - phosphonic acid-modified 153f
 - pH-responsive polymer-functionalized 188, 267
 - polycation-grafted 43, 189
 - polyelectrolyte-grafted 188
 - polymer-grafted 31, 179ff
 - processability of 51, 67
 - properties of 67
 - QD-conjugated 114ff, 153
 - tip functionalization of 140f
- cationic ring opening polymerization
 - active chain-end (ACE) mechanism 218ff, 221
 - active monomer (AM) mechanism 216ff, 221
 - for preparation of hyperbranched polyether-grafted CNTs 229f
 - in the presence of chain transfer reagents in one pot 216f
 - of 1,3-dioxepane/ethyleneglycol 218
 - of aziridine for preparation of functional polyamine 224ff
 - of glycidol
 - propagation mechanisms 217
- chain transfer reagent 216ff
- characterization of amino-functionalized CNTs 142f
- characterization of functionalized nanotubes 9, 13, 35f, 118
 - degree of functionalization 147f
 - IR spectra of functionalized CNTs 143ff
 - of CNTs-g-AN 250f
 - of mCNTs/epoxy nanocomposites 243ff
 - of mCNTs/polyimide nanocomposite films 247
 - of SWCNT-f-OH 293
 - using AFM measurements 146
 - via Raman spectroscopy 145f
 - via thermogravimetric analysis (TGA) 147
 - via X-ray photoelectron spectroscopy (XPS) 146f
- chemical vapor deposition 1, 7
- chitosan 19
- clickable polymer 35
- CNT, *see* carbon nanotube
- CNT-COOH 83ff
- CNT-based core-shell nanostructure 185, 187
- CNT-g-maleic anhydride (mCNT) 240
- colloid stabilization principle 2
- complex formation by π - π interactions 91
- compression loading of CNTs 96
- conductivity of functionalized nanotubes 33f, 246, 248
- controlled radical polymerization (CPR) 179, 273, 275f
- copper catalyst 180
- copper(I)-catalyzed azide/alkyne click reaction 35, 267f
- covalent functionalization of nanotubes 12ff, 67
 - attachment of macromolecules 52ff
 - “grafting from” approach, *see also* surface-initiated polymerization 53, 91, 106, 179
 - “grafting to” approach 53, 57, 91, 106, 179

- layer-by-layer (LbL) deposition of polymeric thin films 25ff
- “random grafting” 179
- with biodegradable polymers 160ff, 192ff
- with magnetite nanoparticles 14, 119ff
- with PAA and PSS 30
- covalent sidewall functionalization of CNTs
 - anhydride functionalization 262
 - attachment of amino acids 291f
 - attachment of dendrimer molecules 296
 - attachment of phenol groups 292f
 - by diazonium salt decomposition 262
 - coupling of CNTs-COOH with polyamines 261ff
 - coupling of CNTs-COOH with polyols 261ff
 - coupling with fluorescence marker 297
 - direct surface functionalization 137
 - electrochemical 137
 - “gemini grafting” strategy 203
 - multifunctionalization 269
 - surface oxidation by $\text{HNO}_3/\text{H}_2\text{SO}_4$ 261
 - via [4+2] cycloaddition 175
 - via 1,3-dipolar cycloaddition of azomethine ylide 290
 - via fluorination 100, 137
 - via surface-initiated ROP 160ff
 - via the introduction of anions 102f
 - via the introduction of free radicals 102
 - with amide groups 100f
 - with amine groups 100f, 136ff, 140
 - with biodegradable polymers via ATRP 192ff
 - with carboxylic groups 100f
 - with gold nanoparticles 123f, 299
 - with nitro groups 101
 - with poly(amidoamine) dendrimers 126f
 - with polymers via RAFT 208
 - with quantum dots 114ff
 - with transition metal complexes 101f
- cover effect 239
- CPNT, *see* electrically conductive polymer nanotube
- CPR, *see* controlled radical polymerization
- cross-linked polymer bilayer 9
- cytotoxicity of PEI-g-CNTs 233f

d

- debundling 279, 304
- deformation of nanotubes 95
 - bending deformation of CNTs 98f
 - deformation modes 96f
 - tensile deformation of CNTs 96
 - torsional deformation of CNTs 97

- defunctionalization of CNTs 155
- degrafting 59
- dendron-nanotube complex 59
- density functional theory (DFT) 92, 104
- deposition of conductive LbL films 26f
- deposition of enzymes 38f
- deposition of hyperbranched polymers 31, 160ff
- deaggregation of CNTs 68
- dipolar cycloaddition 289ff
 - dipolarophiles for 289
 - formation of indolizine-group decorated SWCNTs 299f
 - formation of pyrazoline-ring decorated CNTs 305f
 - formation of pyrrolidine-ring decorated CNTs 290ff
 - microwave-assisted 297f, 299
 - of azomethine ylides to CNTs 291ff
 - of cyclic nitrones to CNTs 302f
 - of nitrile imines to CNTs 307
 - of nitrile oxide to CNTs 300
 - of pyridinium ylide to CNTs 298ff
- dispersant 68
- dispersion of nanotubes
 - dispersion of CNTs 71ff, 91
 - using conjugated block copolymer dispersants 68, 83ff
 - using linear-dendritic polymer hybrids 59
 - using P3HT-*b*-PS 71ff
- donor acceptor assembly 43
- doping of nanotubes 105
- double-hydrophilic block copolymer 60ff

e

- electrical conductivity of CNTs 239, 246, 248f
- electrically conductive polymer nanotube (CPNT) 51ff
- electromagnetic interference (EMI) shielding 82
- electron transfer from enzymes to CNTs 44
- electronic band structure of CNTs 148f
- electronic tunneling resistance of CNTs 34
- endocytosis 139, 152
- energy dispersive X-ray (EDX) analysis 72

f

- ferritin 9, 39
- ferrocene 291
- field-flow fractionation device 5
- finite size effect 51

fluorescein isothiocyanate (FITC) 234f, 296f
 fluorescence quenching 75
 free radical grafting 273f
 fullerene 25, 106, 289
 functionalization of CNTs through
 mechanical deformation 95ff

g

gas sensor 43, 151
 – based on nitro-functionalized CNTs 101
 gel permeation chromatography (GCP) 70
 gold nanoparticle 9f, 113, 123ff, 299
 – methyl mercaptoacetate modification of 125f
 grafting ratio 276

h

helical wrapping 68, 75
 high shear mixing 91, 263
 high-temperature evaporation 1
 HiPco SWNT 2f
 honeycomb structure 81
 Huisgen [2+3] click cycloaddition 267f
 hybridization change 98, 100
 hydrolyzed-poly(styrene-*alt*-maleic anhydride) (*h*-PSMA) 9
 hyperbranched polymer 160ff, 204f, 224f
 – degree of branching (DB) of 230f

i

immobilization of nanoparticles on
 nanotube surfaces 13
 immobilization of porphyrins 44
 immobilization of pyrene derivatives 52
 indium trioxide nanotube
 – as gas sensor 43
 – synthesis of 41f
 inorganic nanoparticle for stabilization of
 dispersed nanotubes 3
 intercavity filling 136
 ionic self-assembled multilayer (ISAM) 25f
 irreversible adsorption on nanotubes 11
 ISAM, *see* ionic self-assembled multilayer
 isokinetic thermostating
 – Berendsen thermostat scheme 93f
 – Evans-Hoover scheme 93f
 – Gaussian feedback scheme 93
 – using a hybrid quantum mechanics/
 molecular mechanics approach 95

l

laser ablation 1, 25
 layer-by-layer (LbL) modification of CNTs
 28ff, 190

– deposition of biological molecules 38f
 – for template development 41
 – on vertical aligned (VA) MWNTs 37f
 – using click chemistry (LbL-CC) 35ff
 LbL modification, *see* layer-by-layer
 modification of CNTs
 LbL-CC process, *see* layer-by-layer
 modification of CNTs
 local-density approximation (LDA) 92

m

macroradical 279
 magnetic nanohybrid material 47
 magnetite nanoparticle (MNP) 13f, 119f
 – aminosilane coating of 121
 – polyamidoamine dendrimer-modified 127
 mAN, *see* aminated acrylonitrile
 mCNT, *see* CNT-*g*-maleic anhydride
 mCNTs-*g*-acrylonitrile 242
 mechanical exfoliation 67
 membrane 154
 metallic nanotube 149, 299
 metal-oxide nanotube 41
 metananotube 136
 methotrexate (MTX) 296
 microwave-generated N₂/NH₃ plasma 139
 MNP, *see* magnetite nanoparticle
 MNP/CNT nanohybrid 119ff
 modeling of nanotube functionalization
 – using *ab-initio* quantum mechanics 92
 – using molecular dynamics 92f
 moisture/vapor barrier material for
 electronic devices 82
 molecular dynamics simulation 92, 95, 139
 multi-walled carbon nanotube (MWCNT)
 – binary functionalized Janus-MWCNT 168
 – dendrimer-modified 126ff
 – dispersibility of surface-modified 54
 – fluorescent 163
 – formation of Au-MWNT conjugates 125f
 – functionalization with chitosan 19
 – functionalization with PAA-PSS 29
 – functionalization with polyetherimide 18
 – functionalization with
 pyrene-functionalized block copolymers 55ff
 – glycopolymer-functionalized 193
 – growth of polyfluorene chains on 297f
 – hyperbranched polymer-grafted 205f
 – inclusion complex bound on 165f
 – magnetic 45
 – methylimidazolium-tethered 168

- P3HT-*b*-PAA dispersed 83ff
- P3HT-*b*-PPEGa dispersed 85f
- P3HT-*b*-PS dispersed 71ff
- perfluorinated 295
- poly(epoxychloropropane)-grafted 168
- polyfluorene-functionalized 298f
- structure and morphology of polymerfunctionalized 186ff, 201f
- through multisite ionic interactions with block copolymer 63
- vertical aligned (VA) 37
- water-soluble PEG-*g*-MWCNT 32
- MWCNT, *see* multi-walled carbon nanotube
- MWCNT-COOH 31, 63, 83
- MWCNT-*g*-(PCL) 164
- MWCNT-*g*-(PEI) 226f, 232f
- MWCNT-*g*-(PEO-*b*-PCL) 169f
- MWCNT-*g*-PDEAEMA 188
- MWCNT-*g*-PLLA 173f
- MWCNT-*g*-PMMA via *in situ* ATRP 185f
- MWCNT-*g*-PNIPAAm 195ff, 198
- MWCNT-*g*-PS 194f
- MWCNT-NH₂ 115
- MWCNT-PAA 31
- MWCNT-PSS 31

n

- nanoparticle (NP) 113
- loading by polyelectrolyte-grafted CNTs 189
- nano-sized filler effect 51
- nanotube encapsulation 12
- nanotube nanocomposite, synthesis of 13
- nanotube surface
 - binding of proteins on 2f
 - coated with luminescent polymers 12
 - coated with watersoluble polyvinylalcohol 12
- DNA immobilization on 20
- hydrophobic interactions with surfactants 3
- norbornene polymerization on 7, 53
- nanotube-bound anion 103
- nanotube-bound radical 102
- nitroxide-mediated radical polymerization (NMRP) 179, 207
- NMRP, *see* nitroxide-mediated radical polymerization
- noncovalent functionalization of nanotubes
 - by multiple ionic interactions with double-hydrophilic block copolymers 60ff
 - by π - π stacking with block polymers 52ff
- noncovalent modification of CNTs 103ff, 142

noncovalently functionalized nanotube 142

- swelling behaviour of 8
- synthesis of 2ff

nonhelical adsorption 68

NP, *see* nanoparticle

NPs-conjugated CNTs composite 113f

o

organometallic-mediated radical polymerization (OMRP) 279

p

P3HT, *see* poly(3-hexylthiophene) block copolymer

PAA, *see* polyacrylic acid

PAH, *see* poly(allylaminehydrochloride)

PAN, *see* polyacrylonitril

PANI nanotube 60ff

- doping of 62

- stabilization of aqueous dispersions of 60ff

PANI, *see* polyaniline

PCL, *see* poly(ϵ -caprolactone)

PDDA, *see* poly(diallyldimethylammonium chloride)

PDEAEMA, *see* poly(2-(*N,N*-diethylaminoethyl) methacrylate

PDMAEMA, *see* poly(2-(*N,N*-dimethylaminoethyl) methacrylate

PEG, *see* poly(ethylene glycol)

PEI, *see* poly(ethyleneimine)

N,N,N,N-pentamethyldiethylenetriamine (PMDETA) 35, 180

percolation threshold 78f

physical adsorption, *see* noncovalent functionalization of nanotubes

π - π interaction

- spectroscopic analysis of 72ff

π - π stacking 2

plasma treatment of CNTs 240

- electrode reactor for 240

- morphology of plasma-modified mCNTs 243ff

- properties of CNTs-*g*-mAN/epoxy nanocomposites 253f

- properties of mCNTs nanocomposites 244, 248

PLLA, *see* poly(L-lactide)

PMDETA, *see*

N,N,N,N-

pentamethyldiethylenetriamine

PMMA, *see* poly(methyl methacrylate)

PNIPAAm, *see* poly(*N*-isopropylacrylamide)

- polarized infrared internal reflectance spectroscopy 9
- poly(allylaminehydrochloride) PAH 32f
- poly(AzEMA), *see* poly(2-azidoethyl methacrylate)
- poly(2-azidoethyl methacrylate) (poly(AzEMA) 35
- poly(ϵ -caprolactone) (PCL) 160
- poly(diallyldimethylammonium chloride) (PDDA) 29, 32, 45
- poly(2-(*N,N*-diethylaminoethyl) methacrylate (PDEAEMA) 187
- poly(2-(*N,N*-dimethylaminoethyl) methacrylate (PDMAEMA) 31, 45, 53
- poly(*p*-dioxanone) (PPDX) 160
- poly(ethylene glycol) (PEG) 3
- poly(ethyleneimine) (PEI) 216
- poly(3-hexylthiophene) (P3HT) block copolymer, synthesis of 69
- poly(*N*-isopropylamide) (PNIPAAm) 195
- poly(L-lactide) (PLLA) 160, 172
- poly(L-lysine) 172
- poly(methyl methacrylate) (PMMA) 53, 79
- poly(PgMA), *see* poly(propargyl methacrylate)
- poly(propargyl methacrylate) (poly(PgMA) 35
- poly(vinyl pyrrolidone) (PVP) 4f, 39
- poly(vinylimidazole) (PVI) 37
- poly-[(vinylbenzyl)trimethylammonium] chloride (PVBTA⁺) 43f
- polyacrylic acid (PAA) 9, 30, 266
- polyacrylonitrile (PAN) 252
- polyamidoamine (PAMAM) 127, 129, 262
- polyaniline (PANI) 60
- polyelectrolyte deposition 25ff
- polyethylene 106
- polymer adsorption 9
- polymer doping 51, 62
- polymer grafting 1, 105f
 - anionic 279, 281
 - azide 281
 - click coupling of CNTs with block copolymer micelles 270
 - click grafting 35f, 203
 - combination of “grafting onto” and “grafting from” approaches 268
 - combinations of surface-functionalized CNTs and polymers for 260
 - free radical grafting 273
 - “gemini grafting” 202f
 - “grafting from” approach, *see also* surface-initiated polymerization 53, 91, 106, 179, 215, 258f
 - “grafting to” approach 53, 57, 91, 106, 179, 215, 258f
 - microwave-assisted solid-state grafting 264, 266
 - of alkoxyamine end-capped (co)polymers onto CNTs 277f
 - of chlorinated polymers onto CNTs 271
 - of diblock copolymers on MWCNTs 169f
 - of linear glycopolymers from MWCNTs 193
 - of oligo-*N*-vinyl carbazol 109
 - of poly(acryloyl chloride) onto CNTs 266
 - of polyethylene 106ff
 - of polypeptides on MWCNTs 171f
 - of propylene oxide 108f
 - on boron nitride nanotubes by ATRP 207
 - on CNTs by ARTP 180, 279
 - on CNTs by NMRP 179, 207
 - on CNTs by plasma deposition 240ff
 - on CNTs by RAFT 208
 - on phenol-substituted CNTs 295
 - one-step methods 272ff
 - onto CNTs-alkyne 267, 270
 - onto CNTs-anhydride 271
 - onto CNTs-COCl 263f
 - onto CNTs-COOH 262ff
 - onto CNTs-NCO 271
 - onto CNTs-NH₂ 266f
 - onto CNTs-OH 264f
 - onto CNTs-S-S-pyridine 271
 - two-step “grafting onto” approach 259ff
- polymer matrix for nanotubes 79
- polymer micelle for nanotube encapsulation 11f
- polymer wrapping method 4ff
- polymer-wrapped nanotube 5f, 30, 296
- polypropylene oxide 108
- polystyrene sulfonate sodium salt (PSS) 29, 32
- polystyrene-*g*-(glycidyl methacrylate-*co*-styrene) (PS-*g*-(GMA-*co*-St)) 7
- PPDX, *see* poly(*p*-dioxanone)
- protein binding on nanotube surfaces
 - nonspecific 2
 - specific 3
- protein detection by functionalized CNTs 131, 151
- PS-*g*-(GMA-*co*-St), *see* polystyrene-*g*-(glycidyl methacrylate-*co*-styrene)
- h*-PSMA, *see* hydrolyzed-poly(styrene-*alt*-maleic anhydride)

PSS, *see* polystyrene sulfonate sodium salt
 purification of nanotubes 2
 PVBTA^{nt}, *see* poly-[(vinylbenzyl)
 trimethylammonium] chloride
 PVI, *see* poly(vinylimidazole)
 PVP, *see* poly(vinylpyrrolidone)
 pyrene-based block copolymer 52ff
 1-pyrenebutanoic acid, irreversible
 adsorption of 11

q

QD, *see* quantum dot
 quantum confinement effect 51
 quantum dot (QD) 113f
 – mercaptoacetic-acid-capped cadmium
 selenide 114f

r

radial breathing mode (RBM) 76, 145
 RAFT polymerization, *see* reversible
 addition-fragmentation chain transfer
 polymerization
 reversible addition-fragmentation chain
 transfer (RAFT) polymerization 35, 55,
 179
 ring opening polymerization (ROP) 160,
 216ff
 rod-coil copolymer 80
 ROP, *see* ring-opening polymerization

s

SCVP, *see* self-condensing vinyl
 polymerization
 SDS, *see* sodium dodecyl sulfate
 self-assembly of block copolymers into
 micelles 268
 self-assembly of P3HT-*b*-PS 80
 self-assembly of polyelectrolyte nanoshells
 28f
 self-condensing vinyl polymerization
 (SCVP) 205
 semiconducting nanotube 149, 299
 separation of semiconducting and metallic
 CNTs 138f, 154
 sidewall functionalization, *see also* covalent
 sidewall functionalization of CNTs *and*
 surface functionalization 52ff
 silica coating of nanotubes 7
 silver nanoparticle 190
 single-walled carbon nanotube (SWCNT)
 4
 – adsorption of chloroform on 103f
 – adsorption of metalloporphyrin complexes
 on 104

– air-stable amphoteric doping of 105
 – armchair 93f, 105
 – caprolactam-functionalized 164
 – electrostatic LbL deposition of enzymes
 on 38f
 – encapsulation of organic molecules by
 105
 – fluorinated 20
 – formation of SWCNT-*f*-OH via
 cycloaddition of azomethine ylides 291f
 – functionalization of 4f, 19, 57, 99ff, 160
 – interaction with a linear-dendritic hybrid
 polymer 59
 – P3HT-*b*-PS dispersed 71ff
 – photoactive 306
 – PVP-SWCNT system 5
 – shortened sidewall-functionalized 57
 – zigzag 93f, 102
 sodium dodecyl sulfate (SDS) 4, 60ff
 solubility of CPNTs 51, 58f
 solubilization of CNTs 138, 149f, 252
 stabilization media for nanotubes 2f
 stabilization of CNT dispersions 53
 starched nanotube 12
 Stone-Wales defect 101
 streptavidin 2f, 9, 39, 139
 stress-strain relationship 93f
 styrene-acrylonitrile copolymer (SAN) 262
 superhydrophobic film 81f, 294
 surface functionalization, *see also* covalent
 sidewall functionalization of CNTs 2
 – by anionic polymerization 19, 279
 – by controlled living polymerization 15
 – by free radical melt grafting of polymers
 7, 106
 – by *in situ* polymerization 13, 19
 – by long-chain polymers 12
 – by noncovalent adsorption 99, 103ff,
 142, 148, 189, 259, 279
 – by oxidation 137
 – by π -stacking 9
 – by polymer multilayers 8
 – covalent chemical modification of
 sidewalls 99ff
 – covalently binding of amines 14
 – epoxy functionalization 18
 – immobilization of biomolecules 9, 13
 – microwave-induced acid functionalization
 20
 – noncovalent, of CNTs 103ff
 – noninvasive 2
 – of acid-treated nanotubes 8
 – of CNTs with oligonucleotide/antibody
 131

- of graphite 10
 - reactive groups on CNTs for polymer grafting 260
 - using an inorganic silica layer 6
 - using aromatic polyimides 12
 - using inorganic nanoparticles 2f
 - using polymer wrapping 4ff
 - surface modification, *see* surface functionalization
 - surface-force measurement 26
 - surface-initiated polymerization 53, 91, 106, 179
 - anionic 174f, 279
 - surface-initiated ring-opening polymerization 160f
 - anionic 163, 170
 - cationic 167
 - precursor initiator for 161
 - SWCNT, *see* single-walled carbon nanotube
 - SWCNT-CONH₂ 101
 - SWCNT-COOH 101
 - SWCNT-g-PS 195
 - SWCNT-NH₂ 101
 - SWCNT/PS nanocomposite thin film 78
 - SWNT field-effect transistor 105
 - composite material, nanotube-based 13, 78, 81f, 113f, 119ff, 129, 135, 154, 191, 241ff, 253f, 294
 - synthesis
 - covalently binding of CNTs with gold nanoparticles 123f, 299
 - covalently binding of MWNTH-COOH with MNP-NH₂ 119ff
 - covalently binding of MWNTH-NH₂ with CdSe-COOH 114ff, 117
 - of 1D molecular nanocomposites 119ff
 - of 3D molecular nanocomposites 121
 - of biodegradable CNTs hybrids 165ff
 - of CNT-based macroinitiators 181f
 - of CNT-COOH 83
 - of colloidal PANI nanoparticle 60
 - of functional polyamine via cationic ROP 224ff
 - of hyperbranched polyether-grafted CNTs 229f
 - of Janus-type structures 169
 - of mCNTs/epoxy nanocomposites 241
 - of mCNTs/polyimide nanocomposites 241f
 - of mCNTs-g-mAN/epoxy nanocomposites 242
 - of metal-oxide nanotubes 41f
 - of methylimidazolium-tethered MWCNTs 168
 - of multifunctional CNTs 269
 - of multihydroxyl dendritic macromolecules on MWCNTs 121
 - of multilayered protein/nanoparticle CNT conjugates 40
 - of MWCNT-polymer/metal hybrid nanocomposites 191f
 - of nanotubes 1, 25
 - of noncovalent protein-nanotube conjugates 122
 - of P3HT block copolymer 70
 - of P3HT-*b*-poly(poly(ethylene glycol) methyl ether acrylate) (P3HT-*b*-PPEGA) 71
 - of PEI-g-MWCNTs 226f
 - of perfluorinated CNT 294
 - of photoactive SWCNTs 306
 - of P3HT-*b*-PAA 71
 - of P3HT-*b*-PMMA 70f
 - of P3HT-*b*-PS 70
 - of poly(amidoamine) dendrimers on CNTs 126f
 - of poly(epoxychloropropane)-grafted MWCNTs 168
 - of PS-*b*-PAA-grafted MWCNTs 203
 - of semiconducting SWCNTs 299
- t**
- template, CNT-based 41f
 - TGA weight loss curve 200, 202
 - thermostat atom 93
 - thin film deposition 35
 - triazole linkage 35
 - triton-X surfactant 3
- u**
- ultrasonication 4f, 11, 68, 91, 241, 279
- v**
- van der Waals attraction 38, 67f, 91, 103, 136
 - vapor sensor 164f, 276
 - volatile organic compound (VOC) sensor 82
- z**
- zirconium dioxide nanoparticle 2