

Contents

Preface *XI*

List of Contributors *XIII*

1	Carbon Nanotubes Surface Modifications: An Overview	1
	<i>Vikas Mittal</i>	
1.1	Introduction	1
1.2	Noncovalent Functionalization of Nanotubes	2
1.3	Covalent Modifications of Carbon Nanotubes	12
	References	20
2	Modification of Carbon Nanotubes by Layer-by-Layer Assembly Approach	25
	<i>Vaibhav Jain and Akshay Kokil</i>	
2.1	Introduction	25
2.2	Layer-by-Layer Modification of the Carbon Nanotubes	28
2.3	LbL Assembly on CNTs Using Click Chemistry	35
2.4	LbL Assembly on Vertically Aligned (VA) MWNTs	37
2.5	LbL on CNTs of Biological Molecules	38
2.6	LbL on CNTs for Template Development	41
2.7	Applications of LbL-Modified CNTs	43
2.7.1	Donor Acceptor Assemblies	43
2.7.2	Bioapplications	45
2.8	Conclusions	47
	References	48
3	Noncovalent Functionalization of Electrically Conductive Nanotubes by Multiple Ionic or π-π Stacking Interactions with Block Copolymers	51
	<i>Petar Petrov and Levon Terlemezyan</i>	
3.1	Noncovalent Functionalization of CNTs by π - π Stacking with Block Copolymers Bearing Pyrene Groups	52

3.2	Noncovalent Functionalization of Electrically Conducting Nanotubes by Multiple Ionic Interactions with Double-Hydrophilic Block Copolymers	60
	Acknowledgment	64
	References	64
4	Modification of Nanotubes with Conjugated Block Copolymers	67
	<i>Jianhua Zou, Jianhua Liu, Binh Tran, Qun Huo, and Lei Zhai</i>	
4.1	Introduction	67
4.2	Synthesis of P3HT Block Copolymer	69
4.2.1	Poly(3-hexylthiophene)-b-polystyrene (P3HT-b-PS)	70
4.2.2	Poly(3-hexylthiophene)-b-poly(methyl methacrylate) (P3HT-b-PMMA)	70
4.2.3	Poly(3-hexylthiophene)-b-poly(acrylic acid) (P3HT-b-PAA)	71
4.2.4	P3HT-b-poly(poly(ethylene glycol) methyl ether acrylate) (P3HT-b-PPEGA)	71
4.3	Dispersion of CNTs	71
4.3.1	Dispersing CNTs using P3HT-b-PS	71
4.3.2	Dispersing and Functionalizing CNTs by P3HT-b-PAA	83
4.3.3	Dispersing and Functionalizing CNTs by P3HT-b-PPEGA	85
4.4	Conclusions and Perspective	86
	Acknowledgments	87
	References	87
5	Theoretical Analysis of Nanotube Functionalization and Polymer Grafting	91
	<i>Kausala Mylvaganam and Liang Chi Zhang</i>	
5.1	Introduction	91
5.2	Theoretical Techniques in Modeling Nanotube Functionalization	92
5.2.1	<i>Ab-initio</i> Quantum Mechanics Method	92
5.2.2	Molecular Dynamics Modeling	92
5.2.2.1	Scheme I	93
5.2.2.2	Scheme II	93
5.2.3	Hybrid QM/MM Approach	95
5.3	Functionalizing Carbon Nanotubes through Mechanical Deformation	95
5.3.1	Tension	96
5.3.2	Compression	96
5.3.3	Torsion	97
5.3.4	Bending	98
5.4	Functionalizing Carbon Nanotubes via Chemical Modification	99
5.4.1	Covalent Modification	99
5.4.1.1	Functionalization with Fluorine	100
5.4.1.2	Functionalization with Carboxylic Group, Amine Group, and Amide Group	100
5.4.1.3	Functionalization with Nitro Group	101

5.4.1.4	Functionalization with Transition Metal Complex	101
5.4.1.5	Functionalization via the Introduction of Free Radical	102
5.4.1.6	Functionalization via the Introduction of Anion	102
5.4.2	Noncovalent Modification	103
5.4.2.1	CHCl ₃ Adsorption	103
5.4.2.2	Adsorption of Metalloporphyrin Complexes	104
5.4.2.3	Interaction of Aromatic Amino Acids	104
5.4.2.4	Encapsulation of Organic Molecules	105
5.5	Polymer Grafting	105
5.5.1	Grafting Polyethylene	106
5.5.1.1	“Grafting from” Technique	106
5.5.1.2	“Grafting to” Technique	106
5.5.2	Grafting Polypropylene Oxide	108
5.5.3	Grafting Oligo-N-Vinyl Carbazole	109
5.6	Summary	109
	References	110
6	Covalent Binding of Nanoparticles on Carbon Nanotubes	113
	<i>Daxiang Cui</i>	
6.1	Introduction	113
6.2	Covalent Binding of Quantum Dots on CNTs	114
6.3	Covalent Binding of Magnetic Nanoparticles on CNTs	119
6.4	Covalent Binding of Gold Nanoparticles on CNTs	123
6.4.1	Preparation of MWNT-COOH	125
6.4.2	Methyl Mercaptoacetate Modification of Gold Nanoparticles	125
6.4.2.1	Formation of Au-MWNT Conjugates	125
6.5	Growth of Poly(amidoamine) Dendrimers on Carbon Nanotubes	126
6.6	Application of Nanoparticles-Conjugated CNTs Composites	129
6.7	Concluding Remarks	130
	Acknowledgments	131
	References	132
7	Amine-Functionalized Carbon Nanotubes	135
	<i>Ramaiyan Kannan and Vijayamohanan K Pillai</i>	
7.1	Introduction	135
7.2	Functionalization Strategies for CNTs	136
7.3	Importance of Amine Functionalization	138
7.4	Methods of Amine Functionalization	139
7.4.1	Sidewall Functionalization	140
7.4.2	Tip and Defect Site Functionalization	140
7.4.3	Noncovalent Functionalization	142
7.5	Characterization Techniques	142
7.5.1	FT-IR	142
7.5.2	Raman Spectroscopy	145
7.5.3	AFM	146
7.5.4	XPS	146

7.5.5	Other Characterization Techniques	147
7.6	Degree of Amine Functionalization	147
7.7	Changes in the Band Structure	148
7.8	Applications of Amine-Functionalized CNTs	149
7.8.1	Solubility Manipulation	149
7.8.2	Selective Organic Reactions	150
7.8.3	Chemical and Biological Sensors	151
7.8.4	Molecular Electronics	152
7.8.5	Semiconductor Chemistry	153
7.8.6	Biocompatibility	153
7.8.7	Composite Electrolytes	153
7.8.8	Separation of Semiconducting Carbon Nanotubes	154
7.9	Limitations of Amine-Functionalized CNTs	154
7.10	Conclusions	155
	References	156
8	Functionalization of Nanotubes by Ring-Opening and Anionic Surface Initiated Polymerization	159
	<i>Georgios Sakellariou, Dimitrios Priftis, and Nikos Hadjichristidis</i>	
8.1	Introduction	159
8.2	Surface-Initiated Polymerization	160
8.2.1	Surface-Initiated Ring-Opening Polymerization	160
8.2.2	Surface-Initiated Anionic Polymerization	174
8.3	Conclusions	176
	References	176
9	Grafting of Polymers on Nanotubes by Atom Transfer Radical Polymerization	179
	<i>Chao Gao</i>	
9.1	Introduction	179
9.2	Grafting of Polymers on CNTs by ATRP	180
9.2.1	CNT-Based Macroinitiators	180
9.2.2	Linear Homopolymer-Grafted CNTs	183
9.2.2.1	CNT-Initiated ATRP of (Meth)acrylates	183
9.2.2.2	CNT-Initiated ATRP of Styrenes	194
9.2.2.3	CNT-Initiated ATRP of Acrylamides	195
9.2.2.4	Controllability of CNT-Initiated ATRP	197
9.2.3	Linear Block-Copolymer-Grafted CNTs	199
9.2.4	Hyperbranched Polymer-Grafted CNTs by a Combination of ATRP and SCVP	204
9.3	Functionalization of CNTs by Other CRPs	205
9.4	Grafting of Polymers on Other Nanotubes by ATRP	207
9.5	Conclusions	209
	Acknowledgments	210
	References	210

10	Polymer Grafting onto Carbon Nanotubes via Cationic Ring-Opening Polymerization	215
	<i>Ye Liu and Decheng Wu</i>	
10.1	Introduction	215
10.2	Cationic Ring-Opening Polymerization of Cyclic Monomers in the Presence of Chain Transfer Reagents in One Pot	216
10.2.1	Mechanism of Cationic Ring-Opening Polymerization of Cyclic Monomers in the Presence of Chain Transfer Agents in One Pot	217
10.2.1.1	Cationic Ring-Opening Polymerization of 1,3-Dioxepane (DOP) in the Presence of Ethylene Glycol (EG) in One Pot	218
10.2.1.2	Mechanism of Cationic Ring-Opening Polymerization of Glycidol	221
10.2.2	Preparation of Functional Polyamine	224
10.3	Preparation of Polymers-Grafted Carbon Nanotubes	226
10.3.1	Preparation of PEI-grafted CNTs	226
10.3.2	Preparation of Hyperbranched Polyether-Grafted CNTs	229
10.4	Applications of Polymer-Grafted CNTs	233
10.4.1	PEI-g-CNTs with Reduced Cytotoxicity and Good Capability to Enter Cells	233
10.4.2	PEI-g-MWNTs Promising for Efficient DNA Delivery	235
	References	237
11	Plasma Deposition of Polymer Film on Nanotubes	239
	<i>Chuh-Yung Chen</i>	
11.1	Introduction	239
11.2	Principle and Experiment	240
11.2.1	Plasma Treatment of CNT	240
11.2.2	Maleic Anhydride System	240
11.2.2.1	Preparation of the mCNTs/Epoxy Nanocomposites	241
11.2.2.2	Preparation of the mCNTs/Polyimide Nanocomposites	241
11.2.3	AN System	242
11.3	Results	243
11.3.1	Maleic Anhydride System	243
11.3.1.1	mCNTs/Epoxy Nanocomposites	243
11.3.1.2	mCNTs/Polyimide Nanocomposites	247
11.3.2	AN System	250
11.3.2.1	CNT Identification	250
11.3.2.2	Properties of CNT Nanocomposites	253
11.4	Summary	254
	References	255
12	Functionalization of Carbon Nanotubes by Polymers Using Grafting to Methods	257
	<i>Jean-Michel Thomassin, Robert Jérôme, Christine Jérôme, and Christophe Detrembleur</i>	
12.1	Introduction	257

12.2	Overview of the “Grafting to” Methods	258
12.2.1	The Two-Step Method	259
12.2.1.1	“Grafting-onto” CNTs Pre-functionalized by Carboxylic Acid Groups (CNTs-COOH)	261
12.2.1.2	Grafting onto CNTs Pre-functionalized by Acyl Chloride Groups (CNTs-C(=O)Cl)	263
12.2.1.3	Grafting onto CNTs Pre-functionalized by Hydroxyl Groups (CNTs-OH)	264
12.2.1.4	Grafting onto CNTs Pre-functionalized by Primary Amines (CNTs-NH ₂)	266
12.2.1.5	Grafting onto CNTs Pre-functionalized by Alkynes (CNTs-alkyne)	267
12.2.1.6	Other Functionalized CNTs (-NCO, -S-S-Py, -anhydride, -anion)	271
12.2.2	The One-Step Method	272
12.2.2.1	Radical Grafting	273
12.2.2.2	Anionic Grafting	279
12.2.2.3	Azide Grafting	281
12.3	Conclusions	282
	Acknowledgments	283
	References	283
13	Organic Functionalization of Nanotubes by Dipolar Cycloaddition	289
	<i>Vassilios Georgakilas and Dimitrios Gournis</i>	
13.1	Introduction	289
13.2	The Case of Azomethine Ylide	290
13.3	The Case of Pyridinium Ylides	296
13.4	The Case of Nitrile Oxide	300
13.5	The Case of Nitron	302
13.6	The Case of Nitrile Imines	307
13.7	Conclusions	307
	References	307