

## Index

### a

- AB/AABB type polyamides 27, 36
- AC conductivity 323
- accelerator 246
- acids
  - amino, *see* amino acids
  - 12-aminolauric 12–14, 38–39, 372–373
  - hydrolysis 143–145
  - layered silicic 285
  - surface acidity 79
  - unsaturated dicarboxylic 245
- acrylate terminated polyurethane (ATPU) 259
- activation
  - energy 115–116
  - metallocenes 75
  - nickel catalysts 77
- ADA (amino acid) 262–263
- addition-fragmentation transfer 351
- additives 71–72
- adipate-modified LDH 47
- adsorbed monomers 91
- agglomeration tendency 127
- aggregates 56
- AIBN (2,2'-azobis(isobutyronitrile)) 89
- alcohol, furfuryl 135–136
- AlEt<sub>3</sub> (triethylaluminum) 376
- aligned filler 8
- aliphatic polyester–clay nanocomposites 367–386
- alkoxy silanes 275
- alkyds 261
- alkylaluminumoxanes 76
- alkylaluminum compounds 66
- alkylammonium cations 370
- 3-alkylthiophenes 303
- alumina layer 132
- aluminosilicates
  - inorganic 222
  - layered 1
  - nanocomposites 369
- aluminum alkyl cocatalyst 294
- amines 59
  - amine:epoxy mole ratio 223–224
- amino acids
  - ADA 262–263
  - carbon number 37
  - nanocomposites 36–41
- 12-aminolauric acid (ALA) 12–14, 38–39, 372–373
- ammonium
  - chloride 207
  - group 344
  - quaternary cations 65, 73
  - stearyl 11
  - surfactants 290
- amorphous lamellae 198
- amphiphilicity 271
- anhydrides 245
- anhydrous melt polymerization 43
- anhydrous prepolymerization 33
- anionic polymerization 289–293
  - (*ar*-vinyl-benzyl)trimethyl ammonium (VBTA) 296
- aromatic polyamides 28
- “arrowhead” shape 150
- aspect ratio
  - CNTs 303
  - CWs 126
- asymmetric carbon 288
- atom transfer radical polymerization (ATRP) 23, 99, 267–281
  - controlled 351
- 2,2'-azobis(isobutyronitrile) (AIBN) 89

**b**

barrier properties 204–207  
 – epoxy nanocomposites 238–240  
 – nanocomposites 118–121  
 – PS/MMT nanocomposites 355–356  
 basal spacing 5, 15  
 – epoxy nanocomposites 232  
 – montmorillonites 37  
 bentonite suspensions 256  
 benzimidazolium 358  
 benzyltrimethylhexadecylammonium  
 (BzC16) 226, 233–237  
 bio-based nanocomposites 123–167  
 bioabsorbable surgical sutures 381  
 biodegradable polymers 367–368  
 BIR (butadiene-isoprene copolymer) 291  
 birefringence 141  
 bis(hydroxyethyl) terephthalate (BHET) 106  
 bisphenol A 15–17, 259  
 blending 267, 309  
 block copolymers 23  
 – brushes 270–271  
 bone fixation devices 381  
 BR (butadiene rubber) 288–289  
 Bragg's law 151  
 brushes  
 – block copolymer 270–271  
 – comb polymer 273  
 “built-in” surface functionality 124  
 bulk polymerization 347–348  
 1,3-butadiene  
 – BIR 291  
 – BR 288–289  
 – polymerization methods 287–289  
 BzC16 (benzyltrimethylhexadecylammonium)  
 226, 233–237

**c**

2C18 (dioctadecyldimethylammonium) 226  
 calcined clays 75  
 calorimetric analysis 314, 358–359  
 calorimetry 360–361  
 caprolactam 12  
 – ring-opening polymerization 40  
 carbon, asymmetric 288  
 carbon dioxide (CO<sub>2</sub>) 374  
 carbon nanotubes (CNTs) 34  
 – DWNTs 305  
 – functionalization 308  
 – MWCNTs, *see* multiwall carbon nanotubes  
 – polymer nanocomposites 100  
 – PUCNs 170–188  
 carbon number 37  
 carbonate units 379

carboxylation 171  
 catalysts  
 – activators 74–76  
 – catalyst:clay ratio 81–82  
 – clay-based 298  
 – clay-supported 59, 294  
 – heterogeneous 297  
 – karstecit 278  
 – nickel 77  
 – Phillips 60  
 – stereoselectivity 84  
 – supports 63–64, 72–74, 77, 81, 294  
 – tacticity 84  
 – Ziegler–Natta 60, 287  
 cation exchange 14, 39  
 – CEC 58, 81  
 – clay reactions 58  
 – mechanism 45  
 cationic ROP 274  
 cationic surfactants 334–339  
 cations  
 – hydroxyl-substituted alkylammonium 370  
 – interlayer 59  
 – organic 241  
 – quaternary ammonium 65, 73  
 C=C antisymmetric stretching 322  
 CEC (cation exchange capacity) 58, 81  
 CED (cohesive energy density) 177  
 cell strut 186  
 cellulose  
 – microcrystalline 143–145  
 – molecular structure 128  
 cellulose fiber nanocomposites 99–100  
 cellulose whisker (CW) nanocomposites  
 128–132  
 – reactive molding 136, 140–149  
 chain length 13  
 chains, polyacrylate 272  
 char retention 161  
 characterization  
 – P3HT/MWNT nanocomposites 310  
 – PUCLNs 196–200  
 – PUCNs 176–183  
 – PUFNGs 210–214  
 – techniques 138–140  
 charge transportability 322–326  
 chemical reactions, *see* reactions  
 chemical vapor deposition (CVD) 306–307  
 chiral map 306  
 clarity 119  
 clays 284–286  
 – aliphatic polyester–clay nanocomposites  
 367–386  
 – calcined 75

- catalyst:clay ratio 81–82
- catalyst activators 74–76
- chemical reactions 58–59
- clay action 42–43
- clay-based catalysts 298
- clay modified HUP resins/alkyds 261–262
- clay-PS particles 276–277
- clay state 196
- clay-supported catalysts 294
- epoxy/clay nanocomposites 268
- GASP 95–96
- general structure 54
- *in-situ* ATRP 267–281
- intercalated 107
- lamellae 285
- laponite 275
- layered 107
- morphological hierarchy 56, 249
- nanoclay-reinforced nanocomposites 34
- organo-, *see* organoclays
- PEA/clay nanocomposites 382–383
- PET/clay nanocomposites 105–122
- polybutadiene clay nanocomposites 283–301
- polymerization additive 71–72
- polyol–nanoclay mixtures 194–196
- polyolefin–clay nanocomposites 53–88
- PUCNLs 188–208
- surface modification 64–66, 80–81
- synthetic 39, 285
- types 78–79
- Cloisite 73–74, 80, 139, 375–376
- CNFs (cellulose nanofibers) 99–100
- CNTs (carbon nanotubes) 34
  - CNT-reinforced nanocomposites 34
  - DWNTs 305
  - functionalization 308
  - MWCNTs, *see* multiwall carbon nanotubes
  - polymer nanocomposites 100
  - PUCNs 170–188
- CO<sub>2</sub> (carbon dioxide), supercritical 374
- coatings 91–92, 204
- cocatalyst, aluminum alkyl 294
- cohesive energy density (CED) 177
- colloidal particles 272
  - PS 277
- comb polymer brushes 273
- commercially important polyamides 29–34
- commodity products 53
- composites
  - ICP–CNT 307–309
  - manufacture 133–136
  - microstructure 225
  - polymer/cellulose fiber 99–100
  - polymer/CNT 100
  - polymer/inorganic compound 96–99
  - polypropylene 2
  - polyurethane 6
  - *see also* nanocomposites
- conducting polymers 303
- conductive nanofillers 185
- conductivity
  - AC 323
  - DC 324
  - electrical 185
  - thermal 187, 189
- cone calorimetry 360–361
- conjugated polymer charge transport 324
- controlled polymerization techniques 350–352
- coordination catalysts 59
- coordination of amines 59
- copolymerization 62
  - random 96
- copolymers
  - block 23, 270–271
  - butadiene-isoprene 291
- corona treatment 229
- correlation function 197
- coupling reaction 342
- covalently functionalized laponite clay 275
- cracks 201
- creep 203–204
- crosslink points 202
- crosslinked polyester nanocomposites 248
- crosslinking mechanism 136
- crosslinking monomers 246
- cryochemical solid-state synthesis 97
- crystal vibrational energy 188
- crystalline lamellae 198
- crystallization
  - nanocomposites 109–112
  - rate 381
- curing
  - conditions optimization 222–224
  - CW–PFA composites 137–138
  - first stage 156
  - MMT–PFA composites 139–140
  - UP/MMT nanocomposites 246, 253–258
- curved particles, MMT 57
- CVD (chemical vapor deposition) 306–307
- CW (cellulose whisker) nanocomposites 128–132
  - reactive molding 136–138, 140–149
- cyclic forces 201–202
- cyclic oligomers 18
- cyclohexane 290–293

**d**

2D/3D patterning 94  
 3D percolating system 323  
 damping factor 213  
 DC conductivity 324  
 decomposition  
 – side chains 316  
 – thermal 307  
 defects 201  
 degradation 114–115  
 – nonoxidative 148–149, 160–161  
 – oxidative 162–163  
 degree of phase separation (DPS) 183  
 density  
 – CNTs 303  
 – grafting 369  
 – MMT 231  
 – modified vermiculite 232  
 depolymerization 357  
 depth profiles, nanoscratch 206, 216  
 derivative mass 113–115  
 derivative weight 228  
 desulfonation 146  
 DGEBA (diglycidyl ether of bisphenol A)  
 15–17  
 diamine/diacid-based nanocomposites  
 41–48  
 dicarboxylic acids, unsaturated 245  
 dichloromethane vapor 370  
 1,3-dienes 287  
 differential scanning calorimetric (DSC)  
 analysis 314, 358–359  
 diffusion barriers 217  
 diglycidyl ether 259  
 – bisphenol A (DGEBA) 15–17  
 dihydrogenated tallow 191  
 diisocyanate 134  
 1,6-diisocyanatohexane 381  
 $\gamma$ -diketone 160  
 dimethyl dihydrogenated tallow quaternary  
 ammonium (DMDTA) 257–258  
 dimethylformamide (DMF) 233  
*N,N*-dimethylformamide (DMF) 177  
 dioctadecyldimethylammonium (2C18)  
 226  
 direct SSP 32, 44–46  
 dispersions  
 – filler phase 123–167  
 – MMT in styrene 352  
 – P3HT/MWCNT nanocomposites 311  
 – stable 311  
 “dispersions mixing” method 131  
 2,5-disubstituted furan rings 140  
 dodecylamine 78

double-layer hydroxide-based  
 nanocomposites 10  
 double-wall nanotubes (DWNTs) 305  
 DPS (degree of phase separation) 183  
 driving force concept 107  
 drug delivery systems 381  
 drying, freeze 137  
 DWNTs (double-wall nanotubes) 305  
 dynamic mechanical analysis (DMA)  
 181  
 dynamic mechanical thermal analysis  
 (DMTA) 247, 354–355

**e**

EDA, *see* ethylene amine  
 edge-surface hydroxyls modification 294  
 EG, *see* expandable graphite  
 elastic modulus 131  
 elastic solids 312  
 elastomers 170  
 electrical conductivity 185  
 emulsion-BR 289  
 emulsion polymerization 348–349  
 energy  
 – activation 115–116  
 – crystal vibrational 188  
 – density 177  
 – surface 226  
 epoxide-anhydride reaction 262  
 epoxide resins 221  
 epoxy/clay nanocomposites 268  
 epoxy compounds, polyaddition 245  
 epoxy nanocomposites 221–244  
 – barrier properties 238–240  
 – *in-situ* synthesis 221–244  
 – morphology 231–238  
 – oxygen permeation 7  
 epoxy prepolymers 16  
 esterification 142, 272  
 ethers, diglycidyl 15–17, 259  
 ethylene amine 174  
 ethylene uptake 72  
 excess surface modification molecules  
 240–243  
 exchange capacity, cation 58, 81  
 exchangeable cations 55  
 exfoliated graphite oxide nanoplatelets  
 212  
 exfoliated morphology 4  
 exfoliated nanocomposites 332  
 – partially 42  
 exfoliated platelets 154  
 exfoliated sheets 248  
 – graphene 217

exfoliation 67–69, 82, 133  
 – MMT 156  
 – nanoclays 189–194  
 – tactoids 153  
 expandable graphite 209–211  
 expanded interlayer spacing 200

## f

FA, *see* furfuryl alcohol  
 – resinification 142–160  
 fabrication, *see* synthesis  
 fiber, cellulose 99–100  
 fiber–matrix bonding 131  
 fibrils 129  
 filler  
 – aligned 8  
 – epoxy nanocomposites 224–229  
 – phase dispersion 123–167  
 – platelets 8–9  
 – powders 233  
 – UP/MMT nanocomposites 259–260  
 filler volume fraction 3, 240  
 filler weight fraction 231  
 films, thin 175  
 fire performance 359–361  
 fire retardants (FR) 258  
 first stage curing 156  
 flame retardancy 207–208  
 flammability, UP/MMT nanocomposites 258–259  
 flexural properties 119, 354  
 flow birefringence 141  
 forces  
 – cyclic 201–202  
 – driving force concept 107  
 – van der Waals/ionic 189, 208  
 formaldehyde 136  
 Fourier transform infrared spectra 321–322  
 free radical polymerization 275, 347–350  
 – styrene 20  
 free radicals 257  
 freeze drying 137  
 FTIR spectra, *see* Fourier transform infrared spectra  
 functionality  
 – “built-in” 124  
 – hydrophilic 174  
 functionalization  
 – CNTs 308  
 – laponite clay 275  
 – organoclays 380  
 furan rings 140, 159  
 furfuryl alcohol 135–136  
 – resinification 142–160

## g

gas-phase-assisted surface polymerization (GASP) 89–104  
 glass transition 196  
 grafting density 369  
 graphene  
 – exfoliated sheets 217  
 – functionalized 208–217  
 – hexagonal sheet 306  
 graphite  
 – exfoliated oxide nanoplatelets 212  
 – expandable 209–211  
 – graphite-like materials 320  
 groups  
 – ammonium 344  
 – hydroxyl 54, 77  
 – methylene 45  
 – phenyl 350  
 – sulfonic acid 142, 144  
 – urea 169  
 growth  
 – particle 68  
 – polymer 71  
 – spherulite 110

## h

$\beta$ -H transfer reactions 298  
 halogen containing unsaturated polyester (HUP) 260–263  
 “head-to-tail” reactions 135  
 heat capacity 196  
 heat distortion temperature (HDT) 118  
 heat release 360  
 2nd heating thermogram 111  
 heptane 80  
 Herschel–Bulkley equation 173  
 heterogeneous catalysts 297  
 hexadecyl trimethyl ammonium chloride 207  
 hexagonal sheet 306  
 hexamethylenediamine 31  
 3-hexylthiophene 303–330  
 hierarchical supramolecular structure 129  
 high impact polystyrene 348  
 homopolymerization 135  
 hopping, variable-range 325  
 HPA, *see* hydroxypropylacrylate  
 HT, *see* 3-hexylthiophene  
 hybrid PCNs 286  
 hybrid PET/MMTs 110  
 hydrazine 216  
 hydrogen bonding, intermolecular 130  
 hydrogen bonding index 214  
 hydrogenated tallow 73

- hydrolytic ring cleavage 158
  - hydrolytic ring opening 146
  - hydrophilicity 174, 226, 332
  - hydrophobicity 100, 284, 332
  - hydroxides
    - hydroxide-based nanocomposites 10
    - LDHs 34, 46, 377–379
  - hydroxyfunctional MTHEA 256
  - hydroxyl groups 54, 381
    - catalyst supports 77
  - hydroxyl-substituted alkylammonium cations 370
  - hydroxylated surface 130, 138
  - hydroxyls, edge-surface 294
  - hydroxypropylacrylate 250–251
- i**
- ICPs, *see* inherent conducting polymers
  - imidazolium 358
  - immobilization 124
  - impact properties 354
  - in-situ* anionic polymerization 289–293
  - in-situ* intercalated nanocomposites 36–48
  - in-situ* intercalative polymerization 133, 157
  - in-situ* polymerization 27–51, 283–301
    - aliphatic polyester–clay nanocomposites 367–386
    - ICP–CNT composites 309
    - methods 346
    - olefins 59
    - PEA/clay nanocomposites 382–383
    - P3HT/MWCNT nanocomposites 303–330
    - polyolefin–clay nanocomposites 53–88
    - polyurethane nanocomposites 169–220
    - reactive 123–167
    - stereospecific 293–298
  - in-situ* synthesis
    - alkylaluminoxanes 76
    - epoxy nanocomposites 221–244
    - polymer nanocomposites 1–25
    - strategy 230
  - indentation load–displacement curves 205
  - inherent conducting polymers 303–304
    - ICP–CNT composites 307–309
  - initiators 246, 345–346
  - inorganic aluminosilicates 222
  - inorganic PNs 283
  - inorganic volume fraction 6–7
  - insulating polymers 326
  - $\pi$ – $\pi$  interaction 304
  - interaggregate space 56
  - intercalation
    - clays 107
    - MMT 156
    - morphology 4
    - nanoclays 189–194
    - nanocomposites 332
    - organoclays 206
    - PA nanocomposites 36–48
    - polymer 11–12
    - polyols 153
    - tactoids 235
  - intercalative polymerization 95, 133, 157
  - interdomain repeat distance 198–199
  - interfacial interaction 236
  - interfacial polycondensation 46–48
  - intergallery catalysis 224
  - intergallery expansion 347
  - interlayer cations 59
  - interlayer distance 14, 39
  - interlayer region 285
  - interlayer spacing
    - expanded 200
    - PUCLNs 197
  - intermolecular hydrogen bonding 130
  - interphase 127
  - interrupted metallic model 326
  - intrinsic viscosity 108, 112
  - ion exchange 224–229
    - organic cations 241
    - reactions 53, 343
  - ionic bond 59
  - ionic forces 189
  - ionization laser 97
  - isocyanate 211
  - isophthalic UP resins 253
  - isoprene 287
    - BIR 291
  - isotactic 1,2-polybutadiene 288
- k**
- kaolinite 105
  - karstecit catalysts 278
  - kinetic parameters 114
  - kinetic rate of polymerization 379
- l**
- “labyrinth” morphology 161
  - lactams 30
    - lactam-based nanocomposites 36–41
  - lactide rings 379
  - lactone byproducts 136
  - lamellae 285
    - crystalline/amorphous 198
  - laminates, packaging 222
  - laponite clay 275
  - laser vaporization/ionization 97
  - laurate units 379
  - lauryl methacrylate polymerization 21

- layered aluminosilicates 1  
 layered clays 107  
 layered double hydroxides (LDHs) 34, 46, 377–379  
 – adipate-modified 47  
 layered nanoparticles 285  
 layered silicates 18, 126  
 – nanocomposites 132–133  
 layered silicic acids 285  
 layers, stacked 56  
 limiting oxygen index 262  
 linear polyamides 28  
 liquid-phase polymerization 90  
 liquidity 174  
 lithium-BR 289  
 LOI, *see* limiting oxygen index  
 loss modulus 315  
 low-temperature processes 31–34
- m**
- MAO, *see* methylaluminoxane  
 mass, derivative 113–115  
 masterbatches 374  
 mechanical properties  
 – nanocomposites 117–118  
 – P3HT/MWCNT nanocomposites 312–316  
 – PS/MMT nanocomposites 353  
 – PUCLNs 200–204  
 – UP/MMT nanocomposites 246–253  
 melamine polyphosphate 208  
 melt blending 267, 309  
 – graphite/TPU composites 217  
 melt-extruded nanocomposites 321  
 melt viscosity 261  
 mesomerically stabilized radicals 257  
 metal chalcogenides 285  
 metal oxide-reinforced nanocomposites 34  
 metallocenes 60, 62–64  
 – activation 75  
 methyl methacrylate 92, 96, 269, 272, 277–278  
 methyl-tallow-bis(2-hydroxyethyl)-quaternary ammonium 247–250, 260–263  
 – hydroxyfunctional 256  
 methylaluminoxane (MAO) 61–62  
 – catalyst supports 63, 72–73  
 – polybutadiene clay nanocomposites 294–295  
 methylene groups 45  
 micas 79  
 microcomposite 332  
 microcrystalline cellulose 143–145  
 microfibrils 129  
 microphase separation 182, 197  
 microscopy, optical 176  
 microstructure  
 – composites 225  
 – polymers 288  
 misalignment of filler platelets 8–9  
 miscibility 372  
 mixed-resin systems 259–260  
 mixing  
 – dispersion/suspension 131  
 – temperature 193  
 MLM, *see* multilayer model  
 MMA, *see* methyl methacrylate  
 modification  
 – MMT 12, 332–346  
 – nonreactive 333–343  
 – polymeric initiator-based 345–346  
 – reactive 343–345  
 – vermiculites 232  
 modified MAO (MMAO) 73–74  
 molding 133  
 molecular dynamics simulations 187  
 monofunctional silanes 275, 342  
 monomers  
 – adsorbed 91  
 – conversion 297  
 – crosslinking 246  
 – intercalation 368  
 – polarity 250  
 montmorillonite (MMT) 1–2  
 – basal spacing 37  
 – commercially procured 242–243  
 – curved particles 57  
 – density 231  
 – dispersion in styrene 352  
 – exfoliated tactoids 155  
 – GASP 90  
 – intercalation 156  
 – lab treated 242–243  
 – modification 5, 12, 247, 332–346  
 – morphology 150  
 – octadecylamine-treated 254  
 – organomodified 381  
 – PET/clay nanocomposites 105–122  
 – PET/MMT hybrids 110  
 – PS/MMT nanocomposites 331–365  
 – reactive molding 138–140, 149–164  
 – smectites 55–56  
 – structure 132  
 – unmodified 225  
 – UP/MMT nanocomposites 245–266  
 morphological hierarchy 56, 249  
 morphology 4  
 – CW nanocomposites 141–142  
 – epoxy nanocomposites 231–238  
 – “labyrinth” 161

- MMT clay 150
  - PCNs 331–332
  - PET/clay nanocomposites 108–109
  - P3HT/MWCNT nanocomposites 311
  - PUCLNs 196–200
  - PUCNs 176–183
  - PUFGNs 210–214
  - UP/MMT nanocomposites 246–253
  - MPP, *see* melamine polyphosphate
  - MTHEA, *see* methyl-tallow-bis(2-hydroxyethyl)-quaternary ammonium
  - hydroxyfunctional 256
  - multifunctional nanocomposites 169
  - multilayer model 67–68
  - multiwall carbon nanotubes (MWCNTs) 40, 48, 170–173
  - P3HT/MWCNT nanocomposites 303–330
- n**
- Na, *see* sodium
  - nanoclays 126
  - exfoliation/intercalation 189–194
  - nanoclay-reinforced nanocomposites 34
  - nanocomposites
  - aluminosilicate 369
  - barrier properties 118–121
  - bio-based 123–167, 367–368
  - cellulose whisker 128–132
  - crosslinked polyester 248
  - crystallization 109–112
  - double-layer hydroxide-based 10
  - epoxy 7, 221–244
  - epoxy/clay 268
  - exfoliated 332
  - GASP 95–100
  - intercalated 36–48, 332
  - layered silicate 132–133
  - mechanical properties 117–118
  - melt-extruded 321
  - morphology 108–109
  - multifunctional 169
  - partially exfoliated 42
  - PCL-based 368–375
  - PET/clay 105–122
  - P3HT/MWCNT 303–330
  - PLA-based 375–381
  - polyamide 34–48
  - polybutadiene/clay 283–301
  - polyethylene 20
  - polymer 1–25
  - polymer/clay 267–281
  - polymer matrix 125–133
  - polymer–silicate 267
  - polyolefin–clay 53–88
  - polypropylene 2
  - polystyrene/MMT 331–365
  - polyurethane 169–220
  - PPDO-based 381–382
  - preparation 89–91, 106–108
  - structure 286
  - ternary 373
  - thermal properties 112–117, 148–149, 161–164
  - UP/MMT 245–266
  - *see also* composites
  - nanofibers, cellulose 99–100
  - nanofillers 185
  - nanoindentation tests 253
  - nanoparticles
  - agglomeration tendency 127
  - layered 285
  - silica 78
  - nanoplatelets 212
  - nanoreactors 296
  - nanoscratch depth profiles 206, 216
  - nanotubes
  - CNTs, *see* CNTs
  - double-wall 305
  - MWCNTs, *see* multiwall carbon nanotubes
  - Newtonian fluids 312
  - nickel catalysts 77
  - nitroxide-mediated polymerization (NMP) 351–352
  - nitroxyl-based organic cation modification 22
  - nonisothermal melting 179
  - nonoxidative degradation 148–149, 160–161
  - nonreactive cationic surfactants 334–336
  - nonreactive modifications 333–343
  - nucleating ability 179
- o**
- octadecylamine-treated MMT 254
  - octahedral coordination 54
  - OFW, *see* Ozawa–Flynn–Wall
  - olefins 59
  - oligomeric silesquioxanes 343
  - oligomers, cyclic 18
  - one-dimensional correlation function 197
  - one-dimensional nanomaterials 170
  - optical absorption 318
  - optical microscopy (OM) 176
  - optical properties 318–322
  - ordered (in)organic PNs 283
  - organic cations 22, 241
  - organic–inorganic interface 250

- organic surface modification 64–66
- organo-modifier 106
- organoclays 43–45
  - intercalated 206
  - PET/MMT hybrids 113
  - PUCLN fabrication 190
  - quaternary ammonium cations 65
  - TFC 380
  - UP nanocomposites 251–252
- organommodified MMTs 381
- oven-curing 137
- oxidative degradation 162–163
- oxidized graphene 209
- oxygen flux data 356
- oxygen permeation
  - epoxy nanocomposites 7, 238–239, 241–242
  - relative 3, 15
- oxygen transmission rate (OTR) 120
- Ozawa–Flynn–Wall (OFW) method 114, 116
- p**
- $\pi$ – $\pi$  interaction 304
- PA 6, *see* poly(caproamide)
- PA 6.6 (poly(hexamethylene adipamide)) 30–31
- packaging laminates 222
- partially exfoliated nanocomposites 42
- particle break-up 67–69, 82
- particle expansion 71
- particle growth 68
- particles, colloidal 272, 277
- path, “tortuous” 119
- patterning, 2D/3D 94
- PBA, *see* polybutylene adipate
- PCL, *see* poly( $\epsilon$ -caprolactone)
- PCNs, *see* polymer/clay nanocomposites
- PEA, *see* poly(ester amide)/clay nanocomposites
- PEG, *see* poly(ethylene glycol)
- percolating system 323
- percolation threshold 325
- permeability 120
- peroxide initiator 246
- PET, *see* polyethylene terephthalate
- PFA, *see* polyfurfuryl alcohol
- phase separation 371
  - degree of 183
- PHEMA backbone 273
- phenyl group 350
- Phillips catalysts 60
- phonons 188
- phosphorus surfactants 360
- photo-induced controlled polymerization 93–94
- photoinitiators 93, 256
- photoluminescence spectra 318–320
- photooxidation 257
- P3HT (poly(3-hexylthiophene))/MWCNT nanocomposites 303–330
- physical properties
  - PUCNs 200–204
  - PUCNs 183–188
  - PUFNGs 214–217
- physically controlled polymerization 92–93
- platelets
  - exfoliated 154, 212
  - filler 8–9
- PMMA, *see* polymethylmethacrylate
- polar polymers 284
- polarity 237
  - monomers 250
- poly( $\epsilon$ -caprolactone) 268, 368–375
- poly(*p*-dioxanone) 367, 381–382
- poly(3-hexylthiophene) (P3HT)/MWCNT nanocomposites 303–330
- polyacrylate chains 272
- polyaddition 245
- poly(alkylthiophene)s 304
- polyamide films 230
- polyamide nanocomposites 34–48
- polyamide salts 33
- polyamides 29–34
- polybutadiene 283–301
- 1,2-polybutadiene (syndio- and isotactic) 288
- polybutylene adipate 181
- poly(caproamide) 29–30
- polycondensation
  - glycols 245
  - interfacial 46–48
  - PA 6.6 formation 31
  - sodium chloroacetylaminohexanoate 382
- polydispersity index 377
- poly(ester amide) (PEA)/clay nanocomposites 382–383
- polyesters
  - aliphatic 367–386
  - crosslinked nanocomposites 248
  - unsaturated 245–266
- polyether polyol 193–194
- poly(ethylene glycol) 377
- polyethylene nanocomposites 20
- polyethylene particles 69
- polyethylene terephthalate 17–18
  - PET/clay nanocomposites 105–122
  - PET/MMT hybrids 110

- polyfurfuryl alcohol 125
- polyhedral oligomeric silsesquioxanes 343
- poly(hexamethylene adipamide) 30–31
- 3,4-polyisoprene 288
- polylactide 268, 367, 375–381
  - PLA/vermiculite nanocomposites 377
- polymer brushes 273
- polymer/cellulose fiber nanocomposites 99–100
- polymer/clay nanocomposites 283
  - GASP 95–96
  - hybrid 286
  - *in-situ* ATRP 267–281
  - morphology 331–332
- polymer/CNT nanocomposites 100
- polymer growth 71
- polymer/inorganic compound nanocomposites 96–99
- polymer intercalation 11–12
- polymer-layered silicate 269, 346
- polymer matrix nanocomposites (PNCs) 125–133
- polymer nanocomposites (PNs) 283
  - *in-situ* synthesis 1–25
  - preparation 287
  - structure 286
- polymer–silicate nanocomposites 267
- polymeric initiator-based modifications 345–346
- polymeric initiator-based surfactants 340–341
- polymerization 267–281
  - additives 71–72
  - anhydrous melt technique 43
  - anionic 289–293
  - ATRP 23, 99, 351
  - bulk 347–348
  - conditions 82–83
  - controlled techniques 351
  - coordination catalysts 60–62
  - direct SSP 32, 44–46
  - emulsion 348–349
  - free radical 20, 275, 347–350
  - GASP 89–104
  - heterogeneous catalysts 297
  - *in-situ*, *see in-situ* polymerization
  - intercalative 95, 133, 157
  - kinetic rate 379
  - lauryl methacrylate 21
  - liquid phase 90
  - low-temperature processes 31–34
  - methods 287–289, 346
  - NMP 351–352
  - photo-induced controlled 93–94
    - physically controlled 92–93
    - ring-opening 18, 30, 40
    - solution 349–350
    - solution-melt technique 41–43
    - SSP 31–32
    - stereospecific 293–298
    - surface-initiated 350
    - temperature 383
    - *tunnel* 297–298
    - two-step 380
- polymers
  - biodegradable 367–368
  - conducting 303
  - ICPs 303–304
  - insulating 326
  - microstructure 288
  - molecular structure 83–84
  - polar 284
  - semicrystalline 109, 383
  - sustainability 367
  - water-soluble 311
- polymethylmethacrylate 95, 100
- polyol–nanoclay mixtures 194–196
- polyolefines 130
  - polyolefin–clay nanocomposites 53–88
- polyols
  - intercalating 153
  - trifunctional 195
- polypropylene 2, 230
- polystyrene (PS)
  - HIPS 348
  - PS/MMT nanocomposites 331–365
  - PSBA 269
- polyurethane (PU)
  - acrylate terminated 259
  - composites 6
  - nanocomposites 169–220
  - water-based 174
- poly(vinyl acetate) 255
- pore space 56
- POSS, *see* polyhedral oligomeric silsesquioxanes
- powders
  - filler 233
  - morphology 82
  - XRD 108–109
- PPDO, *see* poly(*p*-dioxanone)
- “pre-exfoliated” masterbatches 374
- precursor, PNCs 135–136
- preparation
  - nanocomposites 89–91
  - PET/clay nanocomposites 106–108
  - polymer nanocomposites 287
- prepolymerization 33

- prepolymers
  - epoxy 16
  - synthesis 260–263
  - UP 246–260
- protective coatings 204
- protonated monomers 40
- PSBA (poly(styrene-block-butyl acrylate)) 269
- pseudo-bilayers 371
- PU/clay nanocomposites (PUCLNs) 188–208
- PU/CNT nanocomposites (PUCNs) 170–188
- PU/functionalized graphene nanocomposites (PUFGNs) 208–217
- PU (polyurethane)
  - acrylate terminated 259
  - composites 6
  - nanocomposites 169–220
  - water-based 174
- pyridine 278
- pyridium 358
  
- q**
- quaternary ammonium cations 65, 73
- quinolium 358
  
- r**
- radicals
  - free, *see* free radicals
  - mesomerically stabilized 257
- RAFT, *see* reverse addition-fragmentation transfer
- Raman scattering 320–321
- Raman shift 177–178
- random copolymerization 96
- reaction injection molding 133
- reactions
  - anhydrous prepolymerization 33
  - ATRP 23, 99, 267–281, 351
  - carboxylation 171
  - clay 58–59
  - copolymerization 62, 96
  - coupling 342
  - desulfonation 146
  - epoxide-anhydride 262
  - esterification 142, 272
  - $\beta$ -H transfer 298
  - “head-to-tail” 135
  - homopolymerization 135
  - hydrolytic ring cleavage 158
  - ion-exchange 53
  - ion exchange 343
  - polyaddition 245
  - polycondensation, *see* polycondensation
  - polymerization, *see* polymerization
  - silylation 274
- reactive cationic surfactants 337–339
- reactive modifications 343–345
- reactive molding 133–136
  - CW nanocomposites 136–138, 140–149
  - MMT nanocomposites 138–140, 149–164
- recrystallization transition 213
- reducing agents 216
- reinforced reaction injection molding 134
- relative oxygen permeation 3, 15
- relative tensile modulus 3
- relaxation, stress 203
- repeat distance 198–199
- resinification 137, 139
  - FA 142–148, 150–160
- resins
  - clay modified HUP 261–262
  - epoxide 221
  - isophthalic UP 253
  - UP 246–260
- resistance
  - scratch 204–207
  - thermal 148–149, 161–164
- reverse addition-fragmentation transfer 351
- rheological behavior 194–196
  - PS/MMT nanocomposites 355–356
  - UP/MMT nanocomposites 253–258
- RIM, *see* reaction injection molding
- ring cleavage, hydrolytic 158
- ring opening, hydrolytic 146
- ring-opening polymerization (ROP) 18, 268
  - caprolactam 40
  - cationic 274
  - lactams 30
- rings
  - furan 140, 159
  - lactide 379
  - stretching 159
  - thiophene 316
- rotational mobility 359
- RRIM, *see* reinforced reaction injection molding
- rubber
  - BIR 291
  - BR 288–289
  - styrene butadiene 288–290
  
- s**
- salts 33
- saponite 81
- SBR, *see* styrene butadiene rubber
- $\beta$ -scission 357

- scratch resistance 204–207
- second heating thermogram 111
- semiaromatic polyamides 28
- semicrystalline polymers 109, 383
- semicrystalline PUCNs 179
- shaped products 35
- shear rate 261
- shear thinning parameter 173
- sheets
  - exfoliated 248
  - graphene 217, 306
  - hexagonal 306
  - tetra-/octahedral 54
- shelf stability 257
- side chain decomposition 316
- silane-modified MMT 247
- silanes 275
- silanol groups 381
- silica layer 132
- silica nanoparticles 78
- silicates
  - layered 18, 126
  - nanocomposites 132–133
  - polymer intercalation 11
  - polymer-layered 346
  - spacing 368
- silicic acids 285
- silsesquioxanes 343
- silylation 274
- simulations, molecular dynamics 187
- smectites 54–56, 285
- sodium chloroacetylaminohexanoate 382
- solid-state polymerization (SSP) 31–32
  - direct 44–46
- solid-state synthesis 97
- solid-substrate surfaces 91–92
- solution blending 267, 308–309
- solution-melt polymerization technique 41–43
- solution-mixed graphite/TPU composites 217
- solution polymerization 349–350
- Soxhlet extraction 172
- specific surface area 127
- spherulite growth 110
- SRIM, *see* structural reaction injection molding
- stability
  - dispersions 311
  - shelf 257
  - thermal 42, 207–208, 316–317
- stacked layers 56
- stearyl ammonium 11
- stereoselectivity, catalysts 84
- stereospecific polymerization 293–298
- stereospecific PS 348
- storage modulus 213, 315, 355
- stress relaxation 203
- stress–strain curves 118
  - PU 184, 202
- stretching
  - (anti)symmetric 322
  - ring 159
- structural reaction injection molding 134
- styrene 23
  - free radical polymerization 20
  - GASP 92
  - hydrophobic 332
  - MMT dispersion 352
  - PSBA 269
  - UP–styrene-poly(vinyl acetate) system 255
- styrene butadiene rubber 288–290
- sulfonic acid groups 142, 144
- supercooling 112
- supercritical CO<sub>2</sub> 374
- supports, catalysts 63–64, 72–74, 77, 81, 294
- supramolecular structure 129
- surface-initiated polymerization 350
- surface modification
  - clays 64–66, 80–81
  - epoxy nanocomposites 224–229
  - excess molecules 240–243
  - MMTs 5
  - vermiculites 5
- surfaces
  - acidity 79
  - “built-in” functionalities 124
  - edge-surface hydroxyls modification 294
  - energy 226
  - GASP 89–104
  - hydroxylated 130, 138
  - solid-substrate 91–92
  - wrinkled 214
- surfactants
  - ammonium 290
  - design 344
  - nonreactive cationic 334–336
  - phosphorus 360
  - polymeric initiator-based 340–341
  - reactive cationic 337–339
  - tallow 45
  - zwitterionic 333
- surgical sutures 381
- suspensions
  - bentonite 256
  - mixing 131
- swellability 79–80
- swelling 14, 39

- symmetric stretching 322
- syndiotactic 1,2-polybutadiene 288
- syndiotactic PS 348
- synergistic enhancement 2
- synthesis
  - cryochemical solid-state 97
  - *in situ* 1–25, 221–244
  - methods 9–12
  - prepolymers 260–263
  - PUCLNs 189–196
  - PUCNs 170–188
  - PUFGNs 209–210
  - strategy 230
  - UP/MMT nanocomposites 246–253
- synthetic clays 39, 285
- t**
- tacticity 84
- tactoids 150–153
  - exfoliation 153
  - intercalated 235
  - *tunnel* polymerization 298
- tallow
  - dihydrogenated 191
  - DMTDTA 257–258
  - hydrogenated 73
  - MTHEA 247–250
  - surfactant 45
- tapping mode 200
- temperature
  - heat distortion 118
  - mixing 193
  - polymerization 383
- tensile properties 117
  - PS/MMT nanocomposites 353–354
  - PU 184
  - PUCLNs 203
  - relative tensile modulus 3
  - test results 354
- ternary nanocomposites 373
- tetrahedral sheet 54
- tetrahydrofuran (THF) 270–271, 278
- N,N,N',N'-tetramethylethanediamine 291
- TFC, *see* twice functionalized organoclay
- thermal analysis 247, 354–355
- thermal conductivity 187, 189
- thermal decomposition 307
- thermal gravimetric analysis (TGA) 356–358
- thermal properties 112–117
  - PS/MMT nanocomposites 356
- thermal resistance
  - CW-FA nanocomposites 148–149
  - MMT-FA nanocomposites 161–164
- thermal stability 207–208
  - P3HT/MWCNT nanocomposites 316–317
- thermal stabilizer 42
- thermal treatment 66
- thermogram, 2nd heating 111
- thermosetting 222
- thin films 175
- thin layer coating 91–92
- thiophene 308–309
  - rings 316
- three-dimensional percolating system 323
- TMEDA, *see*
  - N,N,N',N'-tetramethylethanediamine
- toluene 80
- toluene-OC suspension 292
- tortuosity 120
- “tortuous path” 119
- transcrystallinity 131
- transfer reactions,  $\beta$ -H 298
- translational mobility 359
- transmission rates 207
- transportability 322–326
- triethylaluminum (AlEt<sub>3</sub>) 376
- trifunctional alkoxy silanes 275
- trifunctional polyol 195
- trifunctional silane 342
- tunnel* polymerization 297–298
- twice functionalized organoclay 380
- two-phase system 198
- two-step polymerization 380
- u**
- ultralightweight CNT/PU foam 186
- ultrasonic treatment 137, 210
- unintercalated morphology 4
- unmodified montmorillonite 225
- unsaturated dicarboxylic acids 245
- unsaturated polyester (UP)
  - halogen containing 260–263
  - prepolymers 246–260
  - resins 246–260
  - UP-styrene-poly(vinyl acetate) system 255
- unsaturated polyester (UP)/MMT nanocomposites 245–266
  - organoclays 251–252
- urea group 169
- v**
- van der Waals forces 189, 208
- vapor transmission 207, 238–239, 241
- vaporization laser 97
- variable-range hopping 325

- vermiculites 1
  - epoxy nanocomposites 226, 229
  - modified 232
  - PLA/vermiculite nanocomposites 377
  - surface-modified 5
- (*ar*-vinyl-benzyl)trimethyl ammonium (VBTA) 296
- vinyl monomers 93, 98
- viscoelastic properties 312
- viscosity
  - epoxide resins 221
  - intrinsic 108, 112
  - melt 261
  - PUCNs 173
  - trifunctional polyol 195
- vitreous state 138
- volume fraction
  - filler 3
  - inorganic 6–7
- w**
- wall–wall interaction 317
- washings cycle 227–228
- water, zeolitic 65
- water-based PU (WPU) 174–175
- water-soluble polymers 311
- water vapor transmission 207, 238–239, 241
- WAXD profiles 83
- weight, derivative 228
- whisker, cellulose, *see* CW nanocomposites
- wrinkled surfaces 214
- x**
- X-ray diffraction (XRD)
  - epoxy nanocomposites 233–235
  - powder 108–109
- xylene–OC suspension 292
- y**
- Young's modulus 184, 215, 353
- z**
- zeolitic water 65
- Ziegler–Natta catalysts 60, 287
- zirconocenes 62, 82
- zwitterionic ALA 38–39
- zwitterionic surfactants 333