

Index

- a**
- 'animal electricity' theory 5, 8
 - atomic force microscopy (AFM) 101–102
- b**
- basal-plane pyrolytic graphite (BPPG) electrodes 54
 - biological-atomic force microscopy (Bio-AFM) 216
 - bionic hearing 5–7
 - cochlear implant 7
 - bionic vision 8–18
 - Michigan Electrode Array 17
 - optic nerve, stimulation 10–13
 - retinal prostheses delivery to blind humans, initiatives 9
 - – Boston Retinal Implant 9
 - – EPI-RET 9
 - – Intelligent Medical Implants 9
 - – Retina Implant AG 9
 - – Second Sight Argus 9–10
 - Utah Electrode Array (UEA) 16–17
 - Utah Slanted Electrode Array (USEA) 17
 - visual cortex, stimulation 13–15
 - bleach (sodium hypochlorite) 142
 - bone related problems
 - CNTs application in 119–120
 - OCPs application in 135–136
 - brain-derived neurotrophic factor (BDNF) 29, 128
 - carbon-based drug delivery applications 125–126
 - carbon structures for medical bionics 113–116
 - – carbon-based electrodes 114–116
 - – cardiac pacing electrodes 114
 - – filamentous carbon fiber 115
 - carbon nanotubes (CNTs) 41, 51–65, 180–182
 - antibody–MWNT–horseradish peroxidase (HRP) 61
 - biological properties of 55–63
 - chemical properties of 55–63
 - CNT/glucose dehydrogenase (GDH) 60
 - CNT/l-lactate dehydrogenase (LDH) 60
 - CNT/methylene green (MG) 60
 - covalent attachment of functional groups to 57
 - double-walled carbon nanotubes (DWNTs) 52
 - electrochemistry of 54–55
 - electronic properties of 53–54
 - functionalization of 60
 - materials processing/device fabrication 161–171
 - – chemical modification 165–166
 - – melt processing 169–171
 - – nanoparticles, processing with 166–169
 - – solution processing 162–163
 - – surfactant/polymer-assisted processing 163–165
 - mechanical properties of 63–65
 - for medical bionics 116–123
 - – bone related 119–120
 - – Hap–Gel nanocomposites 119
- c**
- camphor sulfonic acid (CSA) 153
 - carbon 41–65, *See also* carbon nanotubes (CNTs); graphene

- carbon nanotubes (CNTs) (*contd.*)
 - multiwalled nanotube (MWNT) 116, 121–122
 - muscle regeneration 118
 - neural applications 116–118
 - osteoblast proliferation 120
 - single-walled carbon nanotubes (SWNTs) 52–58, 116–117, 121–122
 - murine telomerase reverse transcriptase (mTERT) expression 60
 - single-walled carbon nanotubes (SWNTs) 52–58, 116–117, 121–122
 - synthesis 52–53
 - cetyltrimethylammonium bromide (CTAB) 165
 - chemical vapor deposition (CVD) 48
 - chemically converted graphene (CCG) 43
 - chiral vector 51
 - Chitosan 87
 - Clark, Graeme Milborne 3
 - cochlear implant 7
 - composites with conventional polymers 173–176
 - conducting polymers 81–104, 126–136, 153–161, 178–180, *See also* organic conducting polymers (OCPs)
 - colloidal-assisted processing 155–157
 - cranial nerve X 19
 - current status of organic bionics, *See* present status of organic bionics
 - cyclic voltammetry (CV) 46
- d**
- 3-D structured materials and device fabrication 176–200
 - carbon nanotubes 180–182
 - conducting polymers 178–180
 - dip-pen nanolithography (DPN) 196–200
 - electrospinning 182–187
 - fabrication techniques 199
 - advantages 199
 - disadvantages 199
 - fiber spinning technologies 176–177
 - graphene 180–182
 - polyethylene glycol (PEG) 192
 - printed electronics as basis for printed bionics 192–196
 - printing CNTs 191–192
 - wet spinning 178
 - Defense Advanced Research Projects Agency (DARPA) 18
 - di-(2-ethylhexyl sulfosuccinate) (DEHS) 179
 - diamond 25, 41
 - diamond-like carbon (DLC) 26
 - biocompatibility of 26
 - dichloroacetic acid (DCAA) 179
 - dimethylformamide (DMF) 179
 - dip-pen nanolithography (DPN) 187, 196–200
 - dodecylbenzenesulfonic acid (DBSA) 90, 153
 - double-walled carbon nanotubes (DWNTs) 52–58
 - doxorubicin (DOX) 58
 - dry chemical sterilization (DCS) 141
 - Duchenne, Guillaume-Benjamin-Amand 2–3
- e**
- edge-plane pyrolytic graphite (EPPG) 55
 - electrical bone growth stimulation (EBGS) 22
 - invasive EBGSs 23
 - noninvasive EBGSs 22
 - semi-invasive EBGSs 23
 - electrical stimulation 1, 4, 8
 - electrodes and electrode arrays 4–24
 - bionic hearing 5–7
 - cardiovascular applications 21–22
 - multielectrode array (MEA) 9
 - neural prosthetic applications 18–19
 - orthopedic applications 22–24
 - transcutaneous electrical nerve stimulation 21
 - electromuscle stimulation (EMS) system 24
 - Electron beam (E-beam) 140
 - electrospinning 182–187
 - of polythiophenes 185
 - emeraldine base (EB) form 153
 - emeraldine salts (ESs) 90, 178
 - ethylene dioxythiophene (EDOT) 89
 - ethylene oxide (EtO) 142
- f**
- fabrication techniques 199
 - fiber spinning technologies 176–177
 - flavin adenine dinucleotide (FAD) 60

foot-and-mouth disease virus (FMDV) 58
 formaldehyde 142
 fullerenes 25, 41
 functional medical bionics 113
 functionalized graphene sheets (FGSs) 172
 future of organic bionics 211–218
 – characterization 215–218
 – – device fabrication 216–217
 – – tools 215–216
 – flexible and printable electronics 214–215
 – materials design and selection 213
 – materials synthesis and processing 214
 – power supply 215

g

Galvani, Luigi 2
 glial growth factor (GGF) 30
 glucose dehydrogenase (GDH) 60
 glutaraldehyde 142
 graphene 42–50, 180–182
 – chemical properties 49–50
 – chemically converted graphene (CCG) 43
 – composites 173–176
 – electrochemical properties 45–49
 – electronic properties 44–45
 – electron-transfer property of 48
 – hexagonal (triangular) lattice 45
 – materials processing/device fabrication 171–173
 – – solution processing 172–173
 – mechanical properties 50
 – for medical bionics 123–126
 – – graphene-based field effect transistor (G-FET) 123
 – properties of 44–50
 graphite 25, 41

h

hexagonal (triangular) lattice 45
 high-density polyethylene (HDPE) 169
 highly oriented pyrolytic graphite (HOPG) 48
 horseradish peroxidase (HRP) 61
 human mesenchymal stem cells (hMSCs) 121

human neural stem cells (hNSCs) 121
 hydroxyapatite–gelatin (Hap–Gel) nanocomposites 119
 4-hydroxynonenal (4-HNE) 61

i

induced pluripotent stem cells (iPSC) 124
 inkjet printing 189–191
 insulin-like growth factor 1 (IGF-1) 30
 Integrated sensory bionics 113
 invasive EBGs 23
 γ irradiation 140

l

lactate dehydrogenase (LDH) 60
 leukemia inhibitory factor (LIF) 30

m

MacDiarmid, Alan 3
 materials processing/device fabrication 151–200. *See also* 3-D structured materials and device fabrication
 – traditional approaches 152
 medical bionics 4–24. *See also* electrodes and electrode arrays
 – emerging areas of application 28–31
 – – for damaged or diseased muscle 30–31
 – – for peripheral nerve injury 29–30
 – key elements of 24–31
 – – neural stimulation and recording 27–28
 – – organic conductors 25–28
 melt processing 159–161, 169–171
 mesenchymal stem cells (MSCs) 121
 Michigan Electrode Array 17
 Microcatheter structures 176
 Microsystems Visual Prosthesis (MiViP) system 12
 motor bionics 113
 multielectrode array (MEA) 9
 multiwalled nanotubes (MWNTs) 25, 116
 murine telomerase reverse transcriptase (mTERT) expression 60
 muscle regeneration
 – CNTs in 118
 – OCPs in 132–135

n

- nanographene oxide (NGO) 125
- nanoindentation techniques 50
- nanoparticles, processing with 157–159, 166–169
- neural prosthetic applications 18–19
 - Defense Advanced Research Projects Agency (DARPA) 18
 - Neuroport[®] Array 18
- NeuroCybernetics Prosthesis 19
- neuromuscular disorders (NMDs) 30
- Neuroport[®] Array 18
- neurotrophin-3 (NT-3) 29
- Noninvasive EBGs 22

o

- optic nerve, stimulation 10–13
- organic conducting polymers (OCPs) 81–104, 126. *See also* polypyrroles (PPys); polythiophenes (PTh)
 - for bone related issues 135–136
 - chemical-biological properties 97–99
 - polypyrroles 97–98
 - conducting properties 91
 - electrochemical switching properties 91
 - materials processing/device fabrication 153–161
 - blending 153
 - inorganic particles 157–159
 - melt processing 159–161
 - organic nanoparticles 159
 - processing with nanoparticles 157–159
 - solution processing 153–155
 - mechanical properties 99–101
 - polyanilines 101
 - polypyrroles 99–100
 - polythiophenes 100
 - muscle regeneration 132–135
 - neural applications 126–132
 - properties of 91–96
 - stem cells 136
 - sterilization 138–143
 - surface morphology 101–103
 - atomic force microscopy (AFM) 101–102
 - transmission electron microscopy (TEM) 102
 - toxicity 136–137
- organic conductors 25–28, 113–143, *See also* carbon nanotubes (CNTs);

conducting polymers; graphene; stem cells

- biological applications 113–143
- functional medical bionics 113
- integrated sensory and motor bionics 113
- muscle regeneration 132–135
- regenerative and protective bionics 113
- organic nanoparticles 159
- ortho-phthalaldehyde (OPA) 143
- osteoblast proliferation, CNTs application in 120
- ozone (O₃) 142

p

- pacemaker 21
- Paclitaxel-embedded buckysomes (PEBs) 125
- PANi/3-pentadecylpoly(phosphoric acid) (PDPPA) 160
- peripheral nerve injury, bionics for 29–30
- plasma sterilization 141
- pneumogastric nerve 19
- poly(2-methoxyaniline-5-sulfonic acid) (PMAS) 82, 154
- poly(3,4-ethylenedioxythiophene) (PEDOT) 82, 130–131, 136, 179, 212
- poly(4-styrenesulfonate) (PSS) nanoparticles 190
- Poly(biphenyltetracarboxylic dianhydride-co-phenylenediamine) (PBPDA-PD) 193–195
- poly(diallyldimethylammonium)chloride (PDADMAC) 166
- poly(epichlorohydrin-co-ethylene oxide) 154
- poly(ethylene terephthalate) (PET) 175
- poly(lactide-co-glycolide)-poly(l-lactide) (PLGA:PLA) 134
- poly(*o*-methoxyaniline) 154
- poly(*p*-phenylene benzobisoxazole) (PBO) 180
- poly(styrene-co-*p*-(4-(4'-vinylphenyl)-3-oxabutanol) (PSV) 166
- poly(styrene- β -isobutylene- β -styrene) (SIBS) 162
- polyaniline (PANi) 27, 81–82, 90, 153
 - mechanical properties 101
- polyetheretherketone (PEEK) 152
- polyethylene glycol (PEG) 192

- polyethylene glycolylated-nanographene oxide (NGO-PEG) 126
- polyethylene oxide (PEO) 156
- polyethyleneimine (PEI) 169
- polymethylmethacrylate (PMMA) 152
- poly-octanoic acid 2-thiophen-3-yl-ethyl ester (POTE) 186
- polypyrroles (PPys) 27, 61, 81, 83–88, 154
- chemical-biological properties 97–98
 - chemical polymerization 87
 - mechanical properties 99–101
 - polymerization of 86
 - polystyrene sulfonate (PSS) 85
- polystyrene sulfonate (PSS) 85
- polythiophenes (PTh) 27, 81, 88–90, 94–96
- mechanical properties 100
 - switching properties 95
- polyvinyl pyrrolidone (PVP) 156
- polyvinylchloride (PVC) 156
- PPy/poly(2-methoxyaniline-5-sulfonic acid) (PMAS) 133
- present status of organic bionics 211–218
- characterization 215–218
 - flexible and printable electronics 214–215
 - materials design and selection 213
 - materials synthesis and processing 214
 - power supply 215
- printed electronics as basis for printed bionics 192–196
- printing CNTs 191–192
- printing technologies 187–188
- inkjet printing 189–191
- pyrolytic carbon (PyC) 26, 114
- r**
- Rambler 19
- regenerative and protective bionics 113
- s**
- semi-invasive EBGSS 23
- single-walled carbon nanotubes (SWNTs) 25, 52–58, 116–117
- sodium dodecyl sulfate (SDS) 165
- sodium dodecylbenzene sulfonate (NaDDBS) 165
- soluble self-doped sulfonated polyaniline (SPANi) 199
- stem cells, for medical bionics 121–123, 136
- CNTs application in 121–122
 - layer-by-layer (LBL) fabrication 122
- sterilization 138–143
- bleach (sodium hypochlorite) 142
 - chemical methods of 141
 - dry chemical sterilization (DCS) 141
 - electron beam (E-beam) 140
 - ethylene oxide (EtO) 142
 - formaldehyde 142
 - glutaraldehyde 142
 - irradiation 140
 - γ irradiation 140
 - x-ray irradiation 140
 - organic conductors in 138–143
 - ortho-phthalaldehyde (OPA) 143
 - ozone (O₃) 142
 - physical methods of 138–139
 - dry heat 139
 - filtration 138–139
 - wet heat (steam) 139
 - plasma sterilization 141
 - ultraviolet (UV) light irradiation 141
- surfactant/polymer-assisted processing 163–165
- t**
- thin-film transistors (TFTs) 193
- totally implantable cochlear implant (TICI) device 6–7
- transcutaneous electrical nerve stimulation (TENS) system 21, 23
- transmission electron microscopy (TEM) 102
- u**
- ultraviolet (UV) light irradiation 141
- Utah Electrode Array (UEA) 16–17
- Utah Slanted Electrode Array (USEA) 17
- v**
- vagal nerve stimulation (VNS) 18
- vapor phase polymerization (VPP) 83

visual cortex, stimulation 13–15
– 81-electrode array 15
– four-channel self-adjusting cuff
 electrode 14
– using microelectrode arrays from the
 C-Sight program 15
Volta, Alessandro 2

W

Wanderer 19
wet spinning 178

X

x-ray irradiation 140