

Index

Note: Page numbers in *italics* refer to figures and tables.

- Abundance sensitivity, 35–36, 251
- Accelerator mass spectrometry (AMS), 2, 24, 420, 424, 460
- Accuracy, 141
- Achondrites, 281
- Allanite, 256
- α -decay, 7–8
- β -decay, 7–8
- “Anomalous” isotope fractionation. *See* Mass-independent isotope fractionation
- Anthropogenic effects, 7
- Antimony, 380–381, 512
- Apatite, 255–256
- “Apparent absorption”, 445, 469, 470, 471, 474
- Archeology, 373, 378, 382
- Archeometric applications, 373
 - current applications, 375
 - inorganics, glass and iron, 377–378
 - lead, 375–377
 - neodymium, 379
 - organics, skeletal matter, 378–379
 - osmium, 379
 - strontium, 377
 - new applications, 380
 - antimony, 380–381
 - boron, 381–382
 - copper, 380
 - tin, 380
- Archeometry, 373, 375, 380
- Atomic structure, 1–2
- Atomic weights, 113, 144, 149–150, 442
- Avogadro constant, 113, 144, 150
- Azotobacter vinelandii*, 355
- Baddeleyite, 249, 254, 256, 257
 - measurement bias, 141
- Biogeochemistry, 367
- Bohr model, 1
- Boron, 25, 381–382
- Bundesanstalt für Materialforschung und -prüfung (BAM), 150
- Ca–Al-rich inclusions (CAIs), 279
- Caged radical pair, 23
- Cadmium, 5, 306
- Calcium, 458–462
- Calibration
 - external bracketing, 117
 - external gravimetric, 116–117
 - internal, 117
 - internal double-spike, 117
 - with double-spike method, 126–130
 - with internal correction
 - inter-elemental correction, 130–131
 - intra-elemental correction, 130
 - with internal correction, 130
- Capillary electrophoresis (CE), 212
 - CE–ICP–IDMS electropherograms, 227
- Cathodoluminescence (CL) image, of zircon, 245
- Cause–effect diagram, 175
- Central Bureau for Nuclear Measurements (CBNM), 150
- Certified reference materials (CRMs), 144
- Ceruloplasmin, 474
- Chemical balance studies, in humans, 436
- Chemical species
 - definition, 495
 - distribution of, 495, 496
- Chondrites
 - classification of, 278, 280

Isotopic Analysis: Fundamentals and Applications Using ICP-MS, First Edition. Edited by Frank Vanhaecke and Patrick Degryse.
 © 2012 WILEY-VCH Verlag GmbH & Co. KGaA, Weinheim.
 Published 2012 by WILEY-VCH Verlag GmbH & Co. KGaA

- Chondritic meteorites, 279–281
- Chondritic uniform reservoir (CHUR), 260
- Chromatography
- coupling with MC-ICP MS, 498
 - acquisition, mass bias correction, and data treatment strategy, 503–507
 - consequences of transient nature of signal, 507–508
 - gas chromatography (GC), 90, 500–503
 - instrumentation, 499, 500
 - liquid chromatography (LC), 90, 500
- Chromium, 57, 129, 147, 148
- “Cold” balance studies, 436
- Colorless glass, 381
- Columbite-tantalite, LA-ICP-MS U–Pb dating of, 256
- COMAR database, 151
- Compartmental modeling, 448
- Compartmental modeling techniques, 447–448
- for calcium, 459
 - for iron, 463
 - for magnesium, 470
- Concordia, 242, 243
- Conventional quality value, 141
- Conventional true value, 141
- Cool plasma conditions, 51–52
- Copper, 107, 357, 380, 474–476
- Cosmic rays and terrestrial matter, interaction between, 6, 23–24
- Cosmochemical isotopic variations, 281
- Cosmochemistry, 275, 285
- Cosmochemistry, isotopic analysis in, 275
- application of multi-collector inductively coupled plasma mass spectrometry, 275
 - cosmochemical isotopic variations, 281
 - cosmogenic isotopic variations, 305–307
 - extinct radioactive decay systems, 296–299
 - extraterrestrial samples, 276–277
 - chondritic meteorites, 279–281
 - classification of meteorites, 277–278
 - non-chondritic meteorites, 281
 - isotope fractionation, 299–305
 - long-lived radioactive decay systems, 293
 - ^{147}Sm – ^{143}Nd decay system, 293–294
 - ^{176}Lu – ^{176}Hf decay system, 294–295
 - ^{87}Rb – ^{87}Sr decay system, 293
 - U/Th–Pb decay systems, 295–296
 - MC-ICP-MS use in, 285
 - analytical procedures, 287–289
 - specific advantages, 285–286
 - nucleosynthetic isotope anomalies, 289–293
 - radiogenic isotopic variations from
 - cosmogenic isotope anomalies, 284–285
 - extinct radioactive nuclides, decay of, 282–283
 - long-lived radioactive nuclides, decay of, 282
 - mass-dependent isotope fractionation, 284
 - nucleosynthetic isotope anomalies, 283–284
- Cosmogenic isotope anomalies, 284–285
- Cosmogenic isotopic variations, 305–307
- Crime scene investigation, 393–395
- Cr isotope ratios
- and paleoredox conditions of atmosphere, 329–337
- Cyclonic spray chamber, 48
- Daly detector, 80, 81
- Davidite, 257
- Delta (δ) notation, 179
- Delta reference material, 144–145
- δ -value, 144, 145
- Depleted mantle (DM), 260
- Depleted uranium (DU), 25, 425
- Detection limit, limit of detection (LOD), 173
- Detector issues, 62–66
- detector dead time, 62–66
 - electron multiplier operating principles, 62
- Detector technologies, for multi-collection, 87–90
- Diagenesis, 344, 345
- Discordia, 244
- Discrimination exponent, 121–122
- Discrimination function, 122–123
- Divalent metal transporter 1 (DMT1), 443
- Double-focusing sector field mass spectrometer, 38–43
- Double isotopic label, fecal balance studies for, 445–446
- Double-spike calibration, 126–131, 303
- internal, 117
 - uncertainty modeling and, 132–133
- Dry plasma conditions, 288
- Duodenal cytochrome B (DcytB), 443–444
- Electron multiplier operating principles, 62
- Electrostatic sector as energy filter, 40
- Electrothermal vaporization inductively coupled plasma mass spectrometry (ETV-ICP-MS), 203

- Elemental speciation, 495, 497
- Elemental speciation, ICP-IDMS in, 212
 - principles, 212–214
 - species-specific ICP-IDMS, 214–221
 - species-unspecific ICP-IDMS, 221–229
- Element metabolism, 447
- Elements, isotopic composition of, 1
 - atomic structure, 1–2
 - atomic structure and natural abundance of elements and isotopes, relation between, 3
 - isotopes, 2–3
 - natural isotopic composition, 5
 - cosmic rays and terrestrial matter, interaction between, 23–24
 - effects caused by now extinct radionuclides, 13
 - elements with radiogenic nuclides, 7–13
 - human-made variations, 24–26
 - mass-dependent isotope fractionation, 13–20
 - mass-independent isotope fractionation, 20–23
- Element tracing in environmental science, 356–360
- Element turnover studies, 449–450
- Empirical external normalization, 468
- Enriched IRMs, 148
- Environmental analysis, 495, 496
- Environmental pollution, monitoring, 404–408
- Environmental science, element tracing in, 356–360
- Equilibrated chondrites, 280
- Error, 141
- Errorchron, 236, 237
- Erythrocyte incorporation technique, 462, 463
- ESI (electrospray ionization), 224
- European Reference Materials (ERMs), 150–151
- Even–even isotopes, 4
- Excimer-based lasers, 49
- Exponential versus the power law, 120
- Extended X-ray absorption fine structure (EXAFS) spectra, 326
- External calibration, 116
- External gravimetric calibration, 116–117
- “External” standard deviation, 142
- Extinct radioactive decay systems, 282, 283, 296–299
- Extraterrestrial materials, 6, 275, 276–277, 286, 296, 303
- Extrinsic labeling, 443
- Faraday collector, 94–96
- Fast atom bombardment (FAB), 467
- Fecal balance studies
 - with double isotopic label, 445–446
 - with single isotopic label, 444–445
- Femtosecond LA technique, 107–108
- Fe oxyhydroxide, 326–327
- Fishbone diagram. *See* Cause–effect diagram
- Food authentication, 399–404
- Forensic applications, 393, 408–411
 - crime scene investigation, 393–395
 - environmental pollution, monitoring, 404–408
 - food authentication, 399–404
 - future outlook, 411–412
 - nuclear forensics, 396–399
- Fossil fuels, trace element analysis of, 205–207
- Fractionation, 318, 323, 332, 334
- Fractionation factor, 318
- Gas chromatography–ICP-MS, 216–218
- Geiger–Marsden experiment, 1
- Geochemistry, 317, 319, 320
- Geochronological dating, 235
 - isotopic systems, 238, 242
 - ICP-MS analysis, 265–266
 - LA-ICP-MS U–Pb Dating of zircon, 244–254
 - laser ablation U/Th–Pb dating of other phases, 254–257
 - Lu–Hf isochrons with garnet, 258–259
 - Lu–Hf on phosphates, 259
 - Lu–Hf system, 257–258
 - Pt–Re–Os on mantle peridotites, 263–265
 - Re–(Pt–)Os system, 261
 - Re–Os dating of black shales, 262–263
 - Re–Os molybdenite dating, 262
 - solution Pb–Pb dating, 257
 - U/Th–Pb, 242–244
 - zircon Hf isotopic model ages, 259–261
 - practicalities, 240
 - ICP-MS versus TIMS, 241–242
 - isobaric overlap, 240–241
 - principles, 235
 - closure temperature, 237–240
 - single phase and isochron dating, 235–237
- Geosphere, schematic representation of, 352
- Geosphere–biosphere interface, 351
 - elements typifying, 354–355

- Geosphere–biosphere interface, 351, 354, 367
- Geosphere effect on vegetation and animals, 360–364
- Glass, 377–378
- Global ocean paleoredox
- molybdenum isotope ratios, 320–329
- Glossary of Analytical Terms (GAT), 141
- Glow discharge mass spectrometry (GDMS), 420
- Hafnium, 201, 294
- Halogens, 512–513
- Heavy rare earth elements (HREEs), 258
- HED meteorites, 281
- Heptodin, 410
- ^{182}Hf – ^{182}W chronometer, 13
- Hf–W isochron, 298
- High-magnesium calcite (HMC), 365
- Hot particles, analysis of, 397
- Humic substance metal complexes, fractionation of, 221, 223–224
- Hydride generation (HG), 207, 473
- Hyphenated ICP-IDMS, in quantitative proteomics, 212, 221, 225
- ICP-isotope dilution mass spectrometry (IDMS), 175
- ICP-MS in stable isotope-based metabolic studies, 451
- mass spectrometric sensitivity, 454
 - measurement accuracy and quality control, 454–457
 - measurement precision, 451–453
- ICP-TOF-MS, 61, 402
- Inductively coupled plasma (ICP) ion source, 32–34
- Inductively coupled plasma isotope dilution mass spectrometry (ICP-IDMS), 184, 189
- elements accessible to, 194–195
 - in elemental speciation, 212
 - principles, 212–214
 - species-specific ICP-IDMS, 214–221
 - transuranium elements, determination of, 211
- Inductively coupled plasma mass spectrometry (ICP-MS), 80, 93, 113, 114, 140, 165, 189, 201, 241, 275, 276, 354, 419, 436
- in forensics, 391
 - versus TIMS for Geochronology, 241–242
- Influence quantities, of isotope amount ratio measurements, 177
- data presentation with isotope notation, 179–180
 - isotope amount ratio determination, 177
 - internal versus external correction for mass bias, 178–179
 - mass bias correction and drift effects, 178
 - single-collector versus multi-collector ICP-MS, 177–178
 - sample preparation, 177
 - sampling, 177
- Institute for Reference Materials and Measurements (IRMM), 147, 148, 150, 156, 430
- Instrumental mass discrimination, 66–68, 113, 114
- Inter-elemental correction method, 130–131
- Interface, microbes at, 355–356
- Intermediate measurement precision, 170, 174
- Intermediate precision condition of measurement, 170
- Internal calibration, 116, 117
- Internal double-spike calibration, 117
- Internal isotope ratio precision (RSD), 60, 58, 174
- International Geosphere–Biosphere Programme (IGBP), 353
- Intra-elemental correction method, 130
- Intrinsic labeling, 443
- Ion microprobe technique, 102
- Ion source, 31, 32
- Ion transmission efficiency, 124
- Iron, 355, 377–378, 462–464
- Iron meteorites, 281, 298–299
- Isochron dating, 235–237
- Isotope amount ratio determination, 177
- internal versus external correction for mass bias, 178–179
 - mass bias correction and drift effects, 178
 - single-collector versus multi-collector ICP-MS, 177–178
- Isotope archeology, 382
- Isotope dilution mass spectrometry (IDMS), 139, 189, 190, 438, 475
- elements accessible to ICP-IDMS analysis, 194–195
 - in elemental speciation
 - principles, 212–214
 - species-specific ICP-IDMS, 214–221
 - species-unspecific ICP-IDMS, 221–229

- principles of, 190–194
- spike isotope selection and optimization of its amount, 194–199
- uncertainty budget and limit of detection, 199–200
- Isotope dosage, for radiotracers, 452
- Isotope fractionation, 6, 77, 78, 81, 84–85, 87, 88, 90, 93, 102–106, 113, 115–117, 125, 130, 139, 165–167, 174, 176, 177, 180–182, 236, 240, 248, 275, 276, 287, 299–305, 419, 421–423, 425, 427, 429, 430, 431, 450–451
 - mass-dependent, 6, 13–20
 - in chemical reactions, 16–20
 - in physical processes, 15–16
 - mass-independent, 6–7, 20–23
- Isotope labeling techniques, 442–444
- Isotope notation, data presentation with, 179–180
- Isotope ratio applications, quality control in, 165
 - measurement uncertainty, 174
 - alternative approach, 181
 - influence quantities, 177–180
 - method validation, 182–184
 - metrological traceability, 181–182
 - uncertainty budget estimation, example of, 180–181
- Isotope ratio data, standardization of, 107–108
- Isotope ratio determination, correction for instrumental mass discrimination in, 113
 - conventional correction models, logic of, 118–119
 - correction models, integrity of
 - discrimination exponent, 121–122
 - discrimination function, 122–123
 - Russell's law, 120–121
 - second-order terms, 123
 - double spikes, calibration with, 126–130
 - exponential versus the power law, 120
 - history, 113–114
 - internal correction, calibration with, 130
 - inter-elemental correction, 130–131
 - intra-elemental correction, 130
 - linear law, 119–120
 - mass bias correction models, systematics of, 115
 - external bracketing calibration, 117
 - external gravimetric calibration, 116–117
 - internal calibration, 117
 - internal double-spike calibration, 117
 - mass bias in, 114–115
 - regression model, 124–126
 - uncertainty evaluation, 131
 - double-spike method, 132–133
- Isotope ratio mass spectrometry (IRMS), 165, 351–352, 410, 411
- Isotope ratio measurement with single-collector ICP-MS, 56
 - detector issues, 62–66
 - instrumental mass discrimination, 66–68
 - isotope ratio precision, 57–62
- Isotope ratios of metals as paleoredox proxies. *See* Metal isotopes as paleoredox proxies
- Isotopes, 2–3
- Isotopes as indicators of paleoenvironments, 360
- Isotope tracers, 351
- Isotopic analysis, reference materials in, 139
 - abundance ratios determination, 145–149
 - present status, 153–154
 - reference materials, 149–153
 - historical development, 149–151
 - requirements for, 151–153
 - related problems, 154–156
 - solution, 156–157
 - terminology, 141–145
- Isotopic composition, of elements. *See* Elements, isotopic composition of
- Isotopic reference materials (IRMs), 140, 144, 149–153, 151
 - enriched, 148
 - historical development, 149–151
 - radioactive, 152
 - requirements for, 151–153
 - with natural-like isotopic composition, 147
- Johnson noise, 89
- K*-factor, 145
- Kinetic energy discrimination, 54
- Kinetic isotope fractionation, 332
 - thermodynamic isotope fractionation
- Kirchhoff's law, 96
- LA-ICP-MS, 48–49, 93, 101, 201–203, 397, 398, 409, 410, 411–412
- LA-ICP-MS U–Pb dating
 - of allanite, 256
 - of apatite, 255–256
 - of baddeleyite, 257
 - of columbite-tantalite, 256
 - of davidite, 257
 - of monazite, 254–255
 - of perovskite, 256–257
 - of rutile, 255–256

- of titanite, 255–256
- of uraninite, 257
- of zircon, 244–249
- data processing, 254
- ICP-MS equipment, 250–251
- isobaric overlap, common Pb and oxide formation, 251–254
- laser ablation system, 249–250
- La Jolla standard, 166
- LA–MC-ICP-MS
 - application for isotopic measurements, 287–288
- Lamivudine, 410
- Laser ablation (LA), advances in, 93
 - advantages of, 105
 - isotope
 - fractionation, 102–106
 - ratio data standardization, 107–108
 - ratio measurements, 93–94
 - multi-collector inductively coupled plasma mass spectrometry (MC-ICP-MS), 93
 - multiple ion counting, 101–102
 - signal smoothing device, 99–101
 - stable signal intensity profiles, 94–98
 - thermal ionization mass spectrometry (TIMS), 93
- Laser ablation (LA) system, 241, 249–250, 254
- Laser ablation in, 93
 - cosmochemical isotopic variations, 281
 - cosmochemistry
 - applications of, 289
 - use in, 285
 - cosmogenic isotopic variations, 305–307
 - coupling chromatography with, 498
 - acquisition, mass bias correction, and data treatment strategy, 503–507
 - consequences of transient nature of signal, 507–508
 - gas chromatography (GC), 500–503
 - instrumentation, 499, 500
 - liquid chromatography (LC), 500
 - environmental and other applications, 509
 - antimony, 512
 - halogens, 512–513
 - lead, 511
 - mercury, 509–511
 - sulfur, 511–512
 - extinct radioactive decay systems, 296–299
 - extraterrestrial samples, 276–277
 - chondritic meteorites, 279–281
 - meteorites, classification of, 277–278
 - non-chondritic meteorites, 281
 - future trends, 513–515
 - in cosmochemistry isotopic analysis, 275
 - in elemental speciation, 495
 - isotope fractionation, 299–305
 - isotope ratios measurement using the combination of chromatography and, 499
 - long-lived radioactive decay systems, 293
 - ^{147}Sm – ^{143}Nd decay system, 293–294
 - ^{176}Lu – ^{176}Hf decay system, 294–295
 - ^{87}Rb – ^{87}Sr decay system, 293
 - U/Th–Pb decay systems, 295–296
 - mass bias in, 114–115
 - MC-ICP-MS use in, 285
 - analytical procedures, 287–289
 - specific advantages, 285–286
 - nucleosynthetic isotope anomalies, 289–293
 - on-line versus off-line separation, 497–498
 - radiogenic isotopic variations from
 - cosmogenic isotope anomalies, 284–285
 - decay of extinct radioactive nuclides, 282–283
 - decay of long-lived radioactive nuclides, 282
 - mass-dependent isotope fractionation, 284
 - nucleosynthetic isotope anomalies, 283–284
 - techniques, 354
- Laser ablation inductively coupled plasma isotope dilution mass spectrometry (LA–ICP-IDMS), 201, 202–203, 205, 206, 209, 210
- Laser ablation–inductively coupled plasma mass spectrometry. *See* LA–ICP-MS
- Laser-induced breakdown spectroscopy (LIBS), 103
- Law of uncertainty propagation, 132
- Lead, 10–13, 102, 296, 375–377, 394, 398, 400, 402, 404, 430, 511
- Limit of detection (LOD), 182–184, 452
- Limit of determination, 183–184
- Limit of quantification (LOQ), 183–184, 452
- Linear correction law, 118
- Linear mass bias model, 119–120
- Long-lived radioactive decay systems, 282, 283, 293
 - ^{147}Sm – ^{143}Nd decay system, 293–294
 - ^{176}Lu – ^{176}Hf decay system, 294–295
 - ^{87}Rb – ^{87}Sr decay system, 293
 - U/Th–Pb decay system 295–296
- Low gas pressure cell (LPC) device, 104
- Low-magnesium calcite (LMC), 365
- ^{176}Lu – ^{176}Hf decay system, 294–295
- Lu–Hf isochron diagram
 - for chondrites and eucrites, 295

- Lu–Hf System, 257–258
 - concept of model ages, 260
 - isochrons with garnet, 258–259
 - on phosphates, 259
- Lunar meteorites, 281
- Magmatic iron meteorites, 281
- Magnesium, 469–471
 - absorption, 470
 - stable isotopes, 469
- Magnetic sector mass spectrometer, 78
- MALDI (matrix-assisted laser desorption/ionization), 224
- Mantle extraction age, 264
- Marine environment, tracing in, 364–367
- Marine paleoredox proxy, 338–344
- Mass bias correction models
 - in MC-ICP-MS, 114–115
 - systematics of, 115
 - external bracketing calibration, 117
 - external gravimetric calibration, 116–117
 - internal calibration, 117
 - internal double-spike calibration, 117
- Mass-dependent isotope fractionation, 6, 13–20, 284
- Mass fractionation
 - mass discrimination and, comparison of, 67
- Mass fractionation factor, 19
- Mass-independent isotope fractionation, 20–23
- Mass resolution, 34–35
- Mass spectrometry (MS), 31–32, 419–420
 - characteristics, 34
 - abundance sensitivity, 35–36
 - comparison of, 45
 - mass resolution, 34–35
 - mass spectral range, 36
 - scanning speed, 36
 - double-focusing sector field mass spectrometer, 38–43
 - quadrupole filter, 36–38
 - time-of-flight analyzer, 43–45
- Mattauch–Herzog geometry, 41–42, 82
- MC-ICP-MS
 - cosmochemistry, 285
 - application of, 289
 - use of, 285
 - external normalization, 287
 - external standardization technique, 287
 - internal normalization technique, 287
 - laser ablation (LA) systems in, 287
 - specific advantages of, 285–287
- MC-ICP-MS use in, 285
 - analytical procedures, 287–289
 - specific advantages, 285–286
- Mean ocean molybdenum (MOMo), 179
- Measurand, 168
- Measured quantity value, 169
- Measurement accuracy, 141
- Measurement bias, 141, 172
- Measurement error, 141
- Measurement precision, 141–142, 169
- Measurement repeatability, 142, 170
- Measurement reproducibility, 142, 170
- Measurement trueness, 143
- Measurement uncertainty, 142, 167, 168, 172, 174, 181
 - alternative approach, 181
 - influence quantities, 177
 - data presentation with isotope notation, 179–180
 - isotope amount ratio determination, 177–179
 - sample preparation, 177
 - sampling, 177
 - method validation, 182
 - inter-laboratory studies, 184
 - limit of detection (LOD), 182–184
 - limit of determination, 183–184
 - limit of quantitation (LOQ), 183
 - metrological traceability, 181–182
 - uncertainty budget estimation, example of, 180–181
- Mediterranean outflow water (MOW), 366
- Mercury, 509–511
- Mercury-tagged bioconjugates, 229
- Metal deposits, 356–360
- Metal isotopes as paleoredox proxies, 317, 319
 - Cr isotope ratios and paleoredox conditions of atmosphere, 329–337
 - critical area for further work, 344–346
 - molybdenum isotope ratios and global ocean paleoredox, 320–329
 - uranium isotope ratios and marine paleoredox, 338–344
- Meteorites, 275, 276, 277–278
- Method validation, 182
 - inter-laboratory studies, 184
 - limit of detection (LOD), 182–184
 - limit of determination, 183–184
 - limit of quantitation (LOQ), 183
- Metrological comparability of measurement results, 171
- Metrological traceability, 143, 170–171, 181–182

- Microbes at interface, 355–356
 Micro-drilling technique, 107
 Mixed oxide fuel (MOX), 422
 Model age, 260, 264–265
 Molybdenite (MoS₂), 262
 Molybdenum, 291, 360, 476–477
 Molybdenum isotope ratios
 – and global ocean paleoredox, 320–329
 Monazite, LA–ICP–MS U–Pb dating of, 254–255
 Multi-collector inductively coupled plasma mass spectrometry (MC–ICP–MS), 42, 77, 78, 80, 113, 115, 165, 177, 276, 306, 317, 351, 352, 354, 360, 362, 374, 403–404, 407, 409, 464, 468, 499
 – chromatography, 495
 – detector technologies for, 87–90
 – early multi-collector mass spectrometers, 78–79
 – mass resolution and resolving power, 81–84
 – measurement validation, three-isotope plots for, 84–87
 – variable multi-collector mass spectrometers, 79–81
 Multi-isotopic elements, periodic table of, 286
 Multiple ion counting, 101–102
 Multiple species-specific spiking, 219–221
 Multipole collision/reaction cell, 52–55
 – overcoming spectral interference via chemical resolution, 53–54
 – overcoming spectral interference via collisional deceleration and kinetic energy discrimination, 55
 National Bureau of Standards (NBS), 150
 National Institute of Standards and Technology (NIST), 150
 Natural ferromanganese sediments, 326
 Nd:YAG lasers, 49, 50, 247
 Negative thermal ionization mass spectrometry (NTIMS), 454, 473, 474, 477
 Negatron, 7
 Neodymium, 293, 294, 366, 379
 Neptune, 79, 81, 84, 115, 121, 509
 Nevada Test Site (NTS), 428
 Nier–Johnson double focusing geometry, 42–43
 Non-chondritic meteorites, 278, 281
 Non-magmatic irons meteorites, 281, 298, 303
 Nordtest calculation, 181
 Now extinct radionuclides, 13
 Nuclear applications, 419
 – future developments, prospects for, 431
 – nuclear forensics, 429–431
 – process control and monitoring in the nuclear industry, 422–424
 – rationale, 419–422
 – U and Pu, isotopic studies of distribution of, 424–429
 Nuclear field shift effects. *See* Nuclear volume effects
 Nuclear force, 1
 Nuclear volume effects, 22, 23
 Nucleon, 1, 2, 3, 4
 Nucleosynthetic isotope anomalies, 283–284, 289–293
 Nucleus, 1, 2, 4, 7, 22, 338, 342
 Nugget effects, 209
Oncorhynchus tshawytscha, 361
 On-line isotope dilution LA–ICP–MS, 203
 On-line photochemical vapor generation, 207
 On-line versus off-line separation, 497–498
 Organics
 – of skeletal matter, 378–379
 Osmium, 130, 209, 261, 379
 Output voltage, 96, 97
 Pacific Proving Ground (PPG), 427–428
 Paleoenvironments, 360
 – isotopes as indicators of, 360
 Paleoredox proxies. *See* Metal isotopes as paleoredox proxies
 Paleoredox proxy, 322, 323, 328, 337, 340
 Pallasites, 88, 281
 Parathyroid hormone (PTH), 458
 Pb–Pb dating, solution of, 257
 Pb–Tl isochron data, 300
 Pd–Ag isochron data, 300
 Penning ionization, 33
 Perovskite, LA–ICP–MS U–Pb dating of, 256–257
 Petroleum products, sulfur speciation in, 221–223
 Planck's constant, 150
 Plasma, 54, 80
 – appearance, 446–447
 – deconvolution techniques, 446–447
 – definition of, 32
 Platinum group elements (PGEs), 175
 – determination of, 207–210
 Plutonium, 426–427
 Poisson counting statistics, 58, 59

- Positron, 7
- “Post-column” spiking, 213
- Precision, 141–142
- Primitive achondrites, 281
- Protein analysis, 224–229
- Provenance, 373, 377
- Pseudo-high resolution, 83
- Pt-Re-Os on mantle peridotites, 263–265
- Quadrupole-based ICP-MS, 45–47,
58, 192, 251
- Quadrupole filter, 36–38
- Quality control, 165
- Quantity value, 142
- Radioactive decay, 7–8
- Radioactive IRMs, 152
- Radiogenic isotopic variations from
- cosmogenic isotope anomalies, 284–285
 - decay of extinct radioactive nuclides,
282–283
 - decay of long-lived radioactive
nuclides, 282
 - mass-dependent isotope fractionation, 284
 - nucleosynthetic isotope anomalies,
283–284
- Radiogenic nuclides, 5–6, 7–13
- lead, 10–13
 - parent–daughter pairs, 13
 - radioactive decay, 7–8
 - strontium, 9–10
- Radioisotopes, 420
- techniques, 437
- Rare earth element (REE), 379
- Rayleigh equation, 15
- Rayleigh fractionation, 333, 334
- Rubidium, 10
- ^{87}Rb – ^{87}Sr decay system, 293
- Rb–Sr isochron method, 237
- Re-(Pt)Os system, 261
- Reactive oxygen species (ROS), 471
- Recommended dietary allowance (RDA), 471
- Red blood cells, 462
- Redox conditions, reconstruction of, 319
- Reduced mass, definition of, 17
- Reference material, 139, 143
- Reference quantity value, 142–143
- reference value, 173
- Regression model, 117, 124–126
- Relative abundance of nuclide, 2
- Re–Os
- dating of black shales, 262–263
 - isochron, 345
 - molybdenite dating, 262
- Repeatability, 142
- condition of measurement, 170
- Reproducibility, 142
- condition of measurement, 170
- Resolving power, 84
- Resonance ionization mass spectrometry
(RIMS), 420
- Reverse isotope dilution, 193
- Rhenium depletion age, 265
- Russell’s law, 120–121
- Rutile, LA–ICP-MS U–Pb dating of,
255–256
- Sag, 64–65
- Saha equation, 33
- Sample introduction strategies, in ICP-MS,
47–50
- “Saturnian” model, 1
- Scott-type double-pass spray chamber, 48
- Secondary electron multiplier, 89, 90
- Secondary ionization mass spectrometry
(SIMS), 102, 285, 393, 420
- Sector field ICP-MS
- high mass resolution with, 55–56
- Seed electrons, 33
- ^{77}Se -labeled selenomethionine, 215
- Selenium, 471–474
- absorption, 472
 - stable isotopes, 471
- Sensitive high-resolution ion microprobe
(SHRIMP), 244
- Shewanella oneidensis*, 334
- Single-collector inductively coupled plasma
mass spectrometry, 31, 397
- basic operating principles, 34
 - comparison of characteristics, 45
 - double-focusing sector field mass
spectrometer, 38–43
 - mass spectrometer characteristics, 34–36
 - quadrupole filter, 36–38
 - time-of-flight analyzer, 43–45
- inductively coupled plasma ion source,
32–34
- isotope ratios measurement, 56
 - detector issues, 62–66
 - instrumental mass discrimination, 66–68
 - isotope ratio precision, 57–62
 - mass spectrometry, 31–32
 - quadrupole-based ICP-MS, 45–47
 - sample introduction strategies in, 47–50
 - spectral interferences, 50
 - cool plasma conditions, 51–52
 - high mass resolution with sector field
ICP-MS, 55–56

- multipole collision/reaction cell, 52–55
- Single-collector instruments, 178
- Single isotopic label, fecal balance studies for, 444–445
- Skeletal matter, 378–379
- ^{147}Sm – ^{143}Nd decay system, 293–294
- Sm–Nd isochron dating, 265
- SMOW (Standard Mean Ocean Water), 156
- SNC meteorites, 281
- Sodium carbonates, 381
- Space-charge effects, 67
- Speciation, 212, 215, 216, 221
- Species-specific ICP-IDMS, 214–221
 - for identification of species transformations, 218–219
 - multiple spiking, 219–221
 - speciation analysis, 215–217
- Species-unspecific ICP-IDMS, 221–229
 - humic substance metal complexes, fractionation of, 223–224
 - protein analysis, 224–229
 - sulfur speciation, in petroleum products, 221–223
- Spectral interferences, 50
 - cool plasma conditions, 51–52
 - high mass resolution with sector field ICP-MS, 55–56
 - multipole collision/reaction cell, 52–55
- Spray chambers, 48
 - calcium, 458–462
 - Stable isotope techniques, 435, 437, 438, 444, 473
 - copper, 474–476
 - essential elements, 435–436
 - ICP-MS in stable isotope-based metabolic studies, 451
 - mass spectrometric sensitivity, 454
 - measurement accuracy and quality control, 454–457
 - measurement precision, 451–453
 - iron, 462–464
 - isotope labeling techniques, 442–444
 - magnesium, 469–471
 - mineral, studying for, 435
 - molybdenum, 476–477
 - selenium, 471–474
 - stable isotopic labels versus radiotracers, 436–438
 - stable isotopic tracers, quantification of, 438–442
 - for trace element metabolism in humans, 444
 - compartmental modeling, 447–448
 - element turnover studies, 449–450
 - fecal balance studies, with double isotopic label, 445–446
 - fecal balance studies, with single isotopic label, 444–445
 - isotope fractionation effects, 450–451
 - plasma appearance, 446–447
 - tissue retention, 448–449
 - urinary monitoring, 447
 - zinc, 464–469
- Stable isotopic labels
 - versus radiotracers, 436–438
- Stable isotopic tracers
 - quantification of, 438–442
- Standard Mean Ocean Water (SMOW), 167
- Stony-irons, 281
- Strontium, 131, 237, 377, 402–403
- Sulfur
 - in protein quantification, 225–229
 - isotopic analysis of, 511–512
 - speciation, in petroleum products, 221–223
- Surface ionization techniques, 78
- Systematic measurement error, 171–172
- Tachycineta bicolor*, 361
- Tandem introduction system, 48
- Tera–Wasserburg diagram, 252, 253
- Terrestrial matter and cosmic rays, interaction between, 6, 23–24
- Tetramethylammonium hydroxide (TMAH), 216
- Thermal ionization (TI)-IDMS, 189
- Thermal ionization mass spectrometry (TIMS), 32, 40, 80, 93, 115, 165, 241, 285, 333, 354, 420, 424
 - versus ICP-MS for Geochronology, 241–242
- Thermal vaporization (TV)-ICP-IDMS, 205, 206
- Three-isotope plots, 84–87
- Time-of-flight (TOF) analyzer, 43–45, 61
- Tin, 380
- Tissue retention, 448–449
- Titanite, LA-ICP-MS U–Pb dating of, 255–256
- Traceability, 143
- Trace element metabolism, in humans, 189, 435, 437, 444
 - compartmental modeling, 447–448
 - element turnover studies, 449–450
 - fecal balance studies, for double isotopic label, 445–446
 - fecal balance studies, for single isotopic label, 444–445

- isotope fractionation effects, 450–451
- plasma appearance, 446–447
- tissue retention, 448–449
- urinary monitoring, 447
- Trace elements and elemental species
 - determination, using ICP-IDMS, 189
 - examples, 200
 - electrothermal vaporization inductively coupled plasma mass spectrometry (ETV-ICP-MS), 203
 - fossil fuels, trace element analysis of, 205–207
 - laser ablation–inductively coupled plasma mass spectrometry (LA-ICP-MS), 201–203
 - on-line photochemical vapor generation, 207
 - platinum group elements, trace amounts of, 207–210
 - silicon determination in biological samples, 203–205
 - transuranium elements, ultra-trace amounts of, 211–212
 - trends in ICP-IDMS Trace Analysis, 200–201
- isotope dilution mass spectrometry (IDMS), 189
 - elements accessible to, 194–195
 - principles of, 190–194
 - spike isotope selection and optimization of its amount, 195–199
 - uncertainty budget and limit of detection, 199–200
- Tracers, 437
- Trackability, 143
- Transferrin isoforms, determination of, 225
- Triethyllead (TEL), 216
- Trimethyllead (TML), 216
- Trueness, 143
- True quantity value, 143
- True value, 143
- “True” isotope abundance ratio, 145
- U and Pu, isotopic studies of distribution of, 424–429
- Ultraviolet photochemical vapor generation (UV-PVG), 207
- Uncertainty budget estimation, example of, 180–181
- Uncertainty evaluation, 131–132
 - and double-spikes, 132–133
 - modeling and double spikes, 132–133
- Uncertainty of measurement, 172
- Unequilibrated chondrites, 280
- Uraninite, LA-ICP-MS U–Pb dating of, 257
- Uranium isotope ratios
 - and marine paleoredox, 338–344
- Urinary monitoring, 447
- U/Th–Pb, 242–244
- U/Th–Pb decay systems, 295–296
- VIM3 International Vocabulary of Metrology, 167
- Volcanic massive sulfide (VMS), 357
- Wet plasma conditions, 288
- Zinc, 356–357, 464–469
- Zircon
 - Hf isotopic model ages, 259–261
 - LA-ICP-MS U–Pb dating of, 244–249
 - data processing, 254
 - ICP-MS equipment, 250–251
 - isobaric overlap, common Pb and oxide formation, 251–254
 - laser ablation system, 249–250
- Zirconium, 291, 292

