

Index

a

- ABT-341 synthesis, by one-pot technology 63–64
- acetoxyhydroxy-acid synthase (AHAS) 378
- acetoxylation 267, 268, 269
- achiral materials 249, 251
- achmatowicz rearrangement application, for oligosaccharides synthesis 249
- anthrax tetrasaccharide synthesis application 251, 253–255, 256, 257
- de novo approach to carbohydrates 249–251
- iterative Pd-catalyzed glycosylation and bidirectional postglycosylation 251
- acrolein 98
- acyclic stereocontrol 359
- 1,4-addition 275
- Agelas dendromorpha* 391
- agelastatin alkaloids 391
- biosynthetically inspired plan for 391–393
- total synthesis of 393–395
- Alcaligenes denitrificans* 227
- aldehydes activation, with secondary amines 44
- aldimine 261–263
- aldol desymmetrizations 309–314
- aldol reaction 131, 275–276, 309–310, 312, 314
- alkaloids 318
- alkenes 298
- intermolecular additions to 150, 152
- alkenes asymmetric diamination 371
- results 371–374
- strategy 371
- alkylation, allylic 50, 51, 52
- alkylative dearomatization 386, 389
- alkyl-rhodium species 56–57, 58
- alkylstyrenes 295
- allenamides, catalytic asymmetric cycloadditions using 239–240, 243–245
- results 240–242
- strategy 240
- allenyl metal 131
- allyl alkylation 335, 336, 337, 338, 339
- allyl enol carbonates 2
- allylic amines 335, 337
- α , β -unsaturated acyl azoliums, catalytic annulations via 72, 74
- α , β -unsaturated carbonyl compounds 29–33
- α , β -unsaturated carboxaldehydes 223
- α , β -unsaturated carboxylic acids and esters 223
- α , β -unsaturated dialdehydes 44
- asymmetric γ -functionalization of 45
- synthesis of bicyclic dienes from 45
- α , β -unsaturated diketone, asymmetric bioreduction 223
- amide-based reoxidants 22–23
- aminations 147–150, 277
- aminothiourea 233–235
- amino transferases. See transamination, asymmetric
- amphotericin B polyol fragments iterative synthesis 183
- anthrax tetrasaccharide synthesis application 251, 253–255, 256, 257
- antiinsect activity 165, 166
- anti-Me-OH vicinal relationships construction, in polyketides 131
- Marshall–Tamaru (MT) reaction 131–136
- ant pheromones 214
- Aplidium haouarianum* 11
- asymmetric aminohydroxylation (AA) 17
- catalytic cycles for 18
- asymmetric amplification 37

- asymmetric catalysis 109. *See also individual entries*
 - kinetic modeling of reversible reaction of 111–112
 - in lipids and polyketide total synthesis 213
 - – ant pheromones 214
 - – deoxypropionates 215
 - – membrane-spanning lipids 215–216
 - – saturated isoprenoids 217
 - – tuberculostearic acid 213–214
 - reversible organocatalytic reaction 112–115
 - thermochemistry, close to equilibrium 109–111
 - asymmetric counteranion-directed catalysis (ACDC) 79
 - applications
 - – to Lewis acid catalysis 82–83
 - – to organocatalysis 80–81
 - – to transition metal catalysis 81–82
 - asymmetric dienamine activation 43
 - historic background 43–44
 - results 44–47
 - asymmetric dienamine alkylation 46
 - asymmetric halonium addition, to olefins 147
 - intermolecular additions to alkenes 150, 152
 - intramolecular lactonizations, etherifications, and aminations 147–150
 - polyene cyclizations 150
 - asymmetric hydrovinylation, of alkenes 293, 299–300
 - all-carbon quaternary centers via 295, 296
 - C20(*S*) and C20(*R*) derivative stereoselective dimension 298
 - 1,3-dienes 296
 - exocyclic stereocontrol 296, 298
 - hemilabile ligand effects 295
 - heterodimerization of ethylene/propylene and vinylarenes, 1,3-dienes, and norbornene protocols 293, 294
 - strained alkenes 298
 - asymmetric induction 29, 31, 33
 - asymmetric synthesis 103, 131, 133. *See also individual entries*
 - asymmetric transfer-hydrogenation 109
 - asymmetric α -functionalization, of α, β -unsaturated aldehydes 44
 - atom transfer radical addition (ATRA) 285
 - axial chirality 274
 - 3-aza-[7]-paracyclophane macrocycle 11
 - azobenzene 139, 140, 141, 143
- b**
- B(C₆F₅)₃-catalyzed carbonyl reduction 37–39
 - Bacillus anthracis* 251
 - Bacillus megaterium* 227
 - bakkenolides 312–314
 - benzopyrans 207
 - β -aminoalcohols 17
 - β -carbon elimination 55–58
 - β -fluoroiminium salt 118
 - β -hydroxy acyl azolium 309
 - β -ketoesters 2, 344, 349
 - β -lactam formation, by chiral NHC catalyzed cascade reaction 73
 - 1,1'-bi-2-naphthol (BINOL) phosphoric acids 49, 50, 80, 206, 242, 261, 384
 - bicyclic dienes synthesis, from α, β -unsaturated dialdehydes 45
 - bifunctionality 148
 - bifunctional thiourea catalysts 233
 - aminothiurea 233–235
 - hydroxythiourea 235–236
 - biocatalysis
 - first and second-generation biotransformations 221
 - third-generation biotransformations
 - – asymmetric transamination 226–228
 - – C=C bonds asymmetric bioreduction 221–226
 - biomimetic synthesis. *See* penifulvin family, biomimetic total synthesis of
 - bissulfonylimide 372
 - Breslow intermediate 68, 74
 - Brønsted acid 49–52, 181, 261, 262, 265, 266
 - asymmetric catalysis 49, 51, 52
 - and enantiomeric ratio in hydrogen-bond-catalyzed Diels-Alder reaction 365–367
- c**
- C=C bonds asymmetric bioreduction 221–226
 - C₂-elongation 179, 181
 - C20(*S*) and C20(*R*) derivative stereoselective dimension 298
 - capillary electrochromatography (CEC) 104
 - capillary electrophoresis (CE) 104
 - carbocation 49, 50, 51
 - carbocycles 67
 - carbohydrates, de novo approach to 249–251

- carbonyl allylation and crotylation 187, 191–194
 - results 188–190
 - strategy 187
 - carbonyl compounds 87, 88
 - α,β -unsaturated 29–33
 - carbonyloxycarbamates, as osmium reoxidants 21–22
 - 4-carboxyazobenzene 139
 - catalyst-controlled 1,3-polyol syntheses 179–184
 - catalytic asymmetric Gosteli–Claisen rearrangement (CAGC) 157–162
 - mechanistic aspects 159, 160
 - in natural product synthesis 160
 - catalytic protonation 49, 50
 - C–C activation 57
 - C–C bond asymmetric formation, using phosphoric acid 261
 - results
 - – cycloaddition reactions 262–263
 - – desymmetrization reaction 264–265
 - – Friedel–Crafts alkylation reaction 264
 - – Mannich and related reactions 261–262
 - – transfer hydrogenation reactions 263–264
 - C–C bond formation, using chiral Guanidine catalysts 273
 - catalyst design and results
 - – novel axially chiral guanidine base catalyst design 273–274
 - – type I axially chiral guanidine catalysts 275–276
 - – type II chiral guanidine catalysts 276–277
 - C–C coupling 190
 - ceric(IV) ammonium nitrate (CAN) 89, 91
 - C–H bond functionalization, asymmetric 267
 - results
 - – diastereoselective C–H functionalization 267–269
 - – enantioselective C–H functionalization 269–271
 - chelating aldehydes 97
 - chip-based assays 104
 - chiral ligand 267–269, 271
 - chiral pool versus chiral catalysts 317
 - catalytic stereoselective total synthesis 317–319
 - natural product synthesis from chiral and nonracemic starting materials 320–321
 - chiral stationary phases (CSP) 104
 - chlorosulfolipids 353
 - hexachlorosulfolipid 357–359
 - *vic*-dichloride fragments stereoselective synthesis 353–356
 - Chromobacterium violaceum* 227
 - cinchona alkaloids 344
 - Claisen rearrangement 157–162
 - Coates–Claisen rearrangements, NHC-catalyzed enantioselective 75
 - conformational control 121
 - conformer equivalents 120, 121
 - Conia-ene carbocyclizations
 - organo and metal cooperative catalysis 343–344
 - results 344–349
 - conjugate addition, asymmetric 213, 214, 215, 217
 - cooperative catalysis 343–344
 - counteranion. *See* asymmetric counteranion-directed catalysis (ACDC)
 - counterion 282–283
 - cross-couplings 393, 395
 - Cu–H-catalyzed diastereoselective Si–O coupling 39–40
 - Curtin–Hammett principle 363, 364
 - cyanthiwiggins 7
 - cyclic imides 223
 - cycloadditions 303–306. *See also individual entries*
 - cyclodextrin phases 104
 - cyclohexadienones desymmetrization 383
 - cycloisomerization 207
 - cyclopentenes 309, 310
 - cyclopropanes 323, 324, 326, 327, 328
- d**
- dearomatization 383–389
 - deoxypropionates 215
 - deprotonation 344, 349
 - deracemization 329
 - desymmetrization 264–265, 383–389
 - diaryliodonium salts 199
 - diarylprolinol ethers 29, 31
 - diastereoisomer 179, 181
 - diastereomeric ratio 103
 - diastereomeric resolution 125–129
 - diastereoselectivity 36–37, 39–40, 70, 123, 125–129, 133, 134, 143, 159, 161, 181, 188, 190, 192, 193, 194, 255, 267–269, 314, 317, 318, 319, 389
 - diastereotopic 267
 - dicarboxylic acids 223
 - dichlorination 353, 354, 355, 356–357, 359
 - dichroanone 6
 - dictyostatin 134, 135

Diels–Alder reaction 11, 29, 30, 31, 33, 45,
69, 71, 159, 263, 264, 365–367
– asymmetric, with dienamines 44
– imidazolidinone-catalyzed 32
1,3-dienes 296
dihydroxylation 17
dimethylmalonate (DMM) 338, 340
1,4-dimethyl units 215–216
dioxytosylation 198
dipeptidyl peptidase IV (DPP4) 63
diphosphine-gold complexes, in
 enantioselective catalysis 205–208
domino reaction 62, 63
DTBM-SEGPPOS 206
dual activation strategy 233
Dutch resolution 125–129
dynamic kinetic asymmetric transformations
 (DYKATs) 323
– annulation 323, 324, 325, 326–328, 327
– donor–acceptor cyclopropanes as substrates
 323
– Lewis acid catalysis 323–326
– palladium catalysis 326–328
– tertiary propargyl-allyl alcohols
 deracemization 329

e

electrokinetic chromatography (EKC) 104
enantioinduction 117, 119, 120, 121,
 282, 283
enantiomeric excess 384, 386, 389
enantiomeric purity 125, 126
enantiomeric ratio 103, 363, 364, 365–367
enantiopure ligand 279, 280
enantioselective chromatography 103
enantioselective dearomatization (ECED)
 386
enantioselective hydrogenation 103
enantioselectivity 1, 17, 18, 19, 24, 37, 50,
 51, 56–57, 62, 63, 67–74, 79, 80–83, 87–92,
 95–99, 104, 105, 112, 113, 123, 134,
 147–148, 150, 152, 181, 184, 187–194,
 197–201, 205–209, 207, 214, 216, 261–265,
 267, 268, 269–271, 273–283, 285, 310, 312,
 315, 317, 319–320, 343, 349, 371–372,
 373, 374
ene reductase 222–223, 224, 225
enolates 1–7
enol silones 2
entropic effect 111
Escherichia coli 378
etherifications 147–150
exocyclic stereocontrol 296, 298

f

fall armyworm 165
farnesyl-pyrophosphate 167
fluorine *gauche* effect 118
fluorine–iminium ion *Gauche* effect
 117–121, 118
Friedel–Crafts addition reactions, of
 N-methylpyrrole 123
Friedel–Crafts alkylation reaction 264

g

gauche effect 117–121
glycolipids 213, 215
gold-catalyzed reactions, asymmetric 205
– diphosphine-gold complexes in
 enantioselective catalysis 205–208
– monophosphine-gold complexes in
 enantioselective catalysis 208–209
guanidine 273–277

h

H1N1 virus 61
haloalkylation, radical 285–290
halogenations 147, 148, 150, 152
halolactonization 147
hamigeran 6
Hammett and Charton parameters correlation
 to enantioselectivity, in two-dimensional
 free energy relationships 368–369
Hammett electronic parameters, and
 application to (salen)Mn(III)-catalyzed
 asymmetric epoxidation reactions
 364–365
Haouamine A 11, 12
– isomerism 13
– programmable synthesis and atropisomer
 12–15
hemilabile ligand effects 295
heterocycle construction. See also
 N-heterocyclic carbene (NHC)
– construction via asymmetric
 rhodium-catalyzed cycloadditions 303
– – application to reactions 306
– – strategy 304–306
heterocyclic carbenes. See *N*-heterocyclic
 carbene (NHC)
heterodimerization 293, 294, 300
Heveabrasiliensis (HbHNL) 380
hexachlorosulfolipid 357–359
homochirality 126, 128
homoenolate equivalent catalytic generation
 70
homogeneous catalysis 205
homology and families 126

Horner-Wadsworth-Emmons (HWE) reaction 62, 319
 hydroacylation 279–283
 hydrobenzofurans 383, 386
 hydrogen bonds 233, 234, 273, 276
 3-hydroxy-3-methylbutanoic acid (HBTU) 255
 hydroxynitrile lyases (HNLs) 377, 379–380
 hydroxythiourea 235–236
 hyperconjugative interaction 117

i

imidazolidinone 29
 – catalyzed cycloaddition reactions 30
 – catalyzed Diels–Alder reaction 32
 iminium ion 31
 – activation 29
 indolizines 304
 intramolecularization, conformational preselection induced by 122
 intrinsic enantioselectivity 113
 inversion, of configuration 38
 iodinanes 199
 iodines 371–372
 – reagents, hypervalent 197–201
 iodolactonization 147–148
 ion pairing 79–80, 113
 iridium 188, 190, 191, 192
 iron-catalyzed allylic substitutions 333
 – catalyzed by Hieber-anion 333–338
 – $\text{Fe}_2(\text{CO})_9$ 338–340
 isonitrile 95
 isoprenoids, saturated 217

k

ketones 377–378, 379, 380
 – α , β -unsaturated 223

l

lactones 279
 – strategy and results 279–283
 leiodermatolide isomer 135
 Lewis acid catalysis 82–83, 96, 97, 99, 159, 240, 242, 261, 323–326
 Lewis base 96
 linear free energy relationships (LFERs) 363–364
 – Brønsted acidity and enantiomeric ratio in hydrogen-bond-catalyzed Diels–Alder reaction 365–367
 – describing the influence of steric bulk in a Nozaki–Hiyama–Kishi asymmetric allylation of acetophenone 367

– Hammett and Charton parameters correlation to enantioselectivity, in two-dimensional free energy relationships 368–369
 – Hammett electronic parameters, and application to (salen)Mn(III)-catalyzed asymmetric epoxidation reactions 364–365
 – quadrupole moment correlation to enantioselectivity, in cation- π -mediated asymmetric polycyclization 367–368
 liphagal 6
Lyonetia prunifoliella 217

m

Mannich and related reactions 261–262
 mannose phosphomycoketide 217
 Marshall–Tamaru (MT) reaction 131–136
 membrane-spanning lipids 215–216
meta-chlorobenzoic acid (*m*CPBA) 198
 metal-free catalytic process 49, 50
 meta photocycloadditions 173
 – natural product synthesis by 166
 – precursor synthesis 172
 1,3-methyl arrays 215
 micellar electrokinetic chromatography (MEKC) 104
 Michael addition 62, 384, 386
 militarinone D 319
 monophosphine-gold complexes, in enantioselective catalysis 208–209
 multicomponent reaction (MCR) 95
Mycobacterium leprae 213
Mycobacterium tuberculosis 213, 215, 217
Mytilus galloprovincialis 353

n

natural product synthesis 4, 6, 8, 179, 181, 184, 213, 217, 298
 – catalytic asymmetric Gosteli–Claisen rearrangement (CAGC) in 160
 – by meta photocycloadditions 166
 – strategies for 317–321
N-bromosuccinimide (NBS) 148, 150
N-chlorosuccinimide (NCS) 148, 150
N-heterocyclic carbene (NHC) 67, 68, 73, 74
 – catalytic annulations via α , β -unsaturated acyl azoliums 72, 74
 – catalyzed aldol desymmetrizations 309
 – – bakkenolides synthesis, application to 312–314

N-heterocyclic carbene (NHC) (*contd.*)

- strategy and results 309–311
- chiral enolate equivalent catalytic generation 68–70
- enantioselective cascade reactions catalyzed by 70, 72
- homoenolate equivalent catalytic generation 70
- N*-iodosuccinimide (NIS) 148, 150
- Noyori reduction 249, 250
- Nozaki–Hiyama–Kishi asymmetric allylation of acetophenone, LFERs describing the steric bulk influence in 367
- N*-sulfonyloxy carbamates 19–20
- nucleation inhibitor 128, 129
- nucleophilic addition 233, 234, 235

O

- Ochromonas danica* 353
- old yellow enzyme 225
- olefination 270, 271
- olefin geometry and configuration correlation 171
- one-pot technology 61
 - ABT-341 synthesis by 63–64
 - oseltamivir synthesis via 61–63
 - oxidative dearomatization and catalytic desymmetrization 384, 386
- open-tubular liquid chromatography (OTLC) 104
- organo and metal cooperative catalysis 343–344
- organoboronic acids 235
- organocatalysis 64, 65, 80–81, 103, 117–121, 141, 144, 233, 383–389
 - reaction, reversible 112–115
 - organometallic intermediate 267, 269
- organo-SOMO catalysis, enantioselective 87–88
 - objective 88–89
 - results 90–92
- oseltamivir synthesis, via one-pot technology 61–63
- osmium reoxidants 21–22
- Overman esterification 182
- oxazolidinones 286
- oxidation, asymmetric 371, 372
- oxidative dearomatization and organocatalytic desymmetrization 383
 - alkylative dearomatization 386, 389
 - cyclohexadienones desymmetrization 383
 - one-pot oxidative dearomatization and catalytic desymmetrization 384, 386

- oxo- and aza-Michael additions 384, 386
- oxo- and aza-Michael additions 384, 386
- oxyallyl cation 239–242

P

- palladium 312
 - catalysis 326–328
- Passerini reaction, enantioselective 95–99
 - background 95–96
 - results 96–99
- Pd-catalyzed glycosylation 250, 252
 - and bidirectional postglycosylation 251
- Penicillium griseofulvum* 165, 166
- penifulvin family, biomimetic total synthesis of 165, 174
 - A, B, and C syntheses 168–175
 - isolation and biogenetic origin 166–168
- 1,2,2,6,6-pentamethylpiperidine (PMP) 288
- Petasites japonicas* 312
- phosphinooxazoline (PHOX) ligands 2, 4
- phospholanes 296
- phosphoramidite ligands 305
- phosphoramidites 296, 304–306
- phosphoric acids 264
- photochromism 139, 140, 141
- photoisomerization 139, 143
- photoreaction 169
- photoswitchable general base catalysts 139
 - background 139–141
 - outlook 143–144
 - strategy and results 141–143
- phthalides 282
- π -bond isomerization 334, 335, 336, 337
- Pictet–Spengler reaction 79, 80, 81
- point-to-planar chirality transfer 11
 - Haouamine A programmable synthesis and atropisomer 12–15
- synthetic strategy featuring 11–12
- polyene cyclizations 150
- polyketides 131–136, 179, 181, 184
 - two-dimensional synthesis via Ir catalysis 180
- polysaccharide phases 104
- Poterioochromonas malhamensis* 353
- private equilibrium 111
- prochiral aldehydes 134, 135

prochiral ketone enolates, catalytic
 enantioselective alkylation 1
 – asymmetric allylic alkylation in total
 synthesis 4, 6–7
 – strategy and results 1–4
 propiophenone 198
Prunusamygdalus (PaHNL) 380
Pseudomonas aeruginosa 227
 pyrrole 391, 393, 395

q

quadrupole moment correlation to
 enantioselectivity, in cation- π -mediated
 asymmetric polycyclization 367–368
 quasi-equilibrium 111, 112
 quaternary centers 4, 6
 – all-carbon 295, 296
 – stereogenic 55
 – – alkyl-Rhodium species selective
 generation and downstream
 reactivities 56–57

r

racemization 110, 111, 112, 168
 radical cation 88–92
 rapid enantiomeric excess determination
 103–106
 Rauhut–Currier reaction 45
 reduction. See biocatalysis
 regioselectivity 17, 19, 181
 relative-rate information 363, 367
 resolving agent 125–129
 retention, of configuration 38
 retrosynthetic analysis 391–392, 395
 rhodium 303–306
 rhodium-catalyzed sequential rearrangement/
 enantioselective conjugate addition 329,
 330
 ring contraction methodology 3
 ruthenium 190

s

Schenck ene-reaction, in withanolide A
 preparation 321
 σ -allyl mechanism 334, 335, 337
 σ -electrophilic catalysis 161, 162
 silicon-stereogenic silanes 35
 – design 36
 – intermolecular chirality transfer from
 silicon to carbon 36–37
 – kinetic resolution with 39–40
 – as stereochemical probe 37–39
 silphenine, biogenetic transformation into
 penifulvin 168

sintokamides 285, 288
 solid solutions 128
 SOMO catalysis. See organo-SOMO
 catalysis, enantioselective
 spirocyclization 198
 spirolactone 314
Spodoptera frugiperda 165
 stereochemistry 303
 stereocomplementary enzymes 224
 stereodifferentiation 179
 stereogenic center 55, 279, 280
 – alkyl-Rhodium species selective generation
 and downstream reactivities 56–57
 stereoinductors 157
 stereoselectivity 35, 197–201, 226, 285, 286,
 289, 298, 309, 315, 317–319, 320, 336. See
 also diastereoselectivity
 steric shielding approach 141, 142
 strain energy 55
 styrenes 372, 373, 374

t

Taddol scaffold 304, 305
 Taft parameters 367
 taiwaniaquinoids 320
 Tamiflu® 61
 tartrate-diol 304
 tertiary alcohol enzymatic asymmetric
 synthesis 377
 – hydroxynitrile lyases (HNLs)
 379–380
 – YerE 377–379
 tethered aminohydroxylation 17–18, 20
 – amide-based reoxidants 22–23
 – carbonyloxycarbamates as osmium
 reoxidants 21–22
 – *N*-sulfonyloxy carbamates 19–20
 – organic synthesis applications
 24, 25
 – reaction mechanism evidence
 23–24
 – reoxidants first generation
 18–19
 thiamine diphosphate (ThDP)-dependent
 enzymes 377–379
 titanium enolates 286
 torrubiellone C 319
 tosyloxylactonization 198
 transamination, asymmetric 226–228
 transannular interactions 161
 transfer hydrogenation 187–194,
 263–264
 transfer radical polymerization (ATRP)
 285

transition metal catalysis 81–82
triarylphosphine 296
triazone 393
TRIP 79, 80, 81
Tsuji–Trost allylation 326
tuberculostearic acid 213–214
two-point interaction 159

u

Ugi reaction 99

v

Vibrio fluvialis 227
vic-dichloride fragments stereoselective
synthesis 353–356

vicinal dimethyl patterns 214
vinylogous esters 3

w

Weitz–Scheffer epoxidation, of
 α,β -unsaturated aldehydes 119
withanolide A 320, 321

y

YerE 377–379
Yersinia pseudotuberculosis 377

z

Z-isomer 141, 142