

Subject Index

a

- abamectin 1305
 - activity level against mites and insects 1316
 - bioavailability 1322
 - biological activity in seed treatment 1375
 - ecotoxicological data 1319
 - environment 1322
 - mode of action 1375
 - physicochemical properties 1308
 - toxicological data 1319
 - application rates 1322
 - use in crop protection 1323
- ABC transporter, *see* ATP-binding cassette transporter
- abiotic stress 530f.
- Abutilon theophrasti*, herbicide resistance 23
- acaricides 663, 688, 1022, 1352ff.
 - 2-alkoxycarbonyl trifluoromethanesulfonanilide 1355
 - carbamates (methiocarb) 942
 - carbazate 1347f.
 - inhibitors of mitochondrial electron transport 1078ff.
 - MET inhibitor-based 1100, 1354
 - MET-I 1101
 - MET-II 1102
 - mitochondrial ATP synthase as a target 1059
 - organophosphates (ethion, omethoate etc.) 942
 - prethroid classes (acrinathrin etc.) 943
 - site of metabolism for MET 1099
 - strobilurins 611
 - strobilurins and other complex III inhibitors 610
 - tetrazines 1016
 - undefined mode of action 1346
- ACCase, *see* acetyl-CoA Carboxylase
- ACCase-inhibiting herbicide 447ff.
 - mechanism of resistance 453
- acceptable daily intake (ADI) 490
- acceptable operator exposure level (AOEL) 495
- acequinocyl
 - synthesis 1095
- acetamiprid 1127, 1149ff., 1172ff.
 - chemical classification 1173
 - efficacy on target pest 1174
 - insecticidal activity 1175
 - physico-chemical properties 1173
 - synthesis 1174
 - water solubility 1173
- acetoxyhydroxyacid synthase (AHAS), *see* acetolactate synthase (ALS)
- acetohydroxybutyrate (AHB) 31
- acetolactate (AL) 31
- acetolactate synthase inhibition 114ff.
 - triazolopyrimidine herbicide 115
- acetolactate synthase/acetohydroxyacid synthase (ALS/AHAS) 29ff., 417
 - biochemistry of the target 29
 - catalytic subunit (CSU) 32ff.
 - catalyzed reaction 31
 - engineered resistance to AHAS-inhibiting herbicides in crops 46
 - isoenzyme (AHAS I, II, and III) 29ff.
 - molecular basis for resistance 41
 - mutation 42
 - regulatory subunit (RSU) 32ff.
 - resistance to AHAS-inhibiting herbicide 43
- acetolactate synthase/acetohydroxyacid synthase (ALS/AHAS) inhibitors
 - imidazolone herbicides 88

- acetolactate synthase/acetohydroxyacid synthase (ALS/AHAS) inhibitors (*contd.*)
 - pyrimidinyl carboxylate (PC) herbicides 120
 - triazolopyrimidines 99
 - sulfonylaminocarbonyl-triazolones 142
 - sulfonyl ureas 50
- acetyl-CoA Carboxylase (ACCase) 447, 1108
 - biochemistry 447
 - chloroplastic 449
 - crystal structure 452
 - cytosolic 448, 449, 468
- acetyl-CoA Carboxylase (ACCase) inhibitor 13ff., 379, 447ff., 1108ff.
 - herbicides 236, 447ff
 - insecticides 1108 ff
 - mode of action 450
- acetyl-CoA Carboxylase (ACCase) resistance 16, 453ff.
 - *Alopecurus myosuroides* 453
 - black grass plants 454
- Acetyl-CoA transcarboxylase 448
- Acetylcholine (ACh)
 - affinity for active state 1132, 1151, 1153, 1214, 1232
 - agonistic binding site 1135, 1144, 1150, 1153, 1183
 - neurotransmitter 1135, 1137, 1240
- acetylcholine-binding protein (AChBP) 1135ff., 1185
 - carbamoylcholine binding 1142, 1148
 - crystal structure 1137, 1138, 1139, 1142, 1156, 1157, 1185
 - nAChR properties 1139
- acetylcholinesterase (AChE) 951
 - inhibitors 942
- N-acetyl-glucosamine (poly-N-acetyl-glucosamine) 999
 - biosynthesis 1000
- N-acetyl-phosphinothricin 434
 - inactivation of L-phosphinothricin 433
- Acibenzolar-S-Methyl
 - synthesis 915f.
 - systemic acquired resistance induction 916
- Actinomycetes 1131, 1238
- acyl carrier protein 1249
- acyl-CoA dehydrogenase 573
- acyl-CoA elongase (VLCFAE) 306, 335
- acylpicolides (benzamides) 549, 832
- acyltransferase (AT) 1249
- adenosine deaminase 548
- adenosine diphosphate (ADP) 559
 - carrier 577
- adenosine triphosphate (ATP) 559, 573
 - export from the mitochondrion 577
- S-adenosyl-methionine 711, 1250
- Adenylat-cyclase 1062
- ADI see acceptable daily intake
- ADME (absorption, distribution, metabolism, excretion) factors 850
- Adoxophyes honmai* (smaller tea tortrix) 1402
- Aedes aegypti* (Aa) 968ff., 1004
- AFB5 Class of picolinate auxin herbicide receptors 281
- Agrobacterium*-mediated transformation 1029
- Agrotis segetum*
 - wireworm larvae 1180
 - turnip moth 1402
- Agromyzidae (dipterous leafminer) 1248
- agrophore 589, 640
- AHAS, see acetolactate synthase/acetohydroxyacid synthase
- AKD 1022 1127, 1180, 1203ff.
 - partial hydrolysis 1180, 1210
 - synthesis 1209
- (R) alanine 814, 815
- trans*-2-aldehydes as sprout suppressors 530
- alkoxy triazolinone 153
- 2-alkoxycarbonyl trifluoromethanesulfon-anilide acaricide 1355
- S-alkyl-1 λ ⁴,2,4,6-thiatiazine 357
 - 3,5-substituted 357
- alkylazine herbicides 353
 - biology 354
 - chemistry 353
 - synthesis 355
- 4-alkynyl-2-anilinopyrimidine
 - synthesis 708
- allosteric regulation 570
- allylamines 767, 800
 - target of 766, 801
- Alopecurus myosuroides*, herbicide resistance 13ff.
- ALS, see acetolactate synthase/acetohydroxyacid synthase
- Alternaria diseases 783
- alternative oxidase (AOX) 573, 609
- Amaranthus powellii* 20
- Amaranthus retroflexus* 20, 45
- Amaranthus rudis* 20ff.
 - herbicide, multiple resistance 25
- AMBA (mesotrione metabolite) 253
- Amblyseius californicus* (predatory mite) 1344ff.
- Amblyseius cumumeris* 1344
- Amblyseius* spp. 1420

- American dagger nematode (*Xiphinema americanum*) 1376
- American cockroach, see *Periplaneta americana*
- ametoctradin 613ff.
– synthesis 622
- A-group fungicides 548
- amicarbazon 510f.
– discovery 511
– metabolites 516
– physico-chemical properties 511
– synthesis 514
– uses 515
- amide herbicides 480f.
– status of reregistration process 507
- amidoflumet 1346ff.
– biochemistry 1355
– biology 1355
– development 1355
– discovery 1355
- amidoketones 979
- amines, fungicides 793
– biochemical target 793
- amino acid amides 811
- amino acid amide carbamate 812
- amino acid biosynthesis 30
- aminoacyl-tRNA 694, 699
- aminoacyl-tRNA synthetase 694
- aminoalkyl-pyrimidines, fungicides 671ff, 687
- aminobenzotriazole herbicides 22
- 1-aminocyclopropane-1-carboxylate (ACC)
– synthase 609
- N-amino triazolinone 514
– synthesis 514
- 6-amino-5-bromo-2-cyclopropylpyrimidine-4-carboxylic acid ethyl ester
– synthesis 299
- N-amino-carbamoyl triazolinone
– synthesis 515
- 6-amino-5-chloro-2-cyclopropylpyrimidine-4-carboxylic acid ethyl ester
– synthesis 299
- 6-amino-5-chloro-4-ethylpyrimidine 683
- 5-amino-3-cyano-pyrazole 1294
- 4-amino-1,2,4-triazin-5-one 511f.
- aminoalkylpyrimidine fungicides 672ff.
– general SAR 672
- 1-aminobenzotriazole (ABT) herbicides 22
- γ -aminobutyric acid (GABA) receptor 1240f., 1284ff.
– cloning the insect GABA receptor 1286
– insecticide target site 1285
– non competitive antagonist (NCA) 1285ff.
– resistance mutation 1286
– vertebrate ionotropic 1288
- 1-aminocyclopropane-1-carboxylate synthase (ACC synthase) 609
- aminocyclopyrachlor 278, 295
– discovery 295
– ecotoxicology 302
– herbicidal activity 300
– mode of action 302
– properties 300f.
– resistance management 303
– site of action 302
- aminomethylphosphonic acid (AMPA) 405ff.
- aminomethylpyridine 685
- 4-aminomethylpyrimidine 686
- aminopyralid 278ff.
– animal toxicity 293
– biology 288
– carcinogenicity/teratogenicity 294
– environmental degradation 292
– mechanism of crop selectivity 291
– synthesis 288
– utility 290
- aminopyrazole 1295
- 4-aminopyridine 678
- aminopyrimidine
– phenylacetic acid amide 682
- 5-aminopyrimidine 4-carboxylic acid ester 297
- aminoquinazoline
– phenylacetic acid amide 682
- aminoquinazolinone derivative 1342
– structure–activity relationship 1340f.
- 4-aminoquinoline 678
- aminosulfones 807ff.
– experimental compounds 817
– synthesis of 817
- aminosulfonylamino phenyl uracil derivative 187
- amisulbrom 613ff.
– synthesis 621
- ammonium thiosulfate (ATS) 528
- anacardic acid 653
- anilides, succinate dehydrogenase inhibitors 628ff.
- anilino pyrimidines (AP) 543, 672, 706
– biological activity 709
– physicochemical properties 707
– chemistry 706
– degradation 713
– mechanism of resistance 711
– metabolism 713
– mode of action 711

- anilinopyrimidines (AP) (*contd.*)
 - structure activity relationship 710
 - synthesis 706
- Annex I (positive list of active substances, Directive 91/414/EEC) 487, 500
- Annex II 487ff.
- Annex III 487ff.
- annual bluegrass weevil, *see* *Listronotus maculicollis*
- Anthonomus pomorum* (apple weevil) 1198
- anthranilic diamide 1389
 - discovery 1410
 - insecticide 1409ff.
- anthraquinone 1195
- Anticarsia gemmatilis* (velvetbean caterpillar) 1419
- anticodon 694
- Aonidiella aurantii* (California red scale) 993ff.
- Aphelinus* spp. 1420
- aphicide
 - pymetrozine 1331
- Aphidoletes aphidimyza* 1344
- Aphis gossypii* (cotton/melon aphid) 1119ff., 1338, 1419
- Apis mellifera* (honey bee) 1230, 1339, 1354
 - risk assessment 494
- Aplysia californica* acetylcholine-binding protein (A-AChBP) 1135ff., 1185
- apple scab, *see* *Venturia inaequalis*
- apple weevil, *see* *Anthonomus pomorum*
- Aquatic Guidance Document 493
- Arabidopsis thaliana*
 - *AtCesA* gene 340, 350
 - mutants deficient in cellulose biosynthesis 342f.
- Argentine ant (*Linepithema humile*) 1298f.
- armyworm (*Spodoptera* spp.) 1035, 1359
- arthropod
 - nontarget 494
- Arthropod Pesticide Resistance Database (APRD) 938
- N-aryl lactam 359
 - biology 359
 - chemistry 359
- aryl-1,3-dione (DEN) 460
 - discovery 460
 - structure–activity relationship 465
 - synthesis 461ff.
- arylacetic acid amide fungicides 678
- arylaminopyridine, uncoupler of oxidative phosphorylation 663
- arylhydrazone, uncoupler of oxidative phosphorylation 652ff., 660
- aryloxyacetate, auxin mimics 278
- aryloxyphenoxypropionate (APP, AOPP, fop) 16, 447ff., 1108
 - commercial herbicide 456f.
- arylpyrazole insecticides 1283
- arylsulfonyl acid amide 684
- arylurea 480f.
- Ascomycetes 585, 709
- ASM, *see* acibenzolar-S-methyl
- AtMLO2* (*Arabidopsis thaliana* mildew resistance locus o2) 912
- ATP synthase
 - mitochondrial 1059ff.
- ATP-binding cassette (ABC) transporter 513, 651
- atrazine 23, 253, 269, 377, 500
- Australian Code System 7
- Authorizations Directive 492
 - specific guidance regarding water limits according to annexes 492
- Autographa nigrisigna* (beet semi-looper) 1402
- Aux/IAA protein 279f.
- auxin (IAA) 277, 400, 525
 - weed selectivity at the site of auxin action 283
- auxin agonist 278
- Auxin F-Box (AFB) protein 280
- auxin herbicide 277ff.
 - commercial 278
 - downstream effect 283
 - field resistance 285
 - mode of action 277
 - molecular mode of action 277
 - receptor 277ff.
- auxin mimics 277ff.
- auxin response factor (ARF) protein 279
- Avena fatua* 17
- Avena sterilis* 17
- avermectin 1305ff., 1374
 - acaricidal activity 1315
 - bioavailability 1319
 - biochemical mode of action 1306
 - chemistry 1308
 - discovery 1308
 - insecticidal activity 1315
 - safety 1319
 - structure–activity relationship 1317
- avermectin aglycone derivative
 - activity 1318
- avermectin B₁ 1309ff., 1374
- avermectin derivative 1321
- aviglycine-HCl (AVG) 529

- azelaic acid 911
 - physico-chemical property 71
- azolones 613f.
 - synthesis 618

b

- B group fungicides 549
- Bacillus firmus* 1368
- Bacillus thuringiensis* (Bt)
 - insect resistance 1039
- Bacillus thuringiensis* (Bt) crop
 - insect resistance 1040
- Bacillus thuringiensis* (Bt) insecticidal crystal (Cry) protein 1029ff.
 - transgenic crop 1029ff.
- Bacillus thuringiensis* (Bt) plant 1032
 - resistance management 1040
 - safety 1043
- bacteria
 - natural compounds used in agriculture interfering in protein synthesis 693
- bactericides 547, 549, 554, 555
- Bactrocera dorsalis* (oriental fruit fly) 1239, 1299
- BAH, *see* bisacylhydrazine
- bakanae disease (*Fusarium moliniforme*) 773
- Bar gene
 - plant breeding 433
- barbiturates 1289
 - binding site Gaba A receptor 1288
- barley leaf rust (*Puccinia hordei*) 792
- barley powdery mildew (*Blumeria graminis* f.sp. *hordei*) 719, 792
- barnyardgrass
 - herbicidal activity 130f.
- baseline data 937
- Basidiomycetes 585, 642
- Bc1-complex 562
 - inhibitor 568, 584, 586, 595
 - mutation 601, 635
 - resistance 601, 612, 635
 - structure 567, 585
 - target activity 597
- beet armyworm, *see* *Spodoptera exigua*
- beet semi-looper, *see* *Autographa nigrisigna*
- beflubutamid
 - physiochemical properties 205
 - use 218
 - synthesis 221f.
- Bemisia argentifolii* (sweet potato whitefly) 1419
- Bemisia tabaci* (tobacco whitefly) 992ff., 1004, 1067, 1114, 1333
- bencarbazono
 - synthesis 190
 - use 189
- beneficial insects 950, 951, 1363
- beneficial predatory mites 1347
- benclothiaz 1383
 - discovery 1383
 - property 1383
 - synthesis 1384
- benodanil 641
- benoxacor 372ff.
 - physico-chemical property 377
 - soil degradation data 377
 - synthesis 376
 - toxicological data 377
- bentazone 481, 501
 - and safener 390
 - expiration of Annex I inclusion 510
 - market share 530
- benthiavalicarb 807, 808ff.
 - environmental profile 810
 - physiochemical properties 809
 - synthesis 815
- benzamide fungicides 739
 - binding site 740
- benzamide herbicides 348
 - chemistry 348
 - cellulose inhibiting herbicides 348
- benzamidoxime fungicide 887
- benzenedicarboxamide insecticides 1389
 - structure–activity relationship 1399
- benzfendizone 172ff.
 - synthesis 175
- benzimidazole (BZ) fungicides 539ff., 713, 728, 729
 - cross resistance 739
 - mode of action 548
 - resistance 544
- benzimidazole PPO herbicides 178, 180
- benzimidazole uncouplers 652
- 1,2-benzisothiazol-3(2*H*)-one-1,1-dioxide (BIT), metabolite from probenazole 914
- benzisothiazole nematocide 1383
- benzobicyclon 237ff., 256, 320
 - mode of action 237
 - properties 251
 - synthesis 257
- benzofenap 251, 267f.
 - application rate 268
 - biologically active metabolites 268
- benzoheteroaryl *N*-aminouracil derivative 187
- benzoheteroaryl Protox herbicides 178
- benzoheterocycle Protox herbicides 180

- benzoheterocycle uracil 187
- benzoisoxazolone Prottox herbicides 178, 180
- benzonitrile herbicides
 - biological activity 346
 - cellulose biosynthesis inhibitors 346
 - chemistry 345
- benzosulfonamide Prottox inhibitors 187
- benzotriazinone Prottox inhibitors 189
- benzoxazine isoindoline-1,3-dione, Prottox inhibitors 189
- benzoylphenyl urea, chitin biosynthesis inhibitors 1001, 1003 f.
- benzyl uracil, Prottox-inhibiting herbicides 182
- benzyladenine (6-BA), fruiting and growth 525ff.
- benzyloxyphenyl substituted heterocycle, Prottox-inhibiting herbicides 176, 177
- berry moth (*Lobesia* spp.) 1263
- beta-cyfluthrin
 - combination products 1180, 1195ff.
- beta (β)-tubulin assembly 548
- bialaphos (bilanaphos)
 - glutamine synthase inhibitor 423ff.
 - resistance (*bar*) gene 432
- bicyclo[4.1.0]heptane-2,4-dione, herbicides 243
- bicyclo[3.2.1]octane-2,4-dione, herbicides 243, 256
- bicyclopurone, herbicides 228, 247
- bifenazate 1097, 1346ff.
 - biochemistry 1349
 - biology 1349
 - discovery 1347
 - ecobiological properties against beneficial arthropods 1352
 - ecobiology 1350
 - physico-chemical data 1351
 - registration status 1351
 - resistance behaviour 1352
 - structure–activity relationship 1347
 - synthesis 1350
- bifenox
 - structure 166
- binapacryl
 - pro-pesticide 659
 - structure
- binding site
 - AHAS-inhibiting herbicide 36
 - fungicides (target site) 548–556
 - GABA receptors 1288
 - herbicides 15, 17, 18, 20,
 - IRAC mode of action (MoA) classification number 941–950
 - of insect nAChRs 1131ff.
 - voltage-gated sodium channels (VGSCs) 1265ff.
 - see also mode of action and target site
- bioaccumulation factor 497
- bioavailability
 - in the environment 491
- bioinsecticide 1127, 1238
- biophore 589
- biotin carboxy carrier protein (BCCP) 16
- biotin carboxylase (BC) 16
- bisacylhydrazine (BAH) 957ff.
 - Coleoptera- and Lepidoptera-specific 965
 - commercialized 961
 - discovery 961
 - ecotoxicological and mammalian reduced-risk profile 975f.
 - insect control 957ff.
 - Lepidoptera-specific 965
 - mode of action of insecticide 966
 - resistance mechanism 977
 - resistance potential 977
 - selective insect toxicity 973
 - spectrum of activity of commercial insecticide 974
 - structure–activity relationship 962ff.
 - synthesis 961ff.
- bispyribac-sodium
 - biology 128
 - discovery 128
 - herbicide in direct-seeded rice 128
 - physiochemical properties 127
- bitertanol
 - seed treatment combination 1195
 - uses 776
- bixafen 631ff.
 - uses 631, 634
- black Sigatoka pathogen (*Mycosphaerella fijiensis*) 742, 776
- black vine weevil (*Otiorhynchus sulcatus*) 1300
- blastidicin S
 - uses 694f.
 - resistance 696
- Blattella germanica* (German cockroach) 1003f.
- bleaching herbicide 197ff.
 - phytotoxic effect 197
 - target 197
- Blumeria graminis* f.sp. *hordei* (barley powdery mildew) 719, 792
- Bollgard II cotton, *cry* 24 b 1037
- Bombus impatiens* 1420
- Bombus terrestris* 1230, 1344

- Bombyx mori* 1339ff.
 boscalid
 – biological activity 631
 – group C fungicide 550
 – physicochemical properties 629
 – synthesis 634
Botrytis cinerea 549
 brassinosteroid 532
Bremia lactucae (downy mildew on lettuce)
 871
 bromethalin
 – rodenticide 650
 4-bromo-3-(5'-carboxy-4'-chloro-2'-fluorophenyl)-1-methyl-5-trifluoromethylpyrazole 184
 5-bromo-2-cyclopropyl-6-methylpyrimidine-4-carboxylic acid methyl ester
 – synthesis 298
 5-bromo-2-cyclopropylpyrimidine-4-carboxylic acid methyl ester
 – synthesis 298
 bromobutide
 – active metabolite 268
 bromoxynil
 – detoxification 400
 – mixture with pyrasulfotole 273
 – herbicide resistance 400ff.
 – mode of action 403
 bromuconazole
 – synthesis 784
 – use 783
Bromus spp. 142
 brown plant hopper (*Nilaparvata lugens*) 1333
 brown spot (*Cochliobolus miyabeanus*) 773
 BT, *see* *Bacillus thuringiensis*
 Bt maize event 1035
 buffer zone 494
 bumble bee 1230, 1420
 buprofezin
 – structure 1005
 butafenacil
 – synthesis 174
 5-*tert*-butylcarbamoyloxy-3-(3-trifluoromethyl)phenyl-1,3-thiazolidin-4-one 359
- C**
 C group fungicides 550
 C1 group herbicide 479ff.
 C2 group herbicide 479ff.
 C3 group herbicide 479ff.
 cabbage looper (*Trichoplusia ni*) 1404, 1419
 cabbage webworm (*Hellula undalis*) 1402
Cacopsylla pyricola 1339
 cadusafos
 – structure 1372
 cafenstrole
 – rice herbicide 320
 – structure 320
 calcium homeostasis
 – insecticide 1389ff.
 calcium-induced calcium release (CICR) 1391
 California red scale, *see* *Aonidiella aurantii*
 canola
 – herbicide-resistant 404
 – transgenic glufosinate-tolerant 434
 captan
 – mode of action 538, 541
 carbamate insecticides
 – actives, summary 542
 – groups 1A and 1B, IRAC MoA 941
 – market share 953
 – nematicides 1370, 1371
 carbamoyl triazolinone 309, 514
 – synthesis 514
 carbamoyl tetrazolinone 310
 carbamoyl-heterocycle 316ff.
 carbazate acaricide 1347f.
 carbazate compound
 – *meta*-biphenyl-substituted 1350
 – *ortho*-biphenyl-substituted 1349
 – structure–activity relationship 1349f.
 – synthesis 1350
 carbendazim 739ff.
 carbodiimide
 – diafenthion activation 1062
 – insecticidal 1065
 carbofuran 1373
 carbomethoxy indazole 1258
 carbonyl cyanide *m*-chlorophenylhydrazon (CCCP) 651
 carbonyl cyanide phenylhydrazon (CCP) 661
 carbonylcyanide-*p*-trifluoromethoxyphenylhydrazon (FCCP) 661
 carboxamide 351, 539, 1258
 3-carboxamide indazole insecticide 1258
 3-carboxamide pyrazoline 1258
 carboxamide/succinate dehydrogenase inhibitor (SDHI) 542
 carboxin
 – resistance 571, 635
 – physicochemical data 628
 – structure 572
 carboxylic acid amide (CAA) 542, 553
 – biological activity 824

- carboxylic acid amide (CAA) (*contd.*)
 - chemistry 809
 - environmental profile and fate in soil 810
 - fungicide 807ff.
 - group H fungicide 553
 - mammalian toxicology 809
 - market 541, 542
 - mechanism of resistance 825
 - mode of action 553, 825
 - occurrence of practical resistance 544
 - physico-chemical data 809
- carboxylic amide
 - structure–activity relationships 634
 - succinate dehydrogenase (SDH) 627, 628
- carboxyltransferase (CT) 16
- carboxyatratyloside 577
- carfentrazone-ethyl
 - use 168
- carmin spider mite (*Tetranychus cinnarabinus*) 1067, 1318ff.
- carotene 198
 - α -carotene 198ff.
 - β -carotene 198ff.
 - γ -carotene 200
 - biosynthesis 200
- ζ -carotene desaturase (ZDS) 199ff.
 - inhibition 201
 - inhibitor 202
- carotenogenic pathway
 - genetic engineering of herbicide resistance 203
- carotenoid biosynthesis 197
 - herbicides for inhibition 204f.
 - higher plant 199
- Carpocapsa niponensis* (peach fruit moth) 1174
- carpropamid
 - chemistry and stereochemistry 857
 - mixtures for seed treatment 1180, 1195, 1200
 - structure 846
 - structure 3-D in the active site 852
 - synthesis 858
- cartap
 - combination mixtures 1171, 1180
 - pro-insecticide 1127
- S-(+)-carvone
 - sprout inhibition 529
- cat flea (*Ctenocephalides felis*) 1300
- catalytic subunit (CSU) of AHAS 32ff.
 - crystal structure 44
 - structure 34
- cell division
 - fungicide 739
- cell wall
 - melanin synthesis 554, 839ff.
- cell wall biosynthesis 553
- cellulose biosynthesis 339ff.
- cellulose biosynthesis inhibitor (CBI) 339ff.
 - from different chemical substance classes 344
 - natural source 361
 - nitrile-type 345
 - property of commercialized CBI 361
- cellulose synthase 826
 - CesA protein 340f., 358
- central nervous system (CNS) 1127
- Cercospora beticola* (cercospora leaf spot) 742, 777
- cereals, global production 57f.
- cereal eyespot pathogen
 - *Oculimacula acufiformis* 770
 - *Oculimacula yallundae* 770, 782ff.
- cereal safener, enhancement of herbicide degradation 61
- cereal sulfonylurea herbicide 59
- CesA gene 340f., 826
- CGA 325, 615
 - biology 357
 - 1 λ^4 ,2,4,6-thiatriazine herbicide 357
- channel blocker
 - mechanism of blockade 1290
- Chemicals Regulation Directorate 498
- chemiosmotic hypothesis 560
- chemiosmotic theory 647
- cheyletid mite (*Chelacaropsis moorei*) 1355
- Chilo* spp. 1421
- Chilo suppressalis* (rice stem borer) 960, 979, 1038f., 1195, 1402
- chiral switch 901ff.
- Chironomus tentans* (Ct) 968ff.
- chitin 1000
 - biosynthesis 1000
- chitin synthase (CHS) 1000
- chitin synthesis inhibitor (CSI) 1002ff., 1092
 - crop protection 1005
- chlorantraniliprole 1389f., 1409ff.
 - biological profile 1418
 - discovery 1411
 - environmental safety 1420
 - insecticidal activity 1418, 1419
 - insecticide resistance management 1421
 - mammalian safety 1420
 - mode of action 1415
 - non-insect toxicological profile 1420
 - physico-chemical properties 1413
 - synthesis 1413
- chlorfenapyr 1071ff., 1354
 - biological activity 1073

- market 1073
- pro-insecticide 657
- resistance 1076
- synthesis 1073f.
- vapour pressure 650
- chlorfluazuron
 - biological activity 1003
 - structure 1003
- chloridazon
 - photosynthesis inhibition 209f.
 - registration status in the EC 502
 - structure 210
- chloride channel activator 1305ff.
- chlorimuron ethyl
 - application rates 53
 - crystal structure 37ff., 40
 - insensitivity mutants 42
- chlormequat-chloride (CCC)
 - structure 528
- 2-(4-chloro-3-isopropoxycarbonyl)phenyl isothiazole-1,1-dioxide 183
- 6-chloro-pyrid-3-ylmethyl (CPM) 1166
- 2-chloro-1,3-thiazol-5-ylmethyl (CTM) 1166
- chloroacetamide herbicides 310ff.
 - K group herbicides 305
 - mode of action 308
 - resistance 313
- chloronicotinyln insecticide (CNI) 849, 1116, 1155, 1190ff.
- chloronitrile fungicides 542
- chlorophthalim
 - structure 166
- chlorophyll biosynthetic pathway 164
- chloropicrin, nematocidal fumigant 1369
- chloroplast *psbA* gene 15
- chlorosulfonylisocyanate (CSI) route 72
- chlorothalonil
 - group M fungicide 541
- chlorpropham (CIPC)
 - ripening sprout suppression 527, 529
- chlorsulfuron 25, 35ff., 50, 120
 - crystal structure 38, 39
 - herbicidal target 35
 - resistant mutants to 41
 - structure 50
- chlorthiamid
 - synthesis 346
- choline phosphotransferase (CPT) 826
- Choristoneura fumiferana* (Cf) 968ff.
- chromafenozide
 - physicochemical properties 959
 - synthesis 962, 963
 - use 975
- chronic risk
 - persistence of active substance 493
- Chrysanthemum coronarium* 45
- Chrysoperla carnea* 1046
- Chrysoperla* spp. 1420
- cinidon-ethyl
 - structure 170
 - use 170
- cinnamic acid amide fungicides 808f.
 - cross resistance 817
- 9-cis-epoxycarotenoid dioxygenase 283
- citrus mealybug (*Planococcus citri*) 1174f., 1234
- classification, Resistance Action Committee
 - fungicide 539ff.
 - insecticide 935
- clodinafop
 - cross resistance 454
- clodinafop-propargyl
 - combination products 379
 - safener for 374
- clofentezine
 - biochemistry 1014
 - biology 1014
 - formulation 1017
 - mixtures 1017
 - physicochemical data 1014
 - relative mite activity 1013
 - synthesis 1014, 1021
- clopyralid 278
 - use 284
- cloquintocet-mexyl 374
 - mixtures 380
 - synthesis 380
- toxicological data 380
- cloransulam-methyl 102
 - crop selectivity 103
 - ecotoxicology 104
 - environmental degradation 104
 - detoxification by homoglutathione 103
 - toxicology 104
 - use 102
- clothianidin 1127, 1149ff., 1175ff., 1210
 - application 1177
 - biological activity 1184
 - chemical classification 1176
 - chemistry 1177
 - efficacy on target pest 1177
 - physico-chemical property 1176
 - spectrum of activity 1180
 - synthesis 1177ff.
- clubroot disease 874
- Cnaphalocrocis medinalis* (rice leaf roller) 1410
- Cnaphalocrocis* spp. (leaf folder) 1263

- Coccinella* spp. 1420
Cochliobolus miyabeanus (brown spot) 773
 cockroach 1003, 1142ff., 1232, 1299f., 1415
 codling moth, *see* *Cydia pomonella*
Coleoptera 966, 1297
 Colorado potato beetle, *see* *Leptinotarsa decemlineata*
 common cutworm, *see* *Spodoptera litura*
 common cabbage worm (*Pieris rapae crucivora*) 1402
 Complex I, respiratory chain 562ff., 671, 1059
 – experimental MET Complex I compound 1092
 – inhibitor 562ff., 674, 687, 1078
 Complex II, respiratory chain 562ff.
 – inhibitor 570ff., 1082, 1092
 – MET Complex II compound 1093
 Complex III, respiratory chain 562ff., 1059
 – inhibitor 568, 584, 613, 1095
 Complex IV, respiratory chain 562ff.
 – binuclear copper center (Cu_A) 569
 – copper ion (Cu_B) 569
 Complex V, mitochondrial ATP synthase 574, 1059
 comstock mealybug (*Pseudococcus comstocki*) 1402
 convulsant, GABA-gated chloride channel blockers 1284
Conyza canadensis 24f.
Conyza spp. 24, 301
 copper
 – Bordeaux mixture
 – multisite fungicide 542
Coptotermes formosanus (Formosan termite) 1299
 corn
 – amicarbazone 510
 – coleopteran resistant 1035
 – expressing *Cry1Ac* 1046
 – GM-resistant 400
 – glufosinate-tolerant (LL corn) 454
 – herbicide-resistant 403
 – imidazolinone-insensitive ALS allele (CF corn) 404
 – lepidopteran resistant 1035, 1044
 – roundup ready (RR corn) 416
 – Sethoxydim-resistant (SR) 404
 corn earworm (*Helicoverpa zea*) 1421
 corn head smut (*Sphacelotheca reiliana*) 781
 corn planthopper, *see* *Perigrinus maidis*
 corn root worm (*Diabrotica balteata*) 1180
 cotton 80, 419
 – bromoxynil resistance (BXN[®]) 402, 403
 – expressing *Cot102* 1037
 – expressing *Cry1Ac* 1033
 – expressing *Cry1F* 1037
 – expressing *Cry2Ab* gene 1037
 – glyphosate resistance (RR, RRF) 402, 403, 414
 – glufosinate resistance (LL, DGR) 402, 403, 418
 – herbicide-resistant 400, 402
 – lepidopteran resistant (Bt cotton) 1033, 1035
 – Roundup Ready 415
 cotton aphid, *see* *Aphis gossypii*
 cotton bollworm (*Helicoverpa zea*) 1308
 cotton caterpillar (*Diaphania indica*) 1402
 cotton herbicides
 – Pyriithiobac-Sodium 125
 – sulfonyl urea 51
 – trifloxysulfuron-sodium 78
 coumarins
 – seed germination inhibitors 360
 – uncoupler 360, 652ff.
 coumethoxystrobin 595
 coumoxystrobin 595
 country group
 – IRAC 936
 coupling site 560
 CP4 expression
 – effect on plant resistance 414
 CP4-EPSPS (5-enolpyruvyl shikimate 3-phosphate synthase) 401ff.
 criteria
 – cut-off criteria 497, 498
 – inclusion of Active Substances in Annex I of Directive 91/414/EEC 490
 – health criteria (EHC) monographs 482
 – new approval criteria (EC) No. 1107/2009 495
 crop
 – commercialized herbicide-resistant 401
 – expressing *Bacillus thuringiensis* *Cry* Proteins 1029ff.
 – glufosinate-selectivity by target-based approach 431
 – genetically modified herbicide-resistant 399ff.
 – glyphosate-resistant 411f.
 – herbicide-resistant 11
 – imidazolinone-tolerant 94
 – losses due to insects, disease and weeds 1029
 – mode of selectivity of PC herbicide 133
 – transgenic 1035
 – yield 609

- crop baiting system
 - fipronil 1298
- crop protection
 - abamectin 1323
 - chitin synthesis inhibitor 1005
 - emamectin benzoate 1323
 - milbemectin 1324
- crop protection agent 706
- crop resistance
 - engineering 417f.
- crop selectivity
 - AOPP herbicides 455
 - by altered herbicide distribution 24
 - cloransulam-methyl mechanism 103
 - diclosulam mechanism 103
 - expression of phosphinothricin acetyl transferase 432
 - genetic approaches 431
 - glufosinate 431
 - metabolic transformation 130
 - of acetyl-CoA carboxylase inhibitors 447, 468, 471
 - of auxin herbicides 284, 291
 - of cellulose biosynthesis inhibitors 346
 - of HPPD herbicides 228
 - of Prottox herbicides 163, 168
 - safeners 371
 - target site based 25
- crop tolerance
 - by enhanced metabolic detoxification 21
 - detoxification by GSTs 313
 - natural inherent 18
- CropLife International 545
- cross resistance
 - negative 547f.
- cross-resistance relationship
 - zoxamide, carbendazim, and diethofencarb 742
- cry gene 1031ff., 1049
- crystal BT protein (Cry and Cyt protein) 1030
 - Cry 1031ff., 1048f.
- Ctenocephalides felis* (cat flea) 1300
- cucumber downy mildew (*Pseudoperonospora cubensis*) 814, 833, 867ff.
- cutworm 1035
- cyanine dye 1092
- cyantraniliprole 1409ff.
 - biological profile 1421
 - discovery 1413
 - insecticidal activity 1419
 - mode of action 1415
 - non-insect toxicological profile 1420
 - physico-chemical property 1413
 - synthesis 1413
- cyazofamid 613ff.
 - synthesis 621f.
- cyclodiene insecticides
 - dieldrin 1285
 - α -endosulfane 1285
 - mode of action 1306
 - lindane 1285
 - resistance 1284, 1285
- cyclohexanedione (CHD, dim) herbicides 16ff., 447ff., 1108
 - commercial herbicide 458f.
 - discovery 455
 - mode of action 450
 - structures 458
 - synthesis 461
- cycloheximide
 - mode of action 699
 - structure 699
- cyclopentenone safener 387
- cyclosulfamuron (AC 322,140) 70f.
 - acute toxicity, fish, bird, daphnia, rat 51, 52
 - physico-chemical properties 72
 - structure 68
 - synthesis 71
 - use 71
- Cydia molesta*
 - pome and stone fruit 1199
- Cydia pomonella* (codling moth) 1199, 1419ff.
 - larvae 1248
- cyenopyrafen
 - acute toxicity 1082
 - physiochemical data 1082
 - pro-acaricide 1092
 - synthesis 1093
- cyflufenamid 887f.
 - cross-resistance 889
 - discovery 887
 - ecotoxicological property 888
 - mode of action 889
 - physicochemical properties 888
 - synthesis 890
 - toxicological properties 888
 - use 890
- cyflumetofen 1093, 1346ff.
 - biology 1353
 - discovery 1353
 - mode of action 1093
 - registration status 1354
 - resistance behaviour 1354
 - synthesis 1094, 1353
- cyhalothrin
 - mode of action 943
 - insecticidal activity 1403

- cymoxanil 554, 746, 865f.
 - discovery 865
 - mode of action 868
 - physico-chemical properties 866
 - synthesis 867
 - use 867
 - cyometrinil
 - germination inhibition 381
 - structure 373
 - cyprodinil
 - cross-resistance 711
 - physicochemical properties 707
 - structure 706
 - use 709
 - cyprosulfamide (CSA) 148, 383
 - mode of action 394
 - synthesis 384
 - structure 375
 - toxicological data 384
 - use 393
 - Cyrménins
 - from *Mycobacteria* 587
 - cyst nematode 1367ff.
 - cytochrome bc₁ complex 562
 - cytochrome c oxidase 562ff.
 - cytochrome-P450 monooxygenase system 21
 - cytokinins
 - fruit reduction 528
 - kinetin, benzyladenin, zeatin 525
 - mode of action 526
 - cytosine
 - natural alkaloid 1153
- d**
- 2,4-D, *see* 2,4-dichlorophenoxyacetic acid
 - D group fungicides 549ff.
 - D1 protein, PS II reaction center 15
 - daminocide
 - structure 529
 - use 527
 - Danaus plexippus* 1045
 - DCMU, *see* N-3,4-dichlorophenyl-N'-dimethylurea
 - DDT (1,1-bis-(p-chlorophenyl)-2,2,2-trichlorethane) 1060
 - Delia antiqua* (onion fly) 1298
 - Delia coarctata* (wheat bulb fly) 1298
 - deltamethrin
 - combinations 1195, 1200
 - mode of action 943
 - demethylation inhibitor (DMI) fungicide 541ff., 764ff.
 - SBI Class I 767
 - 1-deoxy-D-xylulose-5-phosphate (DOXP) 199
 - Dermatophagoides farinae* 1355
 - desmethyl triazolinone 154
 - desoxynivalenol (DON) 784
 - destosyl pyrazolate (DTP) 225f.
 - detoxification
 - fungicide 543, 545
 - herbicide 14, 21, 22, 23, 24, 392, 400
 - insecticide 1015, 1022
 - Deuteromycetes* 585
 - DHN melanin 839
 - DHN melanin biosynthesis
 - biochemical reaction mechanism of scytalone dehydratase 851
 - fungi 840
 - fungicide 842
 - inhibitor of polyketide synthase 842
 - inhibitor of scytalone dehydratase 846ff.
 - inhibitor of 1,3,6,8-tetrahydroxynaphthalene reductase 845
 - Diabrotica balteata* (corn root worm) 1180
 - Diabrotica* spp. 1177
 - diafenthiuron 1060
 - activation
 - biological activity 1066
 - carbodiimide 1061
 - discovery 1063
 - ecotoxicology 1066
 - mammalian toxicology 1066
 - mode of action 1059, 1061–1063
 - photochemical conversion 1062
 - structure–activity relationship 1063, 1064
 - synthesis 1065, 1066
 - toxicity data 1066
 - translaminar activity 1067
 - use 1067
 - diafenthiuron carbodiimide 1061
 - 2,6-diamino-4-chloro-1,3,5-triazine 480
 - 2,6-diamino-4-methoxy-1,3,5-triazine 480
 - 2,6-diamino-4-methylmercapto-1,3,5-triazine 480
 - diamond-back moth, *see* *Plutella xylostella*
 - Diaphania indica* (cotton caterpillar) 1402
 - diaryl pyrazolecarboxylate 351
 - diaryl-tetrazine 1013
 - diarylaminés
 - brommethalin, fentrifanil, fluazinam, 657
 - uncoupler 651, 653
 - toxicity 662
 - 1,2-dibromo-3-chloropropane (DBCP) 1369
 - dicamba
 - DGR cotton 419
 - engineering crop resistance 417

- genetically modified crops 417
- mode of action 289
- structure 278
- dicamba mono-oxygenase (DMO) 417
- dicarboximide fungicides
 - market share 541
 - mode of action 717
 - monitoring program 546
 - resistance 545, 717
 - target site 551
- dichlobenil 344f.
 - biological activity 346
 - cellulose biosynthesis inhibitor 346, 356
 - chemistry 345
 - mode of action 347
 - physicochemical properties 362f.
 - synthesis 346
- dichlormid 372ff.
 - physico-chemical properties 377
 - synthesis 377
 - use 373
- 2,6-dichloro-phenylazide 347
- 2,6-dichloro-4-(trifluoromethyl)phenyl group 1294
- dichloroacetamide safener 372, 389f.
- 2,4-dichlorobenzyl thiocyanate 741
- 2,4-dichlorophenoxyacetic acid (2,4-D)
 - engineered crop resistance 400, 417
 - mode of action 277, 278ff.
 - plant growth regulator 525
- N*-3,4-dichlorophenyl-*N'*-dimethylurea (DCMU) 750
- 1,2-dichloropropane/1,3-dichloropropene mixture (D-D) 1369
- 1,3-dichloropropene (1,3-D)
 - fumigant 1369
- diclocymet
 - synthesis 858
 - structure 846
- diclomezine
 - physico-chemical property 875
 - synthesis 876
 - use 876
- diclosulam
 - crop utility 102
 - environmental degradation 104
 - mechanism of crop selectivity 103
 - structure 101
 - toxicology 104
 - use 102
- N,N*-dicyclohexylcarbodiimide (DCCD)
 - ATP synthase inhibitor 574, 1060, 1062
 - inhibitors of membrane transport systems 24
- oxidative phosphorylation 564,
- dicyclonon
- dichloroacetamide safener 389
- dieldrin
 - mode of action 1286
 - resistance 1286–1289
 - structure 1285
- dietary intake
 - pesticides residues 490
- diethofencarb
 - cross resistance 742
 - inhibitor of microtubule assembly 739ff.
 - structure 741
- N,N*-diethyl-*N*-[2-(4-chloro-phenylthio)ethyl]amine (CPTA)
 - inhibitor of lycopene cyclase (LCC) 202
- N,N*-diethyl-*N*-[2-(4-methylphenoxy)ethyl]amine (MPTA)
 - inhibitor of lycopene cyclase (LCC) 202
- diflovidazin 1012ff.
 - biochemistry 1014
 - biology 1014
 - ecobiological profile 1015
 - mite growth inhibitor 1012
 - physico-chemical data 1015
 - synthesis 1014ff.
- diflubenzuron
 - chitin synthesis inhibitor 1002
 - use 1003
- diflufenican
 - discovery 206
 - mode ls of active site 212
 - physicochemical data 204
 - synthesis 221f.
 - use 217
- diflumetorim 671, 673ff.
 - discovery 673
 - mode of action 671
 - SAR studies 674
 - synthesis 675
 - toxicity 673
 - use 673, 675
- Difluoromethanesulfonamide herbicides 137
 - biological activity 138
- Difunon 207
 - structure 209
- Digitaria sanguinalis* 17
- 4,5-dihydro-isoxazole substituent 245
- dihydrodioxazine toxophor 607
- dihydropyrazole
 - binding site 1267
 - blockade of VGSC 1266
 - mode of action 1268

- dihydropyridine receptor (DHPR) 1391
 - dihydropyrone, ZDS inhibitor 201
 - 1,8-dihydroxynaphthalene (DHN) 839
 - DHN melanin 840
 - DHN melanin biosynthesis inhibitors 842, 845, 846, 851
 - Dimefluaazole, Qi site inhibitor 615ff.
 - dimethomorph
 - discovery 809
 - mode of action 825
 - physico-chemical data 809
 - structure 808
 - synthesis 811
 - toxicological data 808
 - 4,6-dimethoxy-2-methylsulfonylpyrimidine (DMSP), sulfonylurea intermediate 120
 - 2,6-dimethoxybenzamide substituent 349
 - dimethoxypyrimidinyl salicylic acid 122
 - post-emergence herbicidal and ALS inhibitory activities 122
 - dimethyl disulfide, fumigant 1369
 - dimethylallyl pyrophosphate (DMAPP), carotene biosynthesis 199
 - N*-(*N,N*-dimethylaminosulfonyl)azoles, fungicides 615.
 - Complex III inhibitors at the Qi site 615
 - dimoxystrobin
 - discovery 591
 - metabolic stability 605
 - physicochemical data 598
 - sales 586
 - synthesis 616
 - dinitroaniline herbicides 439
 - dinitroresol (DNOC) 649, 654
 - dinitrophenol fungicides 655, 659ff.
 - pro-pesticide 659
 - uncouplers of oxidative phosphorylation 653 f.
 - dinocap
 - toxicity 649
 - use 648, 654, 659
 - dinotefuran 1127, 1147, 1181f.
 - application rate 1183
 - biological activity 1184
 - chemical classification 1182
 - chemistry 1182
 - efficacy on target pest 1183
 - insecticidal activity 1183
 - physico-chemical properties 1182
 - receptor binding 1147
 - spectrum of activity 1184
 - synthesis 1183
 - dione structure–activity relationship 466
 - dioxapyrrolomycin 1071f.
 - biochemical mode of action 1072
 - diphenyl ether (DPE) 165, 400
 - herbicide 165f.
 - structures 166
 - diphenyl-oxazoline
 - structure–activity data 1023
 - Diptera 1297
 - dipterous leafminer (Agromyzidae) 1248
 - Directive 91/414/EEC 488, 500, 938
 - new PPP regulation to replace directive 91/414 495
 - status of registration of PS II inhibitors 503ff.
 - Directive 96/12/EC 493
 - dithiocarbamate fungicides 539, 541, 542
 - multisite mode of action 556
 - dithiopyr 439ff.
 - biology 439
 - environmental fate 441
 - mode of action 442
 - synthesis 443f.
 - toxicology 442
 - diuron
 - PS II inhibitor 227
 - registration EU 480, 500, 506
 - DKN (diketonitrile) 226ff., 270f.
 - crystal enzyme complex 232
 - hydrolysis of isoxazol herbicides 270
 - dodine 554
 - doramectin 1310, 1312
 - antiparasitic drug 1312
 - dormin 526
 - Dossier, registration 495
 - Dossier content, information on
 - composition of active substance 496
 - low-risk 498
 - physical and chemical properties 489
 - downy mildew (*Plasmopara viticola*) 814
 - downy mildew on hop (*Pseudoperonospora humuli*) 871
 - downy mildew on lettuce, *see* *Bremia lactucae*
 - drazoxolon
 - structure 661
 - use 660
 - Drechslera tritici-repentis* (tan spot) 791
 - Drosophila melanogaster* (Dm) 968ff., 1133ff.
 - DTP (destosyl pyrazolate)
 - active metabolite 225f.
- e**
- E group fungicides 549ff.
 - E3 Ub-protein ligase 279
 - EBOB 1286
 - EC market

- situation of PS II inhibitors 499
- ecdysone (20-hydroxy), initiation of molting 958, 973
- ecdysone agonist insecticide 959, 979
 - chemistry 980
- ecdysone receptor (EcR) protein 958ff.
 - LBD (ligand binding domain) 969f.
- ecdysteroid 967
 - CoMFA and 4-D-QSAR analyses 964
 - structure–activity relationship 962ff.
- Echinochloa colona* 24
- ecotoxicology, EC registration
 - Directive 96/12/EC 497
 - guidance document on terrestrial 494
 - requirements 492
- ectoparasiticide 1190, 1312
- efficacy
 - dossier 484, 495
 - studies (GEP) 488
- electron transport at photosystem II inhibitor 346
- electron transport chain
 - alternative 572
 - mitochondrial 562
- electron transport inhibitor 561
- electrophysiology 1151
- Eleusine indica* 453
- Eleusine indica* (L.) Gaertn. 440
- Elsinoe ampelina* 789
- emamectin
 - activity against mites and insects 1319, 1321
 - chloride channel activator 1305
 - synthesis 1311
- emamectin benzoate
 - ecotoxicological data 1319, 1322
 - environment 1322
 - physico-chemical properties 1308
 - synthesis 1306, 1309, 1311
 - toxicological data 1319, 1322
 - use in crop protection 1322, 1323
- Empoasca fabae* (potato leafhopper) 1419
- endo-glucanase 344
- α -endosulfan 1285
- endothalic acid 528
- energy conservation proteins 573
- enestroburin
 - physico-chemical data 607
 - structure 594
- enol ether 607
- enol ether stilbene 588
- 5-enolpyruvyl shikimate-3-phosphate (EPSP) 20
 - 5-enolpyruvyl shikimate-3-phosphate synthase (EPSPS) 20, 406
 - inhibitor 406
- environment
 - concentration of the chemical in the relevant compartment 491
 - fate and behavior 497
 - fate and behavior of agricultural pesticide 491
- Eotetranychus carpini* f. *vitis* (yellow grape mite) 1022
- episystemicity 603
- epopromycin*
 - inhibitor of cellulose biosynthesis derived from *Streptomyces* species 365
- epoxiconazole (epoxyconazole) 531, 779f.
 - *cis* stereoisomer 782
 - physico-chemical data 780
 - synthesis 780, 781
- eprinomectin
 - use 1312
- ergosterol 761
 - biosynthesis 765
- ergosterol biosynthesis inhibitor (EBI) fungicide 761
- Eriophyd* mite 1116
- Erwinia amylovora* 548
- Erysiphe graminis* 679, 719
- Erysiphe necator* 796
- ethaboxam
 - mode of action 742
- ethephon
 - ethylene releaser 525
 - plant growth regulating activity 527
- ethiprole
 - chemical property 1293
 - discovery 1283
 - physico-chemical properties 1293
 - use 1283
- ethirimol
 - cross resistance 719
- ethoprophos
 - use as nematicide 1374
- ethoxysulfuron 382
 - ecobiological data 51
 - physico-chemical properties 69
 - products 70
 - toxicological data 52
 - use 51, 68, 69
- ethylene 525ff.
- ethylene dibromide (EDB)
 - fumigant 1369
- etoxazole
 - biochemistry 1023

- etoxazole (*contd.*)
 - biology 1023, 1025
 - mode of action 1025
 - physico-chemical data 1025
 - resistance 1026
 - synthesis 1022, 1024
 - use 1022, 1025
- Europe
 - new regulations 494
- European and Mediterranean Plant Protection Organisation (EPPO) 493
 - risk-assessment schemes 493
- European corn borer, *see* *Ostrinia nubilalis*
- European Food Safety Authority (EFSA) 487
- European red mite (*Panonychus ulmi*) 1349ff.
- European Union (EU)
 - main changes in guidelines regarding the re-registration 488
 - PS II inhibitors withdrawn from re-registration 507ff.
 - registration, candidate for substitution 498
 - re-registration process 482
 - status of registration of PS II inhibitors 503ff.
 - supranational harmonization activities 483
- Eutetranychus* spp. 1349
- evaluation 495
- f**
 - F group fungicides 550ff.
 - F-box protein component (TIR1) 279
 - F-box protein jasmonate receptor 281
 - F₁F₀ATP synthase
 - inhibitors 574ff.
 - structure and function 574f.
 - F₁F₀-ATPase 1059
 - FAD *see* flavin adenine dinucleotide
 - fall armyworm, *see* *Spodoptera frugiperda*
 - famoxadone
 - binding site 614
 - discovery 614
 - mode of action 567, 614, 1095
 - resistance 612
 - physico-chemical data 613
 - synthesis 619
 - farnesal
 - activity 983
 - structure 984
 - farnesol
 - activity 983
 - structure 984
 - farnesyl pyrophosphate 199, 200
 - FAO *see* The Food and Agriculture Organisation
 - fatty acid
 - elongation 307
 - fatty acid and lipid biosynthesis inhibitor 326
 - fatty acid synthase (FAS) inhibitor 842
 - Fe(II)-containing dioxygenase 230
 - feeding blocker
 - selective 1327ff.
 - fenamidone
 - binding site 614
 - discovery 614
 - mode of action 567, 614, 1095
 - resistance 612
 - physico-chemical data 613
 - synthesis 619
 - S-fenamidone 614
 - fenamiphos
 - combinations 1195
 - use as nematocide 1374
 - fenazaquin 671, 688, 1060, 1086, 1101
 - discovery 1086
 - metabolism 1099
 - mode of action 1060, 1086, 1092
 - physico-chemical data 1080
 - resistance 1101
 - synthesis 1086
 - fenbuconazole
 - synthesis 779
 - use 777
 - fenchlorazole-ethyl
 - metabolism 391
 - structure and use 374
 - fenclorim
 - structure 374
 - use 374, 391
 - fenhexamid
 - biochemical target 798, 799
 - biology 798
 - discovery 796
 - physico-chemical data 797
 - resistance 801
 - synthesis 798
 - fenoxanil
 - biology 845
 - inhibitor of scytalone dehydratase 846, 856
 - structure 846
 - fenoxaprop
 - resistance 17, 273, 393
 - fenoxaprop-ethyl
 - safener action 385

- fenoxaprop-P-ethyl
 - detoxification 386, 391
 - reaction with glutathione (GSH) 392
- fenoxasulfone
 - biological activity 330
 - discovery 326
 - mode of action 334
 - use 326
- fenoxycarb
 - discovery 984
 - mode of action 944, 984, 985
 - use 985
- fenpiclonil
 - discovery 723
 - mode of action 718
 - physico-chemical data 726
 - synthesis 723, 724
 - use 723, 728
- fenpyroximate
 - discovery 1079
 - metabolism 1097
 - mode of action 1084
 - physico-chemical data 1080
 - resistance 1101
 - synthesis 1084
- fentrazamide
 - chemistry of analogs 321
 - physico-chemical property 322
 - synthesis 321
 - toxicological data 322
- fentrifanil
 - mode of action 653
 - structure 657
- ferimzone
 - discovery 660
 - mode of action 653, 661
 - plant defense responses 661
 - synthesis 661
 - use 656, 660
- fiprole insecticide
 - chemistry 1293
 - structure–activity relationship 1294
 - synthesis 1293
- fipronil
 - animal health use 1300
 - biological properties 1297
 - biological spectrum 1297
 - chemical properties 1293
 - crop baiting system 1298
 - human health use 1300
 - insect selectivity 1293
 - mode of action 1284
 - physico-chemical properties 1293
 - resistance 1300
 - seed treatment 1298
 - soil application 1297
 - turf and ornamental application 1300
 - urban pest control application 1299
- fire blight 548, 700ff.
- flavin adenine dinucleotide (FAD) 29ff.
- flavoprotein UQ oxidoreductase 573
- flonicamid
 - aphicidal spectrum 1339
 - biological activity 1338
 - biological mode of action 1335
 - chemical property 1335ff.
 - cross-resistance 1338
 - discovery 1335
 - mode of action 1335
 - physico-chemical properties 1338
 - synthesis 1335ff.
 - target site 1337
 - toxicological data (safety profile) 1339
 - use recommendation 1338
- florasulam
 - ecotoxicology 105
 - environmental degradation 105
 - herbicidal activity 104
 - mechanism of crop selectivity 104
 - metabolism 104, 113
 - target activity 115
 - toxicology 105
 - use 103
- fluacrypyrim 611, 1081, 1096, 1103, 1354
 - physico-chemical properties 1081
 - synthesis 1096
 - use 1103
- fluazinam
 - agrophoric substituents 640
 - detoxification 650, 662
 - discovery 662
 - ecotoxicology 663
 - mode of action 653, 662
 - resistance 650, 663
 - synthesis 664
 - toxicology 649, 650, 662
 - use 662, 663
- fluazolate 168, 169, 184, 185
 - mode of action 185
 - structure 169
- fluazuron 640, 641, 945
 - mode of action 945
 - structure 640
- flubendiamide 1389, 1391, 1393, 1397, 1398, 1401, 1402, 1406, 1407
 - binding site 1393
 - biological profile 1401
 - chemistry 1398

- flubendiamide (*contd.*)
 - cross-resistance 1406
 - discovery 1397
 - insecticidal activity 1401, 1402, 1403
 - mode of action 1391
 - persistence 1402
 - selectivity 1393
 - toxicity towards beneficial arthropods 1406
 - toxicological profile 1407
- flucarbazonc
 - discovery 151
 - physico-chemical properties 144
 - synthesis 148, 149, 150, 151, 153
 - use 142, 151, 157
- flucarbazonc-sodium see also flucarbazonc
 - biology 151
 - herbicidal characteristics 157
 - physico-chemical properties 144
- flucetosulfuron 51, 52, 68, 72, 73
 - ecotoxigological data 51
 - physico-chemical properties 73
 - toxicological data 52
 - use 51, 68, 72, 73
- fludioxonil
 - biological activity (spectrum) 727f.
 - discovery 721,723
 - mode of action 715, 730
 - physico-chemical data 726
 - resistance 717
 - synthesis 723, 725
 - use 723, 728, 729f.
- fluensulfone
 - biological activity 1382
 - chemical property 1381
 - discovery 1377
 - ecotoxicity 1383
 - mode of action 1381
 - nematocidal spectrum 1382
 - physico-chemical properties 1381
 - safety profile 1383
 - synthesis 1380
 - use 1382
- flufenacet
 - analog 318
 - discovery 318
 - K₃ class herbicide 312
 - mixtures with 269, 318
 - mode of action 311
 - physico-chemical property 319
 - resistance 313
 - synthesis 318
 - toxicological data 319
 - use 317
- flufenimer
 - activity 1090
 - mode of action 1081, 1091, 1092
 - synthesis 1090, 1091
- flufenoxuron
 - discovery 1004
 - turnover 1004
- flufenpyr-ethyl
 - synthesis 176
- flumetsulam
 - discovery 100
 - target activity 114, 115
 - use 101
- flumiclorac-pentyl
 - chemical structure 170
- flumioxazin
 - biological activity 188
 - structural analogs 179
- flumorph
 - discovery 807, 810
 - chemical structure 811
 - physiochemical data 809
 - resistance 826
 - toxicological data 809
- fluopicolide
 - biological activity 831, 833
 - combinations 833
 - ecotoxicology 833
 - effect on spectrin-like protein distribution 834
 - mammalian toxicity data 832
 - mode of action 831, 835, 837
 - mode of action shift 641, 642
 - physico-chemical properties 831, 832
 - spectrum of activity 833
 - toxicology 832
- fluopyram 639–645
 - biological activity 641, 644
 - discovery 639
 - mode of action 643
 - physico-chemical properties 639
 - seed treatment 644
 - synthesis 644
- 2-fluoro-4-chloro-5-alkoxy phenyl imidazolidine triketone 186
- 2-fluoro-4-chloro-5-isoxazolinylmethoxy tetrahydroindazole 186
- 2-fluoro-4-chloro-5-substituted phenyl pyrrole 183
- fluoroalkenyl nematicides
 - fluensulfone type 1380
 - general structures 1378
 - structure–activity relationship 1379, 1380

- fluorochloridone 217
- fluoxastrobin 586, 590, 592, 593, 599, 603, 605, 607, 618, 791, 878
 - discovery 592
 - formulation 603
 - metabolism 607
 - mode of action 592
 - physiochemical data 599, 605
 - structure 590
 - seed treatment 593
 - synthesis 618
- flupoxam 344, 351, 352
 - biology 352
 - discovery 351
 - mode of action 344, 352
 - synthesis 351, 352
- flupyrsulfuron
 - biological advantage 52
- flupyrsulfuron-methyl-sodium
 - combinations 58
 - ecotoxicological data 51
 - physico-chemical properties 60
 - toxicological data 52
- fluquinconazole
 - discovery 788
 - seed treatment 788
 - synthesis 788, 789
- flurazole 389, 390
 - combinations 390
 - safener 389
- fluridone 201, 202, 204, 210, 211, 217, 218, 221, 222, 227
 - discovery 217
 - mode of action 201, 202, 227
 - physico-chemical properties 204
 - synthesis 221, 222
 - toxicological data 204
 - use 218
- flurochloridone
 - mode of action 201, 202,
 - physico-chemical properties 204
 - synthesis 221, 222
 - toxicological data 204
 - use 219
- fluroxypyr
 - combinations 154, 290
 - mode of action 278
 - structure 278
- flurtamone
 - discovery 218
 - chemistry 209
 - mode of action 202
 - physico-chemical properties 205
 - synthesis 221, 222
- use 219
- flusilazole 772, 776
 - biological advantage 776
- flusulfamide 865, 873, 874
 - discovery 873
 - physico-chemical property 873
 - soil treatment 874
 - synthesis 874
 - use 874
- flutenzine
 - chemical family 1013
- fluthiacet-methyl
 - mode of action 171
- flutianil
 - morphological change of powdery mildew infection 896
 - synthesis 897
- flutolanil
 - mode of action 572
 - resistance 571
 - physiochemical data 628
 - structure 628
- fluxofenim
 - mode of action 390
 - safener 379, 389
 - seed treatment 373, 376, 379
 - synthesis 379
- foliar absorption 407ff.
- foliar fungicide 787
- folpet 541, 542, 556, 813, 814
 - combinations 814
 - fungicide group IRAC 541, 542
 - multisite mode of action 556
- fomesafen 163, 165, 190
 - mode of action 163
 - structure 166
 - toxicology 190
- Food and Agriculture Organization (FAO) 482
- foramsulfuron
 - ecotoxicological data 51
 - physico-chemical property 77
 - product 78
 - toxicological data 52
- Formosan termite (*Coptotermes formosanus*) 1299
- forosamine 1241ff.
 - metabolism and penetration of the spinosyns 1252
- fosetyl-Al (fosetyl-aluminum) 554, 814, 869, 870, 871
 - application 871
 - physico-chemical property 870
 - synthesis 870

- fosthiazate 1369, 1372
 - nematocide 1369
 - structure 1372
 - FRAC (Fungicide Resistance Action Committee) 545
 - code list 540
 - grouping of SBI fungicide 767
 - mode of action classification of fungicides 539ff.
 - Frankliniella occidentalis* (Western flower thrips) 1363
 - fruit development 531
 - fruit growth 523
 - fruit morphology 526
 - fruit quality 527
 - fruit ripening 525
 - fruit storage 528
 - fruit thinning 527
 - fruiting 528
 - fthalide 842, 845
 - efficacy 845
 - mode of action 842
 - structure 845
 - fufenozide
 - biological activity 978
 - synthesis 978
 - fumigant 1369ff.
 - fungal respiration inhibitors 548, 549, 550
 - fungi
 - Ascomycetes 585, 709, 841
 - function of melanin and occurrence 839
 - Basidiomycetes 585, 642, 841
 - biosynthesis of DHN melanin 840
 - enzymes involved in sterol biosynthesis 766
 - natural compounds interfering in protein synthesis 693
 - Oomycetes 541ff., 585, 614, 761, 807, 822, 841
 - phytopathogenic 585, 841
 - fungicides
 - allylamines 767, 800
 - amino acid and protein synthesis 551, 693
 - anti-Oomycetes fungicide 831ff.
 - antitubulin 739
 - application dose rate 547
 - application frequency 547
 - application timing 547
 - benzamidoxime 887
 - beta (β)-tubulin assembly 549
 - cell division 739
 - cell wall biosynthesis 553
 - class 547
 - classification 539ff.
 - demethylation inhibitor (DMI) 541ff., 764ff.
 - DHN melanin biosynthesis 842
 - ergosterol biosynthesis inhibitor (EBI) 761
 - FRAC mode of action classification 539ff.
 - fungal respiration 548, 549, 550
 - grouping of SBI fungicide 767
 - history of use 539
 - 1,4-hydroxyanilide 797
 - importance of individual modes of action 540
 - lipid synthesis 552
 - market 542
 - MBI-D 858
 - melanin biosynthesis inhibitor (MBI) 841
 - melanin synthesis in cell wall 554
 - membrane synthesis 552
 - metabolic detoxification 543
 - mitosis 739
 - mode of action 547
 - mode of action classification 539ff.
 - multisite 539, 556
 - nucleic acid synthesis 548
 - oxidative phosphorylation 559ff.
 - phenylurea 748
 - powdery mildew 887ff.
 - resistance 543
 - resistance risk 539ff.
 - signal transduction 551, 715
 - sterol biosynthesis 552
 - strobilurin 587ff.
 - thiophanate 739
 - triazole 771
 - unknown mode of action 865ff.
 - use of mixtures/alternations 547
 - fumigants 1369ff.
 - furametpyr
 - metabolism 637
 - structure 628
 - furilazole
 - soil degradation data 378
 - structure 373
 - synthesis 378
 - toxicological data 378
 - Fusarium culmorum* 727ff.
 - Fusarium graminearum* 727ff.
 - Fusarium moniliforme* (bakanae disease) 773
- g**
- G group fungicides 552
 - γ -aminobutyric acid receptors 1132
 - avermectins 1306
 - cloning 1286

- Rdl receptors 1286
- resistance mutations 1286
- spinosyns 1144, 1240, 1241
- milbemycins 1306
- GABA_A 1288
 - barbiturates 1289
 - benzodiazepines 1269
 - “Cys-loop” superfamily of ligand-gated ionchannels (LGICs) 1132
 - *Drosophila melanogaster* (fruit fly) 1132
 - *Caenorhabditis elegans* (nematode) 1132
 - subunits 1288
- GABA_C 1288
 - “Cys-loop” superfamily of ligand-gated ionchannels (LGICs) 1132
 - insensitive to bicuculline 1288
 - subunits 1288
- GABA antagonist 1285
 - convulsants picrotoxin 1285
 - selectivity 1293
 - structures of antagonists 1285
 - structure of the binding site 1292
- GABA receptor, *see* γ -aminobutyric acid receptor
- GABA-gated cation channel 1289
 - convulsants 1284
- GABA-gated chloride channel blocker 1284
 - fipronil 1283
 - polychlorocycloalkane insecticides 1285
- Gaeumannomyces graminis* 541, 787
- gene expression for detoxifying pathways 387
- gene expression profiling experiment 387, 911, 920
 - isotianil 920
 - safener 385
 - systemic acquired resistance (SAR) 911
- gene induction 387
- gene silencing 1030
- gene transformation
 - *Agrobacterium*-mediated transformation 1029
 - *B. thuringiensis* cry genes 1032ff.
 - particle bombardment 1030
- genetic engineering
 - herbicide resistance 203
- genetically modified herbicide-resistant crop 399ff.
- genome
 - *Arabidopsis* 280
- geranylpyrophosphate (GPP) 199
- gibberellin 525f.
 - plant growth processes 526
- gibberellinic acid (GA) 525f.
 - GA₃ 525f.
 - GA₄ 526
 - GA₇ 526
- GIFAP (the International Group of National Associations of Manufacturers of Agrochemical Products) 545
- glasshouse whitefly (*Trialeurodes vaporariorum*) 990ff., 1004, 1333
- Global Crop Protection Federation (GCPF) 545
- β -glucan 762
- glucan synthase 826
- glucose metabolism 872
- glufosinate
 - crop selectivity 431
 - engineering crop resistance 418
 - genetic approach to generate glufosinate-selectivity in crops by target-based approach 431
 - modulation of herbicidal activity by environmental condition 430
 - racemic (DL-homoalanin-4-yl (methyl)phosphonic acid) 428
- D-glufosinate 435
- glufosinate resistance 401ff.
- glufosinate-ammonium 427ff.
 - uptake and translocation 430
- glufosinate-resistant crop 418
 - LL plants 401, 402, 404, 405
- glufosinate-tolerant canola
 - transgenic 434
- glutamate receptor 1132
- glutamate synthase (glutamine-2 oxoglutarate-aminotransferase, GOGAT) 424
- glutamate-gated chloride channel (GluCl) 1132, 1289
 - avermectins 1306
 - desensitizing (GluClD) 1290
 - fipronil 1283
 - milbemycins 1306
- glutamic acid decarboxylase (GAD) 1286
- glutamine synthetase (GS) 424ff.
 - physiological effects of GS inhibition in plant 429
 - plant nitrogen metabolism 424
- glutamine synthetase inhibitor 423ff.
 - mode of action 428
- glutarimide antibiotics 699
- glutathione (GSH) 386
- glutathione-S-transferase (GST) 21, 386ff.
 - corn selectivity 313
 - herbicide resistance 453

- glutathione-S-transferase (GST) (*contd.*)
 - transgenic tobacco 313
 - glycine-gated chloride channel 1290
 - glyceric acid amide 821
 - glycosyltransferases 341
 - glycosyltransferase genes 1026
 - glyoxylic acid derivative 822f.
 - synthesis 823
 - glyphosate 20
 - applied acreage 12
 - factors that impact efficacy 407
 - herbicide resistance 5, 12, 21
 - translocation in plants 24
 - glyphosate acetyltransferase (GAT) 412
 - glyphosate oxidoreductase (GOX) 412
 - glyphosate resistance 402f.
 - mechanism for engineering 411
 - glyphosate-resistant crop
 - development 411
 - disease control benefit 412
 - RR corn 409
 - RR cotton 410
 - RR plants 401, 402, 404, 405
 - good laboratory practice (GLP) 488
 - good plant protection practice 546
 - GMO crops 394, 399
 - grape anthracnose 789
 - grass control 153,
 - second-generation sulfonylureas 52
 - Grapholita molesta* (oriental fruit moth) 1174f., 1248, 1419
 - green-peach aphid (*Myzus persicae*) 1118ff., 1332ff., 1419
 - green-peach aphid efficacy
 - sulfoximine analog 1229
 - greenhouse whitefly (*Trialeurodes vaporariorum*) 990ff., 1004, 1333
 - griseofulvin 739
 - inhibitor of microtubule assembly 739
 - groundwater
 - fate and behavior 498
 - ground water limits according to annexes 492
 - growth 528
 - inhibitor 525
 - Grundwasserrichtlinie 500
 - GST gene sequences 386
 - guanidines 555
- h**
- H group fungicides 553
 - haloalkene 1377
 - discovery 1377
 - nematocidal activity 1377
 - halofenozide 959–961, 966, 975, 976
 - binding affinities 967
 - discovery 960
 - mammalian and ecotoxicological reduced-risk profile 976
 - mode of action 966, 972
 - resistance 977
 - synthesis 961
 - use 975
 - halosulfuron-methyl 378
 - haloxyfop 450–452
 - crystal structure of the CT domain–haloxyfop complex 452
 - mode of action 450
 - structure 451
 - haloxyfop-P-methyl 641
 - Harmonia axyridis* 1339ff.
 - Hemiptera 1297, 1410
 - Helicoverpa armigera* 1031ff., 1043ff.
 - Helicoverpa* spp. 1359
 - Helicoverpa zea* 1036ff., 1308, 1421
 - Heliothis virescens* (tobacco budworm) 1032ff.
 - ecdysone receptor (HvEcR) ligand-binding domain (LBD) 964
 - Hellula undalis* (cabbage webworm) 1402
 - 2-*n*-heptyl-4-hydroxyquinoline *N*-oxide (HQNO) 567
 - herbicides 5ff.
 - ACCase (acetyl-CoA Carboxylase) 447
 - ACCase-inhibiting 453
 - AHAS as target 35f., 93
 - AHAS-inhibiting 43
 - amicarbazone for corn and sugarcane 510
 - aryloxyphenoxypropionate 456f.
 - auxin 277ff.
 - bispyribac-sodium 128
 - bleaching property 197ff.
 - C1 group (HRAC classification) 479ff., 500
 - C2 group (HRAC classification) 479, 480, 481
 - C3 group (HRAC classification) 479, 480, 481, 500
 - carotenoid biosynthesis inhibition 204f.
 - cereal sulfonylurea 59
 - cotton 125
 - cyclohexanedione 458f.
 - detoxification 392, 400
 - diphenyl ether (DPE) 165f.
 - disturbing the synthesis of very long-chain fatty acid 305ff.
 - first-generation sulfonylurea 50
 - HRAC classification 7, 305
 - 4-hydroxyphenylpyruvate dioxygenase inhibitors (HPPD) 225

- imidazolinone (IMI) 88ff.
- K₃ class 305ff.
- maize sulfonylurea 76
- N class 305ff., 326
- photosynthesis inhibitors (PS II Compound Groups) 500
- phytoene desaturase (PDS) 203ff.
- protoporphyrinogen oxidase (PPO)-inhibiting 1283
- pyrimidinyl carboxylate (PC) 118ff., 133
- resistance 5, 7, 13, 203, 400
- rice 129ff.
- second-generation SACT 154
- sulfonanilide 140
- thiocarbamate 326
- triazolopyrimidine 115
- triketone 240ff.
- urea 752
- use of phosphinothricin-containing herbicides in agriculture and horticulture 431
- herbicide antidote, *see* safener
- herbicide distribution
 - altered 24
- herbicide metabolism
 - effect of safener 385
 - phase I 385
 - phase II 386
 - phase III 386
 - phase IV 386
- herbicide resistance 7
 - *Abutilon* 23
 - *Alopecurus myosuroides* 13, 17, 25
 - *Amaranthus palmeri* 21
 - *Amaranthus powelli* 15, 20
 - *Amaranthus retroflexus* 20
 - *Amaranthus rudis* 20, 25
 - atrazine resistant mutant 14, 15, 16, 22, 23
 - *Avena fatua* 17
 - *Avena sterilis* 17
 - biochemistry 13
 - biotypes 5, 6, 14, 16, 17, 19, 20, 21, 22, 23, 24, 25
 - *Chinopodium album* 14, 15
 - *Conyza* 24, 25
 - cross-pollinating species 25, 26
 - detoxification 14, 21–24
 - *Echinochloa* 12, 24
 - *Eleusine* 21
 - enhanced metabolism 19, 23, 25
 - *Festuca rubra* 18
 - genetic engineering 203
 - glyphosate 12
 - HRAC group classification 8
 - *Kochia scoparia* 15, 19, 20, 25
 - *Lactuca serriola* 19, 20
 - *Lolium multiflorum* 16, 21, 22,
 - *Lolium rigidum* 16, 17, 19, 21, 22, 23, 25
 - mechanism for engineering 400
 - mechanism of resistance 13, 14, 15, 18, 19, 23, 24, 25, 26
 - multiple resistance 25
 - paraquat-resistant biotype 24
 - *Phalaris* 23
 - *Poa annua* 15, 18,
 - translocation, reduced or shifted 14, 24, 25
 - *Salsola iberica* 19
 - *Scirpus juncoides* 19
 - *Setaria virides* 17, 18
 - *Sorghum halepense* 18
 - *Stellaria media* 19
 - target site 7, 14, 16–18, 21, 25
 - triazine 5, 6, 8, 14, 15, 16, 22, 23, 25
- Herbicide Resistance Action Committee (HRAC) 938
 - classification 7, 305
- herbicide safener, *see* safener
- herbicide target
 - expression of an insensitive herbicide target 401
- herbicide translocation
 - influence of safener 388
- herbicide uptake
 - influence of safener 388
- herbicide-resistant canola 404
- herbicide-resistant corn 403
- herbicide-resistant cotton 402
- herbicide-resistant crop 11
 - commercialized 401
 - genetically modified 399ff.
- herbicide-resistant cropping system 12
- herbicide-resistant soybean 401
- hetarylurea 480
- heteroaryl-methylamine 684
- heterocycle
 - benzoheterocyclic attached 178
 - benzyl attached 181
 - benzyloxyphenyl 176
 - fluoroalkenyl 1379
 - hydroxyphenylpyruvate dioxygenase (HPPD) inhibitors 262ff.
 - NADH inhibitors 677, 683
 - phenoxyphenyl 176
 - 3-(4,6-substituted benzoheterocyclyl) 179
 - PDS inhibitors 212–214, 216
 - pyridine azomethins 1330
 - trifluoromethylnicotinamides 1336

- heterocycle (*contd.*)
 - triketones 242, 246, 248
 - uncouplers 657,
 - 3-[(*N*-heterocyclyl) iminomethyl] pyridine 1328
 - Heterodera glycines* (soybean cyst nematode) 1383
 - Heterodera schachtii* (beet cyst eelworm, sugarbeet nematode) 1367
 - Heterotermes tenuis* (termite) 1297
 - hexaflumuron
 - discovery 1004
 - structure 1003
 - hexythiazox 1012, 1015, 1018, 1019, 1020, 1021, 1022, 1025
 - biochemistry 1019
 - biology 1019
 - cross resistance 1015
 - discovery 1018
 - field application 1022
 - physico-chemical data 1020
 - resistance 1025
 - synthesis 1019, 1021
 - high-osmolarity glycerol (HOG) pathway 715
 - Hill reaction 480
 - histamine-gated chloride channel 1290
 - histidine kinase 717
 - *Sln1p* 716
 - homogentisic acid (HGA) 226
 - Homona magnanima* (oriental tea tortrix) 1402
 - Homoptera 1297
 - honey bee (*Apis mellifera*) 1230, 1339, 1354
 - risk assessment 494
 - Hordeum leporinum* 24
 - horticulture 431
 - resistance to AHAS-inhibiting herbicide 43
 - use of phosphinothricin-containing herbicides 431
 - host defense inducer 909ff.
 - FRAC classification (P code)
 - host plant defense induction 550
 - house dust mite 1355
 - housefly (*Musca domestica*) 986f., 1183, 1296
 - HRAC (Herbicide Resistance Action Committee) 938
 - classification 7, 305
 - human health
 - impact on 496
 - hydramethylnon 1097
 - synthesis 1098
 - hydrazone 661
 - hydrogen cyanamide 528
 - hydrogen tetraoxosulfate 528
 - hydroprene 984
 - (*S*)-hydroprene 985
 - use 985
 - 3-hydroxyacyl-CoA transferase 306
 - N*-hydroxy-anilinopyrimidine
 - synthesis 708
 - hydroxylanilide 766, 796
 - FRAC Group 767
 - 1,4-hydroxylanilide fungicide 797
 - 4-hydroxyphenylpyruvate dioxygenase (HPPD) 198, 230f., 417
 - herbicide target 225
 - inhibition 232
 - mechanism 229
 - structure 229
 - 4-hydroxyphenylpyruvate dioxygenase inhibitor 227ff., 262ff.
 - herbicide 226
 - Markush structure 262
 - selectivity 228
 - hyperecdysionism 972
 - hyperosmolarity response 717
- i**
- IGR, see insect growth regulator
 - imazamethabenz-methyl, use in cereals 96f.
 - imazamox, use in soybeans 96f.
 - imazapic 89ff., 388
 - use in peanuts 96f.
 - use in sugarcane 96f.
 - imazapyr 19, 89ff., 404
 - use in noncrop 96f.
 - imazaquin, use in soybeans 96f.
 - imazethapyr 89ff., 404
 - use in maize 96f.
 - use in soybeans 96f.
 - imibenconazole 789
 - mode of action 789
 - physicochemical data 789
 - synthesis 790
 - imidacloprid 878, 1116, 1127, 1154f., 1189ff.
 - application rate 1193
 - biological activity 1184
 - chemical classification 1190f.
 - chemistry 1192
 - efficacy on target pest 1193
 - insecticidal efficacy 1194f.
 - metabolism 1191, 1235
 - physico-chemical property 1190f.
 - synthesis 1190ff.
 - imidazoles 769f., 1328

- imidazolinone (IMI) 19, 35, 404
 - commercial use 96
 - herbicide 88ff.
 - history 90
 - ionization state 91
 - mechanism of selectivity 95
 - metabolism 96
 - mode of action 93
 - physico-chemical property 91
 - structural feature of herbicide 92
 - synthesis 89
- imidazolinone resistance 403
- imidazolinone-tolerant crop 94
- immunofluorescence 1000
- immunohistochemistry 1000
- indaziflam 344ff.
 - physico-chemical properties 363
- indazoles 1258ff.
- indoles 1295
- indolizinedione 460
- indoxacarb 1257ff.
 - action on mammalian VGSC 1269
 - blockade of VGSC 1266
 - discovery 1260
 - insecticidal activity 1263
 - mode of action 1265
 - physico-chemical property 1263
 - proinsecticide action 1265
 - resistance 1270
 - synthesis 1262
- inhibition/inhibitors
 - acetyl-CoA Carboxylase (ACCase) 13ff., 379, 447ff., 1108ff.
 - acetylcholine esterase 941f., 951
 - acetohydroxyacid synthase (AHAS/ALS) 29 ff.
 - auxin transport 9
 - carotenoid biosynthesis 8, 197ff.
 - chitin synthesis 1002ff., 1092
 - Complex I 562ff., 674, 687, 1078
 - Complex II 570ff., 1092
 - Complex III 568, 584, 613, 1095
 - demethylation inhibitor (DMI) fungicide 541ff., 764ff.
 - DHP synthase 8, 10
 - electron transport 346, 561
 - 5-enolpyruvyl shikimate-3-phosphate synthase (EPSPS) 406
 - ergosterol biosynthesis inhibitor (EBI) fungicide 761
 - F₁F₀ATP synthase 574
 - fatty acid and lipid biosynthesis 326
 - fatty acid synthase (FAS) 842
 - GABA 1284ff.
 - gibberellin biosynthesis 764
 - glutamine synthetase 423ff.
 - 4-hydroxyphenylpyruvate dioxygenase 227ff., 262ff.
 - lipid synthesis 1108ff.
 - lycopene cyclase (LCC) 202
 - melanin biosynthesis (MBI) 839
 - MET-I 1097ff.
 - MET-II 1100
 - MET-III 1100
 - methionine biosynthesis 706
 - microtubulin assembly (MAI) 439ff.
 - mitochondrial electron transport (METI) 1078ff.
 - mono-oxygenase 1253
 - NADH 671
 - nucleic acid synthesis 901ff.
 - oxidative phosphorylation 1059, 1070
 - peptidyl nucleoside antibiotic 1002
 - phosphorylation 561
 - photosynthesis 479ff.
 - photosystem II (PS II) 14f., 227f.
 - phytoene desaturase 197ff.
 - polyketide synthase 842
 - protoporphyrinogen IX oxidase (Protox, PPO) 163ff., 185, 1108
 - Qi inhibitor class 567
 - Qo inhibitor class 567
 - scytalone dehydratase 846ff.
 - squalene epoxidase 800f.
 - sterol biosynthesis (SBI) 539, 719, 761ff.
 - succinate dehydrogenase 628ff., 640
 - 1,3,6,8-tetrahydroxynaphthalene reductase 845
- inositol hexakisphosphate (IP6) 280
- inositol synthesis 553
- insect-behavior regulator 1340
- insect growth regulator (IGR) 983
- insect molting 957ff.
 - physiological and molecular basis of hormone action 957
- insect nAChR 1138, 1185, 1232ff.
 - selectivity for insect versus vertebrate nAChRs 1145
- insect resistance management (IRM) 1041ff.
- insect-resistance to Bt 1039
- insect-resistant crops 953
- insect selectivity
 - recombinant nAChR 1147
- insect toxicity
 - selective 973
- insect voltage-gated sodium channel 1265
- insecticidal crystal protein
 - *Bacillus thuringiensis* 1030

- insecticides
 - abamectin 1316
 - anthranilic diamide 1409
 - bisacylhydrazine (BAH) 966ff.
 - calcium homeostasis 1389ff.
 - carbodiimide 1065
 - 3-carboxamide indazole 1258
 - 3-carboxamide pyrazoline 1258
 - chloronicotinylnil (CNI) 849, 1116, 1155, 1190
 - classification 935
 - ecdysone agonist 959, 979
 - emamectin 1319
 - fiprole 1283ff.
 - inhibitor of mitochondrial electron transport 1078ff.
 - major chemical classes 953
 - market share 953
 - MET 1102
 - milbemectin 1318
 - mitochondrial ATP synthase as a target 1059
 - neonicotinoid 1116, 1127ff., 1156, 1165
 - nereistoxin analog 1127f.
 - new generation 1398
 - oxadiazine 1260
 - polychlorocycloalkane (PCCA) 1285
 - pyridazine 1259
 - semicarbazone 1273
 - semicarbazone sodium channel-blocking 1259
 - site of metabolism for MET 1099
 - sodium channel-blocking 1257ff.
 - spinosyn 1127ff.
 - thiourea 1064
 - trifluoromethylnicotinamide 1335
 - Insecticide Resistance Action Committee (IRAC) 935ff.
 - activity 937
 - education and communication 938
 - functional team 936
 - mode of action classification 942ff.
 - objectives 935
 - organization 936
 - project team 936
 - resistance management 1301
 - structure 936
 - insecticide resistance management (IRM) 935, 1406, 1421
 - chlorantraniliprole 1421
 - effective strategy and approved principle 952
 - intake calculation models 490
 - integrated pest management (IPM) 986, 1044, 1067, 1118ff., 1239, 1327, 1358
 - diafenthiuron 1067
 - spirodiclofen 1116
 - spiromesifen 1116
 - integrated weed management (IWM) 7
 - iodosulfuron-methyl-sodium 60, 381
 - physico-chemical property 62
 - ionophore 648
 - ipconazole 785
 - physicochemical data 787
 - synthesis 786
 - stereoisomer 788
 - ipfencarbazone 322
 - synthesis 323
 - iprovalicarb 807ff.
 - environmental profile 810
 - physicochemical data 809
 - resistance 825ff.
 - synthesis 812
 - toxicology 809
 - IRAC, *see* Insecticide Resistance Action Committee
 - iron sulfur centers, complex I 564
 - iron sulfur centers, complex II 566
 - isoenzymes, safener-inducible 391
 - isomerases 552, 766f., 793ff.
 - isopentenylidiphosphate (IPP) 199
 - isoprenoid pathway 199
 - isoquinolinedione 189
 - isotianil 909ff.
 - application 921f.
 - disease control spectrum 920
 - gene expression profiling experiment 920ff.
 - synthesis 919
 - systemic acquired resistance 919
 - isoxaben 344ff.
 - biology 349
 - physicochemical data 363
 - synthesis 348
 - isoxaben-resistance loci
 - *ixr1* and *ixr2* 350
 - isoxadifen-ethyl 76f., 148, 382, 393
 - synthesis 383
 - toxicological data 383
 - isoxaflutole (IFT) 156, 228ff., 268ff., 318
 - synthesis 270
 - isoxazoline herbicides 326
 - Ixodes scapularis* 1300
- j**
- Japanese beetle (*Popillia japonica*) 975, 1300
 - jasmonate 532

jasmonic acid (JA) 531, 910
 juvenile hormone (IH) 957
 – mimics 944, 957
 juvenoids 983f.
 – commercialized 986
 – history of research 984
 – synthetic 985
 – target insect 986

k

K₃ class herbicide 305ff.
 – resistance 313
 kasugamycin 696f.
 – mode of action 698
 – resistance 698
 – toxicity 697
 KCS gene 312
 3-keto reductase 552, 765f., 798f.
 3-ketoacyl-CoA reductase 306
 3-ketoacyl-CoA synthase 306
 ketoacyl-ACP reductase 1248
 ketoacyl-ACP synthase 1248
 ketospiradox 245f.
 – structure 246
 kinase cascade 717
 kinetin 525
 kinoprene 984
Kitasatospora phosalacinea 427
Kochia scoparia 19ff., 45
korrigan (*kor*) gene 344, 358
 Krebs cycle 570
 kresoxim-methyl 545ff., 587ff., 607
 – metabolic stability 598
 – physicochemical data 598
 – synthesis 616

l

lactofen 165, 166
 – structure 166
Lactuca serriola, herbicide resistance 19f.
 Lanosterol synthase 765, 795
 Late blight 824
 leaf blast 845, 919ff.
 leaf folder (*Cnaphalocrocis* spp.) 1263
 leaf spot disease 672ff., 776, 791, 919
 leaf stripe on barley (*Pyrenophora graminea*)
 710, 730, 878f.
 leaf surface distribution–vapor phase 603
 leafminer (*Lithocolletis blancardella*) 1199
 leafroller (*Pandemis* spp.) 1263
 lepidine 687
 – complex i inhibitors
 – class 687

Lepidoptera 966, 1092, 1297, 1319, 1363,
 1401, 1410
 lepidopterous larvae 1247
Lepidosaphes ulmi 1116
 Lepimectin 1305ff.
 – discovery 1313
 – synthesis 1314
Leptinotarsa decemlineata (Colorado potato
 beetle) 1004, 1276
 leptospermone 237ff.
 – discovery 236
 Leucine biosynthesis 29ff.
Leucinodes spp. (shoot stem borer) 1421
 ligand-gated chloride channel
 – classification 1288
 – structure 1288
 ligand-gated chloride channel antagonist
 1283ff.
 – structure–activity relationship 1294
 ligand-gated ion channel (LGIC) 1132
Linepithema humile (Argentine ant) 1298f.
 lipid biosynthesis 450, 550ff, 1115
 – in aphids 1122
 – inhibition of 947, 1108ff., 1122
Liriomyza spp. 1363
Lissorhoptrus spp. 1298
Lissonotus oryzophilus 1198
Listronotus maculicollis (annual bluegrass
 weevil) 1418
Lithocolletis blancardella (leafminer) 1199
Lobesia spp. (berry moth) 1263
Locusta migratoria 1331
Lolium multiflorum 16ff.
Lolium perenne 19, 440
Lolium rigidum 16ff., 45
 Long-chain fatty acids, uncouplers of oxidative
 phosphorylation 647
 looper (*Trichoplusia ni*) 1404, 1419
 loose smut on barley (*Ustilago nuda*) 687, 879
 lycopene 200
 lycopene cyclase (LCC) 401
 – inhibition 201, 202
Lygus spp. 1339

m

M group fungicides 541, 556
 macrocyclic lactones 1238, 1315
 macrolide 1249
Magnaporthe grisea (rice blast) 773
 maize
 – corn rootworm-resistant 953
 – expressing cry proteins 1034f.
 – foramsulfuron 78
 – imazethapyr 95

- maize (*contd.*)
 - sulfonylurea 54f., 76
 - transgenic 434
 - production area 57
- maize weevil (*Sitophilus zeamais*) 1402
- 4-maleylacetoacetate isomerase 226
- malonyl-CoA 16, 19, 448ff., 1108
- mandelic acid amide 807f., 818f.
- mandipropamid 807, 818ff.
 - environmental profile 810
 - physicochemical data of 809
 - synthesis 821f.
 - toxicology 809
 - translaminar activity 825
- Manduca sexta* 1001f., 1032
- MAP protein kinase (MAPKKs) 551, 715ff., 913ff.
- Market
 - bentazone 530
 - benzoylphenyl urea's 1006
 - carboxylic acid amides (CAA) 541f.
 - chlorfemapyr 1073
 - dicarboximide fungicides 541
 - dimoxystrobin 586
 - EC market, situation of PS II inhibitors 499
 - future trends 953f.
 - insecticides 953
 - major insecticidal classes 953
 - pencycuron 749
 - PS II inhibitors 510
 - SBI fungicides 763ff.
 - strobilurins 585f.
- MBI *see* melanin biosynthesis inhibitors
- MBI-D 842ff.
- mefenacet 310ff.
 - analogs 318
 - physico-chemical property 319
 - synthesis 318
 - toxicological data 319
 - use in rice 316f.
- mefenpyr-diethyl 61, 148, 273, 375ff., 392
 - synthesis 381
 - toxicological data 382
- melanin
 - biological occurrence and function in fungi 839
 - biosynthesis enzymes 839ff.
 - synthesis in cell wall 554, 839ff.
- melanin biosynthesis inhibitor (MBI) 553f., 839ff.
- Meloidogyne incognita* 1375ff.
- Meloidogyne* spp. 1377
- melon aphid, *see* *Aphis gossypii*
- melon thrips (*Thrips palmi*) 992ff., 1174ff., 1363f.
- membrane fluidity, change in 757
- membrane permeability 574, 646f., 661, 1030
- membrane potential 646ff.
- membrane protein 1001
- membrane synthesis 552
- membrane transport systems, inhibitors of 24
- mesosulfuron-methyl 62, 81, 375ff.
 - metabolic pathway in the soil 82
 - physicochemical properties 64
- mesotrione 226ff., 240ff., 253
 - environmental properties 252
 - *in planta* metabolism 253
 - physicochemical properties 252
 - synthesis 254
- messenger RNA (mRNA) 693
- MET, *see* mitochondrial electron transport
- metabolic degradation rate 607
- metabolic detoxification 21, 539
- metabolic profiling 610
- metabolic resistance 45, 949
- metabolism
 - amicarbazone 516
 - anilinopyrimidines 713
 - bisacylhydrazines 973f.
 - N-dealkylation reactions 22
 - fatty acid 1108
 - fenazaquin 1099
 - fenochlorazole-ethyl 391
 - florasulam 104, 113
 - fluoxastrobin 607
 - furatmetpyr 637
 - glucose 872
 - imidazolinones 96
 - MET-I inhibitor 1097
 - neonicotinoids 1146, 1196f., 1234
 - plant nitrogen metabolism 424
 - selectivities 70
 - spinosyns 1252f.
 - strobilurins 607
 - succinate dehydrogenase inhibitor 636
 - sulfonylureas 69ff.
- metaflumizone 1273ff.
 - cross-resistance potential 1281
 - insecticidal activity 1276
 - mode of action 1280
- metalaxyl-M 901
 - absolute configuration 902
 - biological activity 904
 - cross-resistance 905
 - degradation 906

- mechanism of resistance 904
- metabolism 906
- mode of action 904
- physical properties 903
- synthesis 902
- metamorphosis 957ff.
- metconazole 784
 - physicochemical data 785
 - synthesis 786
- methionine biosynthesis 711
 - fungicide target 551
- methionine biosynthesis inhibitor 706
- methionine sulfoximine (MSO), GS inhibitor 426
- β -methoxyacrylate (MOA) 587, 1096
- methoxyacrylate stilbene 588
- methoxyfenozide 961ff., 975
 - ecotoxicology 976
 - physicochemical data 959
 - synthesis 962
 - toxicology 976
- 3-methoxytyramine 819
- methyl-benzimidazole carbamates 549
- methyl bromide (MBr) 1369
- methyl salicylate (MeSA) 911
- methyl salicylate esterase (SABP2) 916
- 2-methyl-4-chlorophenoxyacetic acid (MCPA) 273
- methylchlorophenoxypropionic acid (MCP) 218
- 1-methylcyclopropene (1-MCP) 529
- O-methyltransferase 1250f.
- methyltransferase, in phospholipids biosynthesis 552
- 3-O-methyldopamine 820
- METI acaricides 946
- metolachlor, physicochemical properties 377
- S-metolachlor 253, 375
- metominostrobin 587, 602ff.
 - metabolic stability 598
 - physicochemical data 598
 - synthesis 616
- metrafenone 891
 - cross-resistance 892
 - ecotoxicological property 891
 - mode of action 892
 - physicochemical properties 891
 - synthesis 892
- mevalonic acid (MVA) 199
- microtubule-associated protein (MAP) 442
- microtubulin assembly inhibitor (MAI) 439ff.
- midgut 1029ff.
- milbemectin 1305ff.
 - bioavailability 1319
 - ecotoxicological data 1319
 - insecticidal activity 1316
 - physicochemical properties 1308
 - synthesis of 1306
 - toxicological data 1319
 - use in crop protection 1324
- milbemycin 1305ff.
 - acaricidal activity 1315
 - bioavailability 1319
 - biochemical mode of action 1306
 - chemistry 1312
 - discovery 1312
 - insecticidal activity 1315
 - safety 1319
- milbemycin A₃/A₄ 1313
- milbemycin D 1313
- milbemycin 5-oxime 1313ff.
- mildewicide 688, 887ff.
- mildiomycin 698
- mite growth inhibitors 1012ff.
- mitochondria 561ff., 1059ff., 1072
- mitochondrial ATP synthase 1059ff.
- mitochondrial ATP export 577
- mitochondrial electron transport (MET) 1078
 - Complex I 550, 563f., 946, 1060, 1078ff.
 - Complex II 550, 579ff.
 - Complex III 550, 564–568, 584ff., 613ff., 946f., 1062, 1095ff.
 - Complex IV 569f., 947
 - MET-I inhibitor 1079, 1092, 1101f.
 - MET-II acaricide 1102
- mitochondrial membrane 560ff., 1067, 1072
 - Qi site 566
 - Qo site 566
- mitogen-activated protein kinases (MAPK3, MAPK6) 913
- mitosis 443, 739ff.
- mixed function oxidase (MFO) 1072
- MOA-stilbene (MOAS) 588
- mode of action
 - abamectin 1305
 - aminocyclopyrachlor 302
 - anilinopyrimidines 711
 - anthranilic diamides 1391f., 1415f.
 - auxin herbicides 277
 - avermectins 1306
 - benzimidazole fungicides 548
 - benzobicyclon 237
 - bifenazate 1352f.
 - bisacylhydrazines 957, 962, 966
 - blasticidin 694
 - bromoxynil 403

- mode of action (*contd.*)
 - carboxylic acid amide fungicides 533, 825ff.
 - chlorantraniliprole 1415
 - chloracetamide herbicides 308
 - classification scheme 939ff.
 - clofentezine 1012
 - cry proteins 1035f.
 - cyantraniliprole 1415
 - cyclo diene insecticides 1306
 - cyclohexandione (CHD, dim) herbicides 16ff., 447ff., 1108
 - cycloheximide 699
 - cyflufenamid 889
 - cyflumetofen 1093
 - cyfluthrin 943
 - cyhalotrin 943
 - cymoxanil 868
 - cyprosulfamide (CSA) 394
 - cytokinins 526
 - deltamethrin 943
 - diafenthiuron 1059, 1061ff.
 - dicamba 289
 - dicarboximide fungicides 715ff.
 - diclobenil 347
 - 2,4-dichlorophenoxyacetic acid (2,4-D) 277ff.
 - dieldrin 1286
 - diflufenacet 671
 - dihydropyrazole 1268
 - dimethomorph 825
 - dithiopyr 442
 - ethaboxam 742
 - etoxazole 1025
 - famoxadone 567, 614, 1095
 - fenamidone 567, 614, 1095
 - fenazaquin 1060, 1086, 1101
 - fenoxasulfone 334
 - fenoxycarb 944, 984f.
 - fenpiconil 718
 - fenproximate 1084
 - fentrifanil 653
 - ferimzone 653, 661
 - fipronil 1284ff.
 - flonicamid 1335
 - fluazinam 653, 662
 - fluazolate 185
 - fluazuron 945
 - flubendiamide 1391
 - fludioxinil 715, 730
 - fluensulfone 1381
 - flufenacet 1311
 - flufenimer 1081, 1091f.
 - fluopicolide 831, 835ff.
 - fluopyram 643
 - fluoxastrobin 592
 - flupoxam 344, 352
 - fluridone 201f., 227
 - fluchloridone 201f.
 - fluroxypyr 278
 - flurtamone 202
 - fluthiacet-methyl 171
 - flutaloni 572
 - fluxofenim 390
 - fomesafen 163
 - fosetyl-aluminium 869ff.
 - fungicides 550ff.
 - fthalide 842
 - halofenozide 966, 972
 - haloxyfop 450
 - herbicide resistance 5ff.
 - imibenconazole 789
 - imidazolinones 93
 - indoxycarb 1265
 - IRAC classification 942ff.
 - kasugamycin 696f.
 - metalaxyl-M 904ff.
 - metrafenone 892
 - milbemycins 1306f.
 - mildiomyces 699
 - neonicotinoids 1139ff.
 - pencycuron 756f.
 - phenylpyrroles 715, 718, 722
 - proquinazid 895
 - pymetrozine 1331ff.
 - pyridalyl 1364ff.
 - pyridines 442
 - pyrimidinylcarboxylates 132
 - quinoxifen 719f.
 - spinosad 1240ff.
 - spirotetramat 1122ff.
 - streptomycin 701f.
 - strobilurins 585
 - tetronic acid derivatives 1115, 1118
 - triketones 237
 - Vip proteins 1030
 - mole cricket (*Scapteriscus* spp.) 1300
 - molecular modeling
 - colchicine binding site 741
 - melanin biosynthesis inhibitors 850
 - protoporphyrinogen-IX-oxidase inhibitors 183
 - molting process 958, 972f.
 - Monilinia* spp. 645, 709, 774, 788, 799
 - molting process 958, 972f.
 - Monochoria vaginalis* 19
 - Monomorium pharaonis* (pharaoh ant) 1299
 - Monoterpenes 526

- morlin
 – coumarin derivative 36
 morpholines 552, 767, 793f.,
 MRL regulation 494,
 mRNA (messenger RNA) 693
 MSU Resistance Database 939
 mucidin 587
 – extract from *Oudemansiella mucida* 587
 Multi-site inhibitors 539, 556, 944
 multiple resistance 14ff., 871
Musca domestica (housefly) 986f., 1183, 1296
Mycosphaerella graminicola 612
Mycosphaerella fijiensis (Black Sigatoka
 pathogen) 742, 776
 mycotoxin 784
 myxobacteria 561, 587
Myzus persicae 1118ff., 1332ff., 1419
- n**
- N class herbicide 305ff., 326
 – resistance 313
Nabis spp. 1420
 NADH 561ff.
 NADH binding site, complex I 563
 NADH cytochrome c reductase in lipid
 peroxidation 550
 NADH inhibitors 671ff.
 NADH–UQ oxidoreductase 561f., 573
 naphthalene acetic acid (NAA) 525
 1,8-naphthalic anhydride (NA) 389f.
 natural compounds
 – interfering in protein synthesis of fungi and
 bacteria 693
 – plant growth regulator 525, 526
 – use of phosphinothricin-containing
 herbicides 431
 nematicides 1367ff.
 – carbamate 1371ff.
 – chemical class 1368
 – fluoroalkenyl 1379
 – fumigant 1369
 – in development 1376
 – organophosphate 1371ff.
 – product 1368
 nematodes 951
 – cyst 1367ff.
 – root-knot 1377
 nematode management practice 1368
 neomenthol 530
 neonicotinoid insecticide 1116, 1127ff.,
 1140ff., 1166
 – agonistic efficacy 1149
 – binding assay 1143
 – binding model 1136ff.
 – biochemical mode of action 1168
 – chemical structural feature 1165
 – commercialized 1165ff.
 – control vectors 1180, 1193
 – five-membered ring systems 1189
 – IRAC classification 1181
 – metabolism 1146
 – mode of action in insect 1142
 – open-chain-type 1169, 1185
 – resistance 1217
 – ring systems 1185
 – SAR studies 1141
 – selectivity 1145
 – six-membered ring systems 1203ff.
 nereistoxin analogues 945, 1127f., 1142,
 1236
 nervous system, transmission of electrical
 impulses 1265
 neuron preparation
 – native 1149
 – whole-cell voltage–clamp 1149
 neurotransmitters
 – acetylcholine 766
 – ionotropic 1053
Nicotiana plumbaginifolia 33
 nicotinamide adenine dinucleotide (NAD⁺)
 559
 (S)-nicotine 1136
 nicotinic acetylcholine receptor (nAChR)
 1183, 1232ff.
 – 3D models 1132ff.
 – ACh binding site 1139ff.
 – activation of 1143
 – agonistic action 1135, 1183
 – agonist-binding site 1135
 – agonists/antagonists 943, 945, 1143
 – binding domains 1132f.
 – existence of diverse insect receptor subtypes
 1137
 – human gene family 1133
 – insect selectivity in recombinant nAChRs
 1147
 – non-competitive blocker 1135
 – point mutation 1149
 – receptor binding domains 1132f.
 – selectivity 1146f.
 – structure 1132f.
 nicotinic pharmacophore 1140
 nicotinoids 1131ff.
Nilaparvata lugens (brown plant hopper)
 1004, 1333
 nitenpyram 1127, 1149ff., 1169
 – application 1171
 – chemistry 1171

- nitenpyram (*contd.*)
 – efficacy on target pest 1171
 – physico-chemical properties 1170
 – special soil treatment 1170
 – synthesis 1171
 nitisinone, HPD inhibitor 226
 nitrate reductase 609
 nitrile 8f., 11, 345, 481, 503ff.
 nitroenamines 1204
 nitroguanidine 1204
 N-nitroguanidine 1166f., 1175, 1181
 nitroimino-heterocycle
 – hydrolytic stability 1210
 – six-membered 1205f.
 2-nitroimino-hexahydro-1,3,5-triazine
 – synthesis 1209
 4-nitroimino-1,3,5-oxadiazinane 1212
 – synthesis 1209
 2-nitroimino-1,3,5-triazinane 1208
 nitromethylene 1146, 1166ff.
 2-nitromethylene piperidine 1203
 2-nitromethylene pyrrolidine 1204
 2-nitromethylene-1,3-diazacycloalkane 1204
 3-nitropropionic acid 571
 no-till practices 12f., 400
 Noctuidae 1297
 non-competitive antagonist (NCA), GABA
 receptors 1285
 non-competitive blocker (NCB), nAChR 940
 non-crop uses, imazapyr 96ff.
 non-extractable residue (NER) 81
 non-heme Fe(II) containing oxygenase 230
 non-sphingolipid VLCFA biosynthesis
 – in plant 306
 non-target-site resistance 14ff., 940
 norbornadiene (2,5-NBD) 529
 norflurazon 202ff., 217f.
 – physicochemical properties 205
 – synthesis 221f.
 NPR1 gene (non-expressor of PR genes) 912
 nucleic acid synthesis
 – fungicide 548
 – inhibitor 901ff.
- O**
- octopaminergic agonists 946, 1062
Oculimacula acufornis (cereal eyespot
 pathogen) 770
Oculimacula yallundae (cereal eyespot
 pathogen) 770, 782ff.
Odontotermes takensis (termite) 1297
 OECD database on pesticides 486
 old world bollworm, *see Helicoverpa armigera*
Oligonychus spp. 1349
 one-shot application 845, 849
 onion fly (*Delia antiqua*) 1298
 Oomycete pathogen 739
 Oomycetes 541ff., 585, 614, 761, 807, 822
 – anti-Oomycetes fungicide 831ff.
 operator exposure data requirement 490
 organic arsine fungicides 749
 organoarsenical 9
 organochlorines 942, 953
 organomercurials 544
 organophosphate (OP) 950f., 1175, 1231,
 1370ff.
 organotin miticides 945
 oriental fruit fly (*Bactrocera dorsalis*) 1239,
 1299
 oriental fruit moth, *see Grapholita molesta*
 oriental tea tortrix (*Homona magnanima*)
 1402
Orius sauteri 1344
Orius spp. 1420
Orius strigicollis 1344
 Orthoptera 1297
 orthosulfamuron 74
 – physico-chemical properties 74
 orysastrobin 593ff., 607
 – physico-chemical properties 598
 – synthesis 617
 osmolarity, growth defects 716
Ostrinia nubilalis (European corn borer)
 1034ff., 1420
Otiorhynchus sulcatus (black vine weevil)
 1300
Oudemansiella mucida 587
 ovidal activity 990f., 1179, 1200
 ovidal mite activity 1013, 1022, 1174
 oxadiazines 1260
 – soil half life 1260
 – structure-activity relationship 1260
 – synthesis 1261
 oxasulfuron, physico-chemical properties 79
 oxazine-3,5-diones, herbicides 466
 oxazole- γ -pyrone structure 687
 oxazolidinedione 9, 173
 oxazolines, insecticides 1020ff.
 oxidase
 – alternative (AOX) 573, 609
 – mixed function (MFO) 1072
 oxidative desulfurization 1061
 oxidative metabolism 1028, 1146, 1252
 – strobilurins 585ff.
 oxidative phosphorylation 559ff., 1059
 – disruption of the proton gradient 1070ff.
 – disruption of ATP formation 945
 – inhibitors 1059, 1070

- uncouplers 646f.
- oxidative stress 573, 609
- 2,3-oxidosqualene 765
- oxime ethers 379
- oximino amides 607
- oximino esters 607
- oxpoconazole, synthesis 775
- oxacetamide 9f., 310ff
- physicochemical properties 319
- oxygenases 230f.
- oxylipin pathway 387
- plant internal signaling substances 387
- phytoprostane 387

P

- P group fungicides 554
- P 450 monooxygenases 977
- Paecilomyces lilacinus* 1368
- PAL gene 913
- Pandemis* spp. (leafroller) 1263
- Panonychus* spp. 1349
- Panonychus citri* (citrus red mite) 1349
- Panonychus ulmi* (European red mite) 1349ff.
- paralysis 951f.
- pat* gene, plant breeding 433
- pathogenesis-related (PR) gene 911
- PBZ-inducible (PBZ1) gene 914
- PCR (polymerase chain reaction)
 - primer-introduced restriction analysis (PIRA) 859
- PDS inhibitors, structural elements 216
- peach fruit moth, *see* *Carpocapsa niponensis*
- Pectinophora gossypiella* (pink bollworm) 1031ff.
- pefurazoate 773f.
 - physicochemical data 773
 - synthesis 774
- pelargonic acid 528
- pencycuron 549, 748ff., 1195
 - biology 756
 - chemistry 750
 - development 749
 - ecotoxicology 758
 - discovery 750
 - metabolism 759
 - mode of action 755
 - physico-chemical property 756
 - sensitivity to several Anastomosis groups (AGs) of *Rhizoctonia solani* 757f.
 - structure–activity relationship 753
 - synthesis 755f.
 - toxicology 758
- penoxsulam
 - crop utility 109
 - ecotoxicology 110
 - environmental degradation 110
 - mechanism of crop selectivity 109
 - toxicology 110
- pentachlorobenzyl alcohol (PCBA) 842
- peptidyl nucleoside antibiotic inhibitor 1002
- Perigrinus maidis* (corn planthopper) 1417
- Periplaneta americana* (American cockroach) 1232, 1415
- Periplaneta americana* L. 1142ff.
- Peronosporales 807
- peroxidase 609
- persistent, bioaccumulative, and toxic substance (PBT) 497
- persistent organic pollutant (POP) 497
- pesticide, fate and behavior of agricultural pesticides in the environment 491
- Pesticide Safety Directorate 498f.
- pesticides evaluation scheme of the WHO (WHOPES) 482
- pesticides residues, estimation of dietary intake 490
- PGR, *see* plant growth regulator
- Phakopsora pachyrhizi* (soybean rust) 413, 585
- Phalaris minor* 23
- pharaoh ant (*Monomorium pharaonis*) 1299
- phenols 651ff., 659ff.
- phenoxan 686, 687
 - from *Polyganium* sp. 687
- phenoxybenzamides, phytoen desaturase inhibitors 203
- phenoxynicotinamide 206
- phenoxyphenyl, heterocycle 176
- 4-phenoxyphenyl juvenoids 986
- phenoxypyridine ether, herbicides 207ff.
- phenoxypyridinecarbonamides, herbicides 206
- phenylacetic acid amide
 - aminopyrimidine 682
 - aminoquinazoline 682
- phenylalanine 406
- Phenylamide Fungicide Resistance Action Committee (PA-FRAC) 905
- phenylamides, fungicides 543, 827, 831, 905
- phenylamide resistance 905
- phenylcarbamate 480f.
- N-phenylcarbamate (NPC) 739
- phenylfuranone 207
- phenylindazoles 1258
- phenylpyrazoles 943, 1283ff.
- phenylpyrazoline 16
- phenylpyridazines 481
- phenylpyridazinone 209f.

- phenylpyridine 172
- phenylpyridinone 210
- phenylpyrroles 544, 551, 715ff
 - mode of action 715ff.
 - resistance 551, 718, 728
 - seed treatment 728
 - synthesis 722
- phenylpyrrolidinone 210
- phenylsulfonic acid 686
- phenyltetrahydrophthalimide 168
- phenyltetrahydropyrimidinone 211
- phenylthiadiazole[3,4a] pyridazine system 170f.
- phenyltriazolopyridazine 171
- 1-phenyl-1-pyrimidinyl-hydrazine
 - synthesis 708
- 3-phenyl-6-trifluoromethyluracil 182
- phenylurea fungicides 748
- phenylurea herbicides 15, 22
- phloem mobile insecticide 1123
- Phorodon humuli* 1122
- phosphatidylcholine biosynthesis 826
- phosphinic acid 8
- phosphinothricin 426
 - herbicidal activity 427ff.
 - uptake and translocation 428ff.
- L-phosphinothricin 423ff.
- inactivation by *N*-acetylation 433
- phosphinothricin-*N*-acetyltransferase (PAT) 413
 - crop selectivity by expression 432
- L-phosphinothricin acetyltransferase 418
- phosphinothricyl alanyl-leucine (phosalacine) 427
- phosphoenolpyruvate (PEP) 20
- phospholipids 531, 764
- phosphonates 541, 555, 869, 872
- phosphoroamidate 439
- phosphorodithioate 9
- phosphorothiolates 544
- phosphorylation inhibitor 561, 576
- Photinus pyralis* 1062
- photoaffinity labeling 564, 570
- photodegradation, pyrethrins 951
- photorespiration 425
- photosensitizer 1062
- photosynthesis inhibitor 479ff., 796
- photosystem II (PS II)
 - current market share of PS II compound groups 500
 - inhibitor of electron transport 346
- photosystem II (PS II) inhibitor 14f., 227f.
 - situation in the EC market 499
 - status of registration under EU Directive 91/414/EEC 503ff.
 - withdrawn from re-registration in EU 507ff.
- Phthalamate 9
- phthalamic acid 555
- phthalic diamide 1389
- phthalide 1180
- phthalimide 542
- physicochemical properties
 - abamectin 1308
 - acequinocyl 1082
 - acetamiprid 1173
 - ametoctradin 613
 - amicarbazone 511
 - aminocyclopyrachlor 301
 - anilino pyrimidines 707
 - azimsulfuron 71
 - azolones 61
 - azoxystrobin 598
 - beflubutamid 205
 - benoxacor 377
 - benthiovalicar 809
 - benzobicyclon 251
 - bifenazate 1083, 1351
 - bispyribac-sodium 127
 - bixafen 630
 - boscalid 629
 - bromuconazole 783
 - carboxin 628
 - carboxylic acid amid fungicides 809
 - chloroantraniliprole 1413
 - chromofenozide 959
 - clofentazine 1014
 - clothianidin 1176
 - cyantraniliprole 1413
 - cyazofamid 613
 - cyclosulfamuron 72
 - cyenopyrafen 1082
 - cyflomethofen 1082
 - cyflufenamid 888
 - cymoxanil 866
 - cyprodinil 707
 - diclobenil 362f.
 - dichlormid 377
 - diclomezine 875
 - doflovidazin 1015
 - diflufenican 204
 - dimethomorph 809
 - dimoxystrobin 598
 - dinotefuran 1182
 - emamectin benzoate 1308
 - enestrobin 607
 - epoxiconazole 780

- ethiprole 1293
- ethoxysulfuron 69
- etoxazole 1025
- famoxadone 613
- fenazaquin 1080
- fenamidone 613
- fenbuconazole 778
- fenhexamid 797
- fempiconil 726
- fenpyroximate 1080
- fentrazamid 322
- fipronil 1293
- flonicamid 1338
- fluacrypyrim 1081
- fluorcarbazone-methyl 144
- flucetosulfuron 73
- fludioxinil 726
- fluensulfone 1381
- flufenacet 319
- flumorph 809
- fluopicolide 831f.
- fluopyram 639
- fluoxastrobin 599, 605
- flupysulfuron-methyl-sodium 60
- fluquinconazole 788
- fluridone 204
- flurochloridone 204
- flurtamone 205
- flutolanil 628
- flusulfamide 873
- fluxapyroxad 630
- foramsulfuron 77
- foestyl-aluminium 870
- halofenozide 959
- hexathiazox 1020
- hydramethylnon 1082
- imibenconazole 789
- imidacloprid 1190f.
- imidazolinones 91
- indaziflam 362f.
- indoxacarb 1263
- iodosulfuron-methyl-sodium 62
- ipconazole 787
- iprovalicarb 809
- isopyramzam 629
- isoxaben 362f.
- kresoxim-methyl 598
- lepimectin 1314
- mandipropamid 809
- mefenacet 319
- mefenpyr-diethyl 382
- mepaniprim 707
- mesosulfuron-methyl 64
- mesotrione 252
- metalaxyl-M 903
- metconazole 785
- methoxyfenozide 959
- metominostrobin 598
- metolachlor 377
- metrafenone 891
- milbemectin 1308
- nitenpyram 1170
- norflurazon 205
- oryzastrobin 598
- oxadiazines 1261
- oxasulfuron 79
- oxpoconazole 775
- oxyacetamide 319
- pefurazoate 773
- pencycuron 756
- penflufen 630
- pen thiopyrad 629
- picolinafen 205
- picostrobin 598
- pinoxaden 469
- propoxycarbazone-sodium 144
- proquinazid 894
- prothioconazole 792
- pymetrozine 1328ff.
- pyraclostrobin 599
- pyridaben 1080
- pyridalyl 1360ff.
- pyrifluquinazon 1342
- pyrimethanil 709
- pyrimidifen 1081
- pyriminobac-methyl 127
- pyrimisulfan 160
- pyriproxyfen 996
- pyri thiobac-sodium 127
- quinoxifen 733
- sedaxane 630
- simeconazole 790
- spirodiclofen 1122
- spiromesifen 1122
- spirotetramat 1122
- spiroxamine 795
- sulcotrione 251
- sulfosulfuron 61
- sulfoxaflor 1230
- tebufenozide 959
- tebufenpyrad 1080
- tebufloquin 880
- tefuryltrione 252
- tembotrione 252
- tetraconazole 778
- thiacloprid 1196f.
- thiamethoxam 1213
- thiapronil 1083

- physicochemical properties (*contd.*)
 - thiencarbazone-methyl 144
 - thifluzamide 629
 - tolfenpyrad 1081
 - triazoxide 877
 - trifloxystrobin 598
 - trifloxysulfuron-sodium 80
 - tritconazole 782
 - tritosulfuron 66
 - uncouplers of oxidative phosphorylation 652
- phytoalexins 872
- phytoene 199
- phytoene desaturase (PDS) 197ff.
 - inhibition 201
- phytoene desaturase inhibitors 197ff.
 - acute oral toxicity 203
 - application data 219ff.
 - binding site 212
 - biology 217
 - enzyme activity 203
 - physical data 203
 - synthesis 218ff.
 - use pattern 217
- phytofluene 199f.
- phytohormone 911
- phytophagous mite 1349
- Phytophthora cinnamomi* 868f.
- Phytophthora infestans* 833
 - effect on zoospores and mycelial growth 833
 - spectrin-like protein 836
- Phytophthora* spp. 871
- phytoprostane 387
- Phytoseiulus persimilis* 1339ff.
- phytotoxic effect
 - bleaching herbicide 197
 - uncouplers of oxidative phosphorylation 649
- picolinafen 202ff., 218
 - physicochemical properties 205
 - synthesis 221f.
- picolinate auxin herbicide receptor
 - AFB5 class 273
- picoxystrobin 592, 607
 - metabolic stability 605
 - physicochemical properties 598
 - synthesis 618
- picrotoxin (PTX) 1289f.
- pericidin 564
- Pieris rapae crucivora* (common cabbage worm) 1402
- pink bollworm (*Pectinophora gossypiella*) 1031ff.
- pinoxaden 460ff.
 - biology 470
 - ecotoxicological environmental profile 469
 - metabolism in *planta* 471
 - physico-chemical properties 469
 - selectivity 471
 - soil metabolism 472f.
 - synthesis 470
 - toxicological profile 469
- pinworm (*Tuta* spp.) 1263
- piperazines 768ff., 522
- piperidines 793f., 552
- piperonyl butoxide (PBO) 1072, 1253
- pKa, uncouplers of oxidative phosphorylation 651ff., 660f.
- Planococcus citri* (citrus mealybug) 1174f., 1234
- plant breeding, *Bar* and *Pat* gene 433
- plant bugs (*Lygus* spp.) 1339
- plant defense inducers 540, 547, 909ff.
- plant defense reactions 610
- plant defense responses 869, 872f., 912ff., 918, 924
- plant engineering 1029
- plant growth regulator (PGR) 523ff., 764
 - DMI fungicides 764
 - epoxiconazole 779
- plant nitrogen metabolism, glutamine synthetase 424
- plant regulator (PR) 523ff.
 - commercialized 524
 - modern agriculture 527
 - new aspects 523ff.
- plant resistance, effect of CP4 expression 414
- plant transformation 1030
- Plasmodiophora brassicae* 615, 874
- Plasmodiophoromycete 615
- Plasmopara viticola* (vine downy mildew) 613, 814
- plastoquinone (PQ) 197, 226
- Plutella xylostella* (diamond-back moth) 990, 1004, 1034ff., 1062ff., 1300, 1359, 1406ff., 1418ff.
 - insecticidal activity of pyridalyl against insecticide-resistant strain 1363
- Poa annua* 15, 18, 440
- Point mutation
 - EPSP synthase 21
 - herbicide resistance 17f., 21, 26
- polyamines 531f.
- polychlorocycloalkane (PCCA) insecticide 1285
 - cross resistance 1285
 - noncompetitive antagonist (NCA) 1285

- acetamiprid 1175ff.
- inhibitor in DHN melanin biosynthesis 842ff.
- polyoxins 553, 1002
- pome and stone fruit, *Cydia molesta* 1199
- Popillia japonica* (Japanese beetle) 975, 1300
- positive list of active substances (Annex I) 487
- potato late blight 814ff., 867
- potato leafhopper, *see Empoasca fabae*
- potato powdery scab (*Spongospora subterranea*) 874
- powdery mildew 660ff., 698, 719, 731, 770ff., 881
- predatory mite (*Amblyseius californicus*) 1344ff.
- pregnane steroids 1288
- prephenate dehydrogenase 215
- pro-fungicides 654
- pro-herbicides 256
 - HPPD inhibitors 228
 - isoxazole 271
 - N-acetyl-phosphinothricin 434
- pro-insecticides 1065, 1072, 1095
 - nAChR 1132
- pro-safener 382
- probenazole (PBZ) 909ff.
 - synthesis 914
 - systemic acquired resistance induction 914
- proline dehydrogenase 573
- pronamide 740
 - tobacco tubuline binding inhibitor
- propoxycarbazone
 - herbicidal characteristics 157
 - physico-chemical properties 144
 - synthesis 148ff.
- proquinazid 893f.
 - cross-resistance 895
 - discovery 894
 - ecotoxicological property 894
 - mode of action 895
 - physical property 894
 - product 896
 - synthesis 895
 - toxicological property 894
- protein synthesis
 - biosynthesis mechanism 693f.
 - fungicides acting on 551, 693
- prothioconazole 791, 878
 - physicochemical properties 792
 - resistance 791
 - synthesis 792f.
- prothoracicotrophic hormone (PTTH) 989
- proton gradient, inhibitor of oxidative phosphorylation 1070
- proton transport 648f.
- proton-gated chloride channel 1290
- protoporphyrinogen IX oxidase (Protox, PPO) inhibitors 163ff.
 - binding studies 176, 183
 - crystal structure 183
 - molecular modelling 176, 183
 - toxicology 190
- PS II herbicides 25, 501ff.
 - market 510
 - nitril 503, 507
 - triazines 480
 - uracil 505, 508
 - urea 501f., 508
 - withdrawn 505ff.
 - see also photosynthesis inhibitors
- psbA* gene 15
- Pseudocercospora herpotrichoides* (cereal eyespot pathogen) 770
- Pseudococcus comstocki* (comstock mealybug) 1402
- Pseudomonas* 423ff.
 - *syringae* pv. *tabaci* 423ff.
- Pseudoperonospora cubensis* (cucumber downy mildew) 814, 833, 867ff.
- Pseudoperonospora humuli* (downy mildew on hop) 871
- Pseudoplusia includens* (soybean looper) 1419
- Psylla piri* 1116
- Psylla* spp. 1339
- pterulinic acid 687
- pterulone 687
- PttMAP20* gene 347
- Puccinia hordei* (barley leaf rust) 792
- Puccinia triticina* (rust) 791
- putrescine 531
- pymetrozine 1327
 - biological activity 1333
 - chemical property 1328ff.
 - discovery 1327ff.
 - insecticidal spectrum 1334
 - mode of action 1331
 - physicochemical properties 1328ff.
 - resistance 1333
 - safety profile 1333f.
 - synthesis 1328ff.
 - use recommendation 1333
- pyraclostrobin 531, 592ff., 606
 - metabolic stability 599
 - physicochemical properties 599
 - synthesis 619
 - translaminar movement 592

- pyraflufen-ethyl, synthesis of 185
- pyrazogyl, synthesis of 183
- pyrazolecarboxamides insecticides 1087
- pyrazoles 173, 182, 245
- pyrazolines 1257
 - insecticidal 1273
 - isomer 1276
 - safener 381
 - sodium channel blocker 1258
 - structure–activity relationship 1274ff.
- pyrazolium herbicides 9
- pyrazolones 272, 275
- pyrazolotriazinone 189
- pyrazolynate 263f.
 - half-lives 264
 - synthesis 264ff.
- pyrazoxyfen 225ff., 266
 - synthesis 267
- Pyrenophora graminea* (leaf stripe on barley) 710, 730, 878f.
- pyrethroid 941, 951, 1068, 1226, 1253, 1346
 - synthetic 951, 1270
 - type I 951
 - type II 951
- pyribencarb 593
 - synthesis 620
- Pyricularia oryzae* (rice blast) 661, 694ff., 839
- pyridaben 671, 1084ff., 1101
 - discovery 1085ff.
 - metabolism 1079
 - physico.chemical data 1080
 - resistance 1101
 - synthesis 1085
- pyridalyl 1358ff.
 - biological aspect 1362
 - chemistry 1360
 - discovery 1359f.
 - insecticidal activity 1362
 - mode of action 1364
 - physicochemical properties 1360ff.
 - structure–activity relationship 1360
 - toxicological profile 1359
- pregnane steroids 1288
 - synthesis 1261
- pyridazine insecticide 1259
- pyridazinones 8, 173, 480f., 555, 875, 1085
- pyridine azomethine 1327ff.
 - structure–activity relationship 1328ff.
- pyridine sulfonamide 686
- pyridine-3-carboxaldehyde *N*-oxide 1328
- pyridinyl-ethyl benzamide 640
- pyridines 8ff., 400, 439ff., 552, 767ff.
 - N*-(4-pyridyl) aryl acetamide 679
- pyridyl triketone 247
- N*-(4-pyridyl)biphenyl acetic acid amide 679
- 2-pyridylsulfonic acid 685
- pyrfluquinazon 1327f., 1340
 - biological activity 1343
 - chemical property 1342
 - mode of action 1342
 - physicochemical properties 1342
 - safety profile 1343
 - synthesis 1340ff.
- pyrimidifen, synthesis 1089
- pyrimidine 706, 768ff.
- pyrimidine carboxylic acid 295
- 2'-pyrimidinecarbonyl sulfonanilide 135
 - rice herbicide 135
- pyrimidinyl carboxylate herbicides 117ff.
 - ALS inhibitor 120
 - discovery of herbicide 118
 - mode of action 132
 - physico-chemical and toxicological characteristics 127
 - structure–activity relationship 120
 - synthesis 121
- pyrimidinyl glycolate herbicides 122ff.
- pyrimidinyl salicylate herbicides 117ff., 135
- pyrimidinyl thiobenzoate herbicides 19, 35
- N*-(4-pyrimidyl) aryl acetamide 683
- pyriminobac methyl 127
 - biology 131
 - discovery 129
 - ecotoxoloies 127
 - rice herbicide 129
- pyrimisulfan 140
 - biology 139
 - rice herbicide 139
 - synthesis 136
- pyriproxyfen 983ff.
 - activity of optical isomers 987
 - biological activity 990
 - mechanism of action 987
 - physicochemical properties 995
 - resistance 995
 - stability 996
 - synthesis 995
 - toxicology 996
- pyrithiobac-sodium 127
 - biology 126
 - cotton herbicide 125
 - discovery 125
 - physicochemical properties 127
- pyroxasulfone 309, 327
 - biological activity 328
 - mode of action 330
 - synthesis 328
- pyroxsulam

- crop utility 112
- ecotoxicology 113
- environmental degradation 113
- herbicidal activity 113
- mechanism of crop selectivity 112
- metabolite 113f.
- synthesis 102
- toxicology 113
- pyrroles 651, 1073ff.
- pyruvate 19, 30, 318
- pyruvate decarboxylase 30
- pyruvate transporter 560

q

- Q cycle 566
- Qi inhibitor class 567
- Qo inhibitors 531, 541, 567, 713
- quinazoline insecticides 1086
- quinazolinedione 189
- N*-(4-quinazolinyl) aryl acetamide 683
- quinolin-2-one herbicides 178
- N*-(4-quinolinyl) aryl acetamide 679
- quinoxifen 549, 687f., 719
 - mode of action 565
 - physicochemical properties 578
 - resistance 420
 - synthesis 577
 - toxicology 577

r

- radioligand binding assay 740, 1151
- rational drug design 855f.
- Rdl* gene 1286
- re-registration process in the European Union 482
 - main changes in guidelines 488
 - PS II inhibitors withdrawn 507ff.
 - status of registration of PS II inhibitors under EU Directive 91/414/EEC 503ff.
- recombinant hybrid insect 1147f.
- red imported fire ant (*Solenopsis invicta*) 1299
- reduced herbicide translocation, herbicide resistance 16, 24
- reductase in melanin biosynthesis 554
- reductase in sterol biosynthesis 552, 765ff., 795, 798f.
- reregistration 488, 500
- residue data requirement 490
- resistance 543ff., 717
 - ACCase-inhibiting herbicide 453
 - AHAS-inhibiting herbicide 43
 - aminocyclopyrachlor resistance management 303
 - aminopyrimidines 544
 - anilinopyrimidine 711
 - aromatic hydrocarbons 544
 - auxin herbicide field resistance 285
 - azolones 614
 - benzimidazole 544, 739, 882
 - benzamides 745ff.
 - benzoylurea 1270
 - bialaphos 432
 - bifenazate 1352
 - bisacylhydranzine 977
 - blasticidin S 696
 - bromoxynil (BXN[®]) 402
 - CAA fungicides 553, 827
 - carbamates 1270
 - carboxamides 554
 - carboxin 571, 635-
 - clofentezine 1001f., 1015f.
 - chlorfenapyr 1076
 - chloroacetamide herbicides 313
 - chlorsulfuron 41
 - continuous selection 543, 762
 - cross-resistance, *see* cross-resistance
 - cry proteins 1039f.
 - cyflufenamid 889f.
 - diafenthiuron 1067f.
 - dicarboximide fungicides 545, 551, 717
 - dieldrin 1286ff.
 - diethofencarb 742
 - dimethoate 1101
 - DMI fungicides 552
 - dodine 555
 - engineering crop 46, 203, 418
 - etoxazole 1012, 1025f.
 - famoxadone 612
 - fenamidone 612
 - fenazaquin 1101f.
 - fenhexamid 798ff.
 - fenoxprop 17, 273, 393
 - fenproximate 1101f.
 - fipronil 1300
 - flonicamid 1338
 - fluazinam 650, 663
 - flubendiamide 1406
 - fludioxinil 717
 - flufenacet 313
 - flumorph 826
 - flutolanil 571
 - fosethyl-aluminium 715
 - fungicides 543ff.
 - glufosinate 401ff.
 - glyphosate herbicide 12
 - halofenazide 977
 - hexathiazox 1020, 1025
 - imidazolinone 403

- resistance (*contd.*)
 - indoxacarb 1270
 - induced 913
 - iprovalicarb 825ff.
 - IRAC resistance management 1301
 - isoxaben-resistance loci (*ixr1* and *ixr2*) 350
 - kasugamycin 419, 543, 698
 - MBI-D fungicides 554, 858ff.
 - mechanism 543, 1100
 - mechanisms for engineering glyphosate resistance 411
 - MET inhibitor-based acaricide 1100
 - metabolic detoxification 543
 - metalaxyl-M 904ff.
 - methamidophos 1101
 - methidathion 1101
 - metrafenone 892f.
 - molecular basis 41
 - monogenic 543
 - multiple 14ff.
 - non-target-site 14ff., 940
 - organochlorines 1240, 1287
 - organomercurials 544
 - organophosphates 1226, 1270
 - paraquat 24
 - phenylamides 544, 827
 - phosphoro-thiolates 544
 - phenylpyrroles 544, 717, 728
 - polygenic 543
 - proquinazid 895f.
 - prothioconazole 791
 - pymetrozine 1331
 - pyridaben 1101
 - pyriproxyfen 995
 - QoI fungicides 544
 - quinoxifen 544
 - risk analysis 546
 - SBI –fungicides 766
 - scytalone dehydratase inhibitors 850, 858f.
 - spionsyns 1240f., 1252f.
 - streptomycin 701ff.
 - strobilurins 612f.
 - succinate dehydrogenase inhibitor 636
 - synthetic pyrethroids 1264, 1270
 - sulfonylurea 401
 - systemic acquired, *see* systemic acquired resistance
 - target-site 14, 940
 - tebufenpyrad 1100ff.
 - triazine 14, 405
 - triphenyltins 544
 - uncoupler 651
 - zoxamide 745
- Resistance Action Group (RAG) 937
- resistance database 939
- resistance development 5
- resistance management 546, 156
 - programs 546f.
 - regulatory requirement 938
 - shifting 762
 - strategies 546, 645, 1116
 - use of alternations 941, 956
- resistance monitoring method 937
- resistance mutations 543ff., 857, 1286f.
- resistance risk assessment 546
- respirasome 562
- respiration inhibitors 578
- respiratory chain 562
- Reticulitermes flavus* (subterranean termite) 1299
- Reticulitermes speratus* (termite) 1174f.
- rhamnose derivative 1245f.
 - structure and insecticidal activity of rhamnose-modified spinosyn analog 1246
- Rhizoctonia solani* (rice sheath blight) 748ff.
- Rhizoglyphus echinopus* 1062
- ribosomal RNA (rRNA) 693
- ribosome 693
- ribulose-1,5-bisphosphate carboxylase oxygenase (Rubisco) 424
- rice blast
 - *Magnaporthe grisea* 773
 - *Pyricularia oryzae* 661, 694, 839
- rice herbicides
 - azimsulfuron 70
 - benzobicyclon 256
 - bispyribac-sodium 128
 - cyclosulfamuron 70
 - dithiopyr 439
 - fentrazamide 320
 - flucetosulfuron 72f.
 - mefenacet 316
 - penoxsulam 109
 - pyrazolate 237
 - pyriminobac methyl 129
 - pyrimisulfan 139
 - sulfonylurea 68
- rice leaf roller (*Cnaphalocrocis medinalis*) 1410
- rice sheath blight (*Rhizoctonia solani*) 553, 748ff., 757, 791, 876
- rice stem borer (*Chilo suppressalis*) 960, 979, 1038, 1195, 1402, 1421
- rice water weevil
 - *Lissoropterus oryzophilus* 1198
 - *Lissorhoptrus* spp. 1298
- Rieske iron-sulfur protein (ISP) 566

- ripening 528
- risk assessment 482ff.
- RNA 693ff.
- RNA polymerase I 548
- RNA polymerization 904
- root uptake 605
- root-knot nematode 1377
- rotenoid 1078
- rotenone 564, 1078f.
- roundup ready
 - corn 409ff.
 - cotton 414f.
 - soybean 416
- rust
 - Asian 413
 - *Puccinia hordei* (barley leaf rust) 792
 - *Puccinia triticina* (rust) 791
 - ryanodine receptor (RyR) 1393f., 1415
 - modulators 1389
- S**
- saccharin 150
- Saccharopolyspora pogona* 1242
- Saccharopolyspora spinosa* 1131, 1238
- safener 61, 148, 352, 371ff.
 - dichloroacetamide 372, 389f.
 - commercial 373ff.
 - composition 496
 - effect on herbicide metabolism 385
 - effect on gene expression 385
 - herbicide detoxification 392
 - influence on herbicide translocation 388
 - influence on herbicide uptake 388
 - mechanisms of action 385
 - mode of action in agricultural practice 389
 - stimulation of GST activity 390
- salicylanilide 656
 - uncoupler 652
- salicylic acid (SA) 387, 531, 910
- salicylic acid-glucoside (SAG) 914
- salicylic acid pathway 554
- Salmonella typhimurium* 36
- Salsola iberica* 19
- Sarcoplasmic reticulum 1063
- SBI *see* sterol biosynthesis inhibitors
- SBI class I, DMI fungicides 767ff.
- SBI class II, amines 767, 793ff.
- SBI class III 767, 799
- SBI class IV 767, 801
- SBI fungicides 541ff., 761ff.
- Scapteriscus* spp. (mole cricket) 1300
- Scirpophaga incertulas* (yellow stem borer) 1421
- Scirpus juncoides* 19
- Sclerotinia sclerotiorum* 698, 730
- Sclerotium rolfsii* (white mold) 876
- sclerotization 973
- scytalone dehydratase (SD) 842
 - active site 850
 - biochemical reaction mechanism 850f.
 - biology of inhibitor 842
 - computational investigations of the enzyme mechanism 854
 - crystal structure analysis 850
 - inhibitor complex 852
 - inhibitor in DHN melanin biosynthesis 846ff.
 - inhibitor structures in the SD binding niche 855
 - resistance 852f., 858
 - sequence alignment 853
 - structure-based inhibitor design 850
- sediment water study 493f.
- seed born diseases, *Pyrenophora* 878
- seed dressing 388f., 878, 1193
- seed treatment
 - fungicides 577, 593, 607, 631ff., 644, 660ff., 723, 726ff., 762ff., 773, 776, 780ff., 790ff., 878
 - insecticides 1175, 1179f., 1191ff., 1211ff., 1239, 1283, 1297f., 1306, 1322, 1375
 - herbicide safener 372f., 379ff., 390
- selective feeding blocker 1327ff.
- semicarbazone
 - herbicide 9
 - insecticide 1259f., 1373ff.
- senescence 609
- sensitivity monitoring 543, 826
- Septoria tritici* 585, 612, 770ff., 791ff.
- Serine-glyoxylate-aminotransferase 424
- Sesamia inferens* 1421
- Setaria faberi* 17
- Setaria viridis* 17
- sethoxydim-resistant (SR) corn 404
- shakariki 71
- sheath blight of rice 757f.
- shikimate-3-phosphate (S3P) 20
- shikimate pathway 406
- shoot growth inhibition 403
- shoot stem borer (*Leucinodes* spp.) 1421
- signal perception 912
- signal transduction 551, 715, 912
- signaling pathway 387
- simeconazole
 - physicochemical data 790
 - seed treatment 790
 - synthesis 791
- singlet oxygen 165, 198

- site-directed mutation 857
- Sitophilus zeamais* (maize weevil) 1402
- sitosterol-cellodextrin 347
- sitosterol- β -glucoside 347
- smaller tea tortrix, *see* *Adoxophyes honmai*
- sodium channel-blocking insecticide 1257ff.
- sodium channel modulators 943
- soil
 - carboxylic acid amide (CAA) 810
 - sulfonylurea 81
- soil application
 - fipronil 1297
 - thiamethoxam 1216
- soil degradation data
 - benoxacor 377
 - furilazole 378
- soil metabolism
 - mesosulfuron-methyl 82
 - pinoxaden 472f.
- soil nontarget microorganism
 - risk 494
- Solenopsis invicta* (red imported fire ant) 1299
- somatic embryogenesis receptor kinase (SERK) 917
- Sorghum halepense* 18
- Southern armyworm 1280
- soybean 78
 - expressing of cry proteins 1034ff.
 - gene modified 400ff.
 - herbicide-resistant 401ff.
- soybean looper, *see* *Pseudoplusia includens*
- soybean rust (*Phakopsora pachyrhizi*) 413, 585
- soybean stem weevil (*Sternechus subsignanthus*) 1298
- spectrin-like protein
 - characterization in *Phytophthora infestans* by bioanalysis 836
 - distribution 834
- spectrum shift 1063, 1124
- spermidine 531
- spermine 531
- Sphacelotheca reiliana* (corn head smut) 781
- spider mite
 - *Tetranychus cinnabarinus* (carmin spider mite) 1067, 1318ff.
 - *Tetranychus urticae* (two-spotted spider mite) 1110ff., 1348ff.
- spinetoram 1127ff., 1147, 1238ff.
 - activity 1247
- spinosad 1127ff., 1147, 1238ff.
 - biological activity 1239ff.
 - primary use 1239
- spinosyns 1127ff., 1147, 1238
 - aglycone 1241ff, 1250
 - biosynthesis 1249
 - core-modified analog (aglycone) 1241ff.
 - genetics 1249
 - insecticidal activity of rhamnose-modified spinosyn analog 1246
 - metabolism 1252
 - mode of action in insect 1144, 1240
 - modification involving the C9 sugar 1245
 - modification involving the C17 sugar 1244
 - modified at C21 1242f.
 - penetration 1252
 - semi-synthetic 1144ff., 1238ff.
 - *spn* genes 1250
 - structure of rhamnose-modified spinosyn analog 1246
- spirodiclofen 1108ff.
 - biological properties 1122
 - discovery 1109
 - development 1116
 - physico-chemical properties 1122
 - synthesis 1111f.
 - use 1116
- spiroketalamines 552, 767, 795
- spiromesifen 1108ff.
 - biological property 1122
 - discovery 1109, 1124
 - physico-chemical property 1122
 - synthesis 1111ff.
 - use 1116
- spirotramat 1118ff., 1376
 - biological property 1122
 - biology 1122
 - mode of action 1122
 - nematocidal activity 1376
 - physico-chemical properties 1122
 - synthesis 1120f.
- spiroxamine 795
 - diastereomer 796
 - synthesis 796
- spn* genes 1250
- Spodoptera eridania* 1280
- Spodoptera exigua* (beet armyworm) 1004, 1034, 1419
- Spodoptera frugiperda* (fall armyworm) 1248, 1280, 1411
- Spodoptera littoralis* 1034
- Spodoptera litura* (common cutworm, tobacco cutworm) 988, 1003, 1067, 1403ff.
- Spodoptera* spp. (armyworm) 1359
- Spongospora subterranea* (potato powdery scab) 874
- sprout inhibition 529

- sprout suppressant 529
- squalene epoxidase inhibitor 522, 800f.
- squalene monoxygenase 765f., 795
- stacking traits 416
- Stellaria media* 19, 58
- Sternelus subsignanthus* (soybean stem weevil) 1298
- sterol biosynthesis
 - enzymes involved in fungi 764
 - fungicide 552
 - target of agricultural fungicide 764
- sterol biosynthesis inhibitor (SBI) 539, 719, 761ff.
- biochemical target of SBI fungicide 763
- class 764
- Class I (DMI fungicide) 767
- Class II (amine) 793
- Class III (hydroxyanilide) 796
- Class IV (squalene epoxidase inhibitor) 801
- fungicide in agriculture 761ff.
- grouping fungicide 767
- market importance of fungicide 763
- stilbene synthase 309
- storage 489, 526ff.
- Streptomyces* 424ff.
- *griseus* 699f.
- *hygroscopicus* 427ff.
- *kasugaensis* 696
- *phosalacineus* 427
- phosphinothricin-producing 432f.
- *viridochromogenes* 426ff.
- streptomycin 700f.
- Streptovorticillium rimofaciens* 698
- stress defense 530
- stress protectants, triazoles 530
- stress tolerance, strobilurins 586, 609
- strigolactone 532
- strobilurins 531, 541, 567, 584ff., 1095
 - acaricide 611
 - bioavailability 603
 - biokinetic behavior 596ff.
 - biological use pattern 598
 - commercial fungicide 590
 - distribution 603
 - evolution as agricultural fungicides 587
 - interplay of target activity and biokinetic behavior 595
 - physico-chemical data 598
 - resistance 612f.
 - root uptake 598, 605ff.
 - structure–activity relationship 595ff.
 - target activity 595ff.
 - transportation 603
 - vapor pressure 604
 - water solubility 609
 - yield enhancement 592, 609
- Strobilurus tenacellus* 612
- Structure-activity relationship (SAR)
 - anilinopyrimidines 710
 - aryl-diones 466
 - avermectin 1317
 - benzamides 743ff.
 - benzenedicarboxamides 1398f.
 - bifenazate 1347
 - biphenyl carbazates 1349
 - bisacylhydrazines 962ff.
 - diafenthiuron 1063f.
 - diflumentorim 674
 - diphenyl-oxazolinone 1023
 - ecdysteroids 962ff.
 - fiprole insecticides 1294
 - N-benzyl-4-pyrimidine-amines 674
 - N-triazolo(1,5c)pyrimidine sulfonamides 102
 - oxadiazines 1260
 - oxazolines 1023
 - phenylpyrazoles 1283
 - phenylurea fungicides 753ff.
 - phytoene desaturase inhibitors 203
 - pyridazinones 1085
 - pyridine azomethines 1328f.
 - pyrimidinylcarboxylates 117ff.
 - pyrimidinylsalicylates 117ff.
 - succinate dehydrogenase inhibitors 635
 - strobilurins 597
- strychnine-sensitive glycine receptors 1288
- subterranean termite (*Reticulitermes flavus*) 1299
- succinate dehydrogenase (SDH) 570, 628ff.
- succinate dehydrogenase inhibitor 628ff., 640
 - biological activity and application 634, 645
 - influence of structural elements on the biological spectrum 642
 - metabolism 636
 - resistance 636
 - structure–activity relationship 635
 - structures 627ff.
- succinate–UQ oxidoreductase 570
- sugar accumulation 527
- sugarbeet, vectors of virus diseases 1180
- sugarcane 51, 78ff., 80, 97, 269, 510
- suicide substrate 571
- sulcotrione 225ff., 240ff.
 - environmental properties 251
 - physicochemical properties 251
 - metabolism 249

- sulcotrione (*contd.*)
 - synthesis 250
- sulfamides, fungicides 556
- sulfcarbamide-1-aminomethanamide 528
- sulfonamide antibiotics 702
- sulfonamide, fluorinated 659
- sulfonanilide
 - commercialized herbicide 140
 - discovery 134
 - effect of benzene ring substitution 137
 - effect of bridge moiety 136
 - effect of sulfonamide moiety 136
 - structure–activity relationship 135
- N-sulfonyl amino acid amide 818
- sulfonylaminocarbonyl-triazolinone (SCT, SACT) 19, 142ff.
 - biological profile 151ff.
 - discovery 143
 - optimization 143
 - structure–activity relationship 141
 - synthesis of 143
- sulfonylisocyanates, production of 52
- sulfonylisoxazoline 309
- sulfonyltriazole 309
- sulfonylurea (SU) 19, 50ff., 374–393
 - agricultural utility 56ff.
 - behavior in the soil 81
 - cereal 59
 - degradation 81
 - development 52
 - herbicide 50ff., 78, 393
 - history 52
 - maize 75
 - metabolic fate 81
 - resistance 401
 - rice 68
 - safener 59, 374–393
 - selectivity 69, 76
 - synthesis 56
 - third-generation 52
 - toxicity 51f.
- sulfosulfuron 58
 - physico-chemical properties 61
- sulfoxaflor 1226
 - biology 1233
 - chemical property 1230
 - efficacy on resistant pests 1233
 - environmental toxicology 1230ff.
 - field use pattern 1233
 - mammalian toxicology 1230f.
 - metabolism 1235
 - mode of action 1232
 - physico-chemical properties 1228
 - structure–activity relationship 1228f.
 - synthesis 1226f.
 - toxicology 1226ff.
- sulfoximine 1226
 - acyclic 1228
 - green-peach aphid (*Myzus persicae*) efficacy 1229
 - synthesis 1227
- sulfur formulation 542
- sweet potato whitefly, *see Bemisia argentifolii*
- synergists 496, 984
- Synthesis of
 - acequinocyl 1095
 - acetamiprid 1174
 - acibenzolar-S-methyl 915
 - alkylazine herbicides 355
 - 4-alkynyl-2-anilinopyrimidine 708
 - amectotradin 621
 - amicarbazone 514
 - amidoflumet 1355
 - N-amino triazolinone 514
 - aminocyclopyrachlor 299
 - aminopyralid 288
 - aminosulfones 807ff.
 - amisulbrom 620
 - anilinopyrimidine 706
 - aryl-1,3-dione 461ff.
 - azolones 618
 - azoxystrobin 617
 - beflubutamid 221f.
 - bencarbazone 190
 - benclothiaz 1384
 - benoxacor 376
 - benthiovalicar 815
 - benzfendizone 175
 - benzobicyclon 257
 - bifenazate 1350
 - bisacylhydrazine 961ff.
 - boscalid 634
 - bromuconazole 784
 - butafenacil 174
 - carbazate 1350
 - carpropamid 858
 - chloroantraniliprol 1413
 - chlorfenapyr 1073f.
 - chlorthiamid 346
 - chromofenozide 962f.
 - clofentezine 1014, 1021
 - cloquontocet-mexyl 380
 - clothianidin 1177ff.
 - cyantraniliprol 1415
 - cyazofamid 621f.
 - cyclohexandione 461
 - cyclosulfamuron 71
 - cyenopyrafen 1093

- cyflufenamid 890
- cyflometofen 1094, 1353
- cymoxanil 867
- cyprodinil 708
- cyprosulfamide 384
- cyzofamid 620
- diafenthiuron 1065f.
- dichlobenil 346
- dichlormid 377
- diclocymet 858
- diclomezine 876
- diflovidazin 1014ff.
- diflufenican 221f.
- diflumetorim 674
- dimethomorph 811
- dimoxystrobin 616
- dinotefuran 1183
- dithiopyr 443f.
- emamectin benzoate 1306, 1309, 1311
- epoxiconazole 780f.
- ethiprole 1293f.
- etoxazole 1022, 1024
- famoxadone 619
- fenamidone 619
- fenazaquin 1086
- fenbuconazole 779
- fenhexamid 798
- fenoxasulfone 327
- fepiclonil 723f.
- fenpyroximate 1084
- fentrazamid 321
- ferimzone 661
- fipronil 1293f.
- flonicamid 1335ff.
- fluacrypyrim 1096
- fluazinam 664
- flubendiamide 1398
- fluensulfone 1380f.
- flucarbazone-sodium 148ff., 153
- fludioxonil 723, 725
- fluensulfone 1380
- flufenacet 318
- flufenerim 1090f.
- flufenpyr-ethyl 176
- flumorph 811
- fluopyram 644
- fluoxastrobin 618
- flupoxam 351f.
- fluquinconazole 788f.
- fluridone 221f.
- flurochloridone 221f.
- flurtamone 221f.
- flusulfamide 874
- flutianil 897
- fluxofenim 379
- foestyl-aluminium 870
- fufenozide 978
- furilazole 378
- glyoxylic acid derivatives 823
- halofenozide 961
- hexathiazox 1019ff.
- hydromethylnon 1098
- imibenconazole 790
- imidacloprid 1190ff.
- imidazolinones 89
- indaziflam 355
- indoxacarb 1262
- ipconazole 786
- ipfencarbazone 323
- iprovalicarb 812
- isotianil 919
- isoxaben 348
- isoxadifen-ethyl 270
- juvenoids 985
- kresoxim-methyl 616
- lepimectin 1313
- mandipropamid 821f.
- mefenacet 318
- mefenpyr-diethyl 381
- mepanipyrin 708
- mesotrione 238
- metalaxyl-M 902
- metconazole 786
- methoxyfenozide 962
- metominostrobin 616
- metrafenone 892
- nitenpyram 1171
- norflurazon 221f.
- oryzastrubin 616
- oxadiazines 1261
- oxpoconazole 775
- pefurazoate 774
- pencycuron 758
- phenylpyrroles 722
- picolinafen 221f.
- picoxystrobin 617
- pinoxaden 470
- probenazole 914
- propoxycarbazone 148ff.
- proquinazid 895
- prothioconazole 792f.
- pymetrozine 1328ff.
- pyraclostrobin 619
- pyraflufen-ethyl 175
- pyrazogyl 183
- pyrazolynate 264ff.
- pyrazoxyfen 267
- pyribencarb 619

- Synthesis of (*contd.*)
- pyridaben 1085
 - pyridazine 1261
 - pyrfluquinazon 1340ff.
 - pyrimethanil 708
 - pyrimidifen 1089
 - pyrimisulfan 136
 - pyriproxyfen 995
 - pyriproxyfen 995
 - pyroxasulfone 328
 - quinoxifen 732
 - simeconazole 791
 - spirodiclofen 1111f.
 - spiromesifen 1111f.
 - spirotetramat 1120f.
 - spiroxamine 796
 - sulcotrione 250
 - sulfoxaflo 1226f.
 - sulfoximine 1227
 - tebufenozide 961
 - tebufenpyrad 1088
 - tebufloquin 880
 - tefuryltrione 256
 - tembotrione 256
 - tetraconazole 778
 - thiacloprid 1198
 - thiamethoxam 1211f.
 - thiazopyr 443ff.
 - thiencarbazone-methyl 148ff.
 - thifluzamide 633f.
 - tiadinil 917ff.
 - tolfenpyrad 1088
 - topramezone 273
 - triaziflam 355
 - triazoxide 878
 - trifloxystrobin 616
 - triticonazole 782
 - valifenalate 816f.
 - zoxamide 744
- systemic acquired resistance (SAR) 911
- biochemical change 912
 - induction by acibenzolar-S-methyl 916
 - induction by probenazole 914
 - isotianil 919
 - priming 913
 - systemic signal 911
 - tiadinil 918
- systemic translocation 409
- systemicity in plant 604
- t**
- tabtoximine- β -lactam 423
- take-all fungus (*gaeumannomyces graminis*) 577, 788
- tan spot (*Drechslera tritici-repentis*) 791
- tanning 973
- target site, genetic modification of 940
- target-site mutation 14, 612
- target-site resistance 14, 940
- Tarsonemid* mite 1116
- TCA cycle 570
- tebufenozide 961ff., 975
- ecotoxicology 976
 - physicochemical properties 959
 - synthesis 961
 - toxicology 976
- tebufenpyrad 671, 1084ff., 1100f.
- discovery 1087ff.
 - metabolism 1097
 - physico-chemical data 1080
 - resistance 1101
 - synthesis 1088
- tebufloquin 879
- application 881
 - physico-chemical properties 880
 - plant disease 881
 - synthesis 880
- tefuryltrione 246ff.
- synthesis 256
- tembotrione 156, 228, 246ff., 382
- synthesis 256
- termite 1174f., 1297
- *Heterotermes tenuis* 1297
 - *Reticulitermes speratus* 1174f.
- tetraconazole 776f.
- biologically most active enantiomer 778
 - physicochemical data 778
 - synthesis 778
- tetracyclic macrolide polyketide 1128
- tetracycline antibiotics 551
- tetrahydroindazole, PPO herbicides 186
- tetrahydrophthalimide, Protoc herbicides 167ff.
- tetrahydropyrazolodione 460
- tetrahydroquinoline 979
- 1,3,6,8-tetrahydroxynaphthalene reductase (MBI-R) 842ff.
- inhibitor in DHN melanin biosynthesis 845
- tetramic acid 462, 1118
- spirocyclic derivative 1119
- Tetranychus cinnabarinus* (carmin spider mite) 1067, 1318ff.
- Tetranychus* spp. 1349
- Tetranychus urticae* (two-spotted spider mite) 1110ff., 1348ff.
- tetrapyrrole, mimicry 177
- tetrazines acaricides 1013ff.

- tetrazolinones, herbicides 9f., 316ff.
 tetrodotoxin-sensitive (TTX-S) sodium current 1269
 tetrodotoxin-resistant (TTX-R) sodium current 1269
 tetronic acid 462, 1110
 tetronic acid derivative 1110ff.
 – biology 1114
 – mode of action 1114
 thiachloprid 1127, 1189ff.
 – activity 1199
 – application 1198
 – ecotoxicological profile 1198
 – efficacy on target pests 1198
 – ovicidal activity 1200
 – physico-chemical properties 1196f.
 – synthesis 1198
 thiadiazolecarboxamide fungicides 554
 thiadiazoles 8f., 552
 thiamethoxam 1127, 1180, 1203ff.
 – acute toxicity 1219
 – application 1215
 – biological activity 1215
 – biological mode of action 1215
 – chemical property 1213
 – ecotoxicology 1220
 – effects on beneficial arthropods 1220
 – foliar application 1216
 – hydrolytic degradation pathway 1214
 – mammalian toxicology 1219
 – mode of action 1214
 – physical property 1213
 – physico-chemical property 1213
 – safety profile 1219
 – seed treatment application 1218
 – soil application 1216
 – synthesis 1211f.
 – target sites in the nervous system 1214
 thiamine diphosphate (ThDP) 29
 thiatiazine 356
 – chemistry 356
 1 λ ⁴,2,4,6-thiatiazine 357
 thiazolidinone 1018f.
 thiazolidinone carbamate 359
 – synthesis 360
 thiazolo(2,3-b)triazine, fungicides 1018
 – synthesis 443ff.
 – toxicology 442
 thidiazimin 178
 thiencarbazone-methyl (TCM) 142ff., 155, 269, 394
 – herbicidal characteristics 157
 – physico-chemical properties 144
 – synthesis 148ff.
 thifluzamide 632ff.
 – synthesis 633f.
 thiobenzamide 345
 thiocarbamates 9, 326, 373, 379, 541ff., 767, 800
 thioesterase 1250
 thiophosphate 316
 thiourea insecticide 1064
 thioxo-oxazolidinone 614
 thrips
 – *Frankliniella occidentalis* (Western flower thrips) 1363
 – *Thrips palmi* (melon thrips) 992ff., 1174ff., 1363f.
 – *Thrips tabaci* 1339
 – Thysanoptera 1297, 1410
 – *Thrips palmi* (melon thrips) 992ff., 1174ff., 1363f.
 – *Thrips tabaci* (thrips) 1339
 Thysanoptera 1297, 1410
 tiadinil 632, 909ff.
 – synthesis 917
 – systemic acquired resistance 918
 tick vector
 – *Ixodes scapularis* 1300
 TIPS-EPSPS 411
 TIPS-EPSPS gene 416
 TIR1/AFB protein 277f.
 TIR1/AFB receptor family 282
 tobacco budworm, *see Heliothis virescens*
 tobacco cutworm (*Spodoptera litura*) 988, 1003, 1067, 1403ff.
 tobacco whitefly, *see Bemisia tabaci*
 tocopherol 227
 tocopherol cyclase 228
 tolfenpyrad 1079ff.
 – synthesis 1088
 tomato late blight 824, 867
 topramezone 245, 271f.
 – synthesis 273
 tortricide 1199
 toxicology 497
 – carbamates 951
 – carbocyclic acid amide fungicides 809
 – neonicotinoids 1156
 – organophosphates 951
 – selective insect toxicity 973
 – uncouplers or oxidative phosphorylation 661
 toxophore 589, 676, 1294
 2,3-trans-enoyl-CoA reductase 306
 transcription factors
 – OsWRKY45 912ff.
 – OsWRKY62 921ff.

- transcription factors (*contd.*)
 – OsWRKY76 921ff.
 transfer RNA (tRNA) 693
 transformation
 – *Agrobacterium*-mediated 1029
 transgenic plants
 – *Bacillus thuringiensis* Cry protein 1029ff.
 – heterologous expression of HPPDs 226
 – maize 411ff.
 translocation, systemic 409
 transpiration stream concentration factor (TSCF) 605
 trehalose 429, 599
Trialeurodes vaporariorum (glasshouse whitefly, greenhouse whitefly) 990ff., 1004, 1067, 1333
 1,3,5-triazindione 481
 1,3,5-triazine 480f.
 triazine tolerance (TT) 405
 triazine resistance 14
 1,3,5-triazine-2,4(1*H*,3*H*)-dione 480
 1,2,4-triazinone 480ff., 512
 triazole 531, 776
 triazole fungicides 8, 552, 584, 762–767, 770f., 776–793
 triazole pyridine triketone 248
 1,2,4-triazole-3-thione 791f.
 triazolinone 172ff., 316ff.
 – monocyclic 145
 – synthesis 150
 triazolocarboxamide 351
 – biology 352
 – chemistry 351
 triazolopyrimidine (TP) 19, 35, 99ff.
 – AHAS inhibition 114f.
 – sulfonamides 101ff.
N-triazolo[1,5-*a*]pyrimidine sulfonamide 111ff.
 – biology 111
 – herbicidal activity of analog 112
 – synthesis 111
N-triazolo[1,5-*c*]pyrimidine sulfonamide 105
 – biology 107
 – herbicidal activity of analog 108
 – synthesis 106
N-triazolo[1,5-*a*]pyrimidine sulfonanilide 100, 114
N-triazolo[1,5-*c*]pyrimidine sulfonanilide 100
 – biology 100
 – synthesis 100
 triazoxide 877, 1195
 – application 879
 – physico-chemical property 877
 – synthesis 878
Trichogramma spp. 1420
Trichoplusia ni (cabbage looper) 1404, 1419
 4,5,6-trichloro-2-trifluoromethyl benzimidazole (TTFB) 653
 trifloxystrobin 592ff., 607
 – physicochemical data 598
 – synthesis 616
 trifloxysulfuron-sodium 79
 – physico-chemical properties 80
 trifluoromethanesulfonanilide
 – structure–activity relationship 1356
 – substituted 137
 trifluoromethylnicotinamide 1336
 – structure–activity relationship 1335ff.
 trifluoromethylnicotinamide insecticide 1335
 triketone 235ff.
 – discovery 236
 – mode of action 237
 – physical, chemical, toxicological, and environmental property 251f.
 – structure–activity relationship (SAR) 239
 – synthesis 237ff.
 triticonazole 780ff.
 – physicochemical properties 782
 – synthesis 782
 tritosulfuron 64
 – physico-chemical properties 66
 tryptophan 425
 β -tubulin assembly 548
 turnip moth (*Agrotis segetum*) 1402
Tuta spp. (pinworm) 1263
 two-spotted spider mite, *see Tetranychus urticae*
txr gene 361ff.
Typhlodromus spp. 1420
Tyrophagus putrescentiae 1355
 tyrosine 226, 406, 854f.
- u**
 ubiquinol oxidase 572
 ubiquinol–cytochrome c oxidoreductase 561f.
 ubiquinone (UQ) 559ff.
 ubiquitin 278
 ubisemiquinone 564
 UDP-glucose 341ff.
 UDP-glucose pyrophosphorylase 341
 ultraspiracle protein (USP) 960ff.
 uncoupler 548, 561, 574, 646f., 1076
 – arylhydrazones 652
 – benzimidazole 652
 – classical 648
 – coumarin 652
 – diarylamine 652

- fungicidal 655
- mechanism of action 647
- neutral 649
- physico-chemical properties of
protonophoric uncoupler 652
- protonophoric 649
- pyrrole 652
- resistance 651
- salicylanilide class 652
- selectivity 649
- toxicity 649

uncoupling protein (UCP) 647ff.

Uniform Principle 487, 498

uracil 172, 480f.

- benzoheterocycle uracil 187

uracil heterocycle 174

urban pest control application 1299

urea herbicide 7, 360, 378, 384, 387

US-EPA 483ff.

usnic acid 650

Ustilago maydis 571, 687f.

Ustilago nuda (loose smut on barley)
687, 879

v

V75M mutants 859f.

valifenalate 807ff.

- synthesis 816f.

valinamide 808

valine 29ff.

valifenalate, synthesis 816

vapor-phase activity 790

vegetative insecticidal protein (Vip) 1030

velvetbean caterpillar, *see* *Anticarsia gemmatilis*

Venturia inaequalis (apple scab) 776

vertebrate nAChR

- selectivity for insect versus vertebrate
nAChRs 1145

very long-chain fatty acid (VLCFA) 333

- biological function in plant 306

- biosynthesis 306

- inhibitor of synthesis 305ff.

- mode of action of inhibitor 308

vigor effect of thiamethoxam 1220

vine downy mildew (*Plasmopara viticola*)
613, 814

violaxanthin 201

Vip3A Cot102 cotton 1037

VipCot™ cotton 1037

VLCFA biosynthesis in plants 306

VLCFA elongase ((VLCFAE)-type elongating
enzyme) 306ff., 331ff.

- fiddlehead-like 310

- phylogenetic tree for *Arabidopsis* 332

voltage–clamp

- native neuron preparation 1149

- whole-cell 1149

voltage-gated sodium channel (VGSC) 1265

- blockade by dihydropyrazole 1266

- blockade by indoxacarb 1266ff.

- insect 1265

- insecticide binding site 1266

- mammalian 1269

- neurotoxin binding site 1266

w

Weed Science Society of America (WSSA)

Code System 7

weed selectivity

- auxin action 283

Western flower thrips, *see* *Frankliniella*
occidentalis

wheat bulb fly (*Delia coarctata*) 1298

white mold (*Sclerotium rolfsii*) 876

whitefly

- *Bemisia argentifolii* (sweet potato whitefly)
1419

- *Bemisia tabaci* (tobacco whitefly) 992ff.,
1004, 1067, 1114, 1333

- *Trialeurodes vaporariorum* 990ff., 1004,
1333ff.

whole-cell voltage–clamp

- native neuron preparation 1149

whole-organism effect 972

wireworm larvae, *see* *Agrotis segetum*

Working Group (WG)

- IRAC 936

World Health Organization (WHO) 936

- pesticides evaluation scheme WHOPES
482

WRKY transcription factor 912ff.

x

x-ray structure analysis

- ACC-ase 452

- acetylcholine-binding protein (AChBP)
1135ff., 1142, 1156f., 1185

- ADP/ATP carrier protein 575

- AHAS 37ff.

- complex III 564

- complex IV 569

- Cry proteins 1031f.

- EcR *Heliothis virescens* 971

- EPSPS 411

- F1Fo-ATP synthase (complex V) 574

- hydroxyphenylpyruvate dioxygenase 229f.

- protoporphyrinogen IX oxidase 182

- PS II ubiquinone binding niche 479

x-ray structure analysis (*contd.*)
– scytalone dehydrase 850ff.
– succinate dehydrogenase 578
Xiphinema americanum 1376
xylem transportation 604

Y

yellow grape mite (*Eotetranychus carpini* f.
vitis) 1022
yellow stem borer (*Scirpophaga incertulas*)
1421
yieldgard rootworm 1035
yield-losses, crop 57, 67

Z

ZDS, *see* ζ -carotene desaturase
zeaxanthin 201
zoospore 833
– *Phytophthora infestans* 833
zoxamide 548, 739ff.
– cross-resistance relationship 742
– mechanism of action 739
– metabolism 746
– resistance risk 745
– structure–activity relationship 743
– synthesis 744f.
– toxicology 746