

Index

a

acetylcholine binding protein (AChBP) 59
 administration, distribution, metabolism, and excretion (ADME) profile 267
 affinity 55
 – determination 54
 affinity mapping 86
 affinity prediction
 – absolute 238
 – ranking 238
 – relative 238
 AIScore 253
 alchemical perturbation 113
 allosteric modulation 270
 allosterism 278
 AMBER force field 125, 240
 AMBER MM potential 128
 AMOEBA
 – force field 101
 – model 102ff.
 – polarizable force field 113ff.
 – polarizable potential energy model 102
 – protein 116
 AMSOL calculation 302
 anchor point 197
 angle 102
 applicability 274
 Arrhenius plot 37
 aryl–aryl interaction 251
 association 146
 Astex/CCDC set 248
 atom hydrophobicity difference (AHPDI) 249
 – descriptor 250
 atomic pair potential 216
 average of autoscaled score (AASS) 305
 avidin 126
 AutoDock 196, 303f.

b

B-cell lymphoma 6 protein (BCL6) 311f.
 Bennett acceptance ratio (BAR) 107, 214
 benzamidine 111
 benzamidine analog 110ff.
 – binding free energy 110
 benzene 221
 biased probability Monte Carlo (BPMC)
 optimization 284
 binding
 – estimation of entropy contribution 11
 – formulation 191
 – free energy 237
 – harmonic potential 7
 – nucleic acid 198
 – salt effect 16
 – square well potential 6
 – statistical mechanical treatment 4
 binding affinity 27f., 80, 237
 – improving 27
 binding capacity (BC) 49ff.
 binding constant 3
 binding contribution
 – engineering 25
 binding enthalpy 23ff.
 binding entropy contribution 23
 binding free energy (BFE) 7f., 112, 191ff.
 – benzamidine analog 110
 – calculation 9, 101
 – computation 308
 – molecular mechanics-based protein–ligand BFE calculation 101
 – trypsin 110
 Binding MOAD 248
 binding mode
 – prediction of the correct binding mode 238
 binding model 3

- binding pocket 289
- binding site curvature 269
- binding site identification 300
- binding strength
 - relative 218ff.
- binding–uncoupling method 15
- biomolecular force field 240
- biosensor 47
- biotin 126
- biotin–streptavidin system 195
- BIT_MACCS fingerprints 306ff.
- Boltzmann phase volume of the bound state 6
- bond 102
- bonding 146
- Born formula 175
- Born radius
 - effective 175
- bornyl (3,4,5-trihydroxy)-cinnamate 224
- bridging water molecule 154
- BUMBLE 301
- c**
- caffeic acid derivative 224
- Cambridge Structural Database (CSD) 239
- cAMP 131
- candidate drug (CD) 47
- carboxfascaplysin (CRB) 225
- Carr–Purcell–Meiboom–Gill (CPMG)
 - sequence 76
- Carr–Purcell–Meiboom–Gill relaxation
 - dispersion (CPMG-RD)
 - data 80
 - measurement 76
- Cartesian polytensor formalism 104
- Catalyst 308
- cathepsin 126
- cation– π interaction 251
- cavity detection algorithm 272
- cavity–ligand binding 149
- CCDC/Astex data set 244
- CDK2 (cyclin dependent kinase 2) 225, 239
- CDK4 (cyclin dependent kinase 4) 225
- CHARMM 299
 - force field 196, 240
- chemical shielding anisotropy (CSA) 73
- chemical shift 72
- chemical shift perturbation (CSP) 78
 - mapping 78
- chemodynamics 63
- chemoreceptor theory 207
- ChemScore 243ff., 303
- Cheng–Prusoff equation 209
- cofactor 61
- COMBINE (comparative binding energy)
 - analysis 304
 - approach 245
- combined 3D QSAR model 308
- CoMFA 308
- compensation temperature 33ff.
- compound
 - designing with optimal properties 65
- computational alchemy 213ff.
- computational alchemy transformation 221
- computational alchemy type free energy
 - calculation 211
- computational lead optimization
 - application 223
- computational method
 - druggability prediction 272
- computational modeling
 - hydrophobic association 150
 - volume-confined water molecule 156
- computer-aided drug design (CADD)
 - methodology 298ff.
 - applied to PPI 308
 - ligand identification 302
- CoMSIA 308
- configurational entropy 180
- conformation
 - essential 288
 - important 288
- conformational change
 - ligand-induced 84
- conformational energy
 - ligand 191ff.
 - receptor 191ff.
- conformational energy penalty 191ff.
- conformational entropy 12, 194
- conformational sampled pharmacophore (CSP) 308
- conformational selection 58, 81f.
- conformational selection hypothesis 81
- conformational trapping 278
- conformer focusing 197
- continuum dielectric model 171
- continuum model 172
- correlation coefficient 183
- COSMO continuum solvation 129
 - energy 129
- Coulomb potential 252
- CREB 82
- Crippen-like atom-type pair 245
- cross-correlated relaxation (CCR) 83
- cross-docking 283ff.
- cross-energy term 102
- cross-saturation 79
- CSARdock project 248
- CXCR4 chemokine receptor 290

- cyclic nucleotide binding domain (CNBD) 84ff.
cyclic nucleotide-gated (CNG) channel 84
- d**
- DARWIN 303
deformation energy 191
degree of freedom 115, 171ff., 254
descriptor SURFC-HYDROPHOBIC-HYDROPHOBIC 251
Desmond 300
desolvation enthalpy 26
1,4-diazamidine 114
diffuse large B-cell lymphoma (DLBCL) 311f.
dihydrofolate reductase (DHFR) catalysis 82
dipolar coupling 74
direct association simulation 9
directory of useful decoys (DUD) 302
disappearing an ion 219
Discovery Studio 307
distance-scaled finite ideal-gas reference (DFIRE) 303
distributed multipole analysis (DMA) 105
DIVALI 303
DNA reorganization energy 198
DOCK 242, 254, 301ff.
– calculation 129
docking 182, 284
– fast 285
docking assessment 290
4D docking method 285
double decoupling free energy calculation 192
double decoupling method (DDM) 156ff.
drug candidate
– thermodynamic optimization 23ff.
drug design 207
– computer-aided (CADD) 298ff.
– ligand-based (LBDD) 298ff.
– structure-based (SBDD) 283, 298f.
drug design study 217
drug discovery
– performance 51
drug lead optimization 207ff.
drug-like compound 306
druggability 268ff.
– prediction 267ff.
– score 274
druggable genome 270
DrugScore^{CSD} 304
- e**
- EADock 303
EFMO method 132
EFP (effective fragment potential) 123
– force field 130
eHiTS scoring function 245ff.
electronic polarization 104
electrostatic interaction
– permanent 103
electrostatic potential (ESP) 123
electrostatically embedded pairwise additive (EE-PA) model 132
electrostatics
– molecular recognition 171ff.
empirical model 273
empirical potential 18
endpoint method 181, 210, 254
endpoint singularity 216
energetic effect 197
energy diagram 64
ensemble docking 283
enthalpy 151
– eliminating unfavorable 25
– estimation 39
– measurement 34
enthalpy–entropy compensation 33ff.
– temperature dependence 33
entropic effect 197, 251
entropy 184
– estimation 39
– favorable entropic term 157
– measurement 34
entropy contribution to binding
– estimation 11
evolutionary consideration 40
exchange spectroscopy (EXSY)
– experiment 76
experimental assay 306
– selection of ligand 306
experimental conformational diversity 286
experimental method
– druggability prediction 270
explicit method 171
explicit solvent 152
exponential averaging 151
extracellular signal regulated kinases (ERK1/2) 309f.
- f**
- fascaplysin (FAS) 225
FINDSITE 301
FITTED program 161, 254, 303
FlexX
– F-Score 303
– program 161, 254, 302
– scoring 253
FLOG 302

- force field
 - biomolecular 240
 - QM-based 123
 - force field-based method 238ff.
 - force field-based function 252
 - fragment molecular orbital (FMO)
 - method 130
 - fragment screening 271
 - fragment-based drug design (FBDD) 78
 - fragmentation method 128f.
 - free energy 3ff., 122, 174, 194
 - absolute binding 6
 - free energy calculation 156, 207ff.
 - application 223
 - lead optimization 207ff.
 - free energy change 213
 - free energy functional approach 194
 - free energy method 150
 - free energy of binding 237
 - free energy perturbation (FEP) 14, 106, 121, 151, 213
 - fumigation 288
- g**
- G protein-coupled receptor (GPCR) 88
 - GPCR Dock 2010 Modeling 290
 - GABARAP 86ff.
 - binding site 86
 - gas-phase entropic change 114
 - generalized Born (GB) model 11, 152, 175
 - GB/SA continuum solvent 197
 - GB/SA model 193
 - GB/SA solvation model 197
 - generalized Kirkwood (GK) model 113ff.
 - generalized Kirkwood surface area (GK/SA)
 - model 102
 - genetic algorithm 303
 - Gibbs energy 24
 - Gibbs energy of binding 23
 - Glide 254
 - GLIDE scoring 161
 - Glide XP scoring function 253
 - GlideScore 243, 303
 - GOLD 303f.
 - GOLD's ChemScore implementation 244ff.
 - grand canonical Monte Carlo (GCMC)
 - method 158f.
 - grid 275
 - GROMACS 299
 - GROMOS 300
- h**
- H-bond 18, 28
 - Hammerhead 302
 - harmonic potential model 7f.
 - heterogeneous systems/parallel reactions 59
 - high-affinity protein–ligand complex 82
 - high-throughput screening (HTS) 270f.
 - HINT force field 160
 - hit compound 208
 - HIV reverse transcriptase (RT) 58
 - homology model 289
 - HSQC titration 79
 - hydration free energy (HFE) 109f.
 - study 102
 - hydration free energy calculation
 - small-molecule 106
 - hydration site
 - identification 158
 - hydrogen bond 251
 - hydrogen bonding motif 253
 - hydrophobic association 145ff.
 - computational modeling 150
 - large length scales 148
 - small hydrophobe 148
 - hydrophobic bonding 146
 - hydrophobic cavity 155
 - hydrophobic cavity–ligand binding 149
 - hydrophobic interaction 145, 250
 - hydrophobicity 145
 - hypernetted chain equation (HNC) 178
 - hyperpolarization-activated and cyclic nucleotide-gated (HCN) channel 84
- i**
- implicit solvent method 152, 171ff.
 - in silico* drug design approach 210
 - in silico* model 288
 - induced fit energy 191
 - induced fit mechanism 82
 - induced fit model 57, 198
 - inhibitor
 - mechanism-based 60
 - inhomogeneous fluid solvation theory (IFST) 157
 - integral equation method 171
 - interaction
 - evaluation 55
 - irreversible 57
 - interaction energy 130
 - interaction kinetic data 47ff.
 - interaction kinetic plot 55
 - interaction kinetic rate constant 53
 - interaction model 80
 - interaction site mapping 78
 - internal coordinate mechanics (ICM) 284
 - intrinsically disordered protein (IDP) 82
 - ion solvation thermodynamics 108

- ion–protein interaction 108
 - ion–water interaction energy 108
 - IPMF function 240
 - isoaffinity lines 55
 - isothermal titration calorimetry (ITC) 23, 243
 - isotope-filtered NOESY experiment 79
 - ITScore 304
 - ITScore function 239
- j**
- J*-coupling
 - electron-mediated 74
 - ¹*J*-coupling 74
 - ²*J*-coupling 74
 - ³*J*-coupling 74
 - Jarvis–Patrick algorithm 310
 - just add water molecules (JAWS)
 - approach 159
- k**
- kinetic information 77
 - kinetic parameter 65
 - kinetic rate constant 47ff.
 - lead generation and optimization 62
 - kinetic resolution 50
 - kinetic titration analysis 57
 - knowledge-based scoring function 238, 304
 - knowledge-guided scoring (KGS) 246
- l**
- Langevin dipoles 171
 - Lck SH2 domain 314
 - lead generation
 - kinetic rate constant 62
 - lead optimization 66, 207ff, 307
 - free energy calculation 207ff.
 - kinetic rate constant 62
 - lead selection 66
 - least squares support vector machine
 - (LS-SVM) analysis 303
 - Lennard-Jones
 - parameter 178
 - potential 252
 - LiBERO (ligand-guided backbone ensemble
 - receptor optimization) 289
 - automated version (ALiBERO) 290
 - LIECE (linear interaction energy – continuum
 - electrostatics) approach 241
 - ligand
 - final selection for experimental assay 306
 - ligand binding 86, 268
 - detection and verification 77
 - ligand binding site 125
 - QM calculation 125
 - ligand binding strength
 - relative 221
 - ligand conformational energy 191ff.
 - computational result 196
 - ligand decoupling 15
 - ligand degree of freedom 254
 - ligand design 155
 - structure-based 121ff.
 - ligand disaggregation energy 197
 - ligand docking 283ff.
 - protein plasticity 283ff.
 - ligand docking calculation 210
 - ligand drug-likeness 273
 - ligand energy 196
 - ligand identification 302
 - computer-aided drug design (CADD) 302
 - ligand optimization
 - ideal parameter 67
 - ligand position/orientation 9
 - ligand property 267
 - ligand-based drug design (LBDD) 298ff.
 - ligand-based optimization 307
 - ligand–protein database (LPDB) 296
 - ligand–receptor binding affinity 196
 - LigScore 303
 - line shape analysis 76
 - linear interaction energy (LIE) method 15,
 - 123, 195, 211, 254
 - linear response approximation LRA/β 241
 - linear scaling method 128
 - Lipinski rule of five 23, 268, 310
 - lock and key mechanism 81
 - LUDI 303
- m**
- M-Score 304
 - maltose binding protein (MBP) 81
 - mean absolute difference (MAD) 182
 - membrane protein 88
 - transient binding of peptide ligand 88
 - metarhodopsin II state (Meta II) 88f.
 - Mining Minima 193, 254
 - mitogen activated protein kinase (MAPK)
 - superfamily 309
 - model apolar cavity–ligand system 149
 - MOE (Molecular Operating
 - Environment) 299ff.
 - molecular docking 245
 - molecular dynamics (MD) 122, 150
 - simulation 289, 300
 - molecular fractionation with conjugate cap
 - (MFCC) 131
 - molecular mechanics (MM)
 - description 121f.

- entropy 129
 - MM/3D-RISM 182
 - MM-GBSA 193ff., 241
 - MM-GBSA calculation 181f.
 - MM-PB(GB)SA 192f.
 - MM-PB(GB)SA method 199
 - MM/PBSA-like approach 133
 - Poisson–Boltzmann surface area (MM-PBSA) method 13, 122, 180f., 241ff., 254
 - molecular mechanics-based polarizable multipole Poisson–Boltzmann surface area (MM-PMPB/SA) approach 113
 - molecular recognition 81
 - molecular recognition model 3
 - molecular signature 245
 - molecular solvation 176
 - 3D reference interaction site model 176
 - Monte Carlo (MC) simulation 122, 150, 303
 - MPMFP fingerprints 307
 - multiple binding site 61
 - multiple solvent crystallographic screening 272
 - multiple receptor conformation (MRC) 285f.
 - docking 285
- n**
- NAMD 300
 - NEMO 123
 - potential 125
 - neutral H-bond score (*n_{hb}*) 249
 - NMR (nuclear magnetic resonance) method 71ff., 153f.
 - experimental parameter 72
 - protein–ligand interaction 71ff.
 - NOESY data 83
 - nonbonded interaction 103
 - noncovalent binding 146
 - nonnucleoside inhibitor of HIV-1 RT (NNRTI) 58ff., 224
 - normal mode analysis (NMA) 289
 - normalization approach 305
 - NScore (naive score) 244
 - nuclear Overhauser effect (NOE) 74
 - nucleic acid
 - binding 198
 - number of rotatable bonds (*n_{rot}*) 249
- o**
- OPLS force field 240, 300
- p**
- p53 313
 - p56Lck kinase SH2 domain 313
 - paramagnetic relaxation enhancement (PRE) 75
 - partition coefficient 303
 - PDB, *see* Protein Data Bank
 - PDBbind database 247, 296
 - peptide ligand
 - transient binding to membrane protein 88
 - permanent electrostatic interaction 103
 - pharmacological efficacy 65
 - pharmacophore analysis 298
 - phenol 221
 - PHOENIX 243
 - physical chemistry prediction 275
 - PLANTS_{CHEMPLP} function 253
 - PLANTS_{CHEMPLP/PLP} scoring function 244
 - PLP 303
 - pocket optimization method 288
 - PocketDepth 301
 - Poisson–Boltzmann (PB) 130, 152, 173f.
 - linearized 174
 - Poisson–Boltzmann surface area (PBSA) model 11
 - Poisson–Boltzmann (PB) two-dielectric continuum electrostatics model 13
 - polar solvation energy 122
 - polarizable force field 101ff.
 - protein–ligand interaction 101ff.
 - polarizable multipole interaction with supermolecular pairs (PMISP) method 132f.
 - polarizable multipole Poisson–Boltzmann surface area (PMPB/SA) model 102
 - polarizable multipole solute with Poisson–Boltzmann continuum solvent (PMPB method) 113ff.
 - polarization catastrophe 105
 - polarization energy 105
 - polarized continuum model (PCM) 130f., 172
 - solvation energy 125
 - population shift 58
 - potential of mean force (PMF) 5ff., 151, 239, 303
 - calculation 150
 - power function 305
 - prediction performance 274
 - predictive index 183
 - preorganization 199
 - property-encoded shape distribution (PESD) 245
 - protein class 270
 - Protein Data Bank (PDB) 239

- protein dipoles Langevin dipoles method
 (PDL/S-LRA version) 241
 – PDL/S-LRA/ β method 246
 protein force field 300
 protein hydration site 153
 protein interaction property similarity analysis
 (PIPSA) 304
 protein phosphatase 1B (PTP1B) 276
 protein plasticity 283ff.
 – ligand docking 283ff.
 protein structure preparation 299
 protein–ligand binding 11, 297
 – confined water molecule 153
 – molecular mechanics-based protein–ligand
 BFE calculation 101
 protein–ligand binding affinity 115
 protein–ligand complex (PLC) 303
 – structure 82
 protein–ligand docking 126
 – water 160
 protein–ligand element pair count 252
 protein–ligand interaction 56ff., 101ff.
 – NMR method 71ff.
 – polarizable force field 101ff.
 – residue-specific 245
 – scoring 101ff., 237ff.
 protein–protein binding 11
 protein–protein binding free energy
 – absolute 198
 protein–protein inhibition 278
 protein–protein inhibitor 270
 protein–protein interaction (PPI) 83, 295ff.
 – CADD 308
 – inhibitor 299
 – modulating 295ff.
 – small-molecule inhibitor 298
 – thermodynamics 297
 – undruggable 297
 protein–protein stabilization 278
 protein–RNA binding 198
 pseudocontact shift (PCS) 83
 PSI-DOCK 303
- q**
 QMScore 242
 quantitative structure–activity relationship
 (QSAR) method 123, 298
 quantum mechanics (QM) calculation 125
 – ligand binding site 125
 – semiempirical (SQM) 241
 quantum mechanics energy 129
 – map 103
 quantum mechanics method 121ff.
 – structure-based ligand design 121ff.
- quantum mechanics-based force field 123
 quantum mechanics/molecular mechanics
 calculation 126f., 241
 – entire protein 127
 quantum mechanics-polarized ligand docking
 (QPLD) 124
 – method 134
 quasi-harmonic approximation 10
- r**
 radial distribution function (RDF) 110
 RANK algorithm 160
 real-space free energy approach 211
 receptor conformational energy 191ff.
 – computational result 198
 receptor flexibility 284
 receptor strain 198
 receptor–ligand interaction 145
 3D reference interaction site model (3D-
 RISM) 159, 176ff.
 3D-RISM-KH 182f.
 relaxation dispersion 76
 reorganization energy 191
 rescoring 304
 residual chemical shielding anisotropy
 (RCSA) 73
 residual dipolar coupling (RDC) 74ff.
 resistance 63
 rhodopsin 88f.
 ring–metal interaction 253
 ring–ring interaction 253
 ring–ring interaction score (RRscore) 249
 rule of five 23, 268, 310
- s**
 S100B 313
 salt effect
 – binding 16
 sampling internal coordinate 284
 sampling method 150
 sampling problem 215
 saturation transfer 75
 saturation transfer difference (STD)
 experiment 78ff.
 SCARE 288
 SCORE 196
 – potential 18
 SCORE1 243
 SCORE2 243
 scoring function 196, 237ff.
 – application 246
 – empirical 238ff.
 – knowledge-based 238, 304
 – protein–ligand interaction 237ff.

- QM/MM-based 242
 - tailored 245
 - target-specific 245
 - selectivity 63
 - improving 28
 - self-consistent reaction field (SCRF)
 - model 172
 - sensorgram
 - analysis 54
 - SFCscore 243ff.
 - SFCscore function 253
 - SH2 domain, *see* Src homology 2
 - SHAKE algorithm 223
 - SIBFA (sum of interactions between fragments *ab initio* computed) 123
 - SILCS (site identification by ligand competitive saturation) 301
 - similarity clustering 306
 - simultaneous optimization 290
 - single receptor conformation 285
 - single-trajectory approach 193ff.
 - SiteMap 274
 - SKATE 248
 - small-molecule force field 116
 - small-molecule growth (SMoG) 303
 - small-molecule hydration free energy
 - calculation 106
 - small-molecule inhibitor
 - optimization 298
 - protein–protein interaction 298ff.
 - SMRT (silencing mediator of retinoid and thyroid hormone receptor) 311
 - soft-core potential 216
 - solute site position 178
 - solute–solute electrostatic interaction 185
 - solute–solvent electrostatic interaction 185
 - solute–solvent interaction energy 184
 - solvation free energy 18, 113, 172, 184
 - electrostatic 13
 - solvent mapping 272
 - solvent self-energy 184
 - solvent-accessed surface 152
 - solvent-accessible surface 152
 - solvent-accessible surface area (SASA)
 - 122, 152
 - specificity 63
 - spherical harmonic expansion (SHEF) 304
 - SPHGEN
 - approach 301
 - module 311
 - spin relaxation 75
 - square well potential model 6ff.
 - Src homology 2 (SH2) domain 295, 314
 - Src homology 3 (SH3) domain 295
 - standard concentration 157
 - standard Gibbs free energy 154
 - standard Lorentz–Berthelot mixing rules 178
 - standard state 156
 - statistical potential 17
 - statistical thermodynamics 3
 - steady-state analysis 54
 - strain energy 191
 - structural information 61
 - structural modeling 66
 - structure–activity relationship (SAR) 307
 - structure-based drug design (SBDD) 283, 298f.
 - structure-based ligand design 121ff.
 - quantum mechanics 121
 - structure–kinetic relationship 62
 - support vector machine (SVM)
 - technique 245
 - surface plasmon resonance (SPR)
 - biosensor 47f.
 - sensitivity 49f.
 - technology 48
 - surface plasmon resonance biosensor-based
 - interaction data 56
 - surface plasmon resonance detection 47
 - SURFC-HYDROPHOBIC-HYDROPHOBIC
 - descriptor 251
 - Surflex 302
 - SYBYL 307
 - systematic fragmentation method (SFM) 132
- t**
- target chaperoning 278
 - target druggability 267
 - target receptor 208
 - target-immobilized NMR screening (TINS) 78
 - temperature dependence 33ff.
 - measurement 33
 - thermodynamic cycle 219
 - thermodynamic footprint 65
 - thermodynamic integration (TI) 14, 106, 121, 180
 - formalism 213
 - thermodynamic optimization
 - drug candidate 23ff.
 - plot 28f.
 - thermodynamic parameter 65
 - thermodynamic pharmacophore 29
 - thermodynamic work method 14
 - thermodynamics 64
 - protein–protein interaction 297
 - volume-confined water localization 154

- three-dimensional reference interaction site model (3D-RISM) 159, 176ff.
 - 3D-RISM-KH 182f.
 - MM/3D-RISM 182
 - three-trajectory approach 193ff.
 - torsion motif 197
 - torsional energy term 103
 - total buried ligand surface area (TotBurSurf) 249f.
 - total correlation function (TCF) 177
 - training set 273
 - transducin 89
 - transferred dipolar coupling (TrDC) 83
 - transferred NOE (TrNOE) 75
 - translated MAD (trMAD) 183
 - translational diffusion coefficient 77
 - transverse relaxation optimized spectroscopy (TROSY) 71
 - Triplos force field 244
 - tRNA-guanine transglycosylase (TGT) 248
 - trypsin
 - binding free energy 110
 - trypsin ligand 112
- u**
- undruggable 276, 297
 - unified model for dynamic targets 58
- v**
- valence interaction 103
 - VALIDATE 196, 243
 - scoring function 243
 - van der Waals (vdw) interaction 25f., 103
 - energy 301
 - transformation 223
 - virtual chemical database 302
 - virtual ligand screening (VLS) 286ff.
 - experiment 283
 - virtual screening (VS) 286, 302
 - compound database 302
 - volume-confined water molecule 145ff.
 - computational modeling 156
 - thermodynamics 154
- w**
- w-SIFt (weighted structural interaction fingerprints) approach 246
 - water 145
 - as a whole 145ff.
 - benzene 221
 - individual water molecule 146
 - phenol 221
 - protein–ligand docking 160
 - volume-confined water molecule 145ff.
 - water descriptor 160
 - water localization 156
 - water simulation application 106
 - Wiener index 303
 - Wilson–Decius–Cross function 102
 - wSASA approach 152
- x**
- X-CCore 303
 - X-Score 243
- z**
- ZINC 302
 - Zwanzig formula 213

