

## Index

### **a**

*ab initio* theory. *See* first-principles approach  
 absolute rate constant theory 778  
 absorption contrast 641  
 affinity constant. *See* association constant;  
     binding constant  
 affinity determination 84, 85, 88–90  
 agglomerative (bottom-up) variant 684  
 aldehyde 548  
 amine 548  
 8-aminonaphthalene-1,3,6-trisulfonate  
     (ANTS) 716, 717, 718  
 amphiphilic hexanamides 661  
 amplitude contrast 649–650  
 anchor set projections 690  
 angular reconstitution 686–690  
 anion/cation selectivity 727  
 anion translocation 401  
 anomalous mole fraction effect (AMFE)  
     729  
 artificial enzymes and biomimetic models  
     411–413  
 association constant 209–215. *See also*  
     binding constant  
 association equilibria 95  
 astigmatism, axial 635  
 atmospheric-pressure chemical ionization  
     (APCI) 132  
 atomic force microscopy (AFM) 258, 499,  
     502  
     – difference between STM and 533–534  
     – function principle of 524–525  
     – manipulating atoms and molecules with  
         531–532  
     – operation modes of 525–528  
     – single molecule force spectroscopy  
         528–531  
     – tips 532–533

atomic force microscopy single-molecule force  
     spectroscopy (AFM-SMFS) 560, 561, 563,  
     565–566, 567  
     – host–guest systems 566–578  
     – hydrogen-bonded supramolecular structures  
         578–580  
     – mesoscale systems 592–603  
     – metal–ligand interactions 589–592  
     –  $\pi$ – $\pi$ -interactions 581–589  
 azoflavin 397

### **b**

backside-attack mechanism 176, 177, 178  
 band-pass filters 682  
 barrel-stave architecture 712  
 Beer–Lambert law 326  
 Besocke STM (beetle) 516  
 bilayer  
     – binding to 736–737  
     – composition 734  
     – fluidity 734  
     – heterogeneity 734  
     – location in 737  
     – stress 734  
     – thickness 734  
 bimolecular reactions 147  
 binary supramolecular lattices 548  
 binding constant. *See also* association constant  
     – binding energies and 27–28  
     – determination  
         – general view on 28  
         – – NMR spectroscopic 44–53  
         – – UV/Vis spectroscopy 29–44  
     – binding energetics 68, 93  
     – binding strength 105, 121  
     – biological systems 275–276  
     – blackbody infrared radiative dissociation  
         (BIRD) 146

- blackbody infrared radiative dissociation (BIRD) (*contd.*)
  - arrhenius kinetics of oligonucleotide strand separation in the gas phase and 190–191
- black lipid membranes (BLMs) 713–715, 714, 728, 730, 732
- bleaching 326
- blockage and ligand gating 730–733
- Born cycle 783
- boronate-based chemistry 548
- Bragg's law 637
- bulk electrolysis 389–390
- Butler–Volmer formulation 377
  
- C**
- C<sub>2</sub>-resorcinarene 488
- calibration 511–513
  - of AFM cantilever force sensors 583–589
  - intensity, in VCD spectroscopy 351–352
- calixarenes 540–543
  - and catenane polymers 599
- capsules 596–599
- carbon nanotubes 271, 439, 444–448, 622
- 5(6)-carboxyfluorescein (CF) 716, 717, 718
- Car–Parrinello method 759
- Car–Parrinello molecular dynamics (CPMD) 759
- Casimir forces 525
- catenanes 15, 17, 545
  - systems based on 429–435
- cation photorelease, from crown-ether complex 329–330
- charge-transfer interactions 406–409
- chelate effects 6
- chemical ionization (CI) 132
- chirp, of continuum probe 323
- chronoamperometry 382, 387–388
- chronocoulometry 388–389
- <sup>13</sup>C INEPT DOSY 252–253
- circular dichroism 337–340, 609, 652
  - advantages and limitations
  - calculations 343
  - chiral and parent non-chiral spectroscopies 341
  - electronic and vibrational circular dichroism 341–342
  - instrumentation 343
  - chiroptical method variants 340–341
  - examples of applications of vibrational 359
  - absolute configuration and detailed structural parameters 359–360
  - biomolecule solution structure 361–362
  - supramolecular systems 362–363
  - measurement methodology 343–347
  - – electronic circular dichroism measurements 347
  - – vibrational circular dichroism measurements 347–350
  - spectra processing 350
  - advanced processing of circular dichroism spectra 354–355
  - baseline corrections and reliability in VCD 352–354
  - intensity calibration in VCD spectroscopy 351–352
  - theory
    - – *ab initio* calculations 358–359
    - – mechanisms generating optical activity 356–358
    - – rotational strength 356
  - circularly polarized luminescence (CPL) 337
  - class sum images 668, 678, 682, 685, 688, 689, 690
  - coldspray ionization (CSI) 134
  - collision-induced decay (CID) 144–145, 150–151, 152, 180, 181
  - common line theorem 688
  - complete active space self-consistent field method (CASSCF) 751, 752
  - configuration interaction (CI) 750, 751
  - confocal laser scanning microscopy (CLSM) 607, 611–613
    - application to study molecular gels 613–614
    - fiber imaging and three-dimensional structure visualization of self-assembled network of fibrous aggregates 614
    - gelatin mechanism investigation 618–619
    - miscellaneous materials properties 622–623
    - single-fiber spectroscopy 614–618
    - 3D monitoring of interactions between gel fibers and molecular and macromolecular species 619–622
  - molecular gels 607–608
    - methods used for characterization 608–611
  - continuous variation method 29–32
    - spreadsheet for 60
  - contrast transfer function (CTF) 636, 643–645, 647
  - controlled environment vitrification system (CEVS) 657
  - controlled-potential bulk electrolysis 389
  - convection 205, 377
  - cooperativity 7

- core-electron probe, for hydrogen bond interactions 774–775
- coronenes 538–539
- crown ethers 539
- alkali complexes 188–190
  - cryogenic electron tomography (cryo-ET)
  - micellar triblock copolymer domain architecture 697–698
  - of mixed micellar lipid–surfactant assemblies 694–697
  - cryo-negative staining method 658
  - hybrid technique 653–654
  - cryo-techniques 654–660
  - cryptants 539–540
  - crystal engineering 484
    - definition 484–487
    - methyl-resorcinarene
    - crystal structures 487–495  - crystallography 460–462
    - single crystal structural determination 462–465
    - crystal mounting 465–466
    - data collection, data processing, and final space group determination 472–475
    - data reduction, structure, and refinement 475–480
    - structure analysis 480–484
    - unit cell determination and preliminary space group selection 466–471  - current versus distance 518, 520
  - cyclic voltammetry (CV) 382–385
  - cyclodextrin dimer (CD) 20
  - cyclodextrins 543, 566–571
  - cyclotrimeratrylene (CTV) 20
- d**
- DABCO 237, 239–240
- data quality check 681
- $\delta$ -pulse response 297
- relationship with harmonic response 299–300
- dendrimers 409–411
- artificial enzymes and biomimetic models 411–413
  - molecular batteries 413–420
  - sensors with signal amplification 420–422
- dendritic structure and metal complexes 416–418
- density fitting technique 761
- density functional theory (DFT) 358, 359–360, 363, 744, 751
- D-Glu-8 662
- dichroic signal generation 344–346
- difference electron density map 478
- differential pulse voltammetry (DPV) 386, 387
- diffusing weighting 201
- diffusion 377
- diffusion NMR 197–198
- 693 – advantages and limitations of high resolution 259–260
- applications
  - – binding and association constants 209–215
  - – encapsulation and molecular capsules 216–225
  - – molecular size, shape, and self-aggregation 225–244
  - – organometallics, reactive intermediates, and supercharged supramolecular systems 250–254
  - – supramolecular polymers 254–258
  - – virtual separation and ligand screening 245–249
  - chemical exchange and 260–264
  - complex systems applications
  - – biological systems 275–276
  - – liposomes 274
  - – micelles and emulsions 272–274
  - – organic conductors 274–275
  - – zeolites and carbon nanotubes 269–271
  - measurement
  - – basic pulse sequence 198–201
  - – diffusion ordered spectroscopy (DOSY) 206–208, 207, 245–247, 251–252
  - – LED and BPLED sequences 205–206
  - – stimulated echo (STE) diffusion sequence 201–203
  - – technical issues 203–205
  - modes and signal decay in diffusion MR experiments 265–269
  - molecular diffusion concepts 198
- diffusion ordered spectroscopy (DOSY) 206–208, 207, 245–247, 251–252
- diffusion time 201
- digital simulation, of electrochemical experiments 383
- digitization 681–682
- dipole
- coupling 357
  - interactions 767
  - strength 339
- dispersive attractions and hydrophobic effects, diffusing 768
- dissociation constant. *See* association constant; binding constant
- dissymmetry factor 339
- divisive and top-down variant 684

- double circular polarization (DCP) 340
- double-step chronoamperometry 388
- double-syringe technique 169–173
- dry contact transfer (DCT) 536
- dynamic mode
  - in intermittent contact regime 528
  - in non-contact regime 527–528
- e**
  - Einstein equation 265
  - Einstein–Smoluchowski equation 198
  - Eisenman topologies 728
  - electrochemical cells 372–375
  - electrochemical environment 537
  - electrochemically reversible process 376
  - electrochemical methods. *See* electrochemical techniques
  - electrochemiluminescence 391–393
  - electrochemistry 371–372
    - basic principles 372–375
    - electric current and potential 375–376
    - thermodynamics and kinetics of electrode reactions 376–378
    - examples
    - dendrimers 409–422
    - heterogeneous systems 435–438
    - host–guest systems 397–409
    - systems based on catenanes 429–435
    - systems based on fullerenes and carbon nanotubes 438–448
    - systems based on rotaxanes 422–429
    - overview of electrochemical techniques 378–379
    - bulk electrolysis 389–390
    - chronoamperometry and chronocoulometry 387–389
    - electrochemiluminescence 391–393
    - linear sweep voltammetry and cyclic voltammetry 379–385
    - pulsed voltammetric techniques 385–387
    - spectroelectrochemistry 390–391
    - supramolecular systems analysis 393
      - intermolecular interactions 393–394
      - molecular encapsulation of electroactive units 394
    - redox-controlled supramolecular switching 395–396
    - systems containing multiple redox sites 394–395
  - electrode potential 376
  - electron beam sensitive materials 629–630, 632, 633, 637, 658, 687
  - electron-captured dissociation and electron transfer dissociation 146–147
  - electronic circular dichroism 338, 341–342, 350
    - measurements 347
  - electronic density of states 517–518
  - electron ionization (EI) 132
  - electron mediators 414
  - electron tomography 661
  - electron tunneling 502
  - electro-spray deposition 537
  - electrospray ionization (ESI) 132, 133–134
  - electrostatic potential 747
  - elliptical polarization 312
  - emulsions 272–274
  - energy decomposition analysis (EDA) 754, 774
  - energy transfer 314
  - enthalpy 70–72, 76, 78, 79, 81, 82, 83, 85, 92, 93, 95, 98
  - entropy 70, 71–2, 78, 81, 85
    - factors 5–6
  - equations of motion 757, 759
  - equilibrium constant. *See* association constant; binding constant
  - Euler angles 667, 686, 687, 690
  - Euler–Lagrange equations 757
  - Euler sphere 686
  - exchange process 260
  - exchange repulsion (EX) 774
  - excitation energy hopping, in multichromophoric cyclodextrins 316–319
  - excitation energy transfer
    - in inclusion complex of multichromophoric cyclodextrin with fluorophore 295–296
    - in self-assembled zinc porphyrin and free base porphyrin diad 307–308
  - extraction 105–106
  - equilibrium 109–111
    - supramolecular
      - examples 114–124, 122, 123
      - principles 112–114
      - technical process 108
      - technique 106–108
  - f**
    - faradaic current 375
    - Fast atom bombardment (FAB) 132
    - fiber imaging and three-dimensional structure visualization, of self-assembled network of fibrous aggregates 614
    - Fick's laws 384
    - Field desorption (FD) 132

filaments 322  
 filtered back projection algorithms 686  
 filtering 682  
 first-principles approach 744, 746, 748–754,  
   758–764, 769, 782  
 flip-flop 734  
 fluorescence anisotropy 311  
   – excitation energy hopping in  
 multichromophoric cyclodextrins  
   316–319  
   – general principles 312–315  
   – supramolecular polymer length 316  
 fluorescence decays, distribution recovery of  
   decay times from 309–311  
 fluorescence depth quenching (FDQ) 736  
 fluorescence polarization 313  
 fluorescence quench system  
   – error estimation for approximated  
 straight-line parameters by linear  
 regression 54–55  
   – static quenching model 53–54  
 fluorescence spectroscopy, with labeled  
   vesicles 716–718  
 fluorescence up-conversion 300  
 fluorophore rotation 314  
 focused-ion-beam (FIB) microfabrication  
   technique 694  
 force-fields 746  
 Förster's theory 332  
 Förster resonance energy transfer (FRET)  
   315, 615, 736  
 Fourier shell correlation (FSC) criterion  
   690, 691  
 Fourier transformation (FT) 682  
 Fourier transformation ion cyclotron  
   resonance (FT-ICR) 140–141  
 Fourier transform infrared (FTIR)  
   spectrometers 349  
 free diffusion 265  
 free energy 78, 85  
 freely-jointed-chain model, modified 564  
 freeze-fracture technique (FFTEM) 655, 656  
 friction force microscopy (FFM) 527  
 fullerenes 438–439  
   – donor–acceptor photoactive dyads based on  
 440–442  
   – interlocked architectures equipped with C<sub>60</sub>  
 442–444  
 fundamental anisotropy 314

**g**

galvanostatic methods 379  
 gas phase chemistry. *See* mass spectrometry  
 gel 607

gelatin mechanism investigation 618–619  
 gel state 18  
 generalized gradient approximations' (GGAs)  
   753

Gibbs–Helmholtz equation 28, 70, 783  
 global analysis 327–328  
 glow-discharge treatment 650  
 gradient-corrected functionals. *See* generalized  
   gradient approximations' (GGAs)  
 guanidinium receptors 121

**h**

halfwave potential 380  
 Hamilton's equations 757–758  
 harmonic response 298  
   – relationship with δ-pulse response  
   299–300  
 Hartree–Fock model 749–750, 753, 760  
 head-to-tail transition 662, 674  
 heat capacity 70–73, 76, 98  
 Heidelberg Primescan drum scanner 682  
 height calibration 511–512  
 helical structure reconstruction 664–675,  
   668, 670, 671, 672, 673  
 helicate 235  
   – assembly and disassembly 402–403  
 Hessian matrix 764  
 heteroditopic receptors 121  
 hexapole correctors 632  
 hierarchical algorithms 684  
 hierarchical ascendant classification 684  
 high-resolution imaging, of molecules 499,  
   508, 528, 533, 534  
 Hill equation and analysis 723, 724, 730,  
   731, 737–738  
 Hofmeister series 728  
 Hohenberg–Kohn theorem 752, 753  
 homotransfer 316  
 host–guest complexation 68, 71, 72, 73, 77,  
   79–81, 83–84, 86, 88–89, 93  
 host–guest systems  
   – calixarenes 571–574  
   – charge-transfer interactions 406–409  
   – cyclodextrins 566–571  
   – environmental effects 783  
   – host-controlled association reaction  
 781–782  
   – hydrogen-bonding interaction 397–398  
   – hydrophobic interactions 403–406  
   – metal ion coordination 398–403  
   – photoswitchable calixarene systems  
 574–578  
   – rearrangement reactions 781

- host–guest systems (*contd.*)
  - template thermodynamics and kinetics 783
  - template-free pre-orientation processes 780
  - transformation step 782–783
- hydrogen bonding 3, 767
  - interaction 397–398
  - and supramolecular structures 578–580
- hydrophobic interactions 403–406
- 8-hydroxy-1,3,6-pyrenetrisulfonate (HPTS) 716–718, 717, 729, 733

**i**

- illumination aperture 647, 648
- incident circular polarization (ICP) 340
- induced circular dichroism (ICD) 362
- inelastic electron tunneling spectroscopy (IETS) 518
- inelastic scattering 636
- infrared multiphoton dissociation (IRMPD) 145–146, 189
- integrative self-sorting 12
- interaction energies 755, 763
- interaction energy decomposition 774
- internal charge repulsion (ICR) 722
- intervesicular transfer 720
- intramolecular mobility 315
- intrinsic energy 754–755
- ion cyclotron resonance (ICR) 136, 139–141
- ion-evaporation model 133
- ionization techniques for noncovalent species 135
  - electrospray ionization (ESI) 132, 133–134
  - matrix-assisted laser desorption/ionization (MALDI) 131, 132, 133
  - resonance-enhanced multiphoton ionization (REMPI) 132, 134–135
- ion selectivity 727–730
- ion translocation, metal 399–401
- ion transport 730
- ion trap (IT) 136
- isothermal calorimetry (ITC) 736
- isothermal titration calorimetry 67–69
  - experimental calorimetric data, acquiring 72–81
  - data evaluation 81–88
  - extension of measurement range 88–93
  - – expanding the scope 93–100
  - perspectives 100
  - thermodynamic platform 69–72

**k**

- Kerr effect 322
- Kerr-gate (Kerr-shutter) set-ups 300
- kinetic method 188
- Kohn–Sham energy 752–753
- Kramers–Bell–Evans (KBE) theory 560
- Kramers–Kronig relationship 340

**l**

- Langmuir–Blodgett deposition 537
- large unilamellar vesicles (LUVs) 713, 716–718, 728, 729, 732, 736
- Larmor frequency 198–199, 201
- lateral calibration 511
- lateral force 527
- lateral interchange manipulation 531–532
- lateral manipulation 521
- LED and BPLED sequences 205–206
- Leidenfrost phenomenon 654
- Levshin–Perrin equation 313
- ligand exchange, in dimeric helicates 165–169
- linear combination of atomic orbital (LCAO) method 524
- linear polarization 312
- linear scaling 760–762
- linear sweep voltammetry (LSV) 379–382, 385
- linear template 12–13
- liposomes 274
- liquid/solid interface 537
- liquid crystals and supramolecular gels 18–21
- structural and application possibilities of 19
- low-dose technique 640, 656
- low molecular weight gelators (LMWGs) 607–608, 610, 619
- lyotropic series 728

**m**

- macrocycles 539, 540
- magnetic field perturbation (MFP) method 358
- Malus law 312
- Marzari–Vanderbilt scheme 770
- mass analyzers 135–137
  - ion cyclotron resonance (ICR) 139–141
  - quadrupole instruments and ion traps 137–138
  - time-of flight 138–139
- mass spectrometry 129–130
  - analytical characterization 148–149
  - chirality detection and 162–164

- instrumentation 130–131
- ionization techniques for noncovalent species 131–135, 132
- mass analyzers 135–141, 136
- ion mobility 159, 161, 162
- particularities and limitations 141–143
- reactivity in gas phase 173
- gas-phase H/D exchange for analyzing molecular mobility 182–188
- metallosupramolecular squares and cages 173–178
- switching fragmentation mechanism 178–182
- reactivity studies of supramolecules in solution 164–165
- double-syringe technique 169–173
- ligand exchange in dimeric helicates 165–169
- supramolecule structural characterization 150
- guest molecule encapsulation in self-assembling capsules 151–159
- mechanical bond 150
- tandem experiments for gas-phase chemistry of supramolecules examination 143–144
- bimolecular reactions 147
- blackbody infrared radiative dissociation (BIRD) 146
- collision-induced decay 144–145
- electron-capturedissociation and electron transfer dissociation 146–147
- infrared-multiphoton dissociation (IRMPD) 145–146
- thermochemical data determination
- BIRD approach 190–191
- crown ether-alkali complexes 188–190
- matrix-assisted laser desorption/ionization (MALDI) 131, 132, 133
- matrix-free laser desorption/ionization (LDI) 131
- maximally localized Wannier functions (MLWFs) 770
- mechanochemistry 592, 593, 603
- membrane potentials 725, 733
- mesoscale systems, supramolecular 592–603
- calixarene-catenane polymers 599–603
- capsules 596–599
- reversible polymers 592–596
- metal ion coordination 398–403
- metal–ligand interactions 589–592
- metallogels 20–21
- methyl-resorcinarene
- crystal structures 487–495
- micelles 272
- microelectrodes 381–382
- migration 377
- Miller indices 472–473, 474
- mode-tracking 764–766
- modified Job's plot 32, 46
- modulation transfer function (MTF) 681
- molecular batteries 413–420
- molecular capsules 214
- encapsulation and 216–225
- molecular complementarity 5
- molecular devices and machines 15–18
- molecular dynamics 756–760
- molecular electrostatic potential ( $V_{ESP}$ ) 747
- molecular gels 607–608
- application to study 613–614
- fiber imaging and three-dimensional structure visualization of self-assembled network of fibrous aggregates 614
- gelatin mechanism investigation 618–619
- miscellaneous materials properties 622–623
- single-fiber spectroscopy 614–618
- 3D monitoring of interactions between gel fibers and molecular and macromolecular species 619–622
- methods used for characterization 608–611
- molecular machines, based on rotaxanes and catenanes 422–438
- molecular nanostructures, on surfaces 528, 548
- molecular packing parameter 675
- molecular recognition 738
- molecular shuttles 423–427
- molecular sieves 543
- molecular topography 500
- molecular wires 549
- Møller–Plesset perturbation theory (MP2) 750
- monopole attraction and repulsion 767
- multi-configuration self-consistent field (MCSCF) method 751
- multiexponential global analysis 327–328
- multipole interactions 767
- distributed, and polarizabilities 769–770
- local expansions, in MD simulations 770–772
- multi reference alignment 685
- multi-reference doubles-configuration interaction (MRD-CI) method 751
- multiscale modeling 762

- multivalency 7–8  
 – molecular elevator synthesized by utilizing 9  
 multivariate statistical analysis (MSA) 684  
 multiwalled carbon nanotubes (MWCNTs) 448  
 $\mu$ –m mechanism 357
- n**
- nanofibers 609, 613–615, 616, 617, 620, 622, 624  
 narcissistic self-sorting 11  
 natural bond orbital (NBO) approach 774  
 negative staining preparation 651–654  
 Nernst equation 384  
 nernstian process 376  
 Newkome-dendron 676–677, 679  
 NMR spectroscopic binding constant determination, practical course of action for 44–45  
 – complex concentration evaluation 47  
 – data treatment  
 – – error estimation 49  
 – – estimation error for nonlinear least square method of NMR spectroscopy 52–53  
 – – nonlinear least square 49–52, 62  
 – – Rose–Drago method 47–48  
 – – stoichiometry determination 45–47  
 noncovalent bond 2–3  
 noncovalent polymers. *See* reversible polymers  
 noncovalent species, ionization techniques for 131–135, 132  
 nonlinear least square 49–52  
 – estimation error for 52–53  
 – spreadsheet for 62, 63  
 normal pulse voltammetry (NPV) 386, 387  
 nuclear magnetic resonance (NMR) 748
- o**
- objective stigmator 645  
 octant rule 357–358  
 Ohm's law 725  
 oligolysine peptide 182, 183, 185  
 one-electron mechanism 357  
 optically transparent electrodes (OTEs) 390  
 optically transparent thin-layer electrode (OTTLE) cell 390–391  
 optical rotational strength 339  
 optical rotatory dispersion (ORD) 337  
 organic conductors 274–275  
 organometallics, reactive intermediates, and supercharged supramolecular systems 250–254  
 orientation-based fit 782
- p**
- partial lateral coherence 648  
 partial temporal coherence 648  
 particle selection 682  
 partitional algorithms 684  
 perrhenate  
 – crystal structure of complexes of 119  
 – extraction 117, 118, 120  
 Perrin equation 315  
 pertechnetate extraction 120  
 perturbation theory 750  
 phase contrast 642–649  
 phase-modulation fluorometry 298, 302, 302–304  
 – fluorometers using continuous light source and electro-optic modulator 302–304  
 – – fluorometers using harmonic content of pulsed laser 304  
 phase platelets 632  
 phase problem 476  
 phase transfer 106, 109, 112, 113, 118, 121, 124  
 pH gating 721–722  
 photoelastic modulator (PEM) 344, 345, 348  
 photoinduced electron transfer  
 – in calixarene-based supermolecule 293–295  
 – in self-assembled zinc naphthalocyanine–fullerene diad 306–307  
 photon states 518  
 photophysics and photochemistry, of supramolecular systems 287–288  
 – fluorescence anisotropy 311  
 – – excitation energy hopping in multichromophoric cyclodextrins 316–319  
 – – general principles 312–315  
 – – supramolecular polymer length 316  
 – spectrophotometry and spectrofluorometry 288  
 – binding constant possible differences in ground and excited state 293  
 – cooperativity and anticooperativity 290–292  
 – excitation energy transfer in inclusion complex of multichromophoric cyclodextrin with fluorophore 295–296  
 – – photoinduced electron transfer in calixarene-based supermolecule 293–295

- - stoichiometry determination and association constants of supramolecular complexes 288–290
  - time-resolved fluorescence techniques 296–297
    - - data analysis 304–305
    - - distribution recovery of decay times from fluorescence decays 309–311
    - - excimer formation of cyanobiphenyls in calix[4]resorcinarene derivative 309
    - - excitation energy transfer in self-assembled zinc porphyrin and free base porphyrin diad 307–308
    - - general principles 297–300
    - - lifetime standards 306
    - - phase-modulation fluorometry 302–304
    - - photoinduced electron transfer in self-assembled zinc naphthalocyanine–fullerene diad 306–307
    - - pulse fluorometry 300–302
    - transient absorption spectroscopy 319–320
      - - broadband femtosecond pump–probe set-up 323–325
      - - cation photorelease from crown-ether complex 329–330
      - - charge separation in porphyrin–fullerene diads 328–329
      - - data analysis 326–328
      - - general principles 320–321
      - - light-driven cationic shuttle 330, 332
      - - pump–probe spectroscopy with ultrashort laser excitation 321
      - - time-resolved differential absorption measurements 325–326
      - - white light continuum generation 321–323
  - photoselection 313
  - phthalocyanines 539
  - piezoelectric tube scanners and translational stages 505
  - pile-up effect 301
  - pimerization 420
  - $\pi-\pi$ -interactions 581–589
  - $\pi-\pi$  stacking 768
  - $\pi$ -systems 4
  - planar bilayer conductance 713–715
  - plunge freezing 656
  - Pockels cell 303
  - polarization direction 312
  - polyamino propylene amine (POPAM) dendrimers 182, 183, 185
  - polyferrocene dendrimers 414
  - polyoxometalates 746, 748
  - polyviologen dendrimers 418
  - porphyrin boxes 543
  - porphyrin building blocks 547
  - porphyrin–fullerene diads, charge separation in 328–329
  - porphyrins and porphyrin oligomers 544–545
  - positive staining 652
  - potentiostat 373, 374
  - potentiostatic methods 379
  - pre-emphasis procedure 204
  - projection theorem 688
  - pseudorotaxanes 15–16, 212, 213, 408, 409
  - pulse compression 323
  - pulsed field gradient (PFG) 247, 274, 278
    - stimulated echo (PFGSTE) 235
  - pulsed gradient spin echo (PGSE) sequence 199, 200
  - pulsed voltammetric techniques 385–387
  - pulse fluorometry 298, 300–302
  - pulse injection method 537
  - pump–probe spectroscopy, with ultrashort laser excitation 321
  - pyrene 582
- q**
- quadrupole 136
  - instruments and ion traps 137–138
  - quantitative analysis, of binding properties
    - binding constants
    - - binding energies and 27–28
    - - determination 28–53
    - data treatment for system having 1:1 and 2:1 complexations 58–59
    - - spreadsheet for 65
    - exemplified data treatment for 1:2 complexation system
    - - case study 55–57
    - - error estimation for general functions 57
    - - modification for 1:2 complexations with guest probe proton monitoring 57
    - - spreadsheet 64
    - experiment guidelines 29
    - fluorescence quench system
    - - error estimation for approximated straight-line parameters by linear regression 54–55
    - - static quenching model 53–54
    - modifications for 2:1 complexations 57
  - quantum chemical calculations 744, 745, 746–747, 755, 759, 764, 768, 774, 778. *See also* first-principles approach
  - quantum mechanics (QM) 744
  - q*-space approach 276

**r**

- radiotracer technique 106–107, 107
- Raman optical activity (ROA) 337, 340
- random conical tilt approach 693
- reaction energies 755, 778
- ReactLab™ 290
- redox-controlled supramolecular switching 395–396
- reference electrode 373, 376
- resolution-of-the-identity technique. *See* density fitting technique
- resonance-enhanced multiphoton ionization (REMPI) 132, 134–135
- reversible polymers 592
- R-factor (residual factor) 461
- ring pirouetting motion 427
- Roothaan equations 750, 751, 761
- Rose–Drago method
  - NMR spectroscopy 47–48
  - UV/Vis spectroscopy 41–43, 61
- Rosenfeld equation 356
- rotational correlation time 314
- rotaxanes 15, 17, 436, 545, 761
  - systems based on 422–429

**s**

- saturation fluence 323
- scanning densitometers 681
- scanning electrochemical microscopy (SECM) 382
- scanning probe microscopy (SPM). *See also* scanning tunneling microscopy (STM)
  - bicomponent supramolecular assemblies, surface reactions, one-and two-dimensional polymers 547–548
  - calixarenes 540–543
  - complex interconnected supermolecules 545–546
  - coronenes 538–539
  - crown ethers 539
  - cryptants 539–540
  - cyclodextrins 543
  - macrocycles 539, 540
  - molecular sieves 543
  - porphyrin boxes 543
  - porphyrins and porphyrin oligomers 544–545
  - square and rectangular macrocycles 540
  - strength 499–501
  - supramolecular assemblies
    - bulk insulators and 548–549
    - grids, arrays, and chains and 546–547
    - working of 501–503

- atomic force microscopy 524–533
- scanning tunneling microscopy (STM) 503–524
- scanning tunneling microscopy (STM) 499, 500–502, 503–504. *See also* scanning probe microscopy (SPM)
  - designs 515
  - difference between AFM and 533–534
  - exemplary results on smaller molecules 534–538
  - imaging with 509–513
  - manipulating atoms and molecules with 520–524
  - operation modes of 507–509
  - tips 522–524
  - tunneling spectroscopy 513–520
  - working principle of 504–507
- scan rate 379
- scan speed 510
- scattered circular polarization (SCP) 340
- scattering absorption contrast 635, 637, 641
- Scherzer’s equation 643
- Scherzer optimal focus 644–645
- Schrödinger equation, time-independent electronic 748
- sector field 136
- self-assembly 8, 10, 737–738
- self-consistent field (SCF) equations 753
- self-diffusion 198
- self-organization 11
- self-phase modulation, continuum generation by 322
- self-replication and supramolecular catalysis 13–15, 15
- self-sorting 11–12
- shared-electron-number (SEN) approach, to hydrogen bond energies 775–777
- Siemens star 646, 647
- single-fiber spectroscopy 614–618
- single-file diffusion 270–271
- single-ion-in-droplet (SIDT) model 133
- single-molecule force spectroscopy, of
  - supramolecular complexes 559–561
  - functionally immobilizing supramolecules 561–565
  - supramolecular interactions investigated by AFM-SMFS 565–566
    - host–guest systems 566–578
    - hydrogen-bonded supramolecular structures 578–580
    - mesoscale systems 592–603
    - metal–ligand interactions 589–592
    - $\pi$ – $\pi$ -interactions 581–589

- single-particle approach 630, 661, 665, 666, 692  
 – exemplified principles of 680–692  
 – three-dimensional characterization of structurally persistent micellar assemblies 675–680
- single-photon timing (SPT) technique 300, 305  
 – instrument 301
- single-wall carbon nanotubes (SWNTs) 271
- sinograms 688, 689
- Slater determinant 749, 750, 752
- small angle neutron scattering (SANS) 609
- small angle X-ray scattering (SAXS) 609
- social self-sorting 11
- software packages 681
- solution casting 537–538
- spectroelectrochemistry 390–391
- spectrophotometry and spectrofluorometry 288
- binding constant possible differences in ground and excited state 293
  - cooperativity and anticooperativity 290–292
  - excitation energy transfer in inclusion complex of multichromophoric cyclodextrin with fluorophore 295–296
  - photoinduced electron transfer in calixarene-based supermolecule 293–295
  - stoichiometry determination and association constants of supramolecular complexes 288–290
- spherical aberration 636, 637
- spin coating 538
- square scheme mechanism 396
- square wave voltammetry (SWV) 386
- stability constant. *See* association constant; binding constant
- stamping 536
- static mode
- contact regime 526
  - liquids 527
- static step-wise view, on host–guest recognition general mechanism 777–780
- environmental effects 783
  - host-controlled association reaction 781–782
  - rearrangement reactions 781
  - template thermodynamics and kinetics 783
  - template-free pre-orientation processes 780
  - transformation step 782–783
- steady-state anisotropy 314
- Stern–Volmer equation 53
- Stern–Volmer quenching constant 53
- stoichiometry, determination of 29–32, 45–47
- Stokes' equation 198
- Stokes' radius 198, 225, 235
- Stokes–Einstein equation 198, 235
- streak cameras 300
- supramolecular assemblies
- on bulk insulators 548–549
  - and grids, arrays, and chains 546–547
- supramolecular chemistry 129, 144, 191–192, 197, 209, 217, 250, 259, 277–278.
- See also individual entries*
- basic concepts in 4–5
  - – cooperativity and multivalency 7–8
  - – entropy factors 5–6
  - – liquid crystals and supramolecular gels 18–21, 19
  - – molecular complementarity 5
  - – molecular devices and machines 15–18
  - – self-assembly 8, 10
  - – self-organization 11
  - – self-replication and supramolecular catalysis 13–15, 15
  - – self-sorting 11–12
  - – template effects 12–13, 14
  - historical remarks on 1–2
  - supramolecular complex formation 566, 572
- supramolecular inorganic chemistry 766
- supramolecular polymers 254–258
- supramolecular receptors 105, 112, 115, 124
- supramolecular structures 479
- supramolecular synthons 486
- surface potentials 734
- surfactins 694
- synthetic ion channels and pores
- characterization 711–713
  - characteristics 719–721, 733–734
  - – blockage and ligand gating 730–733
  - – concentration dependence 722–724
  - – ion selectivity 727–730
  - – pH gating 721–722
  - – size selectivity 724–725
  - – voltage gating 725–727
  - methods 713, 718–719
  - – fluorescence spectroscopy with labeled vesicles 716–718
  - – planar bilayer conductance 713–715
  - structural studies 734–735
  - – binding to bilayer 736–737
  - – location in bilayer 737

- synthetic ion channels and pores  
  characterization (*contd.*)  
  – – molecular recognition 738  
  – – self-assembly 737–738  
synthetic transport systems 711  
systematic absences. *See* systematic extinctions  
systematic extinctions 474–475
- t**
- target analysis 328  
templated growth, of molecules 549  
template effect 12–13, 14, 744, 758, 779, 784  
tetrathiofulvalene (TTF) 398  
theoretical methods 743–746  
– qualitative understanding and  
  decomposition schemes 772–773  
– – core-electron probe for hydrogen bond  
  interactions 774–775  
– – interaction energy decomposition 774  
– – SEN approach to hydrogen bond energies  
  775–777  
– standard classification of intermolecular  
  interactions 766–768  
– cooperative effects 768–769  
– distributed multipoles and polarizabilities  
  769–770  
– local multipole expansions in MD  
  simulations 770–772  
– static step-wise view on host–guest  
  recognition general mechanism  
  777–780  
– – environmental effects 783  
– – host-controlled association reaction  
  781–782  
– – rearrangement reactions 781  
– – template thermodynamics and kinetics  
  783  
– – template-free pre-orientation processes  
  780  
– – transformation step 782–783  
– survey 746–748  
– – connection to experiment 762–766  
– – first-principles methods 748–754  
– – linear scaling and multiscale modeling  
  760–762  
– – molecular dynamics 756–760  
– – supramolecular approach and total  
  interaction energies 754–756  
thermal evaporation 536  
thermal parameters 478  
thermochemical data determination  
– crown ether-alkali complexes 188–190  
– – BIRD approach 190–191
- thermochemical theory of template-assisted  
  elementary reactions (TAR) model 745,  
  778, 784  
thin films, of molecules 534  
3D monitoring of interactions, between gel  
  fibers and molecular and macromolecular  
  species 619–622  
3D reconstruction resolution 690–692  
3D volume calculation 685–686  
threshold-collision-induced decay (TCID)  
  145  
time-correlated single-photon counting  
  (TCSPC) 300  
time-dependent density functional theory  
  (TDDFT) 343  
time-gated systems 300  
time-of-flight (reflectron) 136  
time-of-flight (TOF) 131, 136, 138–139  
time-resolved fluorescence techniques  
  296–297  
– data analysis 304–305  
– distribution recovery of decay times from  
  fluorescence decays 309–311  
– excimer formation of cyanobiphenyls in  
  calix[4] resorcinarene derivative 309  
– excitation energy transfer in self-assembled  
  zinc porphyrin and free base porphyrin  
  diad 307–308  
– general principles 297–300  
– lifetime standards 306  
– phase-modulation fluorometry 302–304  
– photoinduced electron transfer in  
  self-assembled zinc  
  naphthalocyanine–fullerene diad  
  306–307  
– pulse fluorometry 300–302  
time-to-amplitude converter (TAC) 300, 301  
time zero 323  
transient absorption spectroscopy 319–320  
– broadband femtosecond pump–probe  
  set-up 323–325  
– cation photorelease from crown-ether  
  complex 329–330  
– charge separation in porphyrin–fullerene  
  diads 328–329  
– data analysis 326–328  
– general principles 320–321  
– light-driven cationic shuttle 330, 332  
– pump–probe spectroscopy with ultrashort  
  laser excitation 321  
– time-resolved differential absorption  
  measurements 325–326  
– white light continuum generation  
  321–323

- transient voltammetry 382  
 transmission electron microscopy (TEM) 258, 609  
   – contrast in 640  
   – absorption contrast 641  
   – amplitude contrast 649–650  
   – phase contrast 642–649  
   – scattering absorption contrast 641  
   – instrumentation 631  
   – electron–specimen interactions 635–638  
   – microscope 632–635  
   – radiation damage 638–640  
   – sample preparation 650–651  
   – cryo-techniques 654–660  
   – negative staining preparation 651–654  
   – strategies and examples for supermolecular structure characterization by 660–661  
   – cryogenic electron tomography (cryo-ET) 693–698  
   – exemplified principles of single-particle approach 680–692  
   – structural intermediate characterization 661–675  
   – three-dimensional characterization of structurally persistent micellar assemblies 675–680  
 trehalose embedding 654  
 true gas-phase experiments 164  
 tungsten 522  
 tweezering/de-tweezer process 413
- u**  
 ultramicroelectrodes 381  
 U-tube studies 719  
 UV/Vis spectroscopy, binding constant determination by 43–44  
   – complex concentration evaluation 33–34  
   – data treatment  
   – error estimation 43  
   – general view 41  
   – Rose–Drago method 41–43  
   – precautions while setting concentration conditions for titration experiment 34–41  
   – correlation between  $[H]_0$ ,  $[G]_0$ , x, and K 34–35  
   – determination of K 37  
   –  $[G]_0$  setting 36  
   –  $[H]_0$  setting 36  
   – stoichiometry determination 29–32

- v**  
 Van der Waals forces 4  
 Vernier principle 93  
 vertical interchange manipulation 532  
 vibrational circular dichroism 338, 341–342  
   – baseline corrections and reliability in 352–354  
   – examples of applications 359  
   – absolute configuration and detailed structural parameters 359–360  
   – biomolecule solution structure 361–362  
   – supramolecular systems 362–363  
   – intensity calibration in spectroscopy 351–352  
   – measurements 347–350  
 vibrational damping 503  
 viologens 178  
 virtual separation and ligand screening 245–249  
 voltage gating 725–727  
 voltammogram 379, 381, 387

- w**  
 Wannier function's center (WFC) 770–771  
 Wannier functions 770  
 Watson–Crick base pairing 190, 191  
 weak interactions 749, 767, 768, 778  
 weak phase object approximation 637, 642, 643, 649  
 weighted residuals 305  
 white light continuum 321  
   – generation 321–323  
 Woodhull Equation 731–732  
 work function, of metal 513  
 working electrode 373  
 worm-like-chain model 564

- x**  
 X-ray crystallography. *See* crystallography  
 X-ray diffraction (XRD) 610  
 X-ray radiation 636

- z**  
 z-calibration 511–512  
 zeolites 269–271  
 zero-point vibrational energy (ZPE) 755

