

## Index

### a

- AA, *see* ascorbic acid
- ab initio* molecular orbital theory  
300, 301
- acylation 149
- addition–elimination reactions 170, 171
- adhesion 126, 151, 152, 317
- ADPA, *see* 4-aminodiphenylamine
- adsorption energies 45, 46
- adsorption stripping voltammetry (ASV)  
139
- alcohol coupling agents 267–269
- aliphatic amines, *see* amine coupling agents
- aliphatic diazonium salts 1
- alkaline phosphatases (ALP) 202,  
203, 208
- alkanethiols 199, 200, 204, 205
- alkyl halide coupling agents 274, 275
- ALP, *see* alkaline phosphatases
- ambient stability 11
- amine coupling agents<sup>TM</sup> 255–264
- applications 262–264
  - characterization of grafted layer  
257–259
  - chemical grafting 259, 260
  - electrochemical characterization  
257, 258
  - grafting mechanism 261, 262
  - surface analysis 258, 259
- amino acids 263
- 4-aminobenzoyl groups 150
- 4-aminobenzyl-modified CNTs 105–108
- 4-aminodiphenylamine (ADPA) 190,  
192, 193
- o*-aminophenol 202, 203
- aminophenyl films
- chemical sensors and biosensors 204
  - patterned molecular layers 60, 62
  - polymer grafting 132
- ammonium salt coupling agents  
273, 274
- anthracenes 206, 207, 257
- antibodies 64–66, 208–210
- antibody-functionalized polymer brushes  
141
- antifouling layers 67, 68
- antigens 64, 65
- armchair graphene edges 42–44, 48
- aryl–surface bonding
- carbon nanotubes 44, 45
  - density functional theory 37–52
  - grafting processes 11–13
  - graphenes 39–44, 48, 49
  - metal surfaces 45–49
  - substrate types 38–48
- arylhiazine coupling agents  
264, 265
- aryltriazene coupling agents 266, 267
- ascorbic acid (AA) 262, 263
- ASV, *see* adsorption stripping  
voltammetry
- atom transfer radical polymerization (ATRP)  
56, 130–142, 159, 160, 162
- atomic force microscopy (AFM)
- characterization of aryl layers 71,  
72, 97
  - conductive polymers/oligomers 185
  - coupling agents 258, 259, 267,  
274, 275
  - grafting processes 12, 15, 16,  
18, 19
  - molecular electronics 224
  - patterned molecular layers 53, 54
  - polymer grafting 144, 177
  - silicon surfaces 242, 288, 289, 294
- ATR, *see* attenuated total reflection
- ATRP, *see* atom transfer radical  
polymerization

- attenuated total reflection (ATR) spectroscopy  
 – characterization of aryl layers 79–83  
 – coupling agents 258, 261, 262, 271  
 – polymer grafting 164, 166, 172–175
- b**
- B3LYP functionals 38, 45  
 bacterial sensors 141  
 Balz–Schiemann reactions 7  
 band bending 242, 244, 245, 248, 249  
 BASD, *see* bead-assisted  
 BDE, *see* bond dissociation energies  
 BE, *see* binding energies  
 bead-assisted (BASD) sonication processes 113, 114  
 4-benzoylphenyl (BP) groups 147  
 bilayers 295–301  
 binding energies (BE) 84–88, 127  
 biochips 62  
 biofilms 92  
 biomedical applications  
 – chemical sensors and biosensors 211, 212  
 – industrial applications 315–317  
 – nano-objects 119, 120  
 – patents 312  
 – patterned molecular layers 64–66  
 – polymer grafting 141, 142  
 biosensors 197–218  
 – cell-based 213  
 – coupling agents 263  
 – DNA-based 210–213  
 – enzymes 206–208  
 – immunobiosensors 208–210  
 – important features of aryl diazonium salts 200, 201  
 – interfacial design 197, 198  
 – molecular level control 198–200  
 – patents 312, 313  
 – polymer grafting 141, 151  
 – types 205–213  
 biotin  
 – chemical sensors and biosensors 207–210, 212  
 – coupling agents 264, 266  
 – patents 310, 313  
 – patterned molecular layers 61  
 – polymer grafting 149  
 biphenyl films 187–190  
 1-(2-bisthieryl)-4-aminobenzene (BTB) 10, 105, 190–192  
 block copolymers 90–91, 142, 159  
 bond dissociation energies (BDE) 42, 43  
 BP, *see* 4-benzoylphenyl  
 4-bromobenzene diazoniumtetrafluoroborate (BrBDT) 246–251  
 bromophenyl films 60  
 BTB, *see* 1-(2-bisthieryl)-4-aminobenzene
- c**
- cadmium ions 204  
 capacitance 95  
 capping ligands 104, 117  
 carbon black  
 – grafting processes 26, 27  
 – industrial applications 313, 314  
 – patents 311  
 carbon felt 255, 256  
 carbon fibers (CF) 139, 140, 148, 255, 256  
 carbon nanohorns (CNH) 115  
 carbon nano-objects 103, 105–111, 112–116  
 carbon nano-onions (CNO) 115, 116, 168, 169  
 carbon nanotubes (CNT)  
 – aryl-surface bonding 44, 45  
 – characterization of aryl layers 86, 87, 89  
 – chemical sensors and biosensors 213, 214  
 – coupling agents 255, 256, 264, 266  
 – grafting processes 6–8, 10–12, 16  
 – modification by aryl diazonium salts 103, 105–115  
 – patents 311  
 – patterned molecular layers 64  
 – polymer grafting 127, 137, 142, 143, 146, 149, 150  
 4-carboxyphenyl films 204, 207–209, 211, 212  
 cathodic electrografting (CE) 160–164  
 CD, *see* cyclodextrins  
 CE, *see* cathodic electrografting  
 cell-based biosensors 213  
 CF, *see* carbon fibers  
 chemical grafting 259, 260, 269, 270  
 chemical sensors 197–218  
 – immobilization of chemical recognition species 201–205  
 – important features of aryl diazonium salts 200, 201  
 – interfacial design 197, 198  
 – molecular level control 198–200  
 – patents 312, 313  
 – polymer grafting 139, 140  
 chemisorption techniques 159  
 4-chlorophenyl isocyanide (CPI) 83, 84  
 chronoamperometry 3, 15, 18

- click chemistry 116, 149, 150
  - close-packed monolayers (CPML) 186
  - CNH, *see* carbon nanohorns
  - CNO, *see* carbon nano-onions
  - CO, *see* conjugated oligomers
  - colloidal lithography 59, 60
  - composite materials 310, 311
  - conductance switching 187–193
  - conductive polymers/oligomers
    - electrochemical switching 183, 184, 189, 190, 193, 194
    - electrografting 181–195
    - n-doping and conductance switching of grafted mono- and multilayers 187–190
    - p-doping and conductance switching of grafted mono- and multilayers 190–193
    - polymer grafting 147
    - polyphenylene- and oligophenylene-tethered surfaces 187
    - reduction of diazonium salts 184–186
  - conformality 317
  - conjugated oligomers (CO) 181–184
  - conjugated polymers (CP) 181–184
  - contact angles 96
  - contact potential difference (CPD) 248, 249
  - copper deposition 226, 233
  - copper interconnects 317–319
  - copper ions 139, 140, 204, 205, 207
  - copper substrates
    - aryl-surface bonding 46–48
    - characterization of aryl layers 94
    - molecular electronics 229–232
    - patterned molecular layers 60, 61
  - coupling agents 255–281
    - alcohols 267–269
    - alkyl halides 274–275
    - amines 255–264
    - ammonium salts 273, 274
    - applications 262–264, 269
    - arylhydrazines 264, 265
    - aryltriazenes 266, 267
    - characterization of grafted layer 257–259, 268, 269, 271–275
    - chemical grafting 259, 260, 269
    - electrochemical characterization 257, 258, 264, 265
    - grafting mechanism 261, 262, 272
    - Grignard reagents 270–272
    - iodonium salts 272, 273
    - localized electrografting 260, 261
    - polymer grafting 125, 126, 127, 130, 131–136
    - sulfonium salts 273
    - surface analysis 258, 259, 267, 272–275
  - CP, *see* conjugated polymers
  - CPD, *see* contact potential difference
  - CPI, *see* 4-chlorophenyl isocyanide
  - CPML, *see* close-packed monolayers
  - p*-cresol 203, 204
  - cross-linking 152
  - current–voltage (*I*–*V*) characteristics
    - conductive polymers/oligomers 186–189
    - molecular electronics 224, 225, 229–234
    - silicon surfaces 286, 290–292, 294, 295, 298–301, 303–305
  - CV, *see* cyclic voltammetry
  - cyclams 139, 140
  - cyclic voltammetry (CV)
    - characterization of aryl layers 95
    - conductive polymers/oligomers 184, 185
    - coupling agents 256, 264
    - grafting processes 3, 4, 15, 16, 18–20, 23
    - nano-objects 107, 108
    - polymer grafting 163
    - silicon surfaces 293, 294, 297, 301, 304, 305
  - cyclodextrins (CD) 10, 192
- d**
- D-ND, *see* detonation nanodiamonds
  - D*-parameters 90, 91
  - DEADT, *see* diethyl aniline diazonium tetrafluoroborate
  - decamethyl ferrocene 190
  - dediazonation 1, 2, 4, 5
  - Dember-voltage 244
  - dendrimers 150, 151
  - density functional theory (DFT)
    - aryl-surface bonding 37–52
    - carbon nanotubes 44, 45
    - characterization of aryl layers 84
    - fundamental principles 38
    - grafting processes 13, 16
    - graphenes 39–44, 48, 49
    - metal surfaces 45–49
    - silicon surfaces 292
    - substrate types 38–48
  - density of states, *see* local density of states
  - deoxyribonucleic acid (DNA) 210–213
  - DES, *see* drug-eluting stents
  - detonation nanodiamonds (D-ND) 114
  - DFT, *see* density functional theory
  - DHTT 288–293
  - diamond
    - characterization of aryl layers 90, 91, 96
    - grafting processes 15

- polymer grafting 128
  - *see also* nanodiamonds; ultrananocrystalline diamond
  - DIAP, *see* diazonium-induced anchoring process
  - diazohydroxides 2
  - diazonium-induced anchoring process (DIAP)
    - parameters controlled in process 174–177
    - polymer grafting 139, 140, 146, 147, 160, 171–178
    - process with vinylic monomer 174–177
    - process without vinylic monomer 172–174
    - substrate types 172, 174
  - diazotization of substrates and macromolecules 150, 151
  - dielectrics 285, 286, 293–295
  - diethyl aniline diazonium tetrafluoroborate (DEADT) 246–248
  - dihydroxybenzenes 202
  - diodes 286, 295–301
  - direct cathodic electrografting 160–162
  - dispersion 40
  - DNA, *see* deoxyribonucleic acid
  - double wall carbon nanotubes (DWCNT) 64
  - double zeta polarized (DZP) basis set 292
  - drug-eluting stents (DES) 141, 142, 315–317
  - DWCNT, *see* double wall carbon nanotubes
  - DZP, *see* double zeta polarized
- e**
- EDA, *see* ethylenediamine
  - EDTA, *see* ethylenediaminetetraacetic acid
  - effective dipole moment 246–248
  - electric double layers 92
  - electrical bistability 303–305
  - electroaddressable arrays 64–66
  - electrochemical characterization of coupling agents 257, 258
  - electrochemical impedance 94
  - electrochemical modification of nano-objects 105–111
  - electrochemical quartz crystal microbalances (EQCM) 169
  - electrochemical stability 11, 12
  - electrochemical switching 183, 184, 189, 190, 193, 194, 303–305
  - electrochemiluminescent sensors 205
  - electrografting
    - characterization of aryl layers 94
    - conductive polymers/oligomers 181–195
    - coupling agents 260, 261, 269, 270, 272, 273
    - electrochemical switching 183, 184, 189, 190, 193, 194
    - industrial applications 314–319
    - molecular electronics 283, 284, 287–289, 293–297, 301–303
    - n-doping and conductance switching of grafted layers 187–190
    - nano-objects 105, 106
    - one-step redox process 160–164
    - p-doping and conductance switching of grafted layers 190–193
    - patents 309, 310
    - patterned molecular layers 58, 60, 63–66, 68
    - polymer grafting 126, 128, 129, 147, 160–164
    - polyphenylene- and oligophenylene-tethered surfaces 187
    - reduction of diazonium salts 2–4, 9, 14, 17, 18, 23, 26, 184–186
    - silicon surfaces 244–249, 283, 284, 287–289, 293–297, 301–303
  - electron beam lithography 67
  - electron paramagnetic resonance (EPR) spectroscopy 172, 173
  - electron spin resonance (ESR) spectroscopy 25
  - electronic properties
    - band bending and work functions 242, 244, 245, 248, 249
    - electrochemical grafting 244–249
    - experimental techniques 242–251
    - *in situ* PV and PL measurements 241, 242–245
    - pH dependence and enhanced surface passivation 249–251
    - reaction scheme of grafting process 245, 246
    - silicon surfaces 241–253
    - *see also* current–voltage characteristics; molecular electronics
  - electropolymerization 314–319
  - electroprinting 58
  - electrospotting 56, 57
  - ellipsometry 72, 75–83, 97
  - energy conversion 313
  - enzymes 64, 65, 202, 203, 206–208
  - epitaxial graphene 49
  - EPR, *see* electron paramagnetic resonance
  - EQCM, *see* electrochemical quartz crystal microbalances
  - erase states 303–305
  - ESR, *see* electron spin resonance

ethylenediamine (EDA) 261, 262, 264  
 ethylenediaminetetraacetic acid  
 (EDTA) 204

## f

F5TP, *see* pentafluorothiophenol  
 ferrocenes  
 – chemical sensors and biosensors 209,  
 211–213  
 – conductive polymers/oligomers 188–193  
 – coupling agents 257  
 – grafting processes 23–25  
 – patterned molecular layers 55, 56  
 field-effect transistors (FET) 109, 286–287,  
 312  
 flat-lying configuration 45–47  
 Fourier transform infrared (FTIR)  
 spectroscopy 75, 289, 297, 298, 301, 302  
 Fréchet-type dendrons 151  
 FTIR, *see* Fourier transform infrared  
 fullerenes 295–301

## g

GC, *see* glassy carbon  
 generalized-gradient approximation (GGA)  
 38, 45  
 glassy carbon (GC)  
 – characterization of aryl layers 90, 91, 95  
 – chemical sensors and biosensors 200,  
 202, 205, 210  
 – coupling agents 255, 256, 262–264,  
 267–269, 275  
 – grafting processes 5, 7–9, 26, 27  
 – patterned molecular layers 59  
 glucose oxidase 62  
 GNR, *see* graphene nanoribbons  
 gold deposition 226, 233, 234  
 gold nanoparticles  
 – modification by aryl diazonium salts 104,  
 110, 111, 116–118  
 – polymer grafting 127, 129, 145,  
 146, 150, 152  
 gold substrates  
 – aryl–surface bonding 46  
 – characterization of aryl layers 85–90  
 – chemical sensors and biosensors 204,  
 205  
 – coupling agents 255, 256  
 – grafting processes 20, 23  
 – molecular electronics 229, 230,  
 290–292  
 – patents 311  
 – patterned molecular layers 60, 62  
 – polymer grafting 144, 145, 149,  
 168, 169, 177

Gomberg–Bachman reactions 2, 14  
 Graffast[™], *see* diazonium-induced  
 anchoring process  
 grafting from methods 126,  
 130–147, 159  
 grafting onto methods 126,  
 147–151, 159  
 grafting processes  
 – aryl–surface bonding 11–13  
 – chemical and electrochemical principles  
 1, 2  
 – chemical structure of multilayers 21  
 – compactness of layers 23, 24  
 – coupling agents 259–262, 269–272  
 – diazonium salt substituents 9, 10  
 – electron transfer 19–21, 24–26  
 – heating and microwave 6, 7  
 – homolytic dediazonation 1, 2, 4, 5  
 – mechanical grafting 7  
 – mechanism of multilayer formation  
 22, 25–27  
 – medium thickness layers 16–19  
 – monolayers 13–16  
 – multilayers 13, 14, 16–27  
 – neutral and basic media 6  
 – patents 309, 310  
 – photografting 7, 147, 148  
 – reactions with substrates 4, 5  
 – reducing reagents 5, 6  
 – reducing substrates 4, 5  
 – reduction of diazonium salts 1–35  
 – silicon surfaces 296–298  
 – solvents 10, 11  
 – spatial structure of layers 22  
 – substrate types 7–9  
 – swelling of multilayers 24  
 – thick layers 19–21  
 – ultrasonication 6, 14, 24  
 – *see also* electrografting; polymer  
 grafting  
 granular thin films 77  
 graphene nanoribbons (GNR) 115  
 graphenes  
 – aryl–surface bonding 39–44, 48, 49  
 – basal plane sites 39–41, 48  
 – characterization of aryl layers 84  
 – coupling agents 255, 256  
 – edge sites 42–44, 48  
 – nano-objects 114, 115  
 Grignard reagents 270–272

## h

hairy CNTs 149, 150  
 high-resolution electron energy loss  
 spectroscopy (HREELS) 12, 47

- highly oriented pyrolytic graphite (HOPG)
    - aryl–surface bonding 39, 42
    - characterization of aryl layers 72
    - coupling agents 255–256
    - grafting processes 7–9, 18, 19
  - homolytic dediazonation 1, 2, 4, 5
  - HOPG, *see* highly oriented pyrolytic graphite
  - hopping phenomena 220, 221, 233
  - horseradish peroxidase (HRP) 206, 207
  - HREELS, *see* high-resolution electron energy loss spectroscopy
  - HRP, *see* horseradish peroxidase
  - hybrid electronics 219, 236, 284, 285, 305
  - hydrogels 58
  - hydrogen radicals 169, 170
  - hydrogenated diamond 15
  - hydrogenated silicon
    - characterization of aryl layers 77–79
    - coupling agents 270, 273, 274
    - electrografting 287
    - grafting processes 14, 15, 26
    - patterned molecular layers 63, 64
  - hydroquinone 202
  - hypophosphorous acid 5, 6
  - hysteresis 290, 300, 303
- i**
- I*–*V*, *see* current–voltage
  - IgG, *see* immunoglobulin
  - immunobiosensors 208–210
  - immunoglobulins (IgG) 66, 209
  - in situ* IR measurements 79–83
  - indirect cathodic electrografting 162–164
  - indirect vapor deposition 226, 233, 234
  - indium tin oxide (ITO)
    - characterization of aryl layers 86
    - nano-objects 119
    - patterned molecular layers 59, 60, 65
  - indium-gallium-arsenide charge-coupled detectors 243
  - industrial applications 313–319
    - copper interconnects 317–319
    - drug-eluting stents 315–317
    - modified carbon blacks 313, 314
    - research to development 314, 315
    - vinylic polymers 314–319
  - infrared (IR) spectroscopy
    - characterization of aryl layers 72–83, 97
    - coupling agents 258, 261, 262, 272
    - ellipsometry 75–83, 97
    - *in situ* measurements 79–83
    - polymer grafting 164, 166, 172, 173, 175
    - reflection spectroscopy 74, 75, 79–83, 97
    - surface characterization by IRSE 77–79
    - transmission spectroscopy 73, 74
  - infrared reflection absorption spectroscopy (IRRAS) 258, 265
  - infrared spectroscopic ellipsometry (IRSE)
    - characterization of aryl layers 75–83, 97
    - *in situ* measurements 79–83
    - silicon surfaces 242, 248, 251
    - surface characterization 77–79
  - interfacial design 197, 198
  - interleukin-12 211, 212
  - iodonium salts 272, 273
  - ionic liquids 10, 11
  - IR, *see* infrared
  - iron oxide nanoparticles 117, 118
  - iron powder 6
  - iron substrates 46, 127
  - IRRAS, *see* infrared reflection absorption spectroscopy
  - IRSE, *see* infrared spectroscopic ellipsometry
  - ITO, *see* indium tin oxide
- j**
- J*–*V*, *see* current–voltage
- k**
- Kohn–Sham equations 38
- l**
- Landauer model 232
  - Langmuir–Blodgett (LB) films 221, 222, 224, 230, 286
  - LDA, *see* local density approximation
  - LDOS, *see* local density of states
  - lead ions 204
  - linker groups 287
  - local density approximation (LDA) 38, 45, 292
  - local density of states (LDOS) 42, 43, 71, 72
  - local spin density approximation (LSDA) 38
  - localized grafting/electrografting 176, 260, 261
  - LSDA, *see* local spin density approximation
- m**
- macromolecules 130–151
  - magnetic nanoparticles 117, 118
  - MCP, *see* microcontact printing
  - 4-MDA 78, 79
  - 4-MeBDT, *see* 4-methoxybenzene diazoniumtetrafluoroborate
  - mechanical grafting 7

- mechanical stability 12
- medical applications, *see* biomedical applications
- MEK, *see* methyl ethyl ketone
- membranes 92
- memory effects 301–305
- Merweein reactions 2
- meta-GGA functionals 38
- metal nano-objects 111, 116–119
- metal nanoparticles
  - chemical sensors and biosensors 205, 214
  - polymer grafting 127–129, 145, 146
- metal oxide nano-objects 111, 116–119
- metal oxide surfaces 198, 199
- metal surfaces
  - aryl–surface bonding 45–49
  - characterization of aryl layers 77, 85–90, 94
  - chemical sensors and biosensors 199, 204, 205
  - coupling agents 255, 256, 263, 264, 275
  - grafting processes 20, 23
  - molecular electronics 229–232
  - patterned molecular layers 60–62
  - polymer grafting 128, 168, 169, 177
- metallic colloids 103–104
- metallic SWCNTs 109, 110, 113
- 4-methoxybenzene
  - diazoniumtetrafluoroborate (4-MeBDT) 73, 74
- methyl ethyl ketone (MEK) 152
- 2-methyl-2-nitrosopropane (MNP) dimer 172–174
- microcontact printing (MCP) 57, 58
- microfabricated molecular devices 233, 234
- microscale patterning 261
- microwave grafting 6, 7
- mineral surfaces 92
- miniemulsion system 165, 166
- MIP, *see* molecularly imprinted polymers
- mixed layers 201
- MNP, *see* 2-methyl-2-nitrosopropane
- modified carbon blacks 313, 314
- modified electrode arrays 64–66
- molding techniques 59
- molecular electronics 219–239
  - application of top contacts 225, 226, 233, 234
  - architecture of hybrid devices 284, 285
  - characterization 294, 295, 297, 298
  - dielectrics and wires 285, 286, 294, 295
  - diodes 286, 295–301
  - electrical bistability 303–305
  - electrografting 283, 284, 287–289, 293–297, 301–303
  - electron transport 219–222
  - electronic performance 226–234
  - fabrication of molecular junctions 221–225
  - hopping and tunneling phenomena 220, 221, 225, 229, 232–233, 235
  - industrial applications 317–319
  - memory effects 301–305
  - microfabricated molecular devices 233, 234
  - negative differential resistance 286, 288–293
  - patents 312
  - redox systems 220, 221, 232, 233, 235
  - resonant tunnel diodes 286
  - self-assembly processes 283, 297, 298
  - silicon surfaces 283–307
  - structural control 230–232
  - substrate types 222, 223
  - surface diffusion mediated deposition 227–230, 233
  - surface modification 223–225
  - transistors 286, 287
- molecular junctions 219, 221–234
- molecular wires (MW) 209, 285, 286
- molecularly imprinted polymers (MIP) 140, 145, 146, 313
- monolayer formation
  - chemical sensors and biosensors 201
  - conductive polymers/oligomers 186
  - coupling agents 263
  - grafting processes 13–16
  - molecular electronics 224
  - silicon surfaces 283, 286, 287–289, 293–295, 301–303
  - *see also* self-assembled monolayers
- multilayer formation
  - chemical structures 21
  - conductive polymers/oligomers 187–193
  - coupling agents 263
  - grafting processes 13, 14, 16–27
  - mechanism 22, 25–27
  - molecular electronics 224, 235
  - silicon surfaces 288, 289, 295–301
  - swelling 24
- multiwall carbon nanotubes (MWCNT)
  - characterization of aryl layers 86, 87, 89
  - grafting processes 6, 7, 16
  - modification by aryl diazonium salts 105–108, 111, 113
  - polymer grafting 137, 149, 150

- MW, *see* molecular wires  
MWCNT, *see* multiwall carbon nanotubes
- n**
- n-type semiconductors  
– electrografting 182, 183, 187–190  
– electronic properties 244  
– patterned molecular layers 63
- NAB, *see* 4-nitroazobenzene  
NAD/NADH, *see* nicotinamide adenine dinucleotide
- nanodiamonds (ND) 114, 118, 119  
nano-objects (NB) 103–124  
– attachment to other surfaces 103, 104  
– carbon NBs 103, 105–111, 112–116  
– chemical modification 112–119  
– compatibility with desired environment 103  
– electrochemical modification 105–111  
– functionalization 103, 104, 109–111, 113–119  
– metal and metal oxide NBs 111, 116–119  
– modification by aryl diazonium salts 103–124  
– patents 312  
– polymer grafting 128  
– stability and monodispersity 103, 104, 105
- nanoparticle-cored dendrimers (NCD) 150–151
- nanoparticles (NP)  
– chemical sensors and biosensors 205, 214  
– grafting processes 6  
– modification by aryl diazonium salts 103, 104, 110, 116–119  
– patents 311  
– polymer grafting 127–129
- nanosecond equilibrium method 256
- nanoshaving 54
- nanosphere lithography (NSL) 59, 60
- NB, *see* nano-objects; nitrobenzene  
4-NBDT, *see* 4-nitrobenzenediazonium tetrafluoroborate
- NCD, *see* nanoparticle-cored dendrimers  
ND, *see* nanodiamonds
- negative differential resistance (NDR) 286, 288–293
- NEGF, *see* non-equilibrium Green function formalism
- nickel ions 207
- nicotinamide adenine dinucleotide (NAD/NADH) 202, 203
- nitrioloacetic acid (NTA) 207
- 4-nitroazobenzene (NAB) films  
– conductive polymers/oligomers 187–190  
– molecular electronics 226, 228, 229, 231, 232
- nitrobenzene thin films  
– characterization of aryl layers 78, 79, 81–83, 86–90, 92, 93  
– coupling agents 257  
– silicon surfaces 249–251
- 4-nitrobenzenediazonium tetrafluoroborate (NBDT)  
– characterization of aryl layers 73, 74  
– nano-objects 105–109, 118, 119  
– polymer grafting 162, 163, 165–167, 170, 172, 173  
– silicon surfaces 246–251
- nitro-biphenyl films 187–190
- nitrophenyl films  
– nano-objects 110, 111, 119  
– patterned molecular layers 60  
– polymer grafting 127, 132
- non-equilibrium Green function formalism (NEGF) 292
- NSL, *see* nanosphere lithography
- NTA, *see* nitrioloacetic acid
- Nyquist plots 94, 295
- o**
- OEG, *see* oligo(ethylene glycol)
- oligoaniline 192, 193
- oligo(ethylene glycol) (OEG) 207
- oligonucleotides 64, 65
- oligoparaphenylene 183, 187
- oligophenylenes 183, 187, 189
- oligo(phenylethynylene) 209
- oligophenylthiophene 190–192
- oligothiophene 183, 190–192
- on/off switching 183, 184, 189, 190, 193, 194, 303–305
- one-step redox process 159, 180  
– cathodic electrografting 160–164  
– diazonium-induced anchoring process 160, 171–178  
– surface electroinitiated emulsion polymerization 160, 164–171  
– surface-initiated atom transfer radical polymerization 159, 160, 162
- optical micrography 177
- optical sensors 140, 141
- organosilanes 198, 199
- oxygen reduction 110, 111



**p**

- $\pi$ - $\pi$  interactions 40
- p-type semiconductors
  - electrografting 182, 183, 190-193
  - electronic properties 244
  - patterned molecular layers 63
- PAA, *see* poly(acrylic acid)
- palladium nanoparticles 105, 106, 111, 117
- palladium substrates 46, 149, 150
- PAM, *see* polyacrylamide
- PAMAM, *see* poly(amidoamine)
- PANI, *see* polyaniline
- passivating layers
  - characterization of aryl layers 72, 77-79
  - patterned molecular layers 67, 68
- patents 309-313
  - biomedical applications 312
  - chemical sensors and biosensors 312, 313
  - composite materials 310, 311
  - energy conversion 313
  - molecular electronics 312
  - nano-objects 312
  - post-modification of grafted layers 310
  - surface chemistry 309, 310
- patterned molecular layers 53-69
  - atomic force microscopy 53, 54
  - coupling agents 261, 270, 271
  - microcontact printing 57, 58
  - modified electrode arrays 64-66
  - nanosphere lithography 59, 60
  - PDMS molds 59
  - photolithography 60-62, 67
  - pin electrospotting 56, 57
  - polymer grafting 141, 142
  - scanning electrochemical microscopy 53, 54-56
  - scanning probe lithography 53-57, 67
  - silicon substrates 63, 64
  - soft lithography 57-60
  - surface-directed patterning 62-66
- PBMA, *see* poly(butyl methacrylate)
- PDMS, *see* poly(dimethylsiloxane)
- PEDOT, *see* poly(ethylene dioxythiophene)
- PEG, *see* poly(ethylene glycol)
- PEGDMA, *see* poly(ethylene glycol dimethylacrylate)
- pentaffluorothiophenol (F5TP) 83, 84
- PEVA, *see* poly(ethylene-co-vinyl acetate)
- PGMA, *see* poly(glycidyl methacrylate)
- pH dependence 249-251
- PHEMA, *see* poly(hydroxyethyl methacrylate)
- phenanthrene 2
- phenyl films 204
- phenylboronic acid 213
- 2-phenylethyl bromide 85, 86
- 4-phenylmaleimide 211, 212
- phosphine oxide 125
- photografting 7, 147, 148
- photoinitiators 143-145
- photolithography 60-62, 67
- photoluminescence (PL) 97, 241, 242-245
- photovoltage (PV) 241, 242-245
- physisorption techniques 159
- pin electrospotting 56, 57
- PL, *see* photoluminescence
- platinum deposition 226
- platinum nanoparticles 105-107, 110, 111, 116
- platinum substrates 255, 256
- PLGA, *see* poly(lactic-co-glycolic acid)
- PLMA, *see* poly(lauryl methacrylate)
- PMAA, *see* poly(methacrylic acid)
- PMMA, *see* poly(methyl methacrylate)
- PNIPAM, *see* poly(*N*-isopropylacrylamide) layer
- PNP, *see* polynitrophenyl
- POEGMA, *see* poly(oligoethyleneglycol methacrylate)
- polarized reflection spectroscopy 75, 81
- polyacrylamide (PAM) 142
- poly(acrylic acid) (PAA) 139, 140, 176
- poly(amidoamine) (PAMAM) 269
- polyaniline (PANI) 181, 182, 193, 194, 262, 263
- poly(butyl methacrylate) (PBMA)
  - industrial applications 315, 316
  - polymer grafting 130, 141, 144, 145, 163, 164, 166-171, 176
- poly(dimethylsiloxane) (PDMS) 59, 261, 270
- poly(ethylene dioxythiophene) (PEDOT) 184
- poly(ethylene glycol dimethylacrylate) (PEGDMA) 152
- poly(ethylene glycol) (PEG) 147-150
- poly(ethylene-co-vinyl acetate) (PEVA) 141, 142
- poly(glycidyl methacrylate) (PGMA) 139, 140, 142, 149, 150
- poly(hydroxyethyl methacrylate) (PHEMA) 144, 145, 152, 174, 177
- poly(*N*-isopropylacrylamide) layer (PNIPAM) 130, 134, 140, 141
- poly(lactic-co-glycolic acid) (PLGA) 315, 316
- poly(lauryl methacrylate) (PLMA) 144, 145
- polymer brushes 137, 138, 141, 142

- polymer grafting 125–157
    - acylation 149
    - addition–elimination reactions 170, 171
    - adhesion 126, 151, 152
    - applications 131–136, 138–142, 151
    - bacterial sensors 141
    - cathodic electrografting 160–164
    - characterization 127, 166, 167
    - chemical sensors 139, 140
    - click chemistry 149, 150
    - coupling agents 125–136
    - determination of film structure 167–169
    - diazonium-induced anchoring process 139, 140, 146, 147, 160, 171–178
    - diazotization of substrates and macromolecules 150, 151
    - drug-eluting stents 141
    - electrografting 147, 160–164
    - grafting from methods 126, 130–147, 159
    - grafting onto methods 126, 147–151, 159
    - macromolecule grafting through aryl layers 130–151
    - one-step redox process 159, 180
    - optical sensors 140, 141
    - patterned molecular layers 141, 142
    - photografting 147, 148
    - proton reduction and hydrogen radicals 169, 170
    - ring opening 148
    - surface electroinitiated emulsion polymerization 146, 147, 160, 164–171
    - surface-initiated addition–fragmentation chain transfer 142, 143
    - surface-initiated anionic polymerization 146
    - surface-initiated atom transfer radical polymerization 130–142, 159, 160, 162
    - surface-initiated photopolymerization 143–146
  - poly(methacrylic acid) (PMAA) 145
  - poly(methyl methacrylate) (PMMA) 130, 137, 138, 141–145, 152
  - polynitrophenyl (PNP) primer layers 168–174
  - poly(oligoethyleneglycol methacrylate) (POEGMA) 141
  - poly-*p*-phenylene (PPP) 181, 182, 187
  - poly(phenylenevinylene) (PPV) 181, 182, 187
  - polypyrrole (PPy) 181, 182
  - polystyrene (PS) 142–144, 146
  - polystyrene–polyethylene block copolymers 90, 91
  - polythiophene (PTh) 181, 182
  - poly(vinyl alcohol) (PVA) 269
  - porous thin films 77
  - porphyrins 116, 295–305
  - PPF, *see* pyrolyzed photoresist films
  - PPP, *see* poly-*p*-phenylene
  - PPV, *see* poly(phenylenevinylene)
  - PPy, *see* polypyrrole
  - PQQ, *see* pyrroloquinoline quinone
  - primary aliphatic amines, *see* amine coupling agents
  - printing techniques 57, 58
  - proteins 57
  - proton reduction 169, 170
  - PS, *see* polystyrene
  - Pschorr reactions 2
  - PTh, *see* polythiophene
  - PV, *see* photovoltage
  - PVA, *see* poly(vinyl alcohol)
  - pyrolyzed photoresist films (PPF)
    - conductive polymers/oligomers 187–189
    - coupling agents 255, 256, 259, 264
    - grafting processes 15–18, 22–24
    - molecular electronics 220, 222, 223, 228–232
    - patterned molecular layers 59–61, 67
  - pyrroloquinoline quinone (PQQ) 203
- q**
- quantitative analysis of surfaces by electron spectroscopy (QUASES) 88, 90
  - quantum dots (QD) 119
  - quantum wires 119
  - QUASES, *see* quantitative analysis of surfaces by electron spectroscopy
  - quaternary ammonium salts 125
  - quinone 202
- r**
- Raman spectroscopy
    - characterization of aryl layers 83, 84, 97
    - grafting processes 12, 22
    - molecular electronics 226, 227
    - silicon surfaces 242
  - RBS, *see* Rutherford backscattering
  - read states 303–305
  - rectifiers 286, 295–301
  - redox systems
    - conductive polymers/oligomers 182, 183, 186, 187, 189–193
    - coupling agents 257, 258
    - grafting processes 5, 11, 19–21, 23–25
    - molecular electronics 220, 221, 232, 233, 235

- nano-objects 113
  - polymer grafting 159, 180
  - reducing reagents 5, 6
  - reducing substrates 4, 5
  - reflection IR spectroscopy 74, 75, 79–83, 97
  - reflection UV–Vis spectroscopy 73
  - resonant tunnel diodes (RTD) 286
  - ring opening 148
  - RTD, *see* resonant tunnel diodes
  - ruthenium nanoparticles 117
  - ruthenium polypyridyl complexes 19–21, 93, 94, 205
  - Rutherford backscattering (RBS) 93, 97
- S**
- SAM, *see* self-assembled monolayers
  - Sandmeyer reactions 1
  - scanning electrochemical microscopy (SECM)
    - coupling agents 258, 260, 261, 273
    - patterned molecular layers 53–56, 67
    - polymer grafting 141, 142
  - scanning electron microscopy (SEM)
    - coupling agents 258
    - industrial applications 316, 318
    - patterned molecular layers 58, 60
    - polymer grafting 175
  - scanning probe lithography (SPL) 53–57
  - scanning tunneling microscopy (STM)
    - characterization of aryl layers 71, 72, 97
    - grafting processes 15, 23
    - patterned molecular layers 53, 54
    - silicon surfaces 242
  - SDBS, *see* sodium dodecylbenzenesulfonate
  - SDMD, *see* surface diffusion mediated deposition
  - SECM, *see* scanning electrochemical microscopy
  - SEEP, *see* surface electroinitiated emulsion polymerization
  - SEIRA, *see* surface-enhanced IR absorption
  - self-assembled monolayers (SAM) 13
    - characterization of aryl layers 72, 75, 83, 84
    - chemical sensors and biosensors 198–200
    - molecular electronics 221, 222, 224, 226, 230, 235
    - nano-objects 114
    - patterned molecular layers 53, 54
    - polymer grafting 125, 143
  - self-assembly processes
    - nano-objects 113, 114
    - silicon surfaces 283, 297, 298
  - SEM, *see* scanning electron microscopy
  - semiconductors
    - coupling agents 255, 256
    - electrografting 182, 183
    - electronic properties 244
    - industrial applications 317–319
    - nano-objects 109, 110, 113, 119
    - patterned molecular layers 63
    - polymer grafting 128
    - *see also* silicon surfaces
  - sequential grafting 176
  - SERS, *see* surface-enhanced Raman scattering
  - shake-up satellites 86
  - SI-ATRP, *see* surface-initiated atom transfer radical polymerization
  - SI-RAFT, *see* surface-initiated addition–fragmentation chain transfer
  - sidewall modification of SWCNTs 112, 113
  - silica nanoparticles (SiNP) 111, 311
  - silicon surfaces
    - architecture of hybrid devices 284, 285
    - band bending and work functions 242, 244, 245, 248, 249
    - characterization 242–251, 294, 295, 297, 298
    - coupling agents 270
    - dielectrics and wires 285, 286, 293–295
    - diodes 286, 295–301
    - electrical bistability 303–305
    - electrochemical grafting 244–249
    - electrografting 283, 284, 287–289, 293–297, 301–303
    - electronic properties 241–253
    - *in situ* PV and PL measurements 241, 242–245
    - memory effects 301–305
    - molecular electronics 223, 228, 229, 283–307
    - nano-objects 109
    - negative differential resistance 286, 288–293
    - patterned molecular layers 63, 64
    - pH dependence and enhanced surface passivation 249–251
    - reaction scheme of grafting process 245, 246
    - resonant tunnel diodes 286
    - self-assembly processes 283, 297, 298
    - transistors 286, 287
    - *see also* hydrogenated silicon
  - silver nanoparticles 105–108, 110, 111
  - Simmons model 232
  - simultaneous grafting 176

- single wall carbon nanotubes (SWCNT)
    - aryl–surface bonding 44, 45
    - coupling agents 264, 266
    - grafting processes 6, 7, 11, 12, 16
    - modification by aryl diazonium salts 103, 108–110, 112–115
    - patents 311
    - polymer grafting 142, 143, 149, 150
  - SiNP, *see* silica nanoparticles
  - SIPP, *see* surface-initiated photopolymerization
  - size-controlled metallic nano-objects 110
  - sodium dodecylbenzenesulfonate (SDBS) 114, 115
  - soft lithography 57–60
  - spin-coating 62
  - spin-traps 172, 173
  - spiro-bridges 182, 183
  - SPL, *see* scanning probe lithography
  - spontaneous grafting 4, 5, 27, 56, 57
  - spotting techniques 56, 57
  - square wave voltammetry (SWV) 145, 146
  - steric effects 16
  - STM, *see* scanning tunneling microscopy
  - sulfonium salts 273
  - surface diffusion mediated deposition (SDMD) 227–230, 233
  - surface-directed patterning 62–66
  - surface electroinitiated emulsion polymerization (SEEP) 146, 147, 160, 164–171
    - characterization of PBMA films 166, 167
    - determination of film structure 167–169
    - mechanism 170, 171
    - miniemulsion system 165–166
    - proton reduction and hydrogen radicals 169, 170
  - surface-enhanced IR absorption (SEIRA) 72, 97
  - surface-enhanced Raman scattering (SERS) 12
    - aryl–surface bonding 47
    - characterization of aryl layers 83, 84
    - polymer grafting 127, 129, 141
  - surface-initiated addition–fragmentation chain transfer (SI-RAFT) 142, 143
  - surface-initiated anionic polymerization 146
  - surface-initiated atom transfer radical polymerization (SI-ATRP) 130–142, 159, 160, 162
  - surface-initiated photopolymerization (SIPP) 143–146
  - surface-initiated polymerizations 159
  - surface passivation 249–251
  - SWCNT, *see* single wall carbon nanotubes
  - SWV, *see* square wave voltammetry
- t**
- take-off angles (TOA) 147, 148
  - TB, *see* 1-(2-thienyl)-4-aminobenzene
  - TDG, *see* tetraethylene glycol diamine
  - TEAP, *see* tetraethyl ammonium perchlorate
  - temperature-programmed desorption (TPD) 40
  - terphenyl films 187–190
  - tetraaminophthalocyanatocobalt(II) 260
  - tetraethyl ammonium perchlorate (TEAP) 163
  - tetraethylene glycol diamine (TDG) 261, 264
  - TGA, *see* thermal gravimetric analysis
  - thermal annealing 113
  - thermal grafting 6, 7
  - thermal gravimetric analysis (TGA) 11
  - thermal stability 11
  - thianthrene 190
  - 1-(2-thienyl)-4-aminobenzene (TB) 190–192
  - thin nitrobenzene films
    - characterization of aryl layers 78, 79, 81–83, 86–90, 92, 93
    - coupling agents 257
    - silicon surfaces 249–251
  - thiophenol 83, 84
  - through silicon vias (TSV) 318, 319
  - tilt configuration 45–47
  - time-of-flight secondary ion mass spectrometry (ToF-SIMS) 13, 21
    - characterization of aryl layers 93, 94, 97
    - polymer grafting 127, 167, 168
  - titanium deposition 226
  - titanium dioxide 117
  - titanium nanoparticles 117
  - titanium substrates 46, 47
  - TOA, *see* take-off angles
  - ToF-SIMS, *see* time-of-flight secondary ion mass spectrometry
  - top contacts 225, 226, 233, 234
  - TPD, *see* temperature-programmed desorption
  - transistors, *see* field-effect transistors
  - transmission electron microscopy (TEM) 137, 269
  - transmission IR spectroscopy 73, 74
  - transmission UV–Vis spectroscopy 73
  - triazenes 2
  - TSV, *see* through silicon vias
  - tunneling phenomena 220, 221, 225, 229, 232, 233, 235

**u**

- ultramicroelectrodes (UME) 54–56, 192
- ultrananocrystalline diamond (UNCD) 96, 105, 149
- ultrasonication 6, 14, 24
- ultraviolet photoelectron spectroscopy (UPS) 245, 248, 249
- ultraviolet (UV) photolithography 60–62
- ultraviolet-visible (UV-Vis) spectroscopy 72, 80, 81, 97
- UME, *see* ultramicroelectrodes
- UNCD, *see* ultrananocrystalline diamond
- uniformity 317
- upright configuration 45–47
- UPS, *see* ultraviolet photoelectron spectroscopy
- UV-Vis, *see* ultraviolet-visible

**v**

- van der Waals interactions 40
- vapor deposition 226, 233, 234

- Vienna *ab initio* simulation package (VASP) 38
- vinylc polymers 130, 137, 160–162, 314–319

**w**

- work functions 248, 249
- write states 303–305

**x**

- X-ray photoelectron spectroscopy (XPS)
  - aryl–surface bonding 47
  - characterization of aryl layers 84–91, 97
  - coupling agents 258, 272, 273
  - grafting processes 11, 12, 15, 22
  - polymer grafting 127, 139, 140, 144, 145, 161, 162, 166, 167
  - silicon surfaces 242, 289, 294, 297–298
- X-ray standing waves (XSW) 91–93, 97

**z**

- Zigzag-edged graphene nanoribbons (ZGNR) 42–44, 48

