

Index

a

- Aalborg University, Denmark 12
- ABAQUS 768, 769, 770
- active and passive hybrids 1078–1080
- active braze alloys (ABAs) 324
- adsorption 1017–1018, 1024–1026
- Advent Technologies 11
- AFCo 75, 87
- agglomerate models 809–810
- air brazing 324–325
- alkaline direct ethanol fuel cells, assembled with non-platinum catalyst 104–105
- alkaline electrolytes, electrodes for 226–227
 - alkaline electrolysis 227–228
 - alkaline fuel cells (AFCs) 227
 - alkaline URFCs 228–229
- alkaline fuel cells (AFCs) 222, 227, 418
 - carbon dioxide behavior 123–126
 - degradation
 - gas diffusion electrodes with Raney nickel catalysts 114–121
 - gas diffusion electrodes with silver catalysts 121–123
 - design concepts 99–100
 - alkaline direct ethanol fuel cells assembled with non-platinum catalyst 104–105
 - bipolar stack concept by DLR 101–102
 - cathode gas diffusion electrodes production 113
 - double-skeleton electrodes 106–111
 - Eloflux cell design 100–101
 - falling film cell 101
 - Hydrocell concept 102–103
 - NiO reduction 111–112
 - Ovonic concept 103
 - PTFE-bonded gas diffusion electrodes 105
 - stack design with anion-exchange membranes 104
 - traditional stacks 100
 - electrolytes and separators 113–114
 - historical introduction and principle 97–99
 - analysis of variance (ANOVA) 610
 - analytical modeling, of fuel cells 648
 - catalyst layer performance modeling
 - basic equations 648–650
 - Cr poisoning model SOFC cathode 654–657
 - critical current density 652–653
 - feed molecules ideal transport 650
 - optimal catalyst loading 657–658
 - polarization curve 651–652
 - x-shapes 653–654
 - PEMFCs and HT-PEMFC polarization curve 658–659
 - high-current regime 661–662
 - low-current regime 660–661
 - one-dimensional cell polarization curve 662
 - oxygen consumption in channel and quasi-two-dimensional polarization curve 663–665
 - oxygen transport in GDL 659–660
- anion-exchange membranes (AEMs) 104, 151
- anisotropy parameter 676
- anode catalyst. *See* low-temperature fuel cells, catalysis in
- anode catalyst layer (ACL) 132
- anode-supported single cells (ASCs) 452
- ANSYS software 769, 771
- Apollo program 222, 420

- Army Power Division (ATO) 1116
- Arrhenius equation 718
- Asahi Chemical 388
- associative mechanism 393
- atomic force microscopy (AFM) 488
- attenuation coefficient 496
- autothermal reforming (ATR) 428–429, 706, 711, 721, 722, 723, 724, 726–728
- auxiliary power units (APUs) 22, 1011
 - SOFC-based
 - for aircraft 994–996
 - for automobiles and trucks 993–994
- b**
- balance equations 791, 794, 804, 808
- balance of plant (BOP) 73–74, 953
- Ballard 26, 29, 30, 1132
- barium strontium cobalt ferrite (BSCF) 49
- BASF 11
- battery chargers 27–29
- battery electric vehicles (BEVs) 20, 21–22, 1057–1058
- Baxi Group 25
- Baxi Innotech 25
- Bella Colla 1110
- Bernoulli filling 673
- bifunctional mechanism 419
- bilinear elastic–plastic constitutive model 770
- bioanodes 157–158, 163
- bioelectrochemical systems (BESs) 147–148, 148
 - applications and concept proofs 164
 - biosensors and environmental monitoring 172–173
 - caustic soda and hydrogen peroxide production 170
 - desalination 169–170
 - electro-assisted anaerobic digestion 168–169
 - greenhouse gas mitigation 171–172
 - heavy metal recovery and removal 172
 - organic alcohols and acids 170–171
 - recalcitrant compounds 171
 - sediments, plants, and photosynthesis 168
 - wastewater treatment 164–168
 - internal resistances in 154
 - materials and methods 149
 - biological measurements 152
 - configurations and design 151–152
 - electrochemical measurements 152–156
 - electrode materials 149–151
 - membrane 151
 - performance reporting 156–157
 - microbial catalysts 157
 - anode reactions 157–160
 - biological limitations 163
 - cathode reactions 160–162
 - photosynthetic biocatalysts 163
 - pure cultures and mixed microbial communities 162–163
 - modeling 173
- biofilm 150, 152, 156, 158–159, 159, 162, 163
- biological fuel cells (BFCs) 147
- biological oxygen demand (BOD) 172
- biological processes and selective oxidation 1029–1030
- biosensors and environmental monitoring 172–173
- bipolar plate (BP) 132–133, 134, 136, 139
 - metallic 363
 - bare plates 363–366
 - coated stainless-steel plates 368–370
 - light alloys 366–367
- bipolar stack concept, by DLR 101–102
- block diagram. *See* flow diagram
- Bloom Energy 6, 8
- bonded compliant seals 323–324
 - bonded foil seal concept 327–328
 - brazing 324–327
- bonded foil seal concept 327–328
- Bosanquet equation 738
- b+w Electronics 29
- brazing 210, 324–327
- Brillouin light scattering (BLS) 535
- Butler–Volmer equation 385, 742, 743, 807, 830, 846
- Butler–Volmer–Monod model 173
- Butler–Volmer-type equation 823, 824, 825, 826
- button cells 251
- c**
- California Air Resources Board 1132
- California Energy Commission 1132
- California Fuel Cell Partnership (CaFCP) 1132–1133, 1204–1205
- Callux program 1142
- Canada 1136–1137
- Canadian Hydrogen and Fuel Cell Association (CHFCA) 1198–1200
- carbonaceous energy carriers 920, 957
- carbon dioxide behavior 123–126
- carbon nanotubes (CNTs) 416, 422
- Case Western Reserve University 12

- catalysis in 420–421
- catalyst islanding 545
- catalyst material 221, 227, 228, 230, 231
- catalyst poisoning 409, 417, 418, 419
- catalyst poisoning, by sulfur-containing substances in crude oil fractions 1015–1016
- catalyst supports, for electron conduction 397–402
- catalytic partial oxidation (CPO) 427–428
- catalytic steam reforming (SR) 426
 - carbon formation 427
 - desulfurization 426–427
- cathode catalyst. *See* low-temperature fuel cells, catalysis in
- cathode catalyst layer (CCL) 132, 133
- cathode current-collector layer (CCCL) 253, 254–255
- cathode functional layer (CFL) 254, 255
- caustic soda and hydrogen peroxide production 170
- Celanese 11
- Cellera Technologies 392
- cell-level modeling 755–758, 821–825
 - cold start operation 893–898
 - dimensionality 882–884
 - flow maladjustment 900
 - large-scale fuel-cell simulation 898–899
 - model validation 903, 905
 - nonisothermal modeling 888, 890–891
 - single-phase flow 901
 - transient operation 884–888
 - two-phase flow 891–893, 902–903
- cell reversal 554
- cell-to-edge design 304
- cell-to-frame design 304–305
- cell voltage 546
- Center for Solar Energy and Hydrogen Research [Zentrum für Sonnenenergie- und Wasserstoff-Forschung (ZSW)] 15
- Centre for Solar Energy and Hydrogen Research Baden-Württemberg 12
- Ceramic Fuel Cell Limited (CFCL) 25
- ceramic seals 318–319
- CeramTec 8
- chemical fuel cells (CFCs) 147
- chemical oxygen demand (COD) 165, 169
- chemisorption 1018
 - hydrofining 1021–1022
 - H₂S removal 1018–1020
 - SO₂ removal 1020–1021
 - S-Zorb process 1020
- ChevronTexaco 1132
- China 1137
 - Beijing Olympics and Shanghai World Expo 1138
 - GEF/UNDP-China FCB demonstration 1138
- classical random graph models 690–691
- Clausius-Clapeyron equation 341
- Claus process 1022
- clean energy partnership (CEP) (Germany) 1122–1124
 - stationary power and early market applications 1142–1143
 - – regional activities 1143
- CO₂ evolution, visualized by means of synchrotron X-ray radiography 508–509
- coefficient of thermal expansion (CTE) 309, 310–311, 312–313, 319
- color intrusion method 476
- combined heat, hydrogen, and power (CHHP) 89
- combined heat and power (CHP) 86, 89, 90
- combustion reactions 68
- combustor 984
- complex nonlinear least-squares (CNLS) fit 447–449, 452, 458, 464
- compressive seals 319–320
 - hybrid mica seals 321–323
 - metal gaskets 320
 - mica-based seals 320–321, 322
- computational fluid dynamic (CFD) 703–705
 - analysis 779–781
 - based design 728–730
 - high-performance computing, for fuel cells 705–711
 - high-performance computing-based modeling for fuel-cell systems 711–712
 - – CFD principles 712–715
 - – core component modeling of HT-PEFC auxiliary power unit 721–728
 - – heat transfer 717
 - – mixtures and reactions 717–719
 - – multiphase flows 719–720
 - – porous media 720–721
 - – turbulence 715–716
- computer-aided design (CAD) 947
- COMSOL software 772
- confocal microscopy 488
- confounding 610
- ConocoPhillips 1020
- conventional external reforming MCFC 71–72
- coplanar electrodes, SC-SOFCs with 52
 - cell performance 52–53
 - – cell stacks 55

- coplanar electrodes, SC-SOFCs with (*contd.*)
 - electrode shape 54–55
 - electrode thickness 54
 - electrode width 53
 - electrolyte surface roughness 54
 - electrolyte thickness 54
 - fuel choice and lower operating temperatures 55–56
 - gas flow direction 55
 - gas mixture composition (fuel-to-oxygen ratio) 55
 - inter-electrode gap 53
 - limitations and challenges 57–58
 - cell efficiency 59
 - chemical interaction between coplanar electrodes 58
 - current collection 59
 - gas intermixing 58
 - microscale electrodes 59
 - miniaturization limits 58
 - nickel instability 59
 - miniaturization 56–57
- core-shell nanostructure 395
- corrosion 551, 554, 555, 557, 558, 559, 560, 562, 563, 564
- Cr poisoning model SOFC cathode 654–657
- crude oil 1011–1012
 - catalyst poisoning by sulfur-containing substances in fractions of 1015–1016
 - chemical classes of sulfur-containing substances in 1013–1015
 - routes for inserting sulfur into molecules 1012–1013
- Cummins 23
- current density distribution 548–549
- current interrupt method 156
- cyclic voltammetry (CV) 112, 156, 549–550
- d**
 - DaimlerChrysler 15, 1132
 - Dais Analytic Corporation (DAC) 25
 - Dalian Institute of Chemical Physics 12
 - Danish Power Systems 11
 - Dantherm 29
 - Dapozol. *See* membrane electrode assembly (MEAs)
 - Darcy–Forchheimer law 721
 - d-band theory 387
 - degradation, caused by dynamic operation and starvation conditions 543–546
 - measurement techniques 546
 - current density distribution 548–549
 - cyclic voltammetry 549–550
 - dynamic operation at standard conditions 550–553
 - reference electrode 546–548
 - starvation conditions 553
 - hydrogen starvation during start-up/shut-down 555–558
 - local hydrogen starvation 558–561
 - materials and designs 563
 - mitigation 562
 - operation strategies 563–565
 - overall hydrogen starvation 553–555
 - oxygen starvation 561–562
 - Delphi and PNNL 7
 - demonstration projects 1119–1120
 - stationary power and early market applications 1139–1140
 - Denmark 1142
 - European Union 1143–1144
 - Germany 1142–1143
 - Japan 1140–1141
 - South Korea 1145
 - United States 1144–1145
 - transportation demonstrations 1120–1122
 - automaker demonstration programs 1138–1139
 - Canada 1136–1137
 - China 1137–1138
 - European Union 1133–1136
 - Germany 1122–1125
 - Japan 1126–1129
 - South Korea 1137
 - United States 1130–1133
 - Denmark 1142
 - density functional theory (DFT) 386
 - Department of Defense (DOD), US 1108–1109
 - Department of Energy (DOE) hydrogen–air fuel cell system 381
 - desalination 169–170
 - design of experiments (DOE) 598–599
 - 2^2 factorial design 599–601
 - 2^3 factorial design 604–609
 - 2^{n-k} fractional factorial designs 609–610
 - 3^2 factorial design 601–604
 - Desulfovibrio* microorganisms 1012
 - desulfurization, for fuel-cell systems 1011
 - application 1034–1038
 - in gas phase 1016–1017
 - absorption 1017
 - adsorption 1017–1018
 - chemisorption 1018–1022
 - sulfur recovery 1022
 - in liquid phase
 - adsorption 1024–1026

- desulfurization with overcritical fluids 1030–1031
 - distillation 1031–1032
 - hydrodesulfurization with presaturator 1022–1024
 - ionic liquids 1026–1028
 - processes with nonporous membranes 1032–1034
 - processes with porous membranes 1032
 - selective oxidation 1028–1030
 - sulfur-containing molecules
 - catalyst poisoning by sulfur-containing substances in crude oil fractions 1015–1016
 - chemical classes of sulfur-containing substances in crude oil 1013–1015
 - crude oil 1011–1012
 - routes for inserting sulfur into molecules in crude oil 1012–1013
 - diffusion bonding 210
 - direct carbon fuel cells (DCFCs) 89
 - direct ethanol fuel cells (DEFCs) 136–137
 - direct fuel cells 417–418
 - direct internal reforming (DIR) 73
 - direct methanol fuel cells (DMFCs) 12–13, 131, 134, 135–136, 507–508
 - battery chargers 27–29
 - CO₂ evolution visualized by means of synchrotron X-ray radiography 508–509
 - combined approach of neutron radiography and local current density measurements 509–510
 - for light traction 14–17
 - miniaturized 141
 - passively operating 142
 - for portable applications 13–14
 - direct numerical simulations (DNSs) 847, 848
 - direct oxidation 979
 - dissociative mechanism 393
 - distribution coefficient 1027
 - distribution function of relaxation times (DRT) 449, 450–452
 - diverse energy 1112, 1144
 - DLR 8
 - Doosan Heavy Industries and Construction (DHI) 75
 - double-skeleton electrodes 106
 - preparation and electrode materials 106–108
 - PTFE-bonded gas diffusion electrodes dry preparation 108–111
 - DuPont 388
 - durability 220, 221, 223, 226, 230, 231, 233, 236, 240
 - dusty gas model (DGM) 757
 - dynamic hydrogen electrode (DHE) 547, 548
 - dynamic load cycling aging test
 - data post processing 586–587
 - setting of test conditions (test inputs) 585
 - test output measurement 585–586
 - dynamic mechanical analysis (DMA) 534
 - dynario system 27
- e**
- ECTOS (Ecological TranspOrt System) 1220
 - edges, stochastic modeling of 688
 - MCMC simulation for edge rearrangement 689–690
 - education and public awareness 1211–1212
 - clarification assistance in political arena 1219–1220
 - education and training in the scientific area 1218–1219
 - education for school students and university students 1213–1215
 - electrolyzers and fuel cells in education and training 1215–1216
 - information for interested laypeople 1212, 1213
 - public awareness analysis 1220–1221
 - training and qualification for trade and industry 1216–1218
 - efficiency 220, 221, 224–225, 226, 228, 229, 230, 231, 236, 239, 240
 - elastoplasticity 770, 771, 777, 782
 - Elcomax 11
 - ElectraGen systems 29
 - electro-assisted anaerobic digestion 168–169
 - electrocatalysis, in fuel cells 408–410
 - alkaline fuel cells 418
 - catalysis in direct fuel cells 420–421
 - direct fuel cells 417–418
 - electrocatalyst degradation 421
 - hydrogen oxidation and CO poisoning 418–419
 - oxygen reduction, in PEMFCs 410–417
 - electrocatalyst
 - degradation 421
 - for oxygen reduction 393–397
 - electrochemical impedance spectroscopy (EIS) 156, 441, 534, 820
 - principles of 443–445
 - frequency response analyzers 445–446
 - electrochemically active platinum surface area (ECA) 552

- electrochemistry 740–741
 - continuum-level approach 741–742
 - mesoscale approach 742–744
 - electrode models 804–806
 - agglomerate models 809–810
 - spatially lumped models 806–808
 - thin-film models 808–809
 - volume-averaged models 810–811
 - electrodes, for hydrogen oxidation 384–388
 - electrolyte types 221
 - electrolyzer efficiency 224
 - electron beam welding 209
 - electron-transfer mechanisms 159
 - direct 160, 162
 - indirect 160, 162
 - electroosmotic drag 389
 - Eloflux cell design 100–101
 - embossing 208
 - EnBW 25
 - ENE-FARM program 1140
 - energy storage 220, 226, 236, 240
 - seasonal 237–239
 - energy supply 1154
 - Engineering Advancement Association (ENAA), Japan 1126
 - environmental engineering 157, 159
 - E.ON Ruhrgas 25
 - E Plus 1112
 - equivalent circuit model (ECM) 447, 449, 452, 453–455
 - definition and validation 458–465
 - – anodic water partial pressure dependence 461–462
 - – cathodic oxygen partial pressure dependence 460–461
 - – thermal activation 462–464
 - Erasmus exchange program 1218–1219
 - etching techniques 207
 - ethanol 420
 - Euler–Euler approach 719
 - European Fuel Cell GmbH (EFC) 25
 - European Hydrogen Association (EHA) 1193
 - members 1195–1196
 - European Regions and Municipalities Partnership for Hydrogen and Fuel Cells (HyRaMP) 1201–1202, 1136
 - European Union 1133
 - fuel cell bus projects 1134–1135
 - H2moves Scandinavia 1135–1136
 - Joint Undertaking on Fuel Cells and Hydrogen (FCH JU) 1133
 - regional and member country activities 1136
 - stationary power and early market applications 1143–1144
 - Strategic Energy Technology (SET) 1133
 - EWB 25
 - exchange programs 1218–1219
 - exergy analysis 930–932
 - external reformer 979, 980
 - extracellular electron transfer (EET) 157
- f*
- 2² factorial design 599–601
 - 2³ factorial design 604–609
 - 3² factorial design 601–604
 - failure mode and effect analysis (FMEA) 946
 - falling film cell 101
 - Faraday's law 756, 808
 - fast marching method 693
 - Federal Ministry of Education and Research [Bundesministerium für Bildung und Forschung (BMBF)], Germany 13
 - Fick's law 737
 - finite element method (FEM) 769
 - flooding 389, 851
 - flow diagram 931, 939, 940, 941, 947
 - flow rule 777
 - FLUENT package 713, 714, 717, 719, 725, 727
 - fluorescent *in situ* hybridization (FISH) 152
 - focused ion beam (FIB) 488
 - Ford 1132
 - Ford Focus FCV Hybrid 1059
 - Forschungszentrum Jülich (FZJ) 7, 8, 12, 15, 249, 270, 469
 - Fourier transform infrared (FTIR) spectroscopy 625
 - Fraunhofer IKTS 6, 6
 - Fraunhofer Institute for Solar Energy Systems (FhG-ISE) 12, 13
 - Fuel Cell And Hydrogen Energy Association (FCHEA), USA 1196–1197, 1198
 - resources 1197–1198
 - working groups and committees 1197
 - fuel cell and hydrogen organizations and worldwide initiatives 1181
 - European level
 - – European Hydrogen Association (EHA) 1193–1196
 - – Fuel Cells and Hydrogen Joint Undertaking (FCH JU) 1187, 1189–1193
 - international level 1181–1182
 - – International Energy Agency (IEA) 1183–1187

- – International Partnership for Hydrogen and Fuel Cells in the Economy (IPHE) 1182–1183
 - national level
 - – Canadian Hydrogen and Fuel Cell Association (CHFCA) 1198–1200
 - – National Organization for Hydrogen and Fuel Cell Technology (NOW) 1200–1201
 - – US Fuel Cell and Hydrogen Energy Association (FCHEA) 1196–1198
 - partnerships, initiatives, and networks with specific agenda
 - – California Fuel Cell Partnership (CaFCP) 1204–1205
 - – Initiative Brennstoffzelle (IBZ) 1206–1207
 - – UK Hydrogen Energy Network (H₂NET) 1206
 - regional level
 - – European Regions and Municipalities Partnership for Hydrogen and Fuel Cells 1201–1202
 - – hydrogen and fuel-cell activities, in Germany's federal states 1202–1204
 - Fuel Cell Energy (FCE) 8, 75
 - fuel-cell hybrid electric vehicles (FCHVs) 18, 20, 21
 - Fuel Cell Institute of Shanghai Jiaotong University 75
 - fuel cell powertrains 1045
 - buses 1092
 - components
 - – electrical storage 1065–1067
 - – electric machines 1067–1069
 - – fuel cell systems for automotive applications 1063–1065
 - – hydrogen storage 1061–1063
 - – vehicle drivetrain cost comparison 1070–1072
 - passenger cars 1089
 - vehicle powertrains potentials and challenges
 - – hybrid electric fuel cell vehicles 1058–1059
 - – non-hybrid fuel cell powertrains 1058
 - – powertrain comparison 1055–1058
 - – propulsion systems 1049–1050, 1052–1054
 - – triple-hybrid fuel cell vehicles 1060–1061
 - vehicle requirements
 - – driving resistance 1045–1046, 1047, 1048
 - – energy conversion and driving cycles 1046–1049
 - fuel cell process engineering methodologies 597
 - analysis methods 628
 - – nonlinear systems of equations model evaluation 637–639
 - – pinch-point analysis 639–641
 - – predictive method for vapor–liquid and liquid–liquid equilibria determination 630–637
 - – system analysis via statistical methods 628–630
 - parameter optimization 604, 628, 638
 - verification methods 597–598
 - – conversion determination in reforming processes 616–628
 - – design of experiments (DOE) 598–610
 - – measurement uncertainty evaluation 610–616
 - Fuel Cell Research Center, Duisburg 12
 - Fuel Cell Systems Testing, Safety and Quality Assurance (FCTES^{QA}) 79, 573
 - Fuel Cell Tutorial 1218
 - fuel cell vehicles (FCVs) 1121, 1125, 1127, 1132
 - fuel processing 706, 709, 714, 718, 720
 - fuel processor 706–708
 - fuel utilization 45
 - Fumatech 11, 12
 - functional layer 654
 - FutureE Fuel Cell Solutions 29
- g**
- gadolinium-doped ceria (GDC) 280, 287, 291
 - gadolinium-doped cerium oxide (CGO) 259, 260–261, 265
 - gas diffusion electrodes (GDEs) 100, 101, 105, 106, 109, 422
 - with Raney nickel catalysts 114–121
 - with silver catalysts 121–123
 - gas diffusion layer (GDL) 132, 135, 381, 493, 503, 505, 507, 508, 509–510, 515, 523, 524, 659–660, 669, 678, 691, 850–859, 890
 - and gas flow channel interface 864–868
 - multi-layer model for paper-type 670
 - – binder modeling 672–673
 - – fiber modeling 671–672
 - – model parameter fitting 674–675
 - – results 675–676
 - – time-series models for non-woven GDLs 676–677
 - optimization 138–139
 - – carbon dioxide discharge 141–142

- gas diffusion layer (GDL) (*contd.*)
 - flow-field design 139–141
 - miniaturized DMFC 141
 - passively operating DMFC 142
 - structural characterization of porous 692
 - connectivity 695–696
 - graph model validation 698
 - multi-layer model validation 696–698
 - pore size distributions 694–695
 - tortuosity 692–693
- gas phase, desulfurization in 1016–1017
 - absorption 1017
 - adsorption 1017–1018
 - chemisorption 1018–1022
 - sulfur recovery 1022
- gas turbine (GT)–MCFC system integration 73–74, 74
- GDOS (glow discharge optical emission spectroscopy) 488
- Gemini program 222, 380, 383, 420
- General Motors (GM) Research Laboratories 364
- Geobacter* spp. 158, 160
- Geobacter sulfurreducens* 160, 172
- geometric tortuosity 692
- Germany
 - clean energy partnership 1122–1124
 - H₂ Mobility 1125
 - North Rhine-Westphalia activities 1124–1125
 - stationary power and early market applications 1142–1143
- Gibbs energy function 927–928
- glass and glass–ceramic sealants 309–318, 312, 316
- Gore 388
- greenhouse gases (GHGs) 3, 21
 - mitigation 171–172
- Griffith crack model 308–309
- Grotthus mechanism 344, 389
- GSMA 1111, 1112
- Guide to the Expression of Uncertainty in Measurement* (GUM) 610–611
- h**
 - Hakimi–Havel algorithm 688, 689
 - hardening rule 777
 - H.C. Starck 8
 - heat exchanger 985–986
 - heat management analytical methods 926
 - exergy analysis 930–932
 - Gibbs energy function 927–928
 - Pinch point analysis 928–930
 - process optimization 932–940
 - system set-up 926–927
 - heavy metal recovery and removal 172
 - Heliocentris Fuel Cells 1215
 - Hexis 25
 - high-performance computing
 - based modeling for fuel-cell systems 711–712
 - CFD principles 712–715
 - core component modeling of HT-PEFC auxiliary power unit 721–728
 - heat transfer 717
 - mixtures and reactions 717–719
 - multiphase flows 719–720
 - porous media 720–721
 - turbulence 715–716
 - for fuel cells 705–711
 - high-resolution transmission electron microscopy (HRTEM) 398
 - high-temperature polymer electrolyte fuel cell (HT-PEFC) 11, 511–512, 658–665, 706, 819
 - actors and development areas 11–12
 - cell-level modeling 821–825
 - phosphoric acid as electrolyte 827–829
 - polarization curve modeling 829–830
 - activation overpotential 830–831
 - mass transport 833–834
 - ohmic resistance 831–833
 - stack-level modeling 825–827
 - hopping mechanism 843
 - Hückel's law 1014
 - humidification sensitivity test
 - data post processing 578
 - setting of test conditions (test inputs) 574–577
 - test output measurement 577–578
 - hybrid electric fuel cell vehicles 1058–1059
 - hybridization, for fuel cells 1075–1076
 - components 1081
 - control unit 1084–1085
 - energy storage 1082–1083
 - fuel cell 1082
 - power electronics 1083–1084
 - concepts
 - overview 1085
 - possible concepts 1087–1088
 - types 1085, 1087, 1088
 - hybridization degree 1081
 - reasons 1076–1077
 - systems analysis 1096–1097
 - technical overview 1088
 - applications 1096

- fuel-cell powertrains 1088–1089, 1091–1092
 - light traction applications 1092–1096
 - types
 - active and passive hybrids 1078–1080
 - series and parallel hybrids 1077–1078
 - hybrid mica seals 321–323
 - Hydrocell concept 102–103
 - Hydrogen-Assisted Renewable Power System (HARP) project 1110
 - hydrogen evolution reaction (HER) 384, 385–386
 - hydrogen-fed micro fuel cells 134–135
 - Hydrogen HyWay Program, North Rhine-Westphalia 1124
 - Hydrogenics 29, 30
 - H₂ Mobility 1125
 - hydrogen oxidation and CO poisoning 418–419
 - hydrogen oxidation reaction (HOR) 384–387, 845, 846, 850
 - hydrogen starvation 553
 - during start-up/shut-down 555–558
 - Hydrogen Supply/Utilization Technology (HySUT) 1129
 - hydromechanics model, for mica-based seals 323
 - Hy-Life project 1129
- i**
- IdaTech 30
 - IMM (Germany) 23
 - impedance spectroscopy 441–443
 - data analysis
 - complex nonlinear least-squares (CNLS) fit 447–449
 - data quality analysis 446–447
 - distribution function of relaxation times (DRT) 450–452
 - electrochemical 443–446
 - equivalent circuit model definition and validation 458–465
 - anodic water partial pressure dependence 461–462
 - cathodic oxygen partial pressure dependence 460–461
 - thermal activation 462–464
 - process identification 453–458
 - anodic water partial pressure variation 455
 - cathodic oxygen partial pressure variation 456–457
 - temperature variation 454
 - impregnation. *See* infiltration
 - indirect internal reforming (IIR) 73
 - infiltration 275
 - applications 282–284
 - anodes produced by 284–290
 - cathodes produced by 290–295
 - motivation for 281–282
 - information dissemination portfolio 1162–1163
 - infrastructure portfolio integration 1160–1161
 - Initiative Brennstoffzelle (IBZ) 1206–1207
 - in situ* imaging, at large-scale facilities 493
 - applications
 - neutron tomography 513–514
 - synchrotron X-ray tomography 514–517
 - DMFCs 507–508
 - CO₂ evolution visualized by means of synchrotron X-ray radiography 508–509
 - combined approach of neutron radiography and local current density measurements 509–510
 - HT-PEFCs 511–512
 - PEFCs 500
 - neutron radiography 504–507
 - X-rays 500–504
 - X-rays and neutrons
 - complementarity 494–495
 - radiography and tomography principles 496–499
 - Institute of Chemical Process Engineering [Institut für Chemische Verfahrenstechnik(ICVT)] 15
 - integrated gasification fuel cell (IGFC) 1001, 1003–1006
 - integrated gasifier combined cycle (IGCC) 90
 - Intelligent Energy 389, 1033
 - schematic diagram for desulfurization process from 1034
 - internal reforming 979
 - MCFC 72–73

international collaboration. *See* International Energy Agency (IEA) Hydrogen Implementing Agreement (IEA HIA)
 International Electrotechnical Commission 27
 International Energy Agency (IEA) 1183–1184
 – Committee on Energy Research and Technology (CERT) 1184
 – Hydrogen Implementing Agreement 1185–1187, 1188
 – Implementing Agreement on Advanced Fuel Cells 1184–1185
 International Energy Agency (IEA) Hydrogen Implementing Agreement (IEA HIA) 1153–1154
 – collaborative RD&D 1155–1161
 – – integrated systems portfolio 1159–1160
 – – integration in existing infrastructure portfolio 1160–1161
 – – production portfolio 1157–1158
 – – storage portfolio 1158–1159
 – hydrogen, analysis positioning 1161
 – – market portfolio 1162
 – – political decision-making portfolio support 1162
 – – technical portfolio 1161–1162
 – hydrogen awareness, understanding, and acceptance 1162
 – – information dissemination portfolio 1162–1163
 – – outreach portfolio 1164–1166
 – – safety portfolio 1163–1164
 – past as prolog 1166, 1173, 1174–1177
 – 2009–2015 work program timeline 1173, 1178
 – work program 1166, 1167–1173
 International Partnership for Hydrogen and Fuel Cells in the Economy (IPHE) 1181
 International Society of Automation 947
 Ion America 8
 IRD Fuel Cells 14, 16
 Ishikawajima-Harima Heavy Industries (IHI) 75
 isotropic hardening 777

j

Japan 1126
 – Fukuoka prefecture activities 1129
 – Hydrogen Highway Project 1129
 – Japan Hydrogen and Fuel Cell Demonstration Project (JHFC) 1126–1129

– stationary power and early market applications 1140–1141
 – – regional activities 1141
 Japanese Automobile Research Institute (JARI) 1126
 Japanese Hydrogen and Fuel Cell Program 1214
 Japan Gas Association (JGA) 1126
 Japan Petroleum Energy Center (JPEC) 1126
 Johnson Matthey 14
 Joint Committee for Guides in Metrology (JCGM) 598
 Joint Undertaking on Fuel Cells and Hydrogen (FCH JU), European Union 1133, 1187, 1189
 – governance structure 1190–1193
 – members 1189–1190
 Jülich substrate concept 252

k

Kansai Electric Power Company (KEPCO) 9
 Karlsruhe Research Center (KTI) 210
 Knudsen diffusion 737, 738
 Korea Institute of Energy Research (KIER) 15
 Korea Institute of Science and Technology 12
 Korean Electric Power Research Institute (KEPRI) 87
 Korean Institute of Energy Research 12
 Kramers–Kronig validation 447
 Kyocera 6, 9

l

lanthanum strontium chromite manganite (LSCM) 289
 lanthanum strontium cobalt ferrite (LSCF) 49, 293, 295, 484
 lanthanum strontium cobaltite (LSC) 49, 268
 lanthanum strontium cobaltite ferrite (LSC(F)) 249
 lanthanum strontium manganite (LSM) 49, 249, 254, 257, 290–292
 lanthanum strontium scandium manganite (LSSM) 49
 lanthanum strontium titanate (LST) 286
 large eddy simulations (LESs) 716, 726
 laser ablation 208
 laser welding 209
 Lattice Boltzmann methods (LBM) 851, 854
 lead acid batteries 237
 Leverett function 855
 LIBrary for Process Flowsheeting (LIBPF) technology 78

- LIBS (laser-induced breakdown spectroscopy) 488
 - light traction applications 1092
 - commercial vehicles 1093–1094
 - forklift trucks 1094–1096
 - scooters, wheelchairs, and electromobiles 1093
 - linear sweep voltammetry (LSV). *See* cyclic voltammetry (CV)
 - liquid phase, desulfurization in
 - adsorption 1024–1026
 - desulfurization with overcritical fluids 1030–1031
 - distillation 1031–1032
 - hydrodesulfurization with presaturator 1022–1024
 - ionic liquids 1026–1028
 - processes with nonporous membranes 1032–1034
 - processes with porous membranes 1032
 - selective oxidation 1028–1030
 - lithium ion technology 20
 - load cycling 588–592
 - local hydrogen starvation 558–561
 - long-term durability test
 - data post processing 585
 - setting of test conditions (test inputs) 583–584
 - test output measurement 584
 - Los Alamos National Laboratory (LANL) 364
 - low-temperature fuel cells, catalysis in 407–408
 - catalysis in hydrogen production 424–425
 - carbon monoxide removal 429–430
 - hydrogen production catalysis from biomass 430
 - from methanol to heavy hydrocarbons 425–429
 - catalyst development, characterization, and *in situ* studies 423–424
 - electrocatalysis 408–410
 - alkaline fuel cells 418
 - catalysis in direct fuel cells 420–421
 - direct fuel cells 417–418
 - electrocatalyst degradation 421
 - hydrogen oxidation and CO poisoning 418–419
 - oxygen reduction in PEMFCs 410–417
 - novel support materials 422–423
 - low-temperature fuel cells, physical properties
 - analytics of 521–524
 - caloric properties 527–529
 - gravimetric properties 524–527
 - mechanical properties 531–535
 - porosity 530–531
- m**
- 3M 388
 - market portfolio 1162
 - Markov chain Monte Carlo (MCMC)
 - simulation, for edge rearrangement 689–690
 - measurement uncertainty evaluation 610–611
 - Monte Carlo method 612–616
 - procedure summary to evaluate and express uncertainty 611–612
 - mechanical testing 532, 534
 - membrane electrode assembly (MEAs) 11, 132, 140, 151, 381, 522
 - aging phenomena analysis 587–588
 - membranes, for ion transportation 388–392
 - Mercedes-Benz 1059
 - mercury intrusion porosimetry (MIP) 530
 - metal/N/C catalysts 415–417
 - metal gaskets 320
 - metal oxides 402
 - methane steam reforming 68
 - methanol 29, 141, 142, 189. *See also* direct methanol fuel cells (DMFCs)
 - method of standard contact porosimetry (MSCP) 531
 - mica-based seals 320–321, 322
 - microbial catalysts 157
 - anode reactions 157–158
 - biocatalysis 158–159
 - electron donors 158
 - electron-transfer mechanisms 159–160
 - cathode reactions 160–161
 - biocatalysts 161
 - electron acceptors 162
 - electron-transfer mechanisms 161–162
 - microbial desalination cell (MDC) 149
 - microbial electrolysis cell (MEC) 148, 150, 165, 169
 - microbial electrosynthesis 170
 - microbial fuel cells. *See* bioelectrochemical systems (BESs)
 - microelectrodischarge machining (μ EDM) 207
 - microelectromechanical system (MEMS) 135, 201
 - micro fuel cells 131–132
 - GDL optimization 138–139
 - carbon dioxide discharge 141–142
 - flow-field design 139–141
 - miniaturized DMFC 141

- micro fuel cells (*contd.*)
 - passively operating DMFC 142
 - materials and manufacturing
 - miniaturization 137–138
 - PEMFC physical principles 132–134
 - types 134
 - direct ethanol fuel cells (DEFCs) 136–137
 - DMFC 135–136
 - hydrogen-fed 134–135
 - micro-reformed hydrogen fuel cell 135
 - microporous layers (MPLs) 858
 - micro-reactors 185
 - heat and mass transfer in 185–188
 - microchannel fuel processor examples 201–205
 - microchannel plate heat-exchanger reactors
 - fabrication 206
 - catalyst coating techniques 210–211
 - construction material choice 206–207
 - micromachining techniques 207–209
 - reactor–heat exchanger assembly 210
 - sealing techniques 209–210
 - microchannel plate heat-exchanger reactors
 - heat management 190–191
 - carbon monoxide preferential oxidation 197–200
 - carbon monoxide selective methanation 200–201
 - reforming 191–195
 - water gas shift reaction 195–197
 - microchannel plate heat-exchanger reactors,
 - specific features from catalyst formulations for 188–190
 - micro-reformed hydrogen fuel cell 135
 - microtechnical devices 208
 - middle distillates 1011, 1012, 1016, 1020, 1024, 1030, 1031, 1033
 - military applications, for prime power
 - portable generators 1116–1117
 - soldier power 1115
 - minimum spanning tree (MST) 695
 - Mitsubishi Materials Corporation (MMC) 6, 9
 - mixed reactant 44
 - Mobion 27, 28
 - molten carbonate fuel cells (MCFCs) 26
 - balance of plant (BOP) 73–74
 - CO₂ energy cycle in 88
 - conventional and innovative applications 86
 - applications 90
 - carbon capture, storage, and transportation 87–89
 - distributed generation 86–87
 - hydrogen co-generation 89
 - renewable fuels 89
 - geometry and materials 70–71
 - operating conditions 69–70
 - operating principle 67–69
 - reforming 71–73, 72
 - state of the art 75–76
 - technology analysis 76
 - approach 76–79, 77
 - scientific knowledge 81–86
 - technology optimization 79–81
 - vendors 75
 - molten carbonate fuel cells (MCFCs)
 - modeling 791–794
 - electrode models 804–806
 - agglomerate models 809–810
 - spatially lumped models 806–808
 - thin-film models 808–809
 - volume-averaged models 810–811
 - spatially distributed model 792–793
 - anode gas channels 795–798
 - cathode gas channels 798–799
 - general assumptions 794–795
 - interface to electrode models 804
 - potential field model 800–804
 - solid phase 799–800
 - Monte Carlo method 612–616
 - morphology, of material 669, 670. *See also*
 - stochastic modeling, of fuel-cell components
 - moving-average model, for dependent
 - marking 685–687
 - MTI Micro Fuel Cells 14
 - MTU CFC Solutions 75, 87
 - multi-acid side chain (MASC) ionomers 391
 - MVV 25
- n**
- N.ERGHY 1190
 - Nafion membrane 141
 - nanoindenter 534
 - nanostructured materials, for fuel cells 379–380
 - catalyst supports, for electron conduction 397–402
 - electrocatalysts, for oxygen reduction 393–397
 - electrodes, for hydrogen oxidation 384–388
 - fuel cell and system 380–382
 - membranes, for ion transportation 388–392
 - triple phase boundary 382–384

nanotechnology 379–380, 382, 396, 402
 National Aeronautics and Space Administration (NASA) 222
 National Hydrogen Association 1196
 National Innovation Program (NIP) 1122
 National Learning Demonstration 1130, 1131–1132
 National Organization for Hydrogen and Fuel Cell Technology (NOW) 1122, 1200–1201
 National Renewable Energy Laboratory (NREL) 369, 401
 natural gas combined cycle (NGCC) 88
 Natural Resources Canada
 – ecoENERGY Technology Initiative 1136
 Navier–Stokes equations 713, 719, 720, 738, 851
 Nernst equation 46
 neutron radiography 504–507. *See also*
 X-rays and neutrons
 – and local current density measurements, combined approach of 509–510
 New European Driving Cycle [or Motor Vehicle Emissions Group (MVEG)] 20
 NEW Industry Grouping (NEW IG) 1189
 Nippon Telegraph and Telephone (NNT) 6
 Nokia Siemens 1112
 non-hybrid fuel cell powertrains 1058
 non-linear least-squares (NLS) fitting algorithm 447
 non-platinum catalysts 415
 North Rhine-Westphalia (NRW) 1124–1125, 1215
 NRW Fuel Cell and Hydrogen Network 1124
 Nuvera 30

O

off-grid power 1107, 1109
 – base stations 1111–1113
 – homes 1109–1111
 Ohmic law 843
 on/off aging test
 – data post processing 580–581
 – setting of test conditions (test inputs) 578
 – test output measurement 578–580
 one-dimensional cell polarization curve 662
 Oorja Protonics 16, 30
 open-cell voltage (OCV) 544, 546, 551, 563, 582
operando techniques 424
 optical microscopy 477–481
 organic alcohols and acids 170–171
 Ostwald ripening 552
 outreach portfolio 1164–1166
 overall hydrogen starvation 553–555
 Ovonic concept 103
 oxide catalysts 107
 oxygen consumption, in channel and quasi-two-dimensional polarization curve 663–665
 oxygen reduction, in PEMFCs 410–417
 – metal/N/C catalysts 415–417
 – non-platinum catalysts 415
 – platinum-based catalysts 411–415
 – platinum-free noble metal catalysts 415
 – transition metal chalcogenides 417
 oxygen reduction reaction (ORR) 387, 410, 411, 414–415, 418, 654, 845, 846, 849, 885
 oxygen starvation 553
 oxygen starvation 561–562

P

parallel hybrid vehicles 1056
 Pemeas 11
 perfluorinated sulfonic acid (PFSA) membranes 388
 performance test and standardization measurements
 – data post processing 583
 – setting of test conditions (test inputs) 581–582
 – test output measurement 582–583
 peroxides, oxidation with 1029
 pervaporation 1033–1034
 PHOEBUS specifications 238
 phosphoric acid 11
 – as electrolyte 827–829
 phosphoric acid fuel 335, 336
 – basic properties and formal considerations
 – – acidity and protolytic equilibria 337–338
 – – anhydride and condensation reactions 337
 – – composition specifications and condensation equilibria 338–339
 – equilibria between the polyphosphoric acid species and concentrated phosphoric acid composition 353–354
 – – evaluated literature data 354–356
 – proton conductivity, as function of composition and temperature
 – – electrical conductivity mechanisms 344
 – – enthalpy of activation for ionic transport 350–352
 – – evaluated data for dynamic viscosity of aqueous phosphoric acid 352–353
 – – evaluated literature data 344–346

- phosphoric acid fuel (*contd.*)
 - – non-arrhenius behavior for ionic transport 346–350
 - vapor pressure of water, as function of composition and temperature
 - – evaluated literature data 340–343
 - – number of independent variables and Gibb's phase rule 339–340
- phosphoric acid fuel cell (PAFC) 819–820
- photo-oxidation 1028–1029
- phyllosilicates 320
- physical vapor deposition (PVD) 265
- Pinch point analysis 639–641, 928–930
- pipng and instrumentation (P&I) diagram 946, 947
- planar fuel cell 137, 139
- planar stacks (pSOFCs) 302, 303
 - seal functional requirements 304–306, 306, 319
- plasma desulfurization 1028
- plasticity 776, 777
- platinum-based catalysts 411–415
- platinum-free noble metal catalysts 415
- plug-in hybrid electric vehicles (PHEVs) 18
- Plug Power 12, 30, 389
- Poisson line tessellation (PLT) 671
- polarization curve modeling 829–830
 - activation overpotential 830–831
 - mass transport 833–834
 - ohmic resistance 831–833
- political decision-making portfolio, support for 1162
- polybenzimidazole (PBI) 11
- polymer electrolyte fuel cells (PEFCs) 493, 500, 587, 628, 705. *See also* polymer electrolyte membrane fuel cells (PEMFCs)
 - neutron radiography 504–507
 - X-rays 500–504
- polymer electrolyte membrane (PEM) 229–230, 380, 382, 383, 388–392, 399, 529, 842–845
 - electrolyzers 230–231
 - fuel cell 230, 232
 - PEMFCs 231
 - URFC 231–233
- polymer electrolyte membrane fuel cells (PEMFCs) 131, 135, 138, 140, 222, 231, 361, 380, 543, 545, 546, 549, 550, 551, 555, 556, 562, 658–665, 839–842, 879–881. *See also* polymer electrolyte fuel cells (PEFCs)
 - bipolar plates 868–869
 - catalyst layers 845–850
 - cell-level modeling and simulation 881–882
 - – cold start operation 893–898
 - – dimensionality 882–884
 - – flow maladjustment 900
 - – large-scale fuel-cell simulation 898–899
 - – model validation 903, 905
 - – nonisothermal modeling 888, 890–891
 - – single-phase flow 901
 - – transient operation 884–888
 - – two-phase flow 891–893, 902–903
 - coolant flow 869
 - gas flow channels 859–864
 - GDLS
 - – and gas flow channel interface 864–868
 - – and microporous layers 850–859
 - macroscopic approach 842, 848, 851, 855, 858, 872, 881, 911
 - mesoscopic approach 842, 851, 872
 - metallic bipolar plates 363
 - – bare plates 363–366
 - – coated stainless-steel plates 368–370
 - – light alloys 366–367
 - model validation 869–871
 - oxygen reduction in 410–411
 - – metal/N/C catalysts 415–417
 - – non-platinum catalysts 415
 - – platinum-based catalysts 411–415
 - – platinum-free noble metal catalysts 415
 - – transition metal chalcogenides 417
 - perspectives 370–371
 - – coatings and surface modifications 372–374
 - – substrate selection 371–372
 - physical principles 132–134
 - polymer electrolyte membrane 842–845
 - schematic of 840, 880
 - stack-level modeling and simulation
 - – fuel-cell stacks modeling and simulation 907–910
 - – model validation 910–11
 - – need for 906–907
- polytetrafluoroethylene (PTFE) 100, 106, 108, 112, 115, 117, 122, 388
 - -bonded gas diffusion electrodes dry preparation 108–111
- pore phase, stochastic network model for 677–678
 - graph modification 679
 - pores detection 678–679
 - stochastic modeling of edges 688–690
 - vertex model validation 684–685
 - vertices marking 685–688
 - vertices stochastic modeling 680–684
- porous nickel 107
- portable generators, military 1116–1117

- portable power 1107. *See also* premium power
 - POSCO Power 75, 86, 87
 - post-test characterization, of SOFC stacks 469, 490
 - post-test analysis methods 471–472
 - reasons 470
 - stack dissection 472–473
 - characterization techniques 488
 - lessons 488–489
 - optical microscopy 477–481
 - photography and distance measurements 475–477
 - scanning electron microscopy (SEM) and energy-dispersive x-ray (EDX) analysis 482–484
 - stack embedding 474–475
 - thermography 473
 - topography 482
 - wet chemical analysis 486–488
 - X-ray diffraction (XRD) 484–486
 - potentiodynamic controlled experiment 153
 - potentiostatic control 153
 - power applications. *See* sealing techniques
 - power-split hybrid configuration 1056–1057
 - predictive method for vapor–liquid and liquid–liquid equilibria determination 630–632
 - model fuel evaporation 634–637
 - residual hydrocarbons in reformer product gas 632–634
 - premium power 1107. *See also* off-grid power
 - market review 1107–1109
 - portable applications 1113
 - military applications for prime power 1115
 - remote monitoring and remote sensing 1113–1114
 - printed circuit board (PCB) 549
 - process flow sheet 941
 - production portfolio 1157
 - longer term production options 1158
 - near-mid-term production options 1157–1158
 - near-term production options 1157
 - proton conductivity, as function of
 - composition and temperature
 - electrical conductivity mechanisms 344
 - enthalpy of activation for ionic transport 350–352
 - evaluated data for dynamic viscosity of aqueous phosphoric acid 352–353
 - evaluated literature data 344–346
 - non-arrhenius behavior for ionic transport 346–350
 - Proton Energy Systems 239
 - proton pump 562
 - proton transport 843
 - PROX 429
 - pulsed laser deposition 277
 - punching techniques 207–208
- q**
- quality assurance 249, 259, 268, 270, 271, 272, 573
 - degradation and lifetime investigations
 - load cycling 588–592
 - membrane electrode assemblies (MEA) aging phenomena analysis 587–588
 - experiment design in fuel-cell research 592–593
 - standardized test cells 587
 - test procedures and standardization measurements
 - dynamic load cycling aging test 585–587
 - fuel cell preconditioning 574
 - humidification sensitivity test 574–578
 - long-term durability test 583–585
 - on/off aging test 578–581
 - performance test 581–583
 - quasi-*in situ* approach 513
- r**
- Raman spectroscopy 105
 - Ramberg–Osgood equation 777
 - random error 611
 - Raney nickel catalysts 115–121
 - recalcitrant compounds 171
 - reference electrode 546–548
 - reforming 71–73, 72, 191–195
 - regenerative fuel cells 219–220, 239
 - applications and systems 236
 - stationary systems for seasonal energy storage 237–239
 - for aviation applications 239–240
 - electrodes 226
 - for alkaline electrolytes 226–229
 - polymer electrolyte membrane (PEM) 229–233
 - flow chart of 223
 - history 222–223
 - principles 220–221
 - solid oxide electrolyte (SOE) 233–234, 233
 - system design and components 234–236
 - thermodynamics 223–226
 - time line of developments 222

- relative humidity (RH) 574, 575, 576, 577
 - relaxation time distribution. *See* distribution function of relaxation times (DRT)
 - renewable electricity certificates system (RECS) 1123
 - research and development, technical advancement of 3, 4
 - application and demonstration in transportation
 - – fuel cells and batteries for propulsion 17–22
 - – on-board power supply with fuel cells 22–24
 - direct methanol fuel cells (DMFCs) 12–13
 - – for light traction 14–17
 - – for portable applications 13–14
 - high-temperature polymer electrolyte fuel cell (HT-PEFC) 11
 - – actors and development areas 11–12
 - marketable development results
 - – DMFC battery chargers 27–29
 - – light traction 30
 - – submarine 27
 - uninterruptable power supply/backup power 29–30
 - solid oxide fuel cells (SOFCs) 9
 - – actors and development areas 8–9
 - – planar designs 6–8
 - – state of cell and stack developments 10–11
 - – tubular concepts 4–6
 - special markets for fuel cells 26–27
 - stationary applications in building technology 24–6
 - stationary industrial applications 26
 - reverse current decay (RCD) mechanism 556, 560–561
 - reverse fuel cells. *See* regenerative fuel cells
 - reverse hydrogen electrode (RHE) 547
 - reversible heat release 890
 - rigid bonded seals 308–309
 - ceramic seals 318–319
 - glass and glass–ceramic sealants 309–318
 - Risø National Laboratory 8
 - Rittal 29, 30
 - Rolls Royce 8
 - round-trip efficiency 224
- S**
- safety portfolio 1163–1164
 - samarium-doped ceria (SDC) 280, 291
 - Samsung Advanced Institutes of Technology 11
 - S-Brane process 1033
 - scale-free networks 691
 - scanning electron microscopy (SEM) 152
 - and energy-dispersive x-ray (EDX) analysis 482–484
 - Schröder's paradox 527
 - Schunk 30
 - screen-printing method 211, 277, 278
 - sealing techniques 306–308, 307–308
 - bonded compliant seals 323–328
 - compressive seals 319–323
 - rigid bonded seals 308–319
 - sediments, plants, and photosynthesis 168
 - selective CO methanation (SELMETH) 429, 430
 - Serenergy 12
 - serial hybrid vehicles 1056
 - series and parallel hybrids 1077–1078
 - SFC Energy 16, 29, 1114
 - Shell Hydrogen 1132
 - Shewanella oneidensis* 160
 - Shewanella* spp. 158
 - Siemens 14, 27
 - silicate-based glass–ceramic sealants, common compositional modifiers for 312
 - silver catalysts 107, 121–123
 - SIMS (secondary ion mass spectrometry) 488
 - single-chamber fuel cells (SC-FCs) 43–44
 - single-chamber solid oxide fuel cells (SC-SOFCs) 44
 - – anode materials 48–49
 - – anode-supported 51–52
 - – applications 60–61
 - – basic principles of operation 44–46
 - – catalysis in 46–47
 - – cathode materials 49
 - – with coplanar electrodes 52–59
 - – current collection 48
 - – electrode and electrolyte materials 48
 - – electrolyte materials 50
 - – electrolyte-supported 50–51
 - – fully porous 59–60
 - – heat production and real cell temperature 47–48
 - – tubular 60
 - single-chamber solid oxide fuel cells (SC-SOFCs). *See* single-chamber fuel cells (SC-FCs)
 - small-angle X-ray scattering (SAXS) 398
 - SNMS (secondary neutron mass spectrometry) 488
 - sol–gel methods 211

- solid oxide fuel cell (SOFCs) 9,233, 249–250, 275, 301–303, 444, 445, 449, 452, 465, 488
 - actors and development areas 8–9
 - advances in testing of 268–269
 - – dwell time between individual current–voltage points 271
 - – reduction temperature 270–271
 - – specifications 270
 - – testing housing 269–270
 - component requirements 279
 - control subsystem 989–991
 - and electrochemical fundamentals 275–276
 - electrode materials 278–280
 - – anode materials 280
 - – cathode materials 281
 - electrodes current status and fabrication methods 276
 - – coating electrode material methods 276–278, 278
 - fuel delivery 982
 - fuel processing subsystem 979–982
 - infiltration 282–284
 - – anodes produced by 284–290
 - – cathodes produced by 290–295
 - – motivation for 281–282
 - with LSC(F) cathode 259
 - – 2000–2006 259–266
 - – 2006–2010 266–268
 - with LSM cathode 250
 - – 1995–1998 250–252
 - – 1998–2002 252–254
 - – 2002–2005 254–258
 - – 2005–2010 259
 - oxidant delivery 982–983
 - planar designs 6–8
 - power conditioning subsystem 987–989
 - for power generation 963–965
 - power generation subsystem 970–971
 - – equipments 977–979
 - – fuel utilization 974–975
 - – number of stacks and stack arrangement 971–973
 - – stack cell voltage and current density 973–974
 - – stack operating pressure 976–977
 - – stack pressure drop 975
 - – stack temperature gradient 975–976
 - power systems
 - – design 969–970
 - – general 965–968
 - – portable systems 991–993
 - – stationary systems 997–1006
 - – transportation systems 993–996
 - – types 968–969
 - pSOFC seal functional requirements 304–306, 306, 319
 - sealing techniques 306–308, 307–308
 - – bonded compliant seals 323–328
 - – compressive seals 319–323
 - – rigid bonded seals 308–319
 - state of cell and stack developments 10–11
 - system configuration 969–970, 971, 987, 990
 - thermal management subsystem 983–986
 - tubular concepts 4–6
 - water delivery 983
- solid oxide fuel cells (SOFC) modeling 733–735
 - governing equations 735–736
 - – chemical reactions 745–746
 - – electrochemistry 740–744
 - – energy conservation 739–740
 - – mass conservation 736–738
 - – momentum conservation 738–739
 - macroscale 747
 - – cell-level modeling 755–758
 - – stack-level modeling 750–755
 - – system-level modeling 747–750
 - mesoscale 758–760
 - nanoscale 761
- Solid State Energy Conversion Alliance (SECA) 8
- Solvay Solexis 388
- sorption-enhanced steam methane reforming (SE-SMR) process 71
- South Korea 1137
 - Domestic Fleet Program 1137
 - Low Carbon, Green Growth program 1137
 - stationary power and early market applications 1145
- spatially lumped models 806–808
- spontaneous galvanic displacement (SGD) 401
- spray coating 211
- sputtering 277
- stack-level modeling 750–755, 825–827
 - fuel-cell stacks modeling and simulation 907–910
 - model validation 910–11
 - need for 906–907
- standardization 249, 268, 270, 271, 272
- state of the art cells 257
- static test inputs 575, 579, 582
- stationary systems 997
 - integrated gasification fuel cell (IGFC) 1001, 1003–1006
 - simple cycle SOFC systems 997–998

- stationary systems (*contd.*)
 - SOFC/GT hybrid systems 998–1001
 - steam generator 984
 - Stefan–Maxwell equation 737, 756, 757
 - stochastic modeling, of fuel-cell components 669–670
 - classical random graph models 690–691
 - multi-layer model for paper-type GDLs 670
 - binder modeling 672–673
 - fiber modeling 671–672
 - model parameter fitting 674–675
 - results 675–676
 - time-series models for non-woven GDLs 676–677
 - stochastic network model for pore phase 677–678
 - graph modification 679
 - pores detection 678–679
 - stochastic modeling of edges 688–690
 - vertex model validation 684–685
 - vertices marking 685–688
 - vertices stochastic modeling 680–684
 - structural characterization of porous GDL 692
 - connectivity 695–696
 - graph model validation 698
 - multi-layer model validation 696–698
 - pore size distributions 694–695
 - tortuosity 692–693
 - transport simulations along graph edges 691
 - Stokes–Einstein equation 348
 - storage portfolio 1158–1159
 - strain 532
 - stress 532
 - structural diffusion 344, 389
 - submarine 27
 - substrate manufacturing technologies 277
 - sulfonated fluoropolymer membranes 388
 - sulfur-containing substances in crude oil,
 - chemical classes of 1013–1015
 - sulfur poisoning 428, 429
 - summer schools 1218
 - supercomputers 703
 - Supplemental Federal Test Procedure (SFTP) 1049
 - surface plasma modification 373–374
 - sustainable technology 150, 161, 164, 172, 173
 - Swiss Paul Scherer Institute 1059
 - synchrotron X-ray radiography 508–509
 - Synechocystis* sp. 163
 - syntrophic acetate oxidizers (SAOs) 168
 - syntrophic acetogenic bacteria (SAB) 168
 - systematic error 611
 - system-level modeling 747–750
 - systems engineering principles 919–920
 - chemical equilibrium 923–926
 - heat management analytical methods 926–940
 - process analysis and design 940–945
 - construction 956–957
 - detailed engineering 945–948
 - drawings and piping 954–955
 - FEMA 950–953
 - P&I diagram 948–950
 - peripheral component selection 953–954
 - general considerations 920–923
 - procurement 956
 - systems integration portfolio 1159–1160
- t**
- tactical quiet generators (TQGs) 1116–1117
 - Tafel equation 830
 - Tafel-type equation 824
 - tape casting 278
 - technical portfolio 1161–1162
 - technical stress 532
 - Technical University of Denmark 12
 - technology readiness level (TRL) 919
 - Technology Validation Program. *See* National Learning Demonstration
 - thermal management subsystem 983–986
 - thermography 473
 - thermogravimetric analysis (TGA) 526
 - thermomechanically induced stress numerical modeling, in SOFCs 767–768
 - chronological overview 768–773, 775
 - geometric design effect on stress distribution 778–779
 - CFD analysis 779–781
 - thermomechanically induced stress analysis 782–788
 - stress and strain mathematical formulation 773
 - cell, sealant, and wire mesh components 773–774, 776
 - metallic components 776–778
 - thin-film deposition techniques 279
 - thin-film models 808–809
 - Thiobacillus* 1013
 - Toho Gas 6
 - Tokuyama 392
 - Tokyo Gas 9
 - tomography 488
 - Topsøe Fuel Cells 7
 - tortuosity 692–693

Toshiba 13, 27
 total organic carbon (TOC) 624–625
 TOTO 5, 9
 transient 1D model 552
 transition metal chalcogenides 417
 transmission electron microscopy (TEM) 488
 transportation systems 993
 – SOFC-based APUs
 – – for aircraft 994–996
 – – for automobiles and trucks 993–994
 transport simulations along graph edges 691
 triple-hybrid fuel cell vehicles 1060–1061
 triple phase boundary 382–384
 true stress 532
 Truma 23
 TU Bergakademie Freiberg 25
 TUBITAK Marmara Research Center, Fuel Cell Laboratory 286
 tubular SC-SOFCS 60
 tubular stacks 302
 tutorials 1218

U

UK Hydrogen Energy Network (H₂NET) 1206
 under-relaxation factor 714
 UNIFAC method 632, 633, 634, 638, 639
 UNIGEN RFC 239
 United Nations Industrial Development Organization (UNIDO)
 – International Centre for Hydrogen Energy Technologies (ICHET) 1217, 1218
 United States
 – DOE Technology Validation Program 1130–1132
 – state activities 1132
 – – California 1132–1133
 – stationary power and early market applications 1144–1145
 United Technologies 389
 unitized regenerative fuel cell (URFC) 220, 221, 223
 – alkaline 228–229
 – polymer electrolyte membrane (PEM) 231–233
 University of South Carolina 12
 upflow anaerobic sludge bed (UASB) 168
 UPS Systems 1114
 US DOE technical targets 362
 user-defined functions (UDFs) 709–710
 US Fuel Cell Council (USFCC) 1196
 UTC Power and Delphi 8

V

Vaillant 25
 vapor pressure of water
 – as function of composition and temperature
 – – evaluated literature data 340–343
 – – number of independent variables and Gibb's phase rule 339–340
 variable test inputs 575, 579, 582, 584
 vehicular diffusion 344, 389, 842
 Versa Power Systems (VPS) 7, 8
 vertices
 – marking 685
 – – degress 687–688
 – – moving-average model for dependent marking 685–687
 – stochastic modeling 680
 – – multilayer representation 680
 – – point process model construction and fitting 680–684
 virtual material design 699
 VNG 25
 Vogel–Tammann–Fulcher equation 348, 352
 Volkswagen 12
 Volkswagen Bora Hy.Power 1059
 volume-averaged models 810–811
 volume hourly space velocity (VHSV) 189, 190
 volume of fluids (VOFs) 719, 720, 854, 867

W

Walden product 348
 wastewater treatment 164–168
 water gas shift (WGS) reaction 68, 195–197, 204, 425, 639, 640, 706, 923
 water management 389
 water transport channels (WTCs) 139
 wavelength-dispersive X-ray (WDX) analysis 484
 Webasto 23
 Weiterbildungszentrum Brennstoffzelle Ulm (WBZU) 1216, 1217
 wet chemical analysis 486–488

X

X-ray diffraction (XRD) 484–486
 X-ray photoelectron spectroscopy (XPS) 111, 112, 124, 125
 X-rays 500–502
 – dynamic radiographic studies of water transport 503–504
 X-rays and neutrons
 – complementarity 494–495
 – radiography and tomography principles

- X-rays and neutrons (*contd.*)
 - – artifacts 498–499
 - – image normalization procedure 499
 - – synchrotron X-ray sources and X-ray tubes 496–497
 - – tomography and tomographic reconstruction 497–498
 - – transmission and attenuation 496
 - x-shapes 653–654
- Y**
- Yamaha Motor 16
 - Young's modulus 532
 - yttria-stabilized zirconia (YSZ) 47, 50, 233, 280, 283, 284–287, 289–295
- Z**
- ZSW 26