

## Index

### a

acetoacetoxyethyl methacrylate (AAEM) 129,  
130, 131, 258, 263  
acrylamide 64, 87, 237, 291, 295, 310  
acrylic acid (AA) 51, 64, 76, 89, 287, 290,  
352, 353, 374, 375  
aggregation  
– number 6  
– reversible 6  
– spherical microgels 18–21  
– SX microgels 146  
– using poly(NIPAM-co-AA) microgels 286  
– weaker hydrophobic 174  
etalon 322  
amines 218, 293  
aminoethanethiol-hydrofluoride 73  
aminoethyl phosphate (AEP) 133  
3-aminophenylboronic acid (APBA) 330, 331  
8-anilino-1-naphthalenesulfonic acid  
magnesium(II) salt 76  
Antifouling surfaces 224, 225  
artificial molecular chaperones 195, 196  
associating polymer-based nanogels 188  
– hydrophobically modified  
polysaccharide 188–190  
– metal–ligand modified  
polysaccharides 192, 193  
– photoresponsive molecule-modified  
polysaccharides 190, 191  
– protein-crosslinked nanogels 193, 194  
– siloxane-modified polysaccharides 193  
– thermoresponsive polymer-grafted  
polysaccharide 191, 192  
associating polymer-based nanogels 188  
A15 structure, conventional cell and basis 344  
atomic crystals Bragg diffract X-rays 337  
atom-transfer radical polymerization  
(ATRP) 82–84, 147, 170, 171, 172,  
176, 177, 178, 180, 182

Au/Ag/Au bimetallic multishell  
system 263  
Au–P2VP hybrids 268  
2-2'-azobisisobutyronitrile (AIBN) 82

### b

Batchelor–Einstein equation 358  
Batchelor equation, for hard spheres 98  
benzoic acid 118  
binary microgel suspensions 338  
biomaterial films 221, 222  
– antifouling surfaces 224, 225  
– cellular adhesion 225–227  
– drug release 227, 228  
– foreign body response 222, 223  
– hydrogels as biomaterial interface  
(*See* hydrogels)  
Bjerrum length 102  
blood–brain barrier (BBB) 219  
body-centered cubic (BCC) structures 338,  
340, 343, 360, 391  
bone morphogenic protein (BMP) 306  
bovine carbonic anhydrase 196  
bovine serum albumin (BSA)-loaded PNIPAM  
microgels 303  
Bragg condition 360  
– derivation of 344  
Bragg diffraction 337, 338, 358  
Bragg peaks 360, 365  
Bragg reflections 345, 358, 365, 389  
Bragg stacks 318  
Bravais lattices 340, 341, 343  
bromomalonic acid 242  
Brownian motion 12, 21

### c

Ca<sup>2+</sup>/COO<sup>−</sup> complexation 19  
cadmium selenide (CdSe) 258  
cadmium sulfide (CdS) 258

- cadmium telluride (CdTe) 258
  - cage effect 43
  - carboxymethylcellulose (CMC) microgel 70
    - graft polymerization of NIPAM from 71–73
    - incorporation of PNIPAM into 71
    - pH-sensitive swelling/shrinking behavior 71
    - property of carboxyl groups 74
  - cation-induced aggregation, dynamics of 14.
    - See also* aggregation
    - salt-induced complexation 14–18
  - CdTe nanocrystals 271
    - PNIPAM microgels 271
  - cellular adhesion 225–227
  - cellulose derivatives 63, 82, 287, 302
  - ceric ion redox system 71
  - cetyl trimethylammonium bromide (CTAB) 257, 262
  - charged microgels 15, 16, 18
  - chitosan 71, 189, 199
  - cholesterol-bearing pullulans (CHP) 188
  - cholesterol-modified ESG 190
  - CLSM cell, schematic diagram 392
  - coffee-ring effect 321
  - coherent scattering 348
  - colloidal crystallization 45
  - colloidal suspensions 369
  - color-tunable poly (*N*-isopropylacrylamide) microgel-based etalons 317
    - Fabry–Pérot etalon depicting 318
    - future directions 330–332
    - microgel-based photonic materials 319, 320
    - applied sensing 329, 330
    - etalon deswelling, mechanism 324–329
    - microgel-based etalons 320–323
    - tuning, reflection order 323, 324
  - comb-type grafted hydrogel 25
  - complexation
    - between microgels and protein 18
    - salt-induced 14
  - composite 133, 283, 298
  - concentrated suspensions 42, 44, 286
  - concentration-normalized scattered intensity 389
  - conductivity titration measurements 377
  - confocal laser scanning microscopy (CLSM) 149, 369, 374, 379, 385, 392
  - copolymerization 83
    - cell adhesion peptide (GRGDS) within 163
    - chemical synthesis of nanogels by 83
    - *N,N*-diethylaminoethyl methacrylate 287
    - divinyl crosslinker 169
    - employing co-monomers 258
    - free-radical 87
    - free radical copolymerization of VCL and AAEM in 133
    - glycidyl methacrylate with VCL 130
    - HEMA 183
    - hydrophobic and hydrophilic monomers 64
    - ionic sodium acrylate (NaA) into PVCL 131
    - kinetics 86
    - for LCST hydrogels preparation using 171
    - with linear copolymer of AAm and 295
    - NIPAM with aminoethyl methacrylate hydrochloride 51
    - polystyrene (PS) and PNIPAM 66
    - styrene and acrylamide 64
    - synthesis of dextran microgels via 290
    - VCL and acetoacetoxy ethyl methacrylate 129
    - VCL, itaconic acid dimethylester (IADME) 132
    - VCL with *N*-isopropylacrylamide 129
    - *N*-vinylcaprolactam and *N*-vinylpyrrolidone in 129
    - vinyl-functionalized microgels with 146
  - copolymer PVCL microgels 129–133
  - core-shell hybrid microgels 259, 260, 267
  - core-shell microgels 33, 34
  - core-shell particles
    - as carriers for catalysts 45
    - defined 63
    - emulsion polymerization 63
    - preparation with temperature-sensitive shell 63–65
    - soap-free emulsion polymerization 63–65
  - Coulomb repulsion 370, 372, 388
  - crystal-crystal martensitic transitions 370
  - crystallization
    - 2D crystallization 41
    - 3D crystallization 40
    - for polydispersities 365
    - solid-state theory 338
    - two-dimensional 34
  - CTAB-stabilized gold nanoparticles 262
  - cyclodextrins (CDs) 196
  - 4-cyclohepten-1-ol 118
  - cyclohexane 180
- d**
- de Broglie wavelength 261
  - Debye length 102
  - degradable star macro-initiator (dSM) 176
    - synthesis 177

- dense microgel suspensions, dynamical arrest/ crystallization 369
- methods 372–374
- neutral microgels, structural/dynamic properties 379–388
- soft/weakly charged microgels, structural/dynamic properties 388–391
- synthesis and responsive properties 374–379
- deoxycholic acid-modified glycol chitosan 189
- depletion effect 370
- depolarized dynamic light scattering (DDLS) 261
- deswelling kinetics 325, 327
  - plot of maximum rate 328
  - time for etalons 329
- dextran-in-poly(ethylene glycol) suspension 290
- diallyl phthalate (DAP) 88
- differential interference microscopy (DIC) images 320, 321
- differential scanning calorimetry (DSC) 121, 129
- diffusion-limited cluster–cluster aggregation (DLCA) 6
- 2,2'-dimethacryloyloxyethyl disulfide (DSDMA) 176
- dimethylamineborane (DMAB) 268
- 1-(3-(dimethylamino) propyl)-3-ethyl-carbodiimide (EDC) 73
- dipolar fluids, anisotropic interactions 371
- dipole–dipole interactions 122, 372
- direct microgel–microgel networks 287
- DMA bulk hydrogel 301
- DNA hybridization 319
- DNA sequencing 310
- doubly crosslinked microgels. *See* DX microgels
- drug-delivery systems (DDS) 187, 213
- DX microgels 141, 142
  - aggregates 146
  - biomedical applications 163–165
  - comparison of properties
    - with conventional hydrogels 162
    - with microgels 161, 162
  - compression modulus measurements 154
  - confocal microscopy 149, 150
  - crystals by small molecule addition 147
  - dynamic rheology 153, 154
  - general equations
    - governing hydrogel mechanical properties 144, 145
    - governing hydrogel swelling 143, 144
    - history 142, 143
    - <sup>1</sup>H nuclear magnetic resonance 148, 149
    - interpenetrating DX microgels 148
    - mechanical properties and control 158–161
    - methods
      - of characterization 148
      - of preparation 145
    - microgel crosslinked hydrogels 146
    - microgel-reinforced hydrogels 146, 147
    - morphology
      - control 156
      - types 155, 156
    - optical properties 152
    - optical tuning 158
    - photonic applications 162
    - property 143
    - scanning electron microscopy 150
    - self-crosslinked DX microgel crystals 147, 148
    - stimulus-responsive 143
    - swelling experiments 150–152
    - swelling properties and control 157, 158
    - swelling ratio 143, 144
    - tensile testing 154, 155
  - dynamic light scattering (DLS) 89, 260, 352, 354, 369, 373, 375, 377
- e**
- electrophoretic mobility 73–76, 91, 133
- emulsion polymerization 63, 64, 82–84
- encapsulated cargo, degradation and release 220
  - release by pH changes 220, 221
  - release by reduction 220
- enhanced permeability and retention effect (EPR) 216
- enzymatically synthesized glycogen (ESG) 190
- enzymes 50–53
- EP4 receptor 306
- ergodic phenomena 21
- etalons
  - 3-aminophenylboronic acid (APBA) 330
  - dielectric cavity 324
  - fabricate 322
  - photograph 320
  - plot of percent shift 329
- ethyl acrylate (EA) 82
- ethylene glycol dimethacrylate (EGDMA) 171
- ethylene glycol methacrylate phosphate (EGMAP) 134

**f**

- Fabry–Pérot etalons 317, 318
- face-centered cubic (FCC) structure 152, 338, 340, 341, 361
- Fermi pseudo-potential 346
- flocculating/dispersing oscillation of microgels 251–253
- fluorescence confocal microscopy 374
- fluorescence correlation spectroscopy (FCS) 195
- fluorescence resonance energy transfer (FRET) particles 77, 78
- fluorescent dye 76
- fluorinated ethylene propylene (FEP) 224
- folic acid 217, 218
  - cellular targeting of PNIPAM microgels 219
- Fourier transforms (FTTs) 386, 387
  - diffraction pattern 385
- free radical polymerization (FRP) 169
- fuzzy sphere model 378, 385

**g**

- galactose-based targeting of nanoparticles 218, 219
- gas-to-liquid transition 33
- Gaussian function 360
- Gaussian-like peaks 365
- Gaussian shell 355
- Gaussian size distribution 377
- gelatin/microgel molar ratio 18
- gel networks, containing functionalized nanopores 176–178
  - accelerated deswelling kinetics 178–180
  - enhanced swelling ratios 178, 179
- glutathione (GSH) 163
- glutathione peroxidase (GPx) 52
- glycidyl methacrylate (GMA) 130, 148, 258, 292
  - multishell nanoparticles, and copolymer microgels 264
- gold nanoparticles
  - composite microgels of 270
  - plasmon properties 268
- gold nanorod–PNIPAM core–shell particles 269
- gold–PNIPAM core–shell microgels 262, 269
- graft polymerization of NIPAM 71–73

**h**

- hairly particles
  - attachment of hydrophilic polymer chains 73–75
  - from block copolymer micelles 67, 68
  - hair growth on core particles 68–71
  - *in situ* formation of surface active material 68
  - optical properties 76, 77
  - with temperature-sensitive hair 66, 67
  - trypsin-carrying PNIPAM hair 75
  - two-dimensional assembly 76
- hard-sphere suspensions, phase equilibrium 338
- HCP structure 343
- hematite ellipsoids 267
- He–Ne laser 373
- Hertzian model 381, 384
- hexagonal close-packed (HCP) structure 342
- homopolymer PVCL microgels 125–128
- hybrid materials, organic/inorganic
  - atomic force microscopy (AFM) 260
  - hybrid gels 22
    - characterization of 260, 261
    - synthesis of 258–260
  - scanning electron microscopy (SEM) 260
  - structures of 259
  - three possible structures of 259
  - transmission electron microscopy (TEM) images 260
- hybrid microgels 133–136
  - DLS measurements 267
  - photoluminescent 269–272
  - with plasmon properties 261–269
  - UV-vis spectra 263
- hybrid particles, optical properties 261
- hydrodynamic radius 5, 7, 14–17, 19, 35–37, 92, 126, 129, 356, 374–376, 385
- dynamic light scattering, measured by 353
- hydrogels 2, 22, 281
  - as biomaterial interface 223, 224
  - conditions for preparation 172
  - films, use of 225, 227
  - ionic-crosslinked microgel-based 287
  - LCST hydrogels 171
  - macroscopic (*See* macroscopic hydrogels)
  - made of NIPAM 211
  - nanocomposite 283
  - nano-sized, ATRP method 180, 181
  - particles 211, 212
    - shell crosslinked knedels (SCK) 213
    - synthesis 212, 213
  - phases 295
  - prepared by CRP possess 170
  - shrinking kinetics of 292
  - synthesis, in presence of dHSM and 177
  - thermoresponsive (*See* thermoresponsive hydrogel)
  - volume phase transition 210, 211

- hydrogen bonds 188  
 – interactions 287  
 hydrophobically modified alkali-soluble/  
 swellable emulsions (HASE) 82  
 hydrophobically modified  
 polysaccharide 188–190  
 hydrophobic polymer 25  
 hydrostatic pressure, experimental  
 profiles 355  
 2-hydroxyethyl 2-bromoisobutyrate (OH-  
 iBuBr) 183  
 hydroxyethyl cellulose 82  
 2-hydroxyethyl methacrylate (HEMA) 171,  
 172, 286
- i**  
 incoherent scattering 348  
*in situ* polymerization 66  
 interactions  
 – anisotropic 391, 393  
 – dipole–dipole 372  
 – electrostatic 237, 370  
 – hydrophilic 320  
 – hydrophobic 188, 195, 196, 286, 287, 305  
 – noncovalent 188  
 internal motion 3, 4, 9  
 – in good solvent 9–11  
 – in poor solvents 11–14  
 interpenetrating polymer network  
 (IPN) 11, 25  
 inverse mini-emulsion polymerization 180  
 ionic assembly 287, 288  
 ionic microgels. *See* microgel  
 ionic microgel suspensions 338  
 ionic strength, effect of 93–95  
 ionic surfactant sodium dodecyl sulfate 374  
 ion-selective electrode (ISE) 104  
 isoelectric points (IEP) 89  
*N*-isopropylacrylamide (NIPAM) 51, 71, 72,  
 123, 258  
 itaconic acid dimethylester (IADME) 132, 133
- k**  
 Krieger–Dougherty equation 100
- l**  
 lightly crosslinked polyvinylpyridine  
 – composite microgels of 270  
 linear homopolymer 1  
 linear viscoelastic behavior 45  
 liquid–FCC–BCC–liquid phase 391  
 lower critical solution temperature (LCST) 1,  
 23, 63, 75, 76, 120, 322, 375  
 lymphatic system 282
- m**  
 MAA–EA nanogel systems 103–106  
 macromolecules  
 – distribution 349, 350  
 – drug delivery 303  
 – scattering length 350  
 macroscopic hydrogels, performance 172,  
 174  
 – deswelling kinetics 174  
 – drug-delivery vehicle 281  
 – image analysis 174  
 – LCST transition 174  
 – molecular level dehydration kinetics  
 175, 176  
 – water retention 172, 173  
 macroscopic microgel networks 281  
 – direct microgel crosslinking 285–290  
 –– covalent assembly 289, 290  
 –– hydrophobic assembly 285–287  
 –– ionic assembly 287–289  
 – high strength 282  
 – kinetically frozen microstructures 282, 283  
 – microgel-mediated crosslinking  
 –– initiator-grafted microgels 290, 291  
 –– surface-polymerizable microgels 291–293  
 –– surface-reactive microgels 293–295  
 – microgel networks, applications  
 –– biomolecule separation and  
 purification 309, 310  
 –– biosensors 307, 308  
 –– cell adhesion-directing  
 coatings 304  
 –– DNA sequencing 310  
 –– drug delivery 301–303  
 –– optical materials 309  
 –– tissue engineering 304–307  
 – networking strategies 284, 285  
 – physical microgel entrapment  
 –– entrapment to form 2D films 299  
 –– entrapment to form 3D hydrogels  
 295–299  
 – rapid swelling kinetics 283  
 – well-defined compositional  
 heterogeneity 283  
 metal–ligand modified polysaccharides  
 192, 193  
 metal nanoparticles 45–50  
 metal–PNIPAM core–shell particles 268  
 – UV-vis-NIR absorption spectra 268  
 methacrylic acid (MAA) 82, 100, 102, 105,  
 148, 237, 290  
 2-methacryloyloxyethylphosphocholine 200  
 2-(2-methoxyethoxy)ethyl methacrylate  
 (MEO<sub>2</sub>MA) 171

- methylenebisacrylamide 237
  - N,N*-methylenebis acrylamide 293
  - Michael addition 293, 297
  - microgel 180, 281, 337, 364, 370
    - acrylamido-functionalized 293
    - APBA-modified 330, 331
    - assemblies 304
      - for optical applications 319
    - based etalons 319
    - based photonic materials 319
    - basic physics of 7–9
      - internal motion 9
      - volume phase transition 7
    - borne CdS quantum dots, luminescence of 272
    - carboxymethylcellulose (CMC) (See carboxymethylcellulose (CMC) microgel)
    - charged 390
      - crosslink density 375, 392
    - colloids 371
    - crosslinked networks 297
    - digital photographs 390
    - dispersions, digital photographs of 386
    - dynamics of 4–6
    - films, formation 320
    - interaction potential 383
    - ionic 288, 338, 370, 372, 393
    - lower critical solution temperature (LCST) 322
    - macroscopic (See macroscopic microgel networks)
    - membrane-based implantable devices 303
    - nanoparticle hybrids, tunable optical properties 257
    - networks 289, 297, 309
      - based hydrogels 283
      - drug-delivery properties 306
      - films 289
      - formation, *in situ* gelation chemistries for 294
      - mechanical properties 293
      - methods 284
      - multidrug-delivery system 303
      - preparation 298
    - NIPAM-AA microgels 356
    - NIPAM copolymer microgels 263
    - oscillating (See oscillating microgels)
    - pair-correlation functions 384
    - phases, types of 302
    - phase transition temperature 296
    - pH-responsive 374
    - physical properties 324
      - self-assembly-based approaches 305
      - size 374
        - suspensions 338, 357, 383, 392
        - particle trajectories 388
        - polydisperse 361
        - structural features 353, 366
      - swelling 144, 148, 158, 296, 297
      - magnetic field induced, convecting cooling, effect of 299, 300
      - thermally sensitive 14
      - thermoaggregation 285, 305
      - thin films 320
      - two-dimensional array formation 77
  - microgel particles, crystals 337, 338, 370
    - A15 structure 343
    - body-centered cubic (BCC) structure 340, 341
    - concentrated suspensions, structure factor 357
      - phase behavior 357, 358
    - crystalline samples, structure factor analysis 358–361
    - crystalline structure 340
    - crystal nucleation, and growth 339, 340
    - experimental details 351, 352
    - experimental system 352, 353
    - face-centered cubic (FCC) structure 341, 342
    - future directions 365, 366
    - hexagonal and hexagonal close-packed structure 342, 343
    - light scattering 343–345
    - particle form factor, determining/modeling 353–357
    - small-angle neutron scattering 345–351
    - structural richness 365
    - suspensions 338
    - tuning polydispersity 361–364
  - Miller indexes 345, 360
  - mirror–mirror distance 319
  - uniform modulation of 323
  - mirror–mirror spacing 319
  - mode-coupling theory (MCT) 44, 45
  - monolithic film 322
  - mononuclear phagocytic system (MPS) 214, 215, 222
- n**
- nanocrystalline cellulose 282
  - nanogel–protein complexes 194, 195
  - nanogels 187
    - cellular targeting 216
      - active targeting 217–220
      - passive targeting 216, 217

- chaperones in cell-free protein synthesis 196, 197
  - chemically crosslinked 187
  - integration of 199–201
  - bionanoengineering fabrication, and applications 200
  - photoresponsive 190
  - pH-responsive
  - in colloidal suspensions, osmotic compressibility 106–109
  - crosslinking monomers, distribution of 85, 86
  - emulsion polymerization 82–84
  - functional group distributions in nanogels 82–87
  - ionic strength 93–95
  - preparation techniques for 82–85
  - properties, approach to model 97–106
  - rheological behavior of 96, 97
  - structural properties of 85–87
  - theory of swelling and elasticity 91–93
  - raspberry-like assembly 201
  - self-assembled, functions of 194–197
  - thiol-responsive 181
  - nano/micro-emulsion polymerization 187
  - nanoparticles 214
  - bioconjugation (*See* nanogels, cellular targeting)
  - size and surface modification for enhanced delivery 214–216
  - nearest-neighbor distances 361
  - network-based sensor 307
  - neutron velocity selector 359
  - neutron wave packet 346
  - nitroxide-mediated polymerization (NMP) 84
  - NMA-AAm crosslinking reaction 295
  - non-ergodic phenomena 21
  - non-ergodic system 5–6
  - non-thermo-responsive poly(DAM) hydrogel 298
  - nucleation barrier 339
- o**
- Ornstein–Zernicke convolution integral equation 380
  - oscillating microgels
    - BIS crosslinked oscillating microgel 246
    - temperature dependence of hydrodynamic diameters 244, 245
    - chemical reaction cycle 239
    - effect on
      - induction period 242–244
      - oscillation amplitude 244–247
      - oscillation period, and waveforms 247–251
    - experimental setup 239
    - Field–Körös–Noyes (FKN) mechanism 240
    - flocculating/dispersing oscillation 251–254
    - oscillating profile, of optical transmittance 242
    - oscillatory behavior, control of 241, 242
    - synthesis, and fabrication 240, 241
    - types of 238–240
  - osmotic deswelling 103, 104
  - of soft particles 99
  - osmotic pressure 37, 82, 87, 88, 108, 109, 353, 375
- p**
- paint-on method 321, 322, 323
  - pair-correlation function 387
  - particle–particle spacing 320
  - particle size 41, 75, 94, 97, 125, 214, 352, 356, 377, 392
  - particles on surfaces. *See* crystallization
  - Péclet number 44
  - PEG-diacrylate hydrogel phase
    - polymerized 303
  - peptides 219, 220
  - phase transition temperature 7, 75, 121, 122, 147, 211, 285, 289, 296, 298, 299, 322, 325
  - photoluminescence, temperature dependence 272
  - photonic materials 317
  - photoresponsive molecule-modified polysaccharides 190, 191
  - plasticizing action of water molecules 121
  - P(MMA-co-AA) 87
  - PNIPAM-co-AA hydrogel 319
  - PNIPAM-co-AA microgels 324
    - etalons composed, representative spectra 325
  - PNIPAM-AA system, phase behavior of 358
  - PNIPAM-based etalons 319
  - PNIPAM-based grafted surfaces 304
  - PNIPAM-based microgels. *See* poly(*N*-isopropylacrylamide) (PNIPAM)
  - PNIPAM-based systems 267
  - PNIPAM-block-poly(glycerol methacrylate) (PGLM) 67
  - PNIPAM hydrogels 81, 292, 297, 299, 319
  - PNIPAM-co-PAA particles 388
  - PNIPAM–starch system 292
  - point-of-care (POC) sensing 329
  - polyacrylamide-based hydrogel 309

- poly(acrylic acid) microgel 308
- poly(allylamine) hydrochloric acid (PAH) 227
- poly(aminoacids) 189
- polyampholyte nanogels 89
- polydimethylsiloxane (PDMS) 298
- polydispersity
  - influence of 362
  - reduction 365
- poly( $\epsilon$ -caprolactone)-*b*-PAA copolymers 85
- polyelectrolyte-coated gold nanorods 263
- polyelectrolyte mediated protein adsorption 51
- poly(ethyl acrylate-*co*-MAA) 87
- poly(ethylene glycol)methacrylate (PEGMA) 89
- poly(ethylene glycol) (PEG)-modified PVCL microgels 133
- poly(ethylene glycol)–poly(sodium acrylate) microgels (anionic) 287
- poly(ethylene oxide) (PEO) 224
- poly(HEMA-*co*-poly(ethylene glycol dimethylacrylate) (PEGDMA)) microgels 301
- poly(acrylic acid) hydrogel, cyclic compression tests of 291
- poly(isoprene-*b*-acrylic acid) 85
- poly(*N*-isopropylacrylamide) (PNIPAM) 33, 63, 84, 171, 352
  - amino end group-carrying 73
  - Au-PNIPAM core–shell particles 42, 262
  - Brownian motion 9
  - BSA-loaded 303
  - CMC core–PNIPAM shell 74
  - CMC–PNIPAM microgel 72
  - folate-mediated cellular targeting of 219
  - hydrodynamic radius, dynamic light scattering 353
  - hydrophilic–hydrophobic transition 191
  - lightly crosslinked 2
  - matrix 318
  - water-soluble thermoresponsive polymer 318
  - microgels (*See* poly(*N*-isopropylacrylamide) (PNIPAM) microgels)
  - network 292
  - phase transition behavior 296
  - PNIPAM-*co*-allylacetic acid (AAA) microgel 47
  - PNIPAM-block-poly(glycerol methacrylate) (PGLM) 67
  - PNIPAM–starch system 292
  - polystyrene–PNIPAM core–shell microgel 266
  - properties 319
  - relative viscosity 98
  - representative spectra for etalons 325
  - spherical swollen 22, 25
  - temperature dependence 75
  - temperature-sensitive FRET particle, compose of 78
  - thermogelation 286
  - trypsin-carrying 75
  - water/heavy water 352
- poly(*N*-isopropylacrylamide-*co*-acrylic acid) (PNIPAM-*co*-PAA) microgels 375
- poly(*N*-isopropylacrylamide-*co*-allylacetic acid) microgels 266
- poly-(*N*-isopropylacrylamide-*co*-maleic acid) microgels 265
- poly(*N*-isopropylacrylamide) (PNIPAM) microgels 263, 271, 297, 307, 309, 319, 353, 370
  - 2D conditions 380
  - hydrodynamic radius 376
  - lower critical solution temperature (LCST) 375
  - phases 296, 301, 302
  - self-assembled arrays of 307
  - single-frame CLSM image 379
  - temperature-sensitive 370
  - thermogelled assemblies, cross section
    - scanning electron microscopy images 286
  - thermoresponsive, structural properties 385
- poly(2-isopropyl-2-oxazoline) (PIPOZ) 191
- polymer-based drug-delivery systems 180
- polymer biomaterials 209, 210
- polymer gel–gelatin sheet 25
- polymer–hydrate complexes 122
- polymerization. *See* atom-transfer radical polymerization (ATRP); emulsion polymerization; free radical polymerization (FRP), nitroxide-mediated polymerization (NMP), RAFT; graft polymerization; precipitation polymerization
- poly(methacrylic acid-*co*-ethylene glycol) (P(MAA-*co*-EG)) 87
- poly(NIPAM-*co*-AA) microgels 247, 287
  - aggregation, use of 305
  - drug release 302
- poly(NIPAM–acrylamide-2-acrylamidomethyl–5-fluorophenylboronic acid) copolymer microgels 272
- poly(NIPAM-*co*-allylamine) microgels 288, 294
  - networks, temperature-tunable 308
  - self-assembled arrays of 307

- poly(NIPAM-co-methacrylic acid (MAA)) microgel 299
- poly(NIPAM-co-2-hydroxyethyl methacrylate (HEMA)) microgels 286, 305
- poly(NIPAM-co-*N*-isopropylmethacrylamide-co-acrylamide) microgels 299
- poly(NIPAM-co-Ru(bpy)<sub>3</sub>) microgels 244
- poly(oligo(ethylene oxide) monomethyl ether methacrylate) (POEOMA) 170
- polysaccharide nanogels, applications 197, 198
- nucleic acid delivery 199
  - protein delivery 198, 199
- polysaccharides 188, 190, 191
- for nanogel formation 189
- polystyrene (PS) 9–11, 66, 84, 124
- polystyrene-*b*-PAA copolymer 85
- polystyrene core-PNIPAM shell particles 66, 77
- cryo-TEM image 266
- polyvinyl alcohol 82
- poly(vinylamine), amine residues 291
- poly(*N*-vinylcaprolactam) (PVCL) 117–120
- amphoteric microgels 132
  - copolymer microgels 129
  - glass temperature of 122
  - homopolymer microgels 125
  - hydration mechanism 121
  - hydrodynamic radius of 126, 131
  - hydrophobic behaviour 14
  - ingredients used for synthesis of 134
  - Kuhn–Mark–Houwink equation 120
  - microgels, with grafted amphiphilic chains 133
  - molecular weights 119
  - phase separation 124
  - poly(ethylene glycol) (PEG)-modified 133
  - SANS and NSE data 123
  - temperature-sensitive 130
  - types of interaction with water 123
- poly(*N*-vinylcaprolactam-co-acetoacetoxyethyl methacrylate) (VCL-AAEM) microgel particles 265
- poly(*N*-vinylcaprolactam-acetoxyethyl methacrylate) microgel 262
- poly(*N*-vinylcaprolactam-co-glycidyl methacrylate) (P(VCL-co-GMA)) microgels 269
- poly(vinylcaprolactone-co-*N,N*-dimethylaminoethyl methacrylate) 288
- poly(vinyl-2-pyridine) (P2VP) 267
- porcine citrate synthase 196
- pore sizes 52, 305, 309
- potassium persulfate 352, 374
- precipitation polymerization
- advantages of 124, 125
  - batch surfactant-free 135
  - of colloidal micro/nanogels from phase-separating polymers 213
  - by free radical 212, 374
  - limitations 125
  - microgel formation by 124
  - reaction mechanism 124
  - synchronized with bromate–sulfite pH oscillating 241
  - use of monomers 129, 131, 262
- protein adsorption 76
- protein-crosslinked nanogels 193, 194
- PS–PNIPAM microgel 52
- PVCL microgels. *See* poly(*N*-vinylcaprolactam) (PVCL)
- PVCL–water system 122
- 1-pyrenebutyric acid *N*-hydroxysuccinimide ester (PBHS) 78
- q**
- quantum dots 199
- r**
- radius of gyration 5, 89, 119, 135
- RAFT method 67, 84
- random hexagonal close-packed (RHCP) 343, 360
- Rayleigh ratio 4
- reaction-limited cluster–cluster aggregation (RLCA) 18
- $\alpha/\beta$ -relaxation 43
- reversibly inflatable spheres 44
- rheology 42–45, 290
- rhodamine-labeled microgels, confocal images of 382
- rhodamine–phalloidin, fluorescence images 305
- rhodanese 196
- s**
- salt-induced complexation 14–18
- SANS. *See* small angle neutron scattering (SANS)
- scattering amplitude 347
- scattering angle, neutron lenses 351
- scattering vector 5, 12, 19, 20, 38, 107, 346, 377, 378, 389, 390
- Schrödinger equation 346
- seeded polymerization 66
- shell crosslinked knedel (SCK) nanoparticles 85
- siloxane-modified polysaccharides 193

- simple cubic (SC) system 340
  - singly crosslinked microgels. *See* SX microgel
  - small angle neutron scattering (SANS) 260, 338, 352, 369, 373
    - data, analysis of 377
    - instrument 360
    - measurements 351
    - SANS-I apparatus 351
  - sodium dodecyl sulfate 352
  - sodium fluorescein
    - sample chamber and differential flux
    - temperature profile 300
  - sodium persulfate (NaPS) 82
  - soft-repulsive colloids
    - theoretical investigations 383
  - sol–gel transition 21, 22
  - static light scattering (SLS) 4, 373
  - surface-acrylated PNIPAM microgels 292
  - surface-enhanced Raman scattering (SERS) 262
  - surfactant-free emulsion polymerization (SFEP) 84
  - suspensions, of colloidal spheres 40
  - swelling ratio 92, 93, 102, 103, 135, 143, 144, 152, 161, 170, 172, 178, 183, 375, 376, 385
  - Swiss spallation neutron source 373
  - SX microgels 141–143
    - aggregation 146
    - size 145
    - swelling ratios 161
- t**
- thermally sensitive polymer microgel sheet 26
  - thermodynamics, of volume phase transition 2
  - thermoreponsive hydrogel
    - performance 171, 178
    - effect of network homogeneity 171, 172
  - thermoreponsive polymer-grafted polysaccharide 191, 192
  - thermosensitive suspensions 43
    - advantages 43, 44
  - thiol-responsive biodegradable nanogels 181
    - features 181–183
    - swelling ratios 182
    - synthesis 181
  - transferrin 219
  - transition temperature 76
- u**
- ultrasoft counterion-dominated contribution 371
  - UV glue 373
- v**
- van der Waals forces 21, 188
  - VCL–AAEM microgel particles 130
    - hydrodynamic radii 135, 136
    - TEM images 136
  - vinylamides 118
  - N-vinylcaprolactam (VCL) 117, 121, 132, 258, 263, 271
    - chemical structure 118
  - vinyl imidazole (VI) monomers 89
  - vinyl naphthalene (VN) 78
  - viscosity 98, 106
    - measurements 357
  - volume phase transition 2, 3, 7, 9, 27, 52, 93, 170, 210, 211, 260, 298, 375, 376
    - discontinuous 9
    - response to external stimulus 210
    - response to mono- or divalent electrolytes 93
    - responsive hydrogel materials 210
    - single particles 35–39
    - temperature-sensitive shell and 75, 76
    - theory 7
    - thermodynamics 2, 3
  - volume phase transition temperature (VPTT) 75, 117, 129, 135, 147, 211, 212, 219, 298, 304
  - volume transition. *See* volume phase transition (VPT); volume phase transition temperature (VPTT).
- w**
- water-soluble thermoresponsive polymer 318
- x**
- X-ray photon correlation spectroscopy (XPCS) 369
- y**
- Yukawa-like soft repulsion 376
- z**
- zinc sulfide (ZnS) 258
  - zwitterionic behavior 89