

Index

a

- ab initio* calculations 24, 40, 41
Acantkella acuta 21
 acetals 188, 189, 401
 acetylenedicarboxylates
 – nonclassical IMCRs 315, 316
 – zwitterions 264–267, 269, 271, 274–277
 achiral isocyanides 1
 acid addition reactions 49–52
 acid-mediated polymerization 25
 acid-promoted condensations 355
 α -acidic isocyanides 75–108
 – dihydropyridone MCR 95–97
 – 4,5-disubstituted oxazole MCR 83, 84
 – 2-imidazoline MCR 91–95
 – isocyanide reactivity 78–80
 – multicomponent reactions 75–108
 – nitropyrrole MCR 83, 84
 – oxazole MCR and *in situ* Domino process 88–91
 – synthesis 76–78
 – 2,4,5-trisubstituted oxazole MCR 84–88
 – 2,6,7-trisubstituted quinoxaline MCR 82, 83
 – union of MCRs 93–95
 – van Leusen imidazole MCR 81, 82
 acrylonitriles 116
 activated alkenes
 – isocyanide reactivity 55–58
 – α -isocyanoacetic acid derivatives 116, 117
 – pyrrole synthesis 386–390
 – zwitterions 279–281, 284–286, 288
 activated alkynes 55–58, 390
 activated azines 220–223
 activated heterocumulenes 60, 61
 activated isocyanides 299, 308–320
 acyclic diaminocarbenes (ADC) 531–533, 537, 546
 acyl halides 52–55
 O-acyl isoimides 49–51
 S-acyl isoimides 50, 51
 acyl transfer reactions *see* Mumm rearrangements
 acylating agents 129–133
 2-acylbenzazepines 54
 1-acyl-3,4-dihydroisoquinolines 54
 α -acyloxyaminoamides 367
 acylpiperazines 352
 2-acylpyrrolines 54
 acylthioamides 53, 54
 2-adamantyl isocyanide 37
 ADC *see* acyclic diaminocarbenes
 AFM *see* atomic force microscopy
 AIBN *see* azo-*bis*-isobutyronitrile
 alcohols
 – carbene coupling reactions 532–537
 – chiral nonracemic isocyanides 2
 – isocyanide reactivity 64–66
 – zwitterions 273–275
 aldazines 204
 aldehyde-acids 362, 366–371
 aldehydes
 – amine surrogates 199
 – carboxylic acid surrogates 180–184
 – chiral nonracemic isocyanides 4, 5
 – isocyanide reactivity 58–60
 – α -isocyanoacetic acid derivatives 116, 121–126, 141, 142
 – nonclassical IMCRs 305, 317
 – zwitterions 275, 276, 283
 aldol reactions 18, 121–126
 alginate-coated gold electrodes 241, 242
 aliphatic isocyanide reactivity 36–41, 43–46, 52
 aliphatic nitriles 37–39

- alkenes
 - isocyanide reactivity 55–58
 - pyrrole synthesis 386–390
 - zwitterions 279–281, 284–286, 288
- 5-alkoxyoxazoles 80
- alkyl isocyanoacetates 109, 110
- alkyl 2-nitroethanoates 268
- alkyl phenylglyoxylates 316
- alkylamines 281
- N-alkylated quinolines 220, 221
- alkylation reactions 113–115, 351, 352
- alkyne–azide cycloaddition reactions 442–444
- alkynes
 - isocyanide reactivity 55–58
 - α -isocyanoacetic acid derivatives 119–121
 - pyrrole synthesis 390, 401, 402
 - zwitterions 263–282
- allylation reactions 114
- alternating peptoid–peptide chimeras 253
- ambiguine H 22, 23
- amides 50, 51, 271–273
- amidines
 - carbene coupling reactions 538, 539
 - carboxylic acid surrogates 179, 184
 - chiral nonracemic isocyanides 15
 - molecular diversity 371–373
 - nonclassical IMCRs 324
- aminals 188, 189
- amine surrogates 195–231
 - activated azines 220–223
 - enamines, masked imines and cyclic imines 223–227
 - hydrazines 200–218
 - hydroxylamines 196–200
 - isocyanide reactivity 220–223
 - miscellaneous surrogates 218–220
- amines
 - carbene coupling reactions 532–537
 - chiral nonracemic isocyanides 2, 3
 - isocyanide reactivity 64–66
 - zwitterions 264
- amino acids
 - amine surrogates 203
 - α -isocyanoacetic acid derivatives 111
 - molecular diversity 362–365
 - polyisocyanides 563
- α -aminoaldehydes 436, 437
- aminoboranes 184
- aminocarbenes *see* carbenes
- N-aminocarbonyl amides 218
- amino carboxamides 182
- aminocarbynes 532
- 2-aminofurans 451–453
- amino isocyanides 11, 12
- N-aminolactams 214
- 5-aminooxazoles 140, 141
- 2-amino-4H-pyrans 270
- 2-aminopyrazoles 466
- aminopyrroles 278, 279
- 5-aminothiazoles 132
- anthracenes 410, 411
- anti-fouling activity 20, 21
- antitubulin chalcones 471
- Arbuzov reactions 10
- arenesulfonyl chlorides 138
- Armstrong benzodiazepine synthesis 433
- aromatic nitro compounds 402–407
- aromatic substitution reactions 355, 356
- aryl transfer reactions *see* Smiles rearrangements
- N-aryl amidation reactions 437, 438
- N-aryl arylimines 64
- N-aryl carboxamides 171, 172
- aryl isocyanide reactivity 36, 39–41, 43–46, 52, 53, 65
- aryl nitriles 39, 40
- arylsulfonyl chlorides 55
- arylsulfonylmethyl isocyanides 76–80
- N-aryl thiocarboxamides 175, 176
- arynes 283, 284, 316–318
- Asinger reactions 362
- atomic force microscopy (AFM)
 - chiral nonracemic isocyanides 26
 - polyisocyanides 558, 563, 567, 572
- atropisomerism 23, 557
- Axinella cannabina* 18
- axisonitrile-1 16
- axisonitrile-3 18
- aza*-Diels–Alder reactions 89, 90
- 1-azadienes 269
- 6-azaindolines 89, 91
- aza- β -lactams 212
- azasugar imines 225, 226
- aza-Wittig reactions 358, 359, 439, 440
- azepine tetrazoles 170
- azetidiones 186
- azides
 - amine surrogates 226
 - chiral nonracemic isocyanides 11, 12
 - polyisocyanides 570, 571
 - tetrazole synthesis 471–473
- 2-azidophenyl isocyanide 540
- azines
 - amine surrogates 220–223
 - nonclassical IMCRs 300, 304–306
- azinium salts 300
- azoalkenes 206

- azo-*bis*-isobutyronitrile (AIBN) 14, 47
 azolium salts 306
 azomethines 59, 60, 310–312
- b**
- Barton–Zard pyrrole synthesis 116, 117, 386, 390–410, 420–424, 458
 base-promoted condensations 355
 BBN *see* 9-borabicyclononanes
 BCOD *see* bicyclo[2.2.2]octadiene
 benzamides 284
 benzazepines 342, 343
 benzhydrylium ions 36
 benzimidazoles
 – IMCR examples and protocols 473
 – molecular diversity 338, 340, 341, 345
 benzimidazolium salts 307, 308
 benzochromenes 274
 1,5-benzodiazepine-2,4-diones 443–446
 1,4-benzodiazepine-2,5-diones (BZD)
 337–339, 345, 433–439
 benzodiazepines 431–449
 – 1,4-benzodiazepine scaffolds via IMCRs
 433–443
 – 1,5-benzodiazepine scaffolds via IMCRs
 443–446
 – fused-ring systems 440–443
 – molecular diversity 337–340, 343–347,
 349, 350
 – two-ring systems 433–440
 benzodiazepinones 353, 359, 437, 438, 445
 benzofurans 473
 benzofused heterocycles 175, 176
 benzofused γ -lactams 366, 367
 benzopiperazinones 176, 177, 357
 benzoporphyrins 410
 benzoquinones 317
 1,4-benzothiazepines 368, 369
 benzoxazepines 342, 343
 benzoxazepinones 353
 benzoxazinones 351, 353
 benzoyl isothiocyanate 280, 281
 benzyl isocyanide 38
 BHT *see* butylated hydroxy toluene
 BICA *see* β -bromo- α -isocyanoacrylates
 bicyclic lactams 338, 339, 358, 364, 373
 bicyclic tetrazoles 343, 344
 bicyclo[2.2.2]octadiene (BCOD) 385, 386,
 409, 410, 414–416, 419, 423, 424
 bifunctional approach (BIFA) 361–374
 – amino acids 362–365
 – combined bifunctional and post-
 condensation modifications 373, 374
 – cyclic imines 362, 365
 – tethered aldehyde and keto acids 362,
 366–371
 – tethered heterocyclic amidines 371–373
 Biginelli reactions 76
 binucleation of mononuclear ligands 515,
 516
 biocatalytic desymmetrization 13
 bioconjugates 240, 241, 258
 biomimetic syntheses 20, 21
 bipyrrroles 396, 397
 bis(aminofuryl)bicinchoninic amides 274,
 275
 Bischler–Napiralski synthesis 48
 2,3-bis-iminoazetidines 59, 60
 block copolymers
 – chiral nonracemic isocyanides 26
 – polyisocyanides 556, 557, 565, 574
 BODIPY *see* boron–dipyrromethene
 bond-forming efficiency 336
 9-borabicyclononanes (BBN) 22, 23
 boron–dipyrromethene (BODIPY) dyes
 385, 386, 391, 420–424
 boron trifluoride 186
 borylative cyclization reactions 326
 bovine serum albumin (BSA) 240, 241
 bridging ligands
 – carbenes 534, 535
 – isocyanoarenes 494, 495, 514–517
 2-bromobenzoic acids 437
 β -bromo- α -isocyanoacrylates (BICA) 135,
 136
 Brønsted acids
 – carboxylic acid surrogates 180, 181, 187
 – molecular diversity 372
 BSA *see* bovine serum albumin
 BTTP *see* *t*-butyl-iminotris(pyrrolidino)
 phosphorane
 Burgess reagent 2
 butylated hydroxy toluene (BHT) 393
t-butyl-iminotris(pyrrolidino)phosphorane
 (BTTP) 401, 403, 404
 BZD *see* 1,4-benzodiazepine-2,5-diones
- c**
- carbamoylated dihydroisoquinolines 301
 carbenes
 – amine and alcohol coupling reactions
 532–537
 – dipole–isocyanide couplings 543, 544
 – functionalized amine and alcohol
 couplings 537
 – hydrazine and hydrazone couplings 537,
 538
 – imine and amidine couplings 538, 539

- intramolecular cyclizations 536, 537, 540–543
- α -isocyanoacetic acid derivatives 122, 128
- metal-bound isocyanides 531–550
- miscellaneous reactions 544–546
- polyisocyanides 554
- reactivity modes 531, 532
- carbonic acid derivatives 163–165
- carbonimidyl chlorides 52, 53
- carbonylmetalate complexes 493–497, 502–505, 514, 515
- carboxamides 368–370
- carboxylation reactions 110
- carboxylic acid surrogates 159–194
 - carbonic acid derivatives 163–165
 - cyanamide 179
 - hydrazoic acid 167–171
 - isocyanic acid derivatives 166, 167
 - mineral and Lewis acids 180–189
 - phenols and derivatives 171–179
 - selenide and sulfide 165, 166
 - silanol 165, 166
 - thiocarboxylic acids 160–163
- carboxylic acids
 - chiral nonracemic isocyanides 2
 - isocyanide reactivity 49–52
 - zwitterions 274, 275
- carvone 21
- cationotropic 1,2-shifts 37, 38
- cavitands 49, 50
- CD *see* circular dichroism
- chalcogenation reactions 321–323
- chiral auxiliaries 3, 4
- chiral nonracemic isocyanides 1–33
 - amino and alcoholic functionalized 11–16
 - amino isocyanides 11, 12
 - applications 26
 - azido isocyanides 11, 12
 - carboxylic, sulfonyl and phosphonyl functionalized 4–10
 - hydroxy isocyanides 12–16
 - α -isocyano amides 7–9
 - α -isocyano esters 4–7
 - β -isocyano esters and amides 9
 - isolation and natural sources 16, 17
 - natural isocyanides 16–23
 - phosphonylmethyl isocyanides 10
 - polyisocyanide synthesis 23–26
 - racemization in synthesis 4–6
 - simple unfunctionalized isocyanides 1–4
 - sulfonylmethyl isocyanides 10
 - synthesis 1–23
- chiral polyisocyanides 551–553
- chiral racemic isocyanides 1
- chiral stationary phases (CSP) 572
- chlorination reactions 22, 53
- chlorination–elimination strategy 226
- α -chloroketones 173, 174
- cholanic peptide–steroid hybrids 239, 240
- chromenes 274
- chromenylfurandicarboxylates 277
- chromium complexes
 - carbenes 540
 - isocyanoarenes 511–516, 519–521
- chromophore-functionalized polyisocyanides 563–570
- cinchona alkaloid catalysts 117
- circular dichroism (CD) spectroscopy
 - chiral nonracemic isocyanides 24, 26
 - polyisocyanides 557–559, 561–563, 565, 570, 573, 574
- Claisen rearrangements 18, 77
- click chemistry 361, 569–572
- cobalt complexes
 - α -isocyanoacetic acid derivatives 126
 - isocyanoarenes 497–501, 522
- collagenase-I 340, 341
- compound chemical tractability 336
- concanavalin A 237
- conformation memory 560, 561
- conformational constraints 96, 97
- contracted porphyrins 414, 417–420
- convergent approach to natural product mimics 256, 257
- copper catalysts
 - carboxylic acid surrogates 185
 - α -isocyanoacetic acid derivatives 120, 121, 128, 140
 - isocyanoarenes 517
 - molecular diversity 360, 361
 - nonclassical IMCRs 326
 - polyisocyanides 569
- corannuleneopyrroles 403, 404
- core-modified porphyrins 414, 416, 418
- Cotton effects 559, 573
- crosslinking 242, 243
- crown ethers 536
- cryptands 246, 247, 255, 256
- CSP *see* chiral stationary phases
- CTV *see* cyclotrimeratrylene
- Curtius rearrangements 2, 3, 11, 20
- CV *see* cyclic voltammetry
- cyanamides 40, 179
- α -cyano-divinylketones 118, 119
- α -cyano- α -isocyanoacetates 137
- N*-(cyanomethyl)amides 85, 86

- cyclic imines
 – amine surrogates 223–227
 – chiral nonracemic isocyanides 5, 6
 – molecular diversity 362, 365
 cyclic iminium derivatives 169
 cyclic ketones 198
 cyclic peptoids 254, 255, 358
 cyclic thioimidic esters 282
 cyclic voltammetry (CV) 555
 cyclization reactions
 – α -acidic isocyanides 80, 83–85
 – amine surrogates 203, 216, 217
 – benzodiazepine synthesis 432, 435, 436, 438–441
 – carbenes 536, 537, 540–543
 – carboxylic acid surrogates 160, 161, 166, 167, 177–179
 – indole synthesis 474–477
 – isocyanide reactivity 48, 53–56, 58–61, 65, 66
 – α -isocyanoacetic acid derivatives 114, 115, 118, 119, 122, 129–132, 135, 136, 139–143
 – molecular diversity 337–350, 355
 – nonclassical IMCRs 314, 315, 321–323, 326
 – pyrrole synthesis 385, 395, 396
 – quinoline synthesis 477–479
 – thiazole synthesis 464–466
 cycloaddition reactions
 – α -acidic isocyanides 78–82
 – amine surrogates 198
 – benzodiazepine synthesis 442–444
 – chiral nonracemic isocyanides 11, 12
 – isocyanide reactivity 35, 55–61
 – α -isocyanoacetic acid derivatives 117, 118, 120, 121
 – isoxazole synthesis 461, 464
 – molecular diversity 357, 359–361, 371–373
 – nonclassical IMCRs 303, 310–312, 318–320
 – polyisocyanides 569
 – pyrrole synthesis 385, 414–416
 – zwitterions 264, 265, 280, 281, 285, 286
 cyclobutenediones 277, 278
 cyclobutyl isocyanide 38
 cyclocondensation reactions 122
 cycloelimination reactions 303
 cyclopropanes 288, 289
 cyclopropenimines 55
 cyclo[8]pyrroles 385, 386, 419, 420
 cyclosporines 6, 51, 144
 cyclotrimeratrylene (CTV) 238
 cylindrical nanocapsules 49, 50
 cysteine-based polyisocyanides 26
- d**
 Davydov solitons 562
 DBU *see* 1,8-diazabicyclo[5.4.0]undec-7-ene
 DCC *see* *N,N*-dicyclohexylcarbodiimide
 DDQ *see* 2,3-dichloro-5,6-dicyano-1,4-benzoquinone
 Debye–Scherrer X-ray analyses 557
 decarboxylation reactions 9
 dehydration reactions
 – α -acidic isocyanides 77, 78
 – chiral nonracemic isocyanides 1, 2, 4, 9, 14, 15, 18
 – α -isocyanoacetic acid derivatives 112
 dendrimers 253, 254, 258
Dendrobium nobile 54
 density functional theory (DFT) 56, 512–514
 2-deoxy-2-isocyano sugars 15
 deoxypyrrrololine 394
 depsipeptides
 – α -acidic isocyanides 96, 97
 – α -isocyanoacetic acid derivatives 137
 – multiple IMCRs 234, 251, 252
 DFT *see* density functional theory
 DHOP *see* dihydrooxazolopyridines
 DHP *see* dihydropyridines
 DIA *see* 2,6-diisocyanoazulene
gem-diactivated olefins 288
 diarylglyoxal 205
 3,4-diarylpyrroles 395
 1,8-diazabicyclo[5.4.0]undec-7-ene (DBU) 389–406, 455, 456
 diazaborolidines 310
 diazadiborinines 309
 DIB *see* 1,4-diisocyanobenzene
 DIBA *see* 2,2'-diisocyano-6,6'-biazulenyli
 2,3-dichloro-5,6-dicyano-1,4-benzoquinone (DDQ)
 – multiple IMCRs 252, 253
 – nonclassical IMCRs 301
 – pyrrole synthesis 408, 409, 419
 – quinoxaline synthesis 479
N,N-dicyclohexylcarbodiimide (DCC) 2, 51
 Diels–Alder reactions
 – α -acidic isocyanides 88–90
 – chiral nonracemic isocyanides 20
 – molecular diversity 360
 – pyrrole synthesis 397–400, 410, 411
 2-diethylaminoquinazolines 65, 66
 dihalogeno isocyanides 52, 53

- dihydroazaphenanthrene-fused
 benzodiazepinediones 440, 441
- 4,5-dihydro-3*H*-1,4-benzodiazepin-5-ones
 436
- dihydroisoindoles 398, 399
- 3,4-dihydroisoquinolines 48
- dihydroisoquinoxalinones 338, 339
- dihydrooxazolopyridines (DHOP) 96, 97
- dihydropyridines (DHP) 54, 307, 308
- dihydropyridones 95–97
- dihydroquinazoline–benzodiazepine
 tetracycles 442, 443
- dihydroquinazolines 345–347, 359
- diisocyanoarenes 514–521
- 2,6-diisocyanazulene (DIA) 514–516,
 518–521
- 1,4-diisocyanobenzene (DIB) 515, 516, 519
- 2,2′-diisocyno-6,6′-biazulenyl (DIBA)
 515–519, 522
- N,N*-diisopropylethylamine (DIPEA) 571
- diketopiperazines 338–340, 345, 352, 355,
 365
- dimethyl acetylenedicarboxylate (DMAD)
 – furan synthesis 451–453
 – isocyanide reactivity 56
 – nonclassical IMCRs 315, 316
 – zwitterions 264–266, 276
- dimethylamino isocyanocrylates 135, 466,
 467
- N*-dimethylamino peptoids 202
- β -dimethylamino- α -isocyanocrylates 134
- dimethyl-1,4-benzoquinone (DMBQ) 2
- dimethyl 3-oxopentanedioate 269, 270
- dimethyl sulfoxide (DMSO)
 – isocyanide reactivity 42, 65
 – polyisocyanides 560–562
 – zwitterions 264
- Dimroth-type rearrangements 276
- dioxaphosphorinanes 10
- DIPEA *see N,N*-diisopropylethylamine
- dipeptides
 – amine surrogates 226, 227
 – multiple IMCRs 234, 257
 – polyisocyanides 26
- diphenyl phosphorylazide (DPPA) 131
- diphenylketene 60
- dipolar acid fluorides 306
- dipolar compounds 263, 264
- dipolarophiles 279, 280, 310–313
- dipole–isocyanide couplings 543, 544
- dipole moments 494
- disaccharides 15
- disubstituted imidazoles 467, 468
- 4,5-disubstituted oxazoles 83, 84, 459–461
- 2,5-disubstituted oxazoles 461
- disubstituted pyrroles 453, 454
- 2,3-disubstituted quinolines 65, 66
- disubstituted thiazoles 465
- diterpenes 16, 18
- dithiocarbamate 282
- divinyl ketones 118, 119
- DMAD *see* dimethyl acetylenedicarboxylate
- DMBQ *see* dimethyl-1,4-benzoquinone
- DMSO *see* dimethyl sulfoxide
- Domino process 88–91, 321
- double isocyanide insertions 318–320, 324,
 325
- double MCRs 235, 244–246
- DPPA *see* diphenyl phosphorylazide
- drug discovery 335, 336, 374
- dye-sensitized solar cells 423, 424, 464–467
- dynamic kinetic resolution 7
- e**
- electrocyclization reactions 167
- electron paramagnetic resonance (EPR)
 spectroscopy 499, 500
- electron spin resonance (ESR) spectroscopy
 39, 555
- electronic structure 35, 36
- electrophilic reactions
 – chiral nonracemic isocyanides 22
 – isocyanide reactivity 35, 36, 47–61
 – α -isocyanooacetic acid derivatives 138, 139
 – nonclassical IMCRs 317
- eledoisin 203
- elemental sulfur 281, 282
- Ellman benzodiazepine synthesis 431, 432
- enamines 223–227
- enantiomerically pure isocyanides *see* chiral
 nonracemic isocyanides
- encapsulation complexes 49, 50
- endothiopeptides 161
- 7-epi-14-isocyno-isodauc-5-ene 21
- epoxides 288, 320
- EPR *see* electron paramagnetic resonance
- ESR *see* electron spin resonance
- (ethoxycarbonylmethyl)
 triphenylphosphonium bromide 270, 271
- ethyl acetoacetate 203
- ethyl isocyanacetate 202, 203
- eurystatin A 4, 5
- expanded porphyrins 414, 417–420
- exploratory power 336, 368, 369, 374
- f**
- F-SPE *see* fluoruous solid-phase extraction
- ferrocenyl carbene complexes 533

- ferrocenyl isocyanoarenes 509, 510, 514
 ferrocenyl polyisocyanides 573, 574
 ferrocenylphosphine complexes 125, 126, 128
 file-enhancement strategies 336, 374
 Fischer carbene complexes 545
 five-coordinate isocyanidemetalates 502–504
 flash vacuum pyrolysis (FVP) 3, 13
 fluorescence spectroscopy 566, 569, 570
 fluoro-benzaldehydes 286, 287
 2-fluoro-5-nitrobenzoic acid 342, 343
N-fluoropyridinium fluorides 222, 471–473
 fluorosolid-phase extraction (F-SPE) 438
 formamides 77, 78, 112
 formamidine salts 313
 formylation reactions
 – chiral nonracemic isocyanides 1, 2, 14, 15, 18
 – α -isocyanoacetic acid derivatives 111, 112
 – pyrrole synthesis 387, 388
 four-coordinate isocyanidemetalates 497–502
 fourfold MCRs 245, 246
 free-radical *see* radical
 Friedel–Crafts annulations 22
 fullerenes 280, 281
 functional dendrimers 253, 254
 functional dyes 385, 386, 391, 420–424
 functional polyisocyanides 570–575
 functionalized benzodiazepinediones 437
 furanone hydrazone pathway 276
 furans
 – IMCR examples and protocols 451–453
 – α -isocyanoacetic acid derivatives 130
 – zwitterions 275–279
 furopyrrones 89, 90
 fused 3-amino imidazoles 372
 fused-ring benzodiazepines 440–443
 FVP *see* flash vacuum pyrolysis
- g**
 gallium trichloride 288, 319, 320
 GCNF *see* germ cell nuclear factors
gem-diactivated olefins 48, 49, 288
 germ cell nuclear factors (GCNF) 432
 glutamate analogues 360
 glycoconjugates 236, 237
 glycosyl isocyanides
 – chiral nonracemic isocyanides 13–16
 – isocyanide reactivity 41–43
 glyoxaldehydes 349
 glyoxylic acids 341
- gold complexes
 – carbenes 535–537, 543
 – α -isocyanoacetic acid derivatives 125, 126, 128
 – isocyanoarenes 517–522
 – nonclassical IMCRs 325, 326
 grafting on strategy 563, 564
 Grignard reagents 62
 Groebke–Bienaymé reactions 160, 180
 Groebke–Blackburn reactions 252, 253
- h**
 half-wave redox potentials 513, 514
 halogenation reactions 22, 53, 387, 388
 Hammett correlations 39, 40, 56
 Hantzsch reactions 76
 hapalindole alkaloids 17, 18, 21, 22
 Heck coupling reactions 356, 357, 543
 Heck-type cyclization–isomerizations 178
 helical polymer configurations
 – chiral nonracemic isocyanides 23–26
 – polyisocyanides 551, 552, 556–561, 564
 helix inversion barriers 552
 heme 386, 393
 hemicryptophanes 247
 Henry reactions 392, 393
 Hermann’s catalyst 22
N-heteroaryl thiocarboxamides 175, 176
 heteroarynes 283, 284
 heterocumulenes 60, 61, 132
 heterocyclic amidines 371–373
N-heterocyclic carbenes (NHC) 93, 94, 531, 532, 537, 540, 541, 546
 heterocyclization reactions
 – α -acidic isocyanides 83, 84
 – isocyanide reactivity 54, 58–61, 65
 – α -isocyanoacetic acid derivatives 118, 136
 hexaphyrinogens 408, 409
 high exploratory power 336, 368, 369, 374
 highly oriented pyrolytic graphite (HOPG) 558
 homoleptic isocyanide complexes 493–497, 510–514
 homolytic bond breaking 39
 HOPG *see* highly oriented pyrolytic graphite
 Horner–Wadsworth–Emmons reactions 252, 387
 horseradish peroxidase (HRP) 240–242, 575
 Huisgen cycloaddition reactions
 – chiral nonracemic isocyanides 11, 12
 – molecular diversity 360, 361
 – polyisocyanides 569

- Hulme benzodiazepine synthesis 433
 - hybrid macrocycles 244–246, 255, 256
 - hybrid peptide–peptoid podands 237–240
 - hybrid peptide–steroid architectures 238–240
 - hydantoins
 - carboxylic acid surrogates 163, 164, 166, 167, 184
 - molecular diversity 349, 350
 - hydantonimides 249
 - hydration reactions 537
 - hydrazines
 - amine surrogates 200–218
 - carbene coupling reactions 537, 538
 - carboxylic acid surrogates 169
 - hydrazino turns 207
 - hydrazinopeptides 203, 204, 206, 207, 209–215, 250
 - hydrazo-Ugi reactions 200–218
 - hydrazoic acid 51, 52, 167–171
 - hydrazones 218, 537, 538
 - hydride ion transfer 57
 - hydrochloric acid addition reactions 52
 - hydrogels 241–243
 - hydrogen bonding
 - amine surrogates 210, 215, 219
 - polyisocyanides 561–563, 566, 575
 - hydrogen sulfide 165, 166
 - hydrogenation reactions 13
 - hydroselenide 160, 165, 166
 - hydroxides 64–66
 - hydroxy amides 181, 182
 - hydroxy benzaldehydes 286, 287
 - hydroxy heterocycles 175
 - hydroxy isocyanides 12–16
 - α -hydroxy- β -isocyano esters 10
 - hydroxylamines 196–200
 - α -hydroxylamino acetamides 199–200
 - α -hydroxylaminoamides 367
 - hydroxylaminomethyl tetrazoles 198
 - Hymeniacion* spp. 21
- i**
- ibuprofen 3
 - IBX *see* 2-iodoxybenzoic acid
 - IEDDA *see* inverse electron demand Diels–Alder
 - IEP *see* iterative efficiency potential
 - imidate esters 284
 - imidates 324
 - imidazoisoquinolines 287
 - imidazoketopiperazines 370, 371
 - imidazoles
 - α -acidic isocyanides 78, 79, 81, 82
 - IMCR examples and protocols 466–469
 - α -isocyanoacetic acid derivatives 132, 133, 135, 138–140
 - nonclassical IMCRs 314, 315
 - polyisocyanides 26
 - imidazolidines 52, 186, 223, 224
 - imidazolidinetriones 350
 - imidazolines
 - α -acidic isocyanides 78, 79, 91–95
 - carboxylic acid surrogates 186
 - α -isocyanoacetic acid derivatives 126–129, 134
 - molecular diversity 340
 - multiple IMCRs 251, 252
 - imidazolinones 115, 140, 141
 - imidazolium salts 306, 307
 - imidazolo[1,2-*a*]quinoxalines 252, 253
 - imidazopyridines 357
 - imidazoquinoxalinones 356
 - imidoyl anions 65, 66
 - imidoyl chlorides 185, 313–315
 - imine surrogates 195, 196, 223–227
 - imines
 - carbene coupling reactions 538, 539
 - isocyanide reactivity 58–60
 - α -isocyanoacetic acid derivatives 126–129
 - molecular diversity 336, 346, 347, 349, 362, 365
 - nonclassical IMCRs 302, 303
 - iminium intermediates
 - amine surrogates 201, 223–227
 - carboxylic acid surrogates 169
 - nonclassical IMCRs 300, 307
 - zwitterions 279, 280
 - iminoacyl species 532
 - iminoboranes 309–312
 - iminofurans 317
 - iminoindenones 284
 - 2-iminoisindolines 317
 - iminolactones 288, 315, 316
 - 5-iminooxazolines 87, 88
 - iminooxetanes 58, 59
 - iminophosphoranes 470
 - iminopyrones 277, 278
 - in situ* Domino process 88–91
 - in situ*-generated hydrazoic acid 169
 - incident-photon-to-electron conversion efficiency (IPCE) 423
 - indazolinones 342, 343
 - Indinavir 352
 - indium triflate 188
 - indole-2-carboxylic esters 142
 - indoles
 - carboxylic acid surrogates 178
 - IMCR examples and protocols 473–477
 - isocyanide reactivity 59

- indolinones 357
- indolizines 357
- indoloketopiperazines 370, 371
- infrared (IR) spectroscopy
 - isocyanide reactivity 49, 50
 - isocyanoarenes 497, 500, 505, 506, 513, 519–522
 - polyisocyanides 560, 562, 563
- insertion reactions 318–327
- intramolecular cyclizations
 - α -acidic isocyanides 80, 85
 - amine surrogates 216
 - benzodiazepine synthesis 435, 436, 438, 440, 441
 - carbenes 536, 537, 540–543
 - isocyanide reactivity 56
 - α -isocyanoacetic acid derivatives 118, 119, 139
 - molecular diversity 337
 - nonclassical IMCRs 314, 322, 323
- intramolecular cycloadditions 117, 118, 198
- intramolecular elimination reactions 119
- intramolecular hydrazo-Ugi reactions 212, 213
- intramolecular hydrogen bonding 210, 215, 219
- inverse electron demand Diels–Alder (IEDDA) reactions 360
- iodocarbonylation reactions 307, 308
- 2-iodoxybenzoic acid (IBX) 301, 302
- ionic liquids 459–461
- IPCE *see* incident-photon-to-electron conversion efficiency
- IR *see* infrared
- iron complexes
 - carbenes 533, 541, 542
 - chiral nonracemic isocyanides 13
 - isocyanoarenes 501, 502
 - quinoxaline synthesis 479
- isocyanates 41–43, 278, 279
- isocyanic acid derivatives 166, 167
- isocyanide–cyanide rearrangements 35, 37–41
- isocyanide dichlorides 52, 53
- isocyanide reactivity 35–73
 - acid reactions 49–52
 - α -acidic isocyanides 78–80
 - activated alkene and alkyne reactions 55–58
 - activated heterocumulene reactions 60, 61
 - amine surrogates 220–223
 - carbonyl and imine reactions 58–60
 - electronic structure 35, 36
 - electrophilic reactions 35, 36, 47–61
 - halogen and acyl halide reactions 52–55
 - hydroxide, alcohol and amine reactions 64–66
 - isocyanide–cyanide rearrangements 35, 37–41
 - nonclassical IMCRs 299, 300, 308–320
 - nucleophilic reactions 35, 36, 62–66
 - organometallic reagents 46, 47, 62–64
 - oxidation reactions 35, 41–45
 - reduction reactions 35, 45–47
 - sulfur and selenium reactions 42–45
- isocyanide resins 312, 313
- isocyanacetamides 111, 112, 128, 129, 142, 143
- isocyanacetates 109, 110, 112, 115, 116, 391–407
- α -isocyanoacetic acid derivatives 109–158
 - acylating agents 129–133
 - additional functional group chemistries 134–137
 - alkylation reactions 113–115
 - alkyne reactions 119–121
 - allylation reactions 114
 - carbonyl and imine reactions 116, 121–129
 - imidazoline synthesis 126–129, 134
 - Michael addition reactions 115–119, 122, 123, 135
 - miscellaneous reactions 139–144
 - multicomponent reactions 133, 134, 137, 141, 142
 - organometallic reagents 121–124
 - oxazole synthesis 118, 119, 129–132, 138, 142, 143
 - oxazoline synthesis 122–126, 131
 - pyrrole synthesis 116, 117, 119–121
 - sulfur electrophile reactions 138, 139
 - synthesis 109–113
 - transition metal catalysts 124–127
- isocyanacetoneitriles 112, 113
- isocyanamides 7–9, 40, 79–80
- isocyanoarenes
 - bridging ligands 494, 495, 514–517
 - five-coordinate isocyanidemetalates 502–504
 - four-coordinate isocyanidemetalates 497–502
 - historical perspective 493–497
 - homoleptic organometallic complexes 493–497, 510–514
 - isocyanoozulenenes 508–514, 518–521
 - η^5 -isocyanocyclopentadienide ligands 509, 510, 522
 - low-valent complexes 497–508
 - nonbenzenoid isocyanoarenes 508–521

- organometallic reagents 493–529
- redox-related complexes 497–502, 504–508
- self-assembled monolayers 517–521
- six-coordinate isocyanidemetalates 504–508
- isocyanazulenes 508–514, 518–521
- 10-isocyano-4-cadinene 19, 20
- η^5 -isocyanocyclopentadienide ligands 509, 510, 522
- isocyano esters 4–7, 9, 77–80, 86
- ent*-2-(isocyano)trachyopsane 19–21
- isoindoles 402–407
- isoindolinones 356
- isomeric porphyrins 414, 417–421
- isoquinolines
 - amine surrogates 221–223
 - nonclassical IMCRs 301, 302, 304, 305, 317, 318
 - zwitterions 287, 288
- isoselenocyanates 45
- isotactic polypropylene 552
- isothiocyanates 42–45, 132
- isotwistane dione 21
- isoxazoles 361, 461, 464
- isoxazolines 361
- iterative efficiency potential (IEP) 336, 374

j

- Joullie–Ugi reactions 225

k

- Kennedy benzodiazepine synthesis 435
- ketazines 204
- ketenes 60, 129, 130
- ketenimines
 - isocyanide reactivity 61
 - nonclassical IMCRs 313, 314
 - zwitterions 267, 269, 271–274
- keto-acids 362, 366–371
- 3-ketoamides 118, 119
- 2-keto-5-aminooxazoles 142, 143
- ketoimidoyl halides 53
- ketones
 - amine surrogates 198, 199
 - chiral nonracemic isocyanides 5
 - isocyanide reactivity 58–60
 - α -isocyanoacetic acid derivatives 116, 121–126, 142
 - nonclassical IMCRs 305, 317
 - zwitterions 283
- ketopiperazines 338, 339, 343, 370, 371
- kinetic isotope effect 38

- kinetic resolution 7
- Knoevenagel reactions
 - amine surrogates 205
 - α -isocyanoacetic acid derivatives 121, 122
 - molecular diversity 355
- Knorr pyrrole synthesis 385
- Knorr-type pyrazolone syntheses 218

l

- lactamization reactions 354
- β -lactams
 - chiral nonracemic isocyanides 17, 21
 - molecular diversity 353, 354, 364, 368
- γ -lactams 338, 366, 367
- lactonization reactions 354
- lanthanide catalysts 184
- LC *see* liquid crystal
- LDA *see* lithium diisopropylamide
- levulinic acid 95
- Lewis acids
 - carboxylic acid surrogates 180, 181, 184–189
 - molecular diversity 372
 - nonclassical IMCRs 313, 314
 - zwitterions 288, 289
- library development 336, 339–343, 374
- Liebeskind–Srogl cross-coupling reactions 93
- Lindsey method 407, 412–414
- liquid crystal (LC) systems 572–574
- lithium diisopropylamide (LDA) 321, 479
- living polymerizations 555, 556

m

- MacDonald condensations 420
- McFarland amidine synthesis 182–184
- macrobicycles 246, 247, 255, 256
- macrocycles
 - α -acidic isocyanides 88
 - carbenes 535
 - molecular diversity 352, 361
 - multiple IMCRs 243–247, 254–256
- manganese complexes 502–504, 510, 537
- Mannich reactions
 - α -acidic isocyanides 76, 91, 92
 - amine surrogates 205, 206
 - carboxylic acid surrogates 169, 175
- mannosides 237
- Marcaccini benzodiazepine synthesis 436
- masked imines 223–227
- matrix metalloproteinases (MMP) 340, 341

- merry-go-round mechanism 25, 554, 555, 575
- metal-bound isocyanides
 - amine and alcohol couplings 532–537
 - carbenes 531–550
 - dipole–isocyanide couplings 543, 544
 - functionalized amine and alcohol couplings 537
 - hydrazine and hydrazone couplings 537, 538
 - imine and amidine couplings 538, 539
 - intramolecular cyclizations 536, 537, 540–543
 - miscellaneous reactions 544–546
 - reactivity modes 531, 532
- metal-to-ligand charge transfer (MLCT) 515, 516
- N*-methylated peptides 6
- methyl *tert*-butyl ether (MTBE) 393
- methyl *trans*-iminocrotonates 57, 58
- N*-methylmorpholine (NMM) 4, 7
 - α -acidic isocyanides 78
 - α -isocyanoacetic acid derivatives 110–112
- MiB *see* multiple multicomponent macrocyclizations
- Michael addition reactions
 - α -acidic isocyanides 77
 - benzodiazepine synthesis 437, 438
 - chiral nonracemic isocyanides 21
 - α -isocyanoacetic acid derivatives 115–119, 122, 123, 135
 - pyrrole synthesis 392, 393
 - zwitterions 271–273, 284, 286
- microwave-assisted coupling reactions 143, 144, 346–348, 438, 439, 441–443
- mineral acids 180–184
- Mitsunobu reactions 352–354
- MLCT *see* metal-to-ligand charge transfer
- MMP *see* matrix metalloproteinases
- molecular diversity 335–384
 - alkylation reactions 351, 352
 - amino acids 362–365
 - aromatic substitutions 355, 356
 - base- or acid-promoted condensations 355
 - bifunctional approach 361–374
 - combined bifunctional and post-condensation modifications 373, 374
 - cyclic imines 362, 365
 - cycloaddition reactions 357, 359–361, 371–373
 - lactonizations and lactamizations 354
 - Mitsunobu reactions 352–354
 - nucleophilic additions and substitutions 351–356
 - palladium-mediated reactions 356–358
 - ring-closing metathesis 358, 373
 - secondary reactions of Ugi products 350–361
 - Staudinger–aza-Wittig reactions 358, 359
 - tethered aldehyde and keto acids 362, 366–371
 - tethered heterocyclic amidines 371–373
 - TMSN₃-modified Ugi-4CC/one internal nucleophile 343, 344
 - Ugi-4CC/one internal nucleophile 337–343
 - Ugi-4CC/three internal nucleophiles 347, 348
 - Ugi-4CC/two internal nucleophiles 344–347
 - Ugi-5CC/one internal nucleophile 348–350
- molecular weight distribution (MWD) 572
- molybdenum complexes
 - carbenes 540, 544, 545
 - isocyanide reactivity 44
- monamphilectine A 17, 21
- MTBE *see* methyl *tert*-butyl ether
- multicomponent polymerization 243
- multicomponent reactions (MCR)
 - α -acidic isocyanides 75–108
 - benzimidazole synthesis 473
 - benzodiazepine synthesis 431–449
 - benzofuran synthesis 473
 - chiral nonracemic isocyanides 1, 3, 4, 7, 9, 12–16, 21
 - convergent approach to natural product mimics 256, 257
 - dihydropyridones 95–97
 - 4,5-disubstituted oxazoles 83, 84
 - early examples 76
 - formal isocyanide insertion reactions 320–327
 - furan synthesis 451–453
 - heterocycle synthesis 451–492
 - hybrid peptide–peptoid podand synthesis 237–240
 - imidazole synthesis 466–469
 - 2-imidazolines 91–95
 - indole synthesis 473–477
 - isocyanide activation 299, 308–320
 - isocyanide attack on activated species 299, 300–308
 - isocyanide reactivity 35, 48, 49, 56–58, 67
 - α -isocyanoacetic acid derivatives 133, 134, 137, 141, 142

- isocyanoarenes 496
 - isoxazole synthesis 461, 464
 - linear and branched scaffolds 248–254
 - macrocyclizations 243–247, 254–256
 - molecular diversity 335–384
 - multicomponent polymerization 243
 - multiple IMCRs 233–262
 - multivalent glycoconjugate synthesis 236, 237
 - nitropyrroles 83, 84
 - nonclassical IMCRs 299–334
 - one-pot multiple IMCRs 234–243
 - oxadiazole synthesis 470, 471
 - oxazole MCR and *in situ* Domino process 88–91
 - oxazole synthesis 459–461
 - protein modification and immobilization 240, 241, 258
 - pyrazole synthesis 466, 470
 - pyrrole synthesis 391, 453–459
 - quinoline synthesis 477–479
 - quinoxaline synthesis 479
 - sequential IMCRs 248–257
 - tetrazole synthesis 471–473
 - thiazole synthesis 464–466
 - triazole synthesis 470, 471
 - 2,4,5-trisubstituted oxazoles 84–88
 - 2,6,7-trisubstituted quinoxalines 82, 83
 - type I processes 299–308
 - type II processes 299, 308–320
 - type III processes 299
 - union of MCRs 93–95
 - van Leusen imidazole MCR 81, 82
 - zwitterions 263–265
 - *see also* Passerini reactions; Ugi reactions
 - multiple isocyanide-based MCRs 233–262
 - convergent approach to natural product mimics 256, 257
 - hybrid peptide–peptoid podand synthesis 237–240
 - linear and branched scaffolds 248–254
 - macrocyclizations 243–247, 254–256
 - multicomponent polymerization 243
 - multivalent glycoconjugate synthesis 236, 237
 - one-pot multiple IMCRs 234–243
 - polysaccharide hydrogel assembly 241–243
 - protein modification and immobilization 240, 241, 258
 - sequential IMCRs 248–257
 - multiple multicomponent macrocyclizations (MiB) 243–247
 - multivalent glycoconjugates 236, 237
 - Mumm rearrangements
 - amine surrogates 195, 198–200
 - carboxylic acid surrogates 160, 161, 186
 - molecular diversity 336, 363, 364, 367, 368
 - multiple IMCRs 250, 251
 - muraymicyc D2 11
 - MWD *see* molecular weight distribution
- n**
- nanocapsules 49, 50
 - nanoreactors 574, 575
 - naphthoporphyrins 398, 410
 - naproxen 3
 - natural isocyanides
 - chiral nonracemic isocyanides 16–23
 - isolation and natural sources 16, 17
 - synthesis 17–23
 - Nef reactions
 - α -isocyanoacetic acid derivatives 129, 135
 - nonclassical IMCRs 313, 314
 - pyrrole synthesis 392, 393
 - NHC *see* N-heterocyclic carbenes
 - nickel complexes
 - carbenes 545, 546
 - isocyanide reactivity 41, 42
 - isocyanoarenes 522
 - polyisocyanides 553, 554, 560, 563, 575
 - nicotinamides 274, 275
 - ningalin B 386, 395
 - niobium complexes 506–508
 - nitrilium intermediates
 - carboxylic acid surrogates 160, 181, 186
 - molecular diversity 336, 343, 373, 574
 - nonclassical IMCRs 300, 302, 303, 306, 316, 317
 - nitroalkenes 389–396, 458
 - 3-nitroindoles 404, 405
 - nitroketenes 401
 - nitrophenols 172–175
 - 2-nitrophenyl isocyanide 540, 541
 - β -nitroporphyrins 405, 406
 - nitropyrroles 83, 84, 389, 390
 - nitroso compounds 320
 - NLO *see* nonlinear optical
 - NMM *see* N-methylmorpholine
 - NMR *see* nuclear magnetic resonance
 - NOESY *see* nuclear Overhauser effect spectroscopy
 - non-Evans *syn*-aldol reactions 18
 - nonbenzenoid isocyanoarenes 508–521

- nonclassical isocyanide-based MCRs 299–334
- formal isocyanide insertion reactions 320–327
 - isocyanide activation 299, 308–320
 - isocyanide attack on activated species 299–308
 - type I processes 299–308
 - type II processes 299, 308–320
 - type III processes 299
- nonlinear optical (NLO) materials 567, 575
- norbornenes 360
- Norcardicin 363, 364
- Norrish-type homolytic cleavages 22, 23
- nuclear magnetic resonance (NMR) spectroscopy
- amine surrogates 209, 210
 - carbenes 536
 - chiral nonracemic isocyanides 24
 - isocyanide reactivity 49, 50
 - isocyanoarenes 494–496, 505, 506, 511, 512
 - multiple IMCRs 236
 - polyisocyanides 559–563
- nuclear Overhauser effect spectroscopy (NOESY) 253
- nucleophilic reactions
- amine surrogates 200
 - carbenes 531, 532
 - isocyanide reactivity 35, 36, 62–66
 - α -isocynoacetic acid derivatives 129, 135, 137
 - molecular diversity 337–356
 - zwitterions 264, 266–271
- nucleophilicity parameters 36
- Nutlins 93
- o**
- OBO-esters 111
- OFET *see* organic field effect transistors
- oligomerization reactions
- isocyanide reactivity 35, 57, 58
 - multiple IMCRs 243–247
 - porphyrins 419–421
- oligonucleotides 306
- oligopyrroles 395, 396
- one-pot multiple IMCRs 234–243
- Ono method 407
- OPV *see* organic photovoltaic
- organic field effect transistors (OFET) 420, 423, 424
- organic photovoltaic (OPV) devices 420, 423, 424, 545–547
- organolithium reagents
- chiral nonracemic isocyanides 3, 4
 - isocyanide reactivity 62, 63
 - nonclassical IMCRs 309, 310, 321
- organometallic reagents
- α -acidic isocyanides 77
 - bridging isocynoarene ligands 494, 495, 514–517
 - carboxylic acid surrogates 185, 186
 - chiral nonracemic isocyanides 3, 4, 14, 15
 - five-coordinate isocyanidemetalates 502–504
 - four-coordinate isocyanidemetalates 497–502
 - historical perspective 493–497
 - homoleptic isocyanide complexes 493–497, 510–514
 - isocyanide reactivity 46, 47, 62–64
 - α -isocynoacetic acid derivatives 121–124
 - isocynoarenes 493–529
 - isocynoazulenes 508–514, 518–521
 - η^5 -isocyanocyclopentadienide ligands 509, 510, 522
 - low-valent complexes 497–508
 - nonbenzenoid isocynoarenes 508–521
 - redox-related complexes 497–502, 504–508
 - self-assembled monolayers 517–521
 - six-coordinate isocyanidemetalates 504–508
- organosamarium reagents 64
- organozinc reagents 64
- oxadiazepins 269
- oxadiazoles 470, 471
- oxazepinones 367
- oxazines 187
- oxazoles
- α -acidic isocyanides 78–80, 83–91
 - IMCR examples and protocols 459–461
 - α -isocynoacetic acid derivatives 118, 119, 129–132, 138, 142, 143
 - nonclassical IMCRs 302
- oxazolidines
- amine surrogates 223, 224
 - nonclassical IMCRs 310–313, 320
- oxazolines
- α -acidic isocyanides 78, 79, 87, 88
 - chiral nonracemic isocyanides 13
 - α -isocynoacetic acid derivatives 122–126, 131
- oxetanes 186, 187
- oxidation reactions 35, 41–45

- oxidation–substitution reactions 2
 oximes 199
 2-oxocarbenams 364
 oxodiazepines 359
 oxyaminocarbene ligands 542, 543
- p**
- palladium catalysts
 – α -acidic isocyanides 77
 – benzodiazepine synthesis 437, 440
 – carbenes 534, 535, 537–539, 542–544
 – carboxylic acid surrogates 178
 – indole synthesis 474–476
 – isocyanide reactivity 53, 64
 – α -isocyanoacetic acid derivatives 114, 127, 128
 – isocyanoarenes 522
 – molecular diversity 356–358
 – nonclassical IMCRs 324, 325
 palladium–platinum catalysts 554–556, 560, 565, 572
- PAMAM *see* Passerini–amine deprotection–acyl migration
- parallel synthesis 336, 367
- Parr–Knorr synthesis 385
- Passerini reactions
 – α -acidic isocyanides 75, 76, 94–97
 – benzodiazepine synthesis 431, 432
 – carbonic acid derivatives 163–165
 – carboxylic acid surrogates 159–194
 – chiral nonracemic isocyanides 3–5, 10, 12, 13, 16
 – cyanamide 179
 – hydrazoic acid 167–171
 – isocyanic acid derivatives 166, 167
 – α -isocyanoacetic acid derivatives 111, 133, 134, 137
 – mineral and Lewis acids 180–189
 – multiple IMCRs 233–235, 242, 243, 252, 253, 257
 – nonclassical IMCRs 320
 – oxazole synthesis 461
 – phenols and derivatives 171–179
 – selenide and sulfide 165, 166
 – silanol 165, 166
 – thiocarboxylic acids 160–163
 – zwitterions 265
- Passerini–amine deprotection–acyl migration (PAMAM) strategies 5, 8
- PBG *see* porphobilinogen
- PDI *see* polydispersity index
- penicillin derivatives 362
- Penicillium notatum* 16
- pentacenes 410, 411
- pentafuranoses 14, 15
- peptide-based hybrid macrocycles 244, 245
- peptide nucleic acid (PNA) oligomers 248, 249
- peptide–peptoid podands 237–240
- peptide–steroid hybrids 238–240
- peptidic tetrazoles 249, 250
- peptidomimetics
 – α -acidic isocyanides 97
 – amine surrogates 203, 204, 206, 207, 209–215, 226, 227
 – chiral nonracemic isocyanides 12, 13
 – molecular diversity 352, 354, 358
 – multiple IMCRs 240, 255–257
- peptoid–peptide chimeras 253
- peptoids
 – amine surrogates 202
 – hybrid peptide–peptoid podands 237–240
 – molecular diversity 358
 – multiple IMCRs 250, 251, 253–255
- Perkow reactions 313, 314
- perylene diimides 565–567
- perylene-functionalized polyisocyanides 564–569, 575
- phase-transfer catalysis 76
- phenanthroline–Ru(III) complexes 414, 417
- phenols 171–179
- phenoxyiminoisobenzofurans 317, 318
- phenylalanine methyl esters 202, 203
- phosgenes 77, 78, 109–112
- phosphazene super bases 130, 393, 403
- phosphines
 – carbenes 532, 533, 545, 546
 – zwitterions 264
- phosphonylmethyl isocyanides 10
- photochemical cyclizations 479
- phthalazinones 204, 205
- Phyllidia varicosa* 21
- phytochromobolin 394, 395
- Pictet–Spengler-type cyclizations 355
- Plasmodium falciparum* 367
- platinum complexes 538, 539, 542, 543, 545, 546
- PNA *see* peptide nucleic acid
- podand architectures 237–240
- polyacetylenes 552
- poly(*tert*-butylisocyanide) 23
- polychlorals 552
- polydentate isocyanides 494–496
- polydispersity index (PDI) 556, 566
- polyguanidines 552
- polyisocyanides 551–585
 – applications 26
 – chiral nonracemic isocyanides 23–26

- chiral polymers 551–553
 - functional 570–575
 - helical polymer configurations 551, 552, 555–561, 564
 - monomeric isocyanides 553
 - multiple IMCRs 238–240
 - polyisocyanopeptides 561–563
 - polymerization mechanism 553–556
 - properties 24
 - scaffolds for anchoring chromophores 563–570
 - synthesis 25, 26
 - polyisocyanopeptides 561–563
 - polymer-supported IMCRs 312, 313, 339, 340, 366–371, 434–436
 - polymerization reactions
 - chiral nonracemic isocyanides 25, 26
 - isocyanide reactivity 35, 65
 - multiple IMCRs 243
 - polyisocyanides 553–556
 - polymersomes 574, 575
 - poly(methacrylate ester)s 552
 - polypropylene 552
 - polypyrroles 387, 391, 421, 422
 - polysaccharide networks 241–243
 - poly(triphenylmethyl methacrylate) 552
 - porphobilinogen (PBG) 386, 388, 393
 - porphyrin-fused phenanthroline-Ru(III) complexes 414, 417
 - porphyrinogens 408, 409
 - porphyrins
 - cycloaddition reactions 414–416
 - expanded, contracted and isomeric 414, 417–421
 - functional dyes 420–424
 - Lindsey method 407, 412–414
 - oligomerization 419–421
 - polyisocyanides 558, 559, 563–565, 575
 - pyrroles 385–387, 391, 395, 396, 398, 407–423
 - tetramerization of pyrroles 407–412
 - Povarov reactions 301
 - powder X-ray diffraction (PXRD) 563
 - prodigiosin 386
 - prolines 365
 - propionyl chlorides 89
 - proteins
 - covalent modification and immobilization 240, 241, 258
 - multiple IMCRs 240, 241, 258
 - pseudo*-peptidic imidazolines 251, 252
 - pump-probe spectroscopy 562
 - PXRD *see* powder X-ray diffraction
 - 2*H*-pyran-3,4-dicarboxylates 282
 - pyran-2-ones 267
 - pyrazoles
 - amine surrogates 205, 206, 215, 216
 - IMCR examples and protocols 466, 470
 - pyrazol-3-ones 217, 218
 - pyrazolo[1,2-*a*]pyridazines 274
 - pyrazoloquinoxalinones 356
 - pyridazinones 205
 - pyridine *N*-oxide 42
 - pyridine-2,6-dicarboxylic acid 240
 - pyridines
 - nonclassical IMCRs 303, 304, 317, 318
 - zwitterions 264, 288
 - pyridinium ylides 313, 314
 - pyridinyl–imidoyl adducts 181
 - pyrrenopyrroles 403, 404
 - pyrrole-2-carbaldehydes 395, 396
 - pyrrole-2-carboxylates 391–393, 400, 401
 - pyrroles 385–429
 - α -acidic isocyanides 79, 80, 83, 84
 - alkyne-based synthesis 390, 401, 402
 - aromatic nitro compound-based synthesis 402–407
 - IMCR examples and protocols 453–459
 - isocyanacetate-based synthesis 391–407
 - α -isocyanooacetic acid derivatives 116, 117, 119–121
 - isoindole synthesis 402–407
 - nitroalkene-based synthesis 389–396
 - nonclassical IMCRs 302, 303
 - porphyrin synthesis 385–387, 391, 395, 396, 398, 407–424
 - tetramerization 407–412
 - TosMIC-based syntheses 386–390
 - α,β -unsaturated sulfone-based synthesis 396–401
 - pyrrolidines 118, 119
 - pyrrolo[1,2-*a*] [1,4]diazepines 369, 370
 - pyrrolaketopiperazines 370, 371
 - pyrrolostatin 394
 - pyruvamides 53
- q**
- quinazolines 338
 - quinolines 220–223, 477–479
 - quinoxalines 62, 82, 83, 479
 - quinoxalinones 341, 342, 347
- r**
- radical inhibitors
 - isocyanide reactivity 37–39
 - pyrrole synthesis 393

- radical reactions
 - chiral nonracemic isocyanides 14, 15
 - indole synthesis 474–477
 - isocyanide reactivity 35, 38, 39, 47
 - random copolymerization 571
 - RCM *see* ring-closing metathesis
 - redox potentials 513, 514
 - redox-related complexes 497–502, 504–508
 - reduction reactions 35, 45–47
 - reductive amination reactions 22
 - reductive cleavage reactions 18
 - Reissert-type processes 300–307
 - resin-bound isocyanides 434–436
 - resonance light scattering (RLS) 565
 - retro Diels–Alder reaction 410, 420
 - retro*-Michael reactions 89, 90
 - rhodium catalysts
 - carbenes 545
 - isocyanide reactivity 44, 45
 - α -isocynoacetic acid derivatives 122
 - ring-closing metathesis (RCM)
 - carboxylic acid surrogates 177
 - molecular diversity 358, 373
 - ring-opening reactions
 - carboxylic acid surrogates 186–189
 - isocyanide reactivity 58, 59
 - nonclassical IMCRs 323, 324
 - zwitterions 288, 289
 - Ritter reactions 21
 - RLS *see* resonance light scattering
 - ruthenium complexes
 - carbenes 541
 - indole synthesis 474–476
 - isocynoarenes 501
 - pyrrole synthesis 414, 417
 - rylideneindolinones 356, 357
- s**
- Saegusa deamination reactions 47
 - safety-catch linker isocyanides 338, 339
 - SAM *see* self-assembled monolayers
 - samarium catalysts 326, 327
 - samarium(II) iodide 38
 - sapphyrins 414, 417–420
 - Schollkopf isocyanides 161–163, 170, 171
 - screening collections 335, 336
 - SEC *see* size-exclusion chromatography
 - selenium derivatives 321–323
 - seleno-carbamoylation reactions 307
 - selenocyanates 132, 167
 - selenoesters 132
 - seleno-oxidation reactions 45
 - self-assembled monolayers (SAM) 517–521
 - self-trapping states 562
 - semicarbazones 219, 220
 - semiconducting materials 567, 574, 575
 - sequential IMCRs 248–257
 - amine surrogates 197, 210
 - linear and branched scaffolds 248–254
 - macrocycles 254–256
 - natural product mimics 256, 257
 - sesquiterpenes 16, 18–20
 - Shaabani benzodiazepine synthesis 443–445
 - silaziridines 323, 324
 - silanol 165, 166
 - siloxamides 166
 - silver catalysts
 - α -acidic isocyanides 92, 93
 - isocyanide reactivity 48, 54
 - α -isocynoacetic acid derivatives 117, 126, 139, 140
 - isocynoarenes 517
 - silyl isocyanides 40, 41
 - single-crystal X-ray analyses 210, 369, 535
 - single reactant replacement (SRR) strategy 86–88
 - six-coordinate isocyanidemetalates 504–508
 - size-exclusion chromatography (SEC) 563
 - Smiles rearrangements
 - carboxylic acid surrogates 160, 171–179
 - multiple IMCRs 250, 251
 - zwitterions 285, 286
 - sodium azide 198
 - sodium naphthalene/1,2-dimethoxyethane 46
 - solid-phase extraction (SPE) 341, 438
 - solid-phase synthesis
 - benzodiazepines 431
 - molecular diversity 366, 367
 - multiple IMCRs 248, 249, 253
 - nonclassical IMCRs 302
 - solid-supported IMCRs 312, 313, 339, 340, 366–371, 434–436
 - solution-phase synthesis 248–250, 253
 - Sonogashira cross-coupling reactions 356, 357, 539
 - Soret bands 564, 565
 - SPE *see* solid-phase extraction
 - spirocyclic iminolactones 277
 - γ -spiroiminolactams 278, 279
 - spiroisindolines 178, 179
 - spiroisoquinolines 178, 179
 - spirostanoic peptide–steroid hybrids 239, 240
 - SRR *see* single reactant replacement
 - Staudinger–aza-Wittig reactions 358, 359
 - steric factors 217
 - steroidal cages 247, 255
 - Straudinger reactions 439, 440

- Strecker reactions 76
 structure–reactivity relationships 39
 styrylfuran derivatives 276, 277
 5-substituted oxazoles 459
 sugar-amino acid conjugates 15
 sugar isocyanides 13–16
 sugar polyisocyanides 26
 sulfated glycoconjugates 236, 237
 sulfenyl thiocyanates 138, 139
 sulfonamides 218, 219
 sulfones 396–401
 sulfonylimines 317
N-sulfonylimines 129
 sulfonylmethyl isocyanides 10
 sulfur 281, 282
 sulfur electrophile reactions 138, 139
 sulfuration reactions 42–45
 super-amphiphiles 574
 supramolecular macrocycles 535
 Suzuki coupling reactions
 – benzodiazepine synthesis 438, 439
 – carbenes 543
 – isocyanide reactivity 53
 – pyrrole synthesis 420
 Suzuki–Miyaura cross-coupling reactions 538
syn-anti isomerism 559, 560
syn conformation 24, 559, 560
 synthetic hydrogels 241–243
- t**
- Taft correlations 39, 40
 tandem MCRs 326, 327
 tantalum complexes 504–508
 TAP *see* tetraanthra[2,3]porphyrins
 TBAF *see* tetra-*n*-butylammonium fluoride
 TBP *see* tetrabenzoporphyrin
 TCAA *see* trichloroacetic anhydride
 telaprevir 10
 tellurium derivatives 321–323
 tethered aldehyde and keto acids 362, 366–371
 tethered heterocyclic amidines 371–373
 tetraanthra[2,3]porphyrins (TAP) 413, 414
meso-tetraarylporphyrins 407, 410–414
 tetrabenzoporphyrin (TBP) 385, 410–416, 423
 tetra-*n*-butylammonium fluoride (TBAF) 77
 tetracyclic scaffolds 345, 346
 tetrahydroisoquinolines 301
 tetrahydropyridazine-3,6-diones 212, 213
 tetrahydropyridines 54
 tetraisocyano-*meta*-cyclophane (TIMC) 518–520
 1,1,3,3-tetramethylbutyl isocyanide (TMBI) 62, 63
 tetranaphtho[2,3]porphyrins (TNP) 413, 414
 tetraphenylporphyrin (TPP) 410–412, 423
 tetrasubstituted imidazoles 468, 469
 tetrasubstituted pyrroles 453, 458
 tetrathiafulvalenes (TTF) 26, 573
 tetrazoles
 – amine surrogates 198, 200, 201
 – carboxylic acid surrogates 167, 170, 171
 – IMCR examples and protocols 471–473
 – isocyanide reactivity 51–53, 55
 – molecular diversity 343, 344
 – multiple IMCRs 249, 250
 tetrazolo[1,5-*a*][1,4]benzodiazepines 441–443
 TFA *see* trifluoroacetic acid
 TFAA *see* trifluoroacetic anhydride
 TFT *see* thin-film transistors
 1,4-thiazepines 368, 369
 thiazoles
 – α -acidic isocyanides 78, 79
 – IMCR examples and protocols 464–466
 – α -isocyanoacetic acid derivatives 137, 138
 thiazolidines 223–225
 thiazolines 78, 79
 thin-film transistors (TFT) 567
 thiocarbonic acid 164, 165
 thiocarboxylic acids 160–163
 thiocyanic acid 52
 thioketones 124
 thiophenols 48, 49, 175
 threefold MCRs 235
 TIMC *see* tetraisocyano-*meta*-cyclophane
 tin complexes 502, 503
 titanium catalysts 325, 326
 titanium tetrachloride 184, 185, 187, 188
 TMBI *see* 1,1,3,3-tetramethylbutyl isocyanide
 TNP *see* tetranaphtho[2,3]porphyrins
Tolypocladium inflatum gams 51, 144
 TON *see* turnover number
 Torroba benzodiazepine synthesis 439, 440
N-tosylguanidines 314, 315
 α -tosylpyrroles 389, 390
 TPP *see* tetraphenylporphyrin
 transition metal catalysts
 – chiral nonracemic isocyanides 13, 25
 – isocyanide reactivity 35, 41, 42, 44, 45
 – α -isocyanoacetic acid derivatives 124–127
 – isocyanoarenes 493–496
 – nonclassical IMCRs 324–326

- trapping agents
- carbonyl compounds 275–278, 283, 284
 - CH-acids 266–271
 - electron-deficient olefins 279–281
 - imines 278–280
 - isocyanides 287–289
 - miscellaneous compounds 280–282
 - NH-acids 271–273
 - nonclassical IMCRs 313, 315–318
 - OH-acids 273–275
 - zwitterions 265–282
- TREN *see* tris(2-aminoethyl)amine
- triacid building blocks 238–240
- triazadibenzoazulenones 441
- triazines 52, 220
- triazoles 361, 470, 471
- tributyltin hydride 14, 15, 46, 47
- trichloroacetic anhydride (TCAA) 305
- trifluoroacetic acid (TFA)
- amine surrogates 204–208, 219
 - molecular diversity 337, 341, 348
 - multiple IMCRs 250, 257
 - nonclassical IMCRs 313
 - polyisocyanides 562, 563
- trifluoroacetic anhydride (TFAA) 303–307
- α -trifluoromethyl ketones 173, 174
- triiminothietanes 61
- triisocyanide building blocks 238–240
- trimethylsilyl azide 471–473
- 9-triptycyl isocyanide 39
- tris(2-aminoethyl)amine (TREN) 238–240
- trisubstituted imidazoles 468, 469
- 2,4,5-trisubstituted oxazoles 84–88, 93, 461–463
- trisubstituted pyrroles 453, 455–457
- 2,6,7-trisubstituted quinoxalines 82, 83
- trisubstituted thiazoles 466
- Trypanosoma brucei* 367
- TTF *see* tetrathiafulvalenes
- tungsten complexes 514–516, 540
- turnover number (TON) 537
- two-component coupling reactions 35, 143, 144
- U**
- UDC *see* Ugi/de-Boc/cyclize
- Ugi reactions
- α -acidic isocyanides 75, 76, 94–97
 - activated azines 220–223
 - amine surrogates 195–231
 - benzodiazepine synthesis 431–446
 - bifunctional approach 361–374
 - carbonic acid derivatives 163–165
 - carboxylic acid surrogates 159–194
 - chiral nonracemic isocyanides 4–6, 8, 11–13, 16
 - cyanamide 179
 - hydrazines 200–218
 - hydrazoic acid 167–171
 - hydroxylamines 196–200
 - imine surrogates 195, 196, 223–227
 - isocyanic acid derivatives 166, 167
 - α -isocyanoacetic acid derivatives 111, 133, 134, 137
 - mineral and Lewis acids 180–189
 - molecular diversity 335–361
 - multiple IMCRs 233–258
 - nonclassical IMCRs 300–307, 320
 - phenols and derivatives 171–179
 - secondary reactions of Ugi products 350–361
 - selenide and sulfide 165, 166
 - silanol 165, 166
 - tetrazole synthesis 471–473
 - thiocarboxylic acids 160–163
 - zwitterions 265, 285, 286
- Ugi-Reissert reactions 301–304
- Ugi/de-Boc/cyclize (UDC) strategy
- amine surrogates 204
 - benzodiazepine synthesis 434, 435, 441
 - carboxylic acid surrogates 163
 - molecular diversity 337–350
 - TMSN₃-modified Ugi-4CC/one internal nucleophile 343, 344
 - Ugi-4CC/one internal nucleophile 337–343
 - Ugi-4CC/three internal nucleophiles 347, 348
 - Ugi-4CC/two internal nucleophiles 344–347
 - Ugi-5CC/one internal nucleophile 348–350
- Ullmann cyclizations 161, 177
- ultraviolet (UV)-visible spectroscopy 515, 564–566, 570, 573, 574
- union of MCRs 93–95
- universal isocyanides 335
- α,β -unsaturated aldehydes 276, 277
- α,β -unsaturated ketones 116
- α,β -unsaturated sulfones 396–401
- ureas 349
- ureido-linked disaccharides 15
- urethanes 349
- UV *see* ultraviolet
- V**
- van Leusen reaction 81, 82, 386–390, 458, 466–471

- vanadium complexes 504–508
variolins 53
vibrational circular dichroism (VCD) 558
Vilsmeier–Haack reactions 395, 396
vinigrol 47
- W**
- Walborsky reagent 62, 63, 252
Wang resins 366, 367
Welwitindolinones 17, 21, 22
Wolff rearrangements 142, 143
- X**
- X-ray diffraction (XRD)
– carbenes 535
– chiral nonracemic isocyanides 24
– molecular diversity 369
– multiple IMCRs 253
– polyisocyanides 560, 561, 563, 572
X-ray structural spectroscopy 499, 500, 513
xanthocillin 16
- Z**
- Zhu three-component reactions 244, 245
zinc bromide 52
zinc catalysts
– amine surrogates 199
– carboxylic acid surrogates 187
– oxadiazole and triazole synthesis 470, 471
– tetrazole synthesis 471–473
zinc porphyrins 565
zirconium catalysts 474–476
zwitterions 263–298
– carbonyl compounds as trapping agents 275–278, 283, 284
– CH-acids as trapping agents 266–271
– electron-deficient olefins as trapping agents 279–281
– imines as trapping agents 278–280
– isocyanide reactivity 47, 48, 56, 57
– isocyanide–alkyne reactions 263–282
– isocyanide–aryne reactions 283, 284
– isocyanide–electron-deficient olefin reactions 284–286
– isocyanides as trapping agents 287–289
– miscellaneous reactions 286, 287
– miscellaneous trapping agents 280–282
– NH-acids as trapping agents 271–273
– nonclassical IMCRs 313, 315–318
– OH-acids as trapping agents 273–275

