

Index

a

- activated acyl donors 128–129
- alcohols, KR 14, 22, 51, 129
 - 1,2-diols 81, 87
 - C₂-symmetric
 - diferrocenyl-pyrrolidinopyridine
 - nucleophilic catalyst 77
 - allylic alcohols 77
 - benzylic alcohols 77
 - chiral 1,2-diamine 80
 - chiral acylation catalysts 76
 - chiral appendage 77
 - chiral palladacycles 87
 - chiral phosphine catalyst 76
 - copper(II)-catalysed benzoylation 79
 - Cu(II)–azabis(oxazoline)
 - complexes 80
 - enantiopure secondary alcohols 76
 - free carboxylic acids 80
 - non-enzymatic catalysts 76
 - oxidative. *See* oxidative KR, alcohols
 - Rh-catalysed 87
 - sulfonylations 87
 - unsaturated alcohols 76–79
- alkenes, KR
 - 2,3-allenoates 99, 100
 - asymmetric hydroborations 98
 - [2.2.2]-bicyclooctadienes 98
 - (S)-BINAP derived catalysts 98
 - chiral C₁-symmetric olefin polymerization 101
 - chiral (salen)cobalt(II) complexes 100
 - chiral bisphospholanes 98
 - chiral drugs 97
 - chiral ruthenium-catalysed olefin metathesis 99
 - copper-catalysed 98
 - cyclic allylic acetates 98
 - dioxiranes uses 97
 - HIV protease inhibitor GRL-06579A 99
 - lignans synthesis 97
 - natural products 97
 - nitrocyclopropanes synthesis 99
 - organoaluminium reagents 98
 - Pd-catalysed couplings 100
 - Rh-catalysed 99
 - selectivity factors 100
 - Sharpless asymmetric dihydroxylation 97
- allenes, KR
 - regioisomers 44
 - stereochemical model 44–45
 - zirconium 43–44
- amide and peptide formation
 - acyl chlorides 32
 - chiral benzoylating agent 34–35
 - chiral resins 33
 - DAQ 31–32
 - 1-(2,2-dimethoxyethyl)-1,2,3,4-tetrahydro-carboline 30
 - γ -substituted γ -lactones 34
 - heterocyclic amines 32
 - 2-methylpiperidine 30–31
 - N, N'-dimethylpropylene urea (DMPU) 32
 - preparation of peptides 33
 - racemic amino acids 34–35
 - stereoselectivity 30
- amines, KR 13, 129
 - azlactones 95
 - azomethine imines 96
 - β -hydroxy-N, N-dialkylamines 94
 - CALB effect 131–132
 - chiral zirconium catalysts 95
 - Diels–Alder cycloaddition 95
 - 2,3-dihydro-2-substituted 4-quinolones 96
 - enzymatic kinetic resolution 132

- amines, KR (*contd.*)
 - ethyl acetate 131
 - ketoazirine, organocatalytic asymmetric cyclization 97
 - lipase-catalysed KR 132
 - nitrogen substituent 95
 - O-acylation 94
 - oxazolidinediones, methanolysis 94
 - pure organic solvents 131
- anisotropy factor 272
- asymmetric autocatalysis
 - autocatalytic aldol reaction 283
 - chiral additives 282
 - CPL-irradiated reaction product 282
 - isotopomers 282
 - organoautocatalytic reactions 283
 - Soai reaction 282
- b**
 - Baeyer–Villiger reaction 55, 233–234
 - borane reactions
 - B-chlorodiisopinocampheylborane (DIPCl) 41–43
 - 2-vinylloxirane and monoepoxides 43
- c**
 - Candida antarctica* lipase A (CALA) 130
 - Candida antarctica* lipase B (CALB) 129–130
 - carbonyl derivatives, KR
 - asymmetric esterification 101
 - chiral acyloins 102
 - Corey–Bakshi–Shibata (CBS) reduction methodology 101
 - homobenzotetramisole 101
 - intramolecular aldol reactions 102
 - oxazaborolidine-catalysed asymmetric reductions 101
 - transesterification reactions 101
 - catalytic KR. *See* kinetic resolution
 - chiral stoichiometric reagents
 - amide and peptide formation 30–35
 - benzylic hydroperoxides 50
 - borane-involving reactions 41–43
 - conjugate additions 39–41
 - cycloaddition reactions 35–38
 - deprotonation reactions 48–49
 - electrophilic selenium reagents 51
 - esterification 22–30
 - kinetic resolution of allenes 43–45
 - olefination reactions 45–48
 - phosphines 51
 - recyclable chiral silanes 49–50
 - silyl ethers 49–50
 - CIDR. *See* crystallization-induced dynamic resolution
 - circularly polarized light (CPL) 271
 - classical resolution 3
 - conglomerate 2
 - conjugate additions 279
 - iron complex 39
 - lithiated reagent 41
 - lithium amide 40
 - lithium dibenzylamide 39
 - (1S,2S,3R)-3-methyl-2-aminocyclopentane carboxylic acid 39
 - mutual KR process 39
 - α,β -unsaturated lactone 40
 - Corey–Bakshi–Shibata (CBS) reduction methodology 101
 - crystallization and racemization
 - CIDR 275–276
 - ripening 277–278
 - crystallization-induced dynamic resolution (CIDR) 275–276
 - CIAT 275
 - combinations 276
 - crystalline salt formation 275
 - racemization 275
 - cyclic deracemization, DKR 207–208
 - cycloaddition reactions
 - chiral nitrones 37, 38
 - Diels–Alder process 35–36
 - diiron acyl complex 37–38
 - exo-adduct 38
 - lactone 38
- d**
 - DCC. *See* dicyclohexylcarbodiimide
 - deprotonation reactions
 - ketone 49
 - methyl carboxylate 48–49
 - *s*-BuLi/(–)-sparteine 48
 - deracemization (DR) 3, 278
 - amino acids and amines 151–152
 - benzoin, *Rhizopus oryzae* 149
 - carboxylic acids 150–151
 - cyclic secondary amines 152
 - definition 2–3
 - enantioselective oxidation 150
 - enol acetates 152–153
 - one-pot, two-step 152
 - racemic α -amino acids 148
 - secondary alcohols 148–150
 - diastereomer kinetic resolution 56–58
 - dicyclohexylcarbodiimide (DCC) 23, 281
 - Diels–Alder reaction 35–36, 60

difunctional substrates, regiodivergent RRM

- cyclic anhydride cleavage 248–249
- *N*-acyl groups 249–250
- *Pseudomonas cepacia* lipase 250–251
- regiodivergent mono-silylation of racemic diols 251

divergent reactions of a racemic mixture (DRRM)

- chiral compounds 1
- chiral non-enzymatic hydride donors 227–229
- enantiopure compounds 1
- ketone reduction 222–227
- new methods 1–2
- oxidative conditions 229–237
- parallel kinetic resolution (PKR) 7, 252–262
- pseudo-enantiomeric reagents 7–8
- resolution 7

DKR. *See* dynamic kinetic resolution

DTR. *See* dynamic thermodynamic resolution

Dutch resolution approach 3

DYKAT. *See* dynamic kinetic asymmetric transformation

dynamic combinatorial chemistry (DCC) 281

- racemate, enantioenrichment 281
- trifluoroacetate (TFA) 281

dynamic kinetic asymmetric transformation (DYKAT)

- complete conversion of racemate 6, 279
- single enantiomeric intermediate 6, 205

dynamic kinetic resolution (DKR)

- asymmetric benzylation, racemic rotaxane 198–199
- chiral phosphine-Pd [130]/-Ni [131] catalyst 199–200
- classification, racemization 163–164
- cyclic deracemization 207–208
- DTR, two diastereomeric intermediates 206
- DYKAT 6, 205
- elimination-addition and addition-elimination 184–193
- enantio-convergent transformation 207–208
- enantiomer-selective reaction 162–163, 204
- enantiomeric purities, product 202, 203
- enantioselective transformation 139
- kinetic models 201
- KR 161
- metal-catalysed racemization 141–142

- non-enzyme-catalysed racemization 139–141
- nucleophilic substitution 193–198
- *P*-chirogenic phosphine 199–200
- pyramidal inversion, deformation and rotation 181–184
- rate of racemization 138
- ratio of enantiomers, conversion 5–6
- reaction, racemic allyl acetate and stabilized carbanion 200–201
- requirements 138
- *sec*-alkyllithium/(-)-sparteine/CO₂ 200–201
- secondary alcohols 6
- selectivity profile 202
- simple KR 217–218
- stereoinversion 206–207
- strategies classification, patterns 205
- substrate enantiomer ratio 218–219
- tautomerization 164–181

dynamic thermodynamic resolution (DTR) 201, 206, 279

e

electrospray ionization mass spectrometry (ESI-MS) 63

elimination-addition and addition-elimination, DKR

- active tertiary cyanohydrin carbonates 189
- amine–imine–amine redox, palladium 187–188
- chiral allene racemization, nucleopalladation 193, 195
- chiral secondary cyanohydrins 187–188
- conversion, 2-Chloro-1-phenylethanol 187–188
- DMAP-based chiral catalyst 190–191
- Hantzsch ester 193–194
- hemithioacetals 189
- *in situ* generated cyclopentenone derivatives 193
- KR, racemic secondary alcohols 184
- lipase-catalysed enantioselective acylation 190–191
- Michael adduct, ethyl 3-(2-mercaptophenyl)-2-propenoate and β -methylstyrene 190–191
- nitroaldol reaction, 4-nitrobenzaldehyde with 2-nitropropane 189–190
- racemization, chiral cyclic *N,N*-acetal 190, 192
- Rh/phenanthroline complex 185, 186

- elimination-addition and addition-elimination, DKR (*contd.*)
 - thioester, 3-aryl-4,5-dihydroisoxazol-5-ylacetic acid 190, 192
- enantioconvergent reactions 55–56, 153, 207–208
- enantiodivergent reactions 21, 25, 37, 51
 - conversion and yield limits 217, 218
 - DKR 217–219
 - PKR 219–222
 - product ee vs. % conversion (C) 217, 218
 - regiodivergent RRM 237–251
 - simple KR 217, 218
- enantio-impure auxiliaries
 - mutual KR 21
 - use of racemic reactants 22
- enantioselective protonations
 - catalytic and 280
 - chiral acid 279
 - deracemization 278
 - DYKAT 279
 - dynamic thermodynamic resolutions 279
 - stereoablative 278
 - thermodynamically controlled deracemization 279–280
- enantioselective transformation 139
- enantioselectivity, enzyme-catalysed reaction
 - directed evolution and enzyme libraries 137–138
 - immobilization and chemical modification 136–137
 - solvent engineering 134–136
 - substrate engineering 134
- enzyme libraries and evolution 137–138
- enzyme-catalysed racemization 146–147
- epoxide hydrolases 133–134
- epoxides, kinetic resolution
 - hydrolytic 88–92
 - nucleophiles, ring opening 92–93
- ESI-MS. *See* electrospray ionization mass spectrometry
- esterification 101–102, 269
 - 2-acyl-3-phenyl-*l*-menthopyrazoles 25–27
 - bicyclic iminium salt 27
 - chiral acylating agents 22–23
 - cyclic dicarboxylic anhydride 27–28
 - DCC-esterification methodology 23
 - diacylimides 24
 - enantioselective process 28–30
 - (*R*)-enriched 1-phenylethanol 23
 - *N*-methylimidazole derivative 25–27
 - phenacyl bromide 28
 - pyridinium salt 25
 - regioisomeric products 28
 - secondary alcohols 25
 - *t*-Bu group 24
 - two-phase hydrolysis process 28
- f**
 - ferrocenes, kinetic resolution 103–104
 - first-order reactions, substrate
 - chiral or achiral product formation 14–15
 - conversion (%) 18
 - drawing of curves, software 15–17
 - equivalent formulations 19
 - kinetic resolution 16
 - *s* values 17–18
 - scope and validity 18–19
 - values of *s* and ee_{sm} (%) 18
- g**
 - g* factor. *See* anisotropy factor
- h**
 - Hoffmann test
 - ‘classical’ methods 66
 - ‘mutual KR’ experiment 66
 - organolithium compounds 66, 67
 - sulfur-stabilized organolithiums 67–68
 - zirconaaziridines 68
 - hydrogen transfer, metal-catalysed racemization 142
 - hydrolytic enzymes, KR. *See* lipases
 - hydrolytic kinetic resolution, epoxides
 - bimetallic chiral cobalt salen catalysts 90
 - bioactive molecules 88
 - biologically active products 88
 - chiral bimetallic Co(III) salen-calix[4]arene hybrid 90
 - chiral cobalt(III)-based complexes 88
 - cyclohexene 92
 - dimeric homochiral Co(III) salen complex 91
 - epoxypentenol 88
 - functional groups 88
 - Jacobsen methodology 89
 - lithium diisopropylamide (LDA) 92
 - natural products and bioactive compounds synthesis 89–90
 - unsymmetrical macrocyclic oligomeric Co(salen) catalyst 91
- k**
 - Kazlauskas’ rule 127–128
 - ketone reduction, DRRM
 - molar fractions 223
 - *Mortierella isabellina* 226–227

- NMR assay methods 226
- PKR 223–224
- racemic camphor 222–223
- reagent control 225–226
- *Rhodotorula rubra* 224–225
- simple KR 225
- stereodivergent RRM 222
- ketones and chiral non-enzymatic hydride donors, DRRM
 - acetyl *para*-[2.2]-cyclophane 228–229
 - borane-tetrahydrofuran (THF) 227–228
 - Corey–Itsuno oxazaborolidine catalysts 227
 - oxazaborolidine catalyst 228
 - simple KR 227, 228
 - steroid intermediate 229, 230
- kinetic resolution (KR)
 - alcohols 76–87
 - alkenes 97–101
 - amines 93–97
 - carbonyl derivatives 101–102
 - catalytic 5
 - definition 161
 - enantiodivergent reactions 218–222
 - enzymatic and non-enzymatic 13–14
 - epoxides 88–93
 - fast-reacting enantiomer 4
 - ferrocenes 103–104
 - hydrolytic enzymes. *See* lipases
 - mutual condition 203
 - and racemization 161, 204
 - selectivity factor, *s* 3
 - slow-reacting enantiomer 4
 - stoichiometric reactions 14–71
 - sulfur compounds 102–103
- KR. *See* kinetic resolution

I

- lactams and nitriles, hydrolysis 132–133
- lactone concept 182
- lipases 105
 - activated acyl donors 128–129
 - amines, resolution 131–132
 - catalysed hydrolysis/acylation 125
 - catalysed resolutions, monitoring 126–127
 - 3D structure 124
 - enantioselectivity 134–138
 - epoxide hydrolases 133–134
 - esterases, substrates for 125–126
 - Kazlauskas' rule 127–128
 - lactams and nitriles, hydrolysis 132–133
 - oil–water interface 124
 - in organic synthesis 123–124
 - secondary alcohols, resolution 129–131

- solvent engineering 125
- tetrahedral intermediate 124

m

- majority rules principle 268
- mass spectrometry (MS)
 - calibration measurements 63–64
 - enantiomeric excess determination 64–65
 - ESI-MS 65
 - keto groups 66
 - labelled and non-labelled achiral products 63
 - 'mass-tagged' chiral acylating agents 63
 - *N*-acylprolines 64
 - pseudo-enantiomers 63, 65
 - pseudo-racemic mixture 63
 - stereoselectivity factor *s* 65–66
- metal-catalysed racemization
 - enzyme-catalysed racemization 146–147
 - enzymes, thermostability 142
 - hydrogen transfer 142
 - non-ruthenium catalysts 144–146
 - ruthenium-based catalysts 142–144
 - Shvo's catalyst 142–144

n

- non-enzyme-catalysed racemization, *in situ*
 - addition/elimination 139–140
 - free radical mechanism 141
 - nucleophilic substitution 141
 - oxidation/reduction 140–141
 - protonation/deprotonation 139
- non-ruthenium catalysts 144–146
- Novozyme 435. *See* *Candida antarctica* lipase B (CALB)
- nucleophilic substitution, DKR
 - desymmetrization, 1,2-diols 197
 - dichloroacetate, meso-1,2-cyclohexanediol 198
 - epoxide ring, aryl glycidyl ethers 196–197
 - Payne-type inversion, allylic alcohol 195, 197
 - racemic allyl acetates 197
 - racemic epichlorohydrin 194–196
 - type, racemization process 194–195

o

- olefination reactions
 - acrolein 45–46
 - 2-alkylsubstituted cyclohexanones 47
 - 2-benzylcyclohexanone 47–48
 - chiral phosphonopropionate 46
 - ($\pm$)-2-methylcyclohexanone 45
 - *N*-diphenylphosphinoyl aldehyde 47

- organometallic reagents, regiodivergent RRM
 - alcohol or amine nucleophiles 240–241
 - aldol condensation 246
 - allylic C–O bonds 239–240, 247–248
 - chiral rhodium catalyst 244
 - dihydrofuran 241–242
 - hetero-Diels–Alder reactions 244–246
 - racemic acetate 238–239
 - racemic diazoacetate 242–243
 - racemic substrate, cyclization 247
 - simple KR conditions 242
 - sodium malonate 239
- organometallics and analogues
 - allenylzinc bromide 58–59
 - Diels–Alder reaction 60
 - enantiomers of allylsilane 61
 - Hoffmann test 58
 - (R)-(–)-isopiperitenone 60
 - o-anisaldehyde(tricarbonyl)chromium 58–59
 - racemic γ -alkoxyallylstannane 59
 - racemic enolate 59–60
- Ostwald ripening 277, 278
- oxidative conditions, DRRM
 - *Acinetobacter NCIMB 9871*, 233–234
 - AD-mix- β 237, 238
 - *Aspergillus ochraceus* 231–232
 - cytochrome P-448-containing monooxygenase system 232–233
 - di-iso-propyl tartrate (DIPT) and tert-butylhydroperoxide 235
 - enantiodivergent epoxidations 236
 - metabolic oxidation 229
 - non-enzymatic Baeyer–Villiger procedure 235
 - *Pseudomonas putida* 234–235
 - regioisomer 231
 - *Sporotrichum sulfurescens* 230
- oxidative KR, alcohols
 - aliphatic alcohols 83, 84
 - arsinoxazoline–ruthenium(II) complexes 82
 - 1-arylalkanols 82
 - 1,1'-binaphthalenyl-2,2'-diamine (BINAM) 86
 - catalysts 82
 - chiral ketoiminatocobalt(II) complex 86
 - (S)-clopidogrel 86
 - hydride reduction 81
 - ketones, asymmetric hydrogenation 81
 - Mn(salen) complexes 86
 - Pd-catalysed 83, 85
 - Ru-catalysed 83, 85
 - Ru(salen) complexes 82
 - secondary arylalcohols 87
 - sparteine 84
 - titanium and vanadium complexes 86
- p**
 - parallel kinetic resolution (PKR)
 - achiral reagent 255–256
 - achiral stoichiometric reagents 261–262
 - *Acinetobacter* NCBI 9871 253
 - bakers' yeast 252
 - chiral reagents 255
 - ChiroCLEC 260–261
 - cyclopropene carboxylate-mixed anhydrides 258–259
 - definition 7
 - enantiomeric excess 219–222
 - nitron enantiomers 257, 258
 - NMR spectroscopy 255
 - non-purified oxidases 252
 - phenmenthyl-derived reagents 256
 - quasi-enantiomeric alkenes 257
 - *Rhodotorula rubra* 253
 - simultaneous kinetic resolution 254
 - single-reagent procedures 256, 257
 - two-reagent PKR 257, 258
 - photochemical methods
 - CPL 271
 - diastereomeric interactions 273–274
 - DKR 273
 - enantioenrichment 272
 - excited states 273
 - g (or anisotropy) factor 272
 - photodecomposition 272
 - photoderacemizations 272
 - regular chemical kinetic resolution 272
 - sequential reactions 274
 - photoderacemizations 272
 - photoresolutions 272
 - polymerization. *See* stereoselective polymerization
 - pyramidal inversion, deformation and rotation, DKR
 - electrophilic aromatic substitution, N-bromosuccinimide (NBS) 183–184
 - Heck reaction, o-iodoacrylanilide with Pd/(R)-BINAP system 182–183
 - lactone concept 182–183
 - photochemical cyclization, (Z)-1,2-diarylethenes to hexahelicenes 183–184
 - (S)-proline mediated addition of acetone 182–183
 - racemization process 181–182

r

- racemate 2, 8
- regiodivergent RRM
 - difunctional substrates 248–251
 - organometallic reagents and 237–248
- regioisomers, enantiodivergent formation
 - 3-cholestanone 54
 - in kinetic resolution 54
 - racemic ketone, enolborination 54–55
- ripening processes 8
 - chiral compound, reversible synthesis 277
 - clopidogrel 278
 - Ostwald ripening 277, 278
 - racemizing imine 277
 - sodium chlorate 277
 - solid chiral state 277
 - solid–liquid mixture 278
- ruthenium-based catalysts 142–144

s

- s (selectivity) factor 3, 28, 40, 63–64, 67, 76–77, 86–87, 137, 206, 280–281
- secondary alcohols, resolution
 - biotransformation 130
 - *Candida antarctica* lipase A (CALA) 130
 - *Candida antarctica* lipase B (CALB) 129–130
 - cyanohydrins, lipase PS-30 130
 - lipase-catalysed resolution 129
 - *Rhodotorula mucilaginosa* DQ832198 131
 - stereoselective transformations 129
- sergeants and soldiers 268
- Soai reaction 8–9, 282–283
- solvent engineering 125, 134–136
- stereogenic unit, enantiodivergent formation
 - chiral Horner–Wittig type reagent 54
 - diastereomeric ratio (*cis/trans*) 53
 - enantiopure substrate 52
 - partial or total transformation, racemic mixture 52–53
 - rac-2-methyl-cyclopentanone 53
 - regioisomeric products 53
- stereoinversion, DKR 206–207
- stereoselective polymerization
 - base-mediated racemization 268
 - chiral *N*-carboxyanhydrides 269
 - chiral supramolecular structures 267
 - diverse polymerization processes 270
 - dynamic kinetic resolution (DKR) 269
 - enantioenrichment 268
 - helix, single chiral sense 269
 - liquid crystals forming domains 268
 - majority rules principle 268
 - methacrylates 271

- monomers, polymerization 268
- racemic alpha-methylbenzylmethacrylate 271
- racemic chiral olefins 271
- ring-opening reactions 269
- stoichiometric KR reactions
 - bishomoallylic alcohols 69
 - chiral reagents 22–51
 - diastereomer KR 56–58
 - enantioconvergent reactions 55–56
 - enantiodivergent formation 51–55
 - enantio-impure auxiliaries 21–22
 - enantiomeric excesses 69
 - first-order reactions, substrate 14–18
 - Hoffmann test 66–68
 - mass spectrometry 63–66
 - organometallics and analogues 58–61
 - parallel KR 21
 - pest attractant, (2*S*,5*R*)-pityol 69
 - pheromone (*R*)-sulcatol 69
 - racemic catalysts 61–62
 - s factors 70–71
 - zero- or second-order reactions, substrate 19–20
- substrate engineering 134
- sulfur compounds, kinetic resolution 102–103

t

- tautomerization, DKR
 - 5-aryl-1,3-dioxolane-2,4-diones 166–168
 - carbapenem antibiotics 176
 - chymotrypsin 170–172
 - cyclic sulfamidate imine 4,5-diphenyl-5*H*-1,2,3-oxathiazole-2,2-dioxide 178–179
 - hydantoinase 164–165
 - hydrolysis, carboxylic acid derivatives 167, 169
 - oxazinone 165, 168
 - phenylpropiophenone 177–179
 - preparation, ketorolac 170
 - *Pseudomonas thiazolinophilum* 165–166, 168
 - racemic 3,5-dialkylcyclopentenones 180
 - racemic 4-substituted oxazolones (azlactones) 165–167
 - racemization, allenyl samarium intermediate 172, 173
 - recombinant *Escherichia coli* strain 172–173
 - reduction, α -substituted β -keto esters 172, 174–176

tautomerization, DKR (*contd.*)

- reductive amination, α -branched ketones and *p*-anisidine 178, 180
 - tetrahydro-4*H*-thiopyranone 181
 - *t*-leucine-modified NaBH₄ 177
 - ω -transaminase 179–180
 - tricyclic racemic acyloin derivative 170
 - two-step racemization 181–182
- TFA. *See* trifluoroacetate

total spontaneous resolutions 2

triage 2

trifluoroacetate (TFA) 281

Z

zero-or second-order reactions, substrate

- first-order reactions 19–20
- KR second-order 20
- pseudo-first-order KR processes 19