

Contents

Preface XVII

List of Contributors XIX

Part I Perspectives and General Methodology in Vitamin Analysis 1

1 Stable Isotope Dilution Assays in Vitamin Analysis—A Review of Principles and Applications 3

Michael Rychlik

- 1.1 Principle of Stable Isotope Dilution Assays 3
 - 1.1.1 General Remarks 3
 - 1.1.2 Benefits and Limitations of Using an Isotopologic Internal Standard 5
 - 1.1.3 Prerequisites for Isotopologic Standards 7
 - 1.1.4 Calibration Procedures 10
- 1.2 Application of Stable Isotope Dilution Assays to Vitamins 11
 - 1.2.1 Fat-Soluble Vitamins 11
 - 1.2.1.1 Vitamin A 11
 - 1.2.1.2 Vitamin E 11
 - 1.2.1.3 Vitamin D 12
 - 1.2.1.4 Vitamin K 12
 - 1.2.2 Water-Soluble Vitamins 12
 - 1.2.2.1 Vitamin B₆ 12
 - 1.2.2.2 Niacin 13
 - 1.2.2.3 Ascorbic Acid 13
 - 1.2.2.4 Folic Acid 13
 - 1.2.2.5 Pantothenic Acid 14
- 1.3 Outlook 14
- References 15

2 Analytical Methods to Assess the Bioavailability of Water-Soluble Vitamins in Food—Exemplified by Folate 21

Cornelia M. Witthöft

- 2.1 Introduction 21

2.2	Folate Bioavailability	24
2.2.1	Definition	24
2.2.2	Analytical Methods for Folate Quantification and Characterization	24
2.2.3	Models/Methods to Determine Folate Bioavailability	25
	References	31
3	Quantitation of Vitamins Using Microbiological Assays in Microtiter Formats	37
	<i>Wolfgang Weber, Sabine Mönch, Michael Rychlik, and Sylvia Stengl</i>	
3.1	Introduction	37
3.1.1	History	37
3.1.2	Principle of Microbiological Assays	38
3.1.3	Requirements for Classic Microbiological Analysis	38
3.1.4	Partial Replacement of Vitamin Microbiological Assays by Chromatographic Methods	38
3.1.5	New Developments in Microbiological Assay Technology	39
3.1.5.1	Coupling with Chromatography	39
3.1.5.2	Coupling with Liquid Chromatography	40
3.1.5.3	Microtiter Formats and Standardized Assays	40
3.2	Methods and Materials	41
3.2.1	Extraction of Vitamins	41
3.2.1.1	Extraction of Total Folate Content (Native Folates and Added Folic Acid)	41
3.2.1.2	Extraction of Total Vitamin B ₁₂ Content (Native and Added Vitamin B ₁₂)	42
3.2.1.3	Extraction of Total Pantothenic Acid or Riboflavin Content (Native and Added Vitamins) in Foods	42
3.2.1.4	Extraction of Total Riboflavin Content (Native and Added Vitamin B ₂ in Yeasts and Yeast Products)	43
3.2.1.5	Incubation of the Microbiological Assay	43
3.2.1.6	Calculation of the Limits of Detection and Quantitation for the Microbiological Assay	43
3.2.1.7	Stable Isotope Dilution Assay for Folates	43
3.3	Results	44
3.3.1	Principle of Microbiological Assay in Microtiter Plate Format	45
3.3.2	Description of the Microorganisms Used in Microbiological Assays	45
3.3.3	Assays for Single Vitamins	45
3.3.3.1	Folic Acid	45
3.3.3.2	Microbiological Assay for Vitamin B ₁₂	50
3.3.3.3	Microbiological Assay for Pantothenic Acid	56
3.3.3.4	Microbiological Assay for Riboflavin	58
3.4	Conclusion	61
	References	63

4	Biosensors in Vitamin Analysis of Foods	65
	<i>Anthony O’Kane and Lennart Wahlström</i>	
4.1	Introduction	65
4.2	Technology	65
4.3	Surface Plasmon Resonance (SPR)	66
4.4	Biosensor Assay	68
4.5	Water-Soluble Vitamin Analysis by Inhibition Protein Binding Assay on Biacore Q	69
4.5.1	Biotin	69
4.5.2	Folic Acid	70
4.5.3	Pantothenic Acid	70
4.5.4	Vitamin B ₂	71
4.5.5	Vitamin B ₁₂	72
4.6	Validation Considerations	73
4.7	Conclusions	73
	References	74
5	International Perspectives in Vitamin Analysis and Legislation in Vitamin Fortification	77
	<i>Michael Rychlik</i>	
5.1	Introduction	77
5.2	General Requirements for Modern and Future Vitamin Assays	77
5.2.1	Multimethods	78
5.2.2	Assays of Bioactivity	79
5.2.3	Fast Assays	79
5.2.4	Accurate Methods	79
5.2.5	Sensitive Methods	80
5.2.6	Developments for Single Vitamins or Vitamin Groups	80
5.2.6.1	Fat-Soluble Vitamins	80
5.2.6.2	Water-Soluble Vitamins	81
5.3	Fortification with Vitamins—The International Perspective	82
	References	85

Part II Analysis of Water-Soluble Vitamins 89

6	HPLC Determination of Thiamin in Fortified Foods	91
	<i>Roland Bitsch and Irmgard Bitsch</i>	
6.1	Introduction	91
6.2	Fortification of Foods with Thiamin	93
6.3	Analytical Principles	95
6.4	Extraction Procedures	96
6.5	Liquid Chromatography Procedures	97
6.6	Conclusion	99
	References	99

7	HPLC Determination of Riboflavin in Fortified Foods	103
	<i>Roland Bitsch and Irmgard Bitsch</i>	
7.1	Introduction	103
7.2	Materials and Methods	104
7.2.1	Chemicals	104
7.2.2	Extraction Procedure	105
7.2.3	Analytical Principles	106
7.2.4	Detection Modes	106
7.3	HPLC Intercomparisons	107
7.4	Conclusion	108
	References	108
8	HPLC–MS Determination of Vitamin C in Fortified Food Products	111
	<i>Antonia Garrido Frenich, José Luis Martínez Vidal, Remedios Fernández Fernández, and Roberto Romero-González</i>	
8.1	Introduction	111
8.2	Materials and Methods	113
8.2.1	Chemicals	113
8.2.2	Procedure	113
8.2.3	Instrumentation	114
8.3	Results and Discussion	114
8.3.1	Analysis of Ascorbic Acid by HPLC–MS	114
8.3.2	Method Validation	115
8.3.3	Application to the Analysis of Real Samples	117
	References	119
9	Quantitation of Pantothenic Acid in Fortified Foods by Stable Isotope Dilution Analysis and Method Comparison with a Microbiological Assay	123
	<i>Michael Rychlik</i>	
9.1	Introduction	123
9.2	Materials and Methods	124
9.2.1	Chemicals	124
9.2.2	Stable Isotope Dilution Assay for the Determination of Free Pantothenic Acid in Foods	124
9.2.3	Enzyme Hydrolysis for Quantification of Total Pantothenic Acid	125
9.2.4	Liquid Chromatography–Tandem Mass Spectrometry	125
9.2.5	Gas Chromatography–Mass Spectrometry	125
9.2.6	Microbiological Assay	126
9.2.7	Precision and Recovery	126
9.3	Results and Discussion	126
9.3.1	Synthesis of a Stable Isotope-Labeled Internal Standard	126
9.3.2	Gas Chromatography–Mass Spectrometry of Derivatized Pantothenic Acid	126
9.3.3	Liquid Chromatography–Tandem Mass Spectrometry of Pantothenic Acid	127

9.3.4	Extraction and Analysis of Free and Total Pantothenic Acid by LC–MS/MS	128
9.3.5	Performance Criteria	128
9.3.6	Method Comparison of the SIDA Based on LC–MS/MS and GC–MS Detection and Microbiological Assay	128
9.3.7	Results for Analysis of Foods	132
	References	133
10	Optimization of HPLC Methods for Analyzing Added Folic Acid in Fortified Foods	135
	<i>Padmanaban G. Krishnan, Sudheer R. Musukula, Michael Rychlik, David R. Nelson, Jonathan W. DeVries, and John L. MacDonald</i>	
10.1	Introduction	135
10.2	Materials and Methods	136
10.2.1	Samples	136
10.2.2	Extraction at Different pH Values	136
10.2.3	Dual Enzyme Treatment	136
10.2.4	Sample Purification Using Solid-Phase Extraction (SAX) Columns	137
10.2.5	Gradient HPLC Analysis	137
10.2.6	Liquid Chromatography–Mass Spectrometry	137
10.3	Results and Discussion	137
10.3.1	Comparison of Extraction and Purification Treatments	140
10.4	Conclusion	141
	References	142
11	Studies on New Folates in Fortified Foods and Assessment of Their Bioavailability and Bioactivity	143
	<i>Michael Rychlik and Dora Roth-Meier</i>	
11.1	Introduction	143
11.2	Materials and Methods	144
11.2.1	Chemicals	144
11.2.2	Extraction and Incubation Buffer	144
11.2.3	Synthesis of Carboxyethylfolic Acid and Carboxymethylfolic Acid	144
11.2.4	Commercial Food Samples	144
11.2.5	Extraction and Quantification of CEF and CMF in Foods	145
11.2.6	Quantitation of CEF in Blood Plasma	145
11.2.7	Sample Cleanup by Solid-Phase Extraction (SPE)	145
11.2.8	LC–MS/MS	146
11.2.9	Determination of Response Factors for LC–MS/MS	146
11.2.10	Recovery	146
11.2.11	Microbiological Assay (MA)	146
11.2.12	Human Study	147
11.3	Results and Discussion	147
11.3.1	Synthesis of N ² -[1-(1-Carboxy)ethyl]folic Acid and N ² -[1-(1-Carboxy)methyl]folic Acid	147

11.3.2	Development of a Stable Isotope Dilution Assay	149
11.3.3	Microbiological Assay (MA)	149
11.3.4	Human Study to Assess the Bioavailability of CEF	151
11.3.5	Glycation Products of Endogenous Folates	152
	References	153
12	Analysis of Vitamin B₁₂ by HPLC	155
	<i>Bo Chen and Da-jin Yang</i>	
12.1	Introduction	155
12.2	Sample Preparation	156
12.2.1	Solid-Phase Extraction (SPE)	156
12.2.1.1	Reversed-Phase Solid-Phase Extraction (RP-SPE)	156
12.2.1.2	Immunoaffinity Solid-Phase Extraction (IA-SPE)	156
12.3	Separation	157
12.4	Detection	159
12.4.1	Ultraviolet-Visible Detection	159
12.4.2	Fluorescence Detection	159
12.4.3	Electrochemical Detection	159
12.4.4	Inductively Coupled Plasma Mass Spectrometry (ICP-MS)	
	Detection	160
12.4.5	Electrospray Ionization Mass Spectrometry (ESI-MS) Detection	161
12.5	Reference Materials for Vitamin B ₁₂ Analysis	162
	References	163
13	Microbiological Detection of Vitamin B₁₂ and Other Vitamins	165
	<i>Fumio Watanabe and Yukinori Yabuta</i>	
13.1	Vitamin B ₁₂	165
13.1.1	Analysis of Vitamin B ₁₂ in Foods	166
13.2	Analysis of Food Vitamin B ₁₂ by Bioautography	167
13.2.1	Vitamin B ₁₂ -Fortified Foods	167
13.2.2	Edible Cyanobacteria	167
13.2.3	Analysis of Vitamin B ₁₂ Degradation Products During Storage of Multivitamin-Mineral Supplements	168
13.2.4	Analysis of Vitamin B ₁₂ Degradation Products During Cooking or Processing of Foods	169
13.3	Other Vitamins Determined by Microbiological Analysis	169
	References	170
14	Multimethod for Water-Soluble Vitamins in Foods by Using LC-MS	173
	<i>Alessandra Gentili and Fulvia Caretti</i>	
14.1	Introduction	173
14.2	Extraction and Cleanup with Conventional Methods of Analysis	174
14.3	Liquid Chromatographic Methods for the Analysis of Water-Soluble Vitamins	176

- 14.4 LC–MS in Multianalyte Confirmation Analyses 179
- 14.5 Electrospray Ionization and Collision-Induced Dissociation 183
- 14.6 LC–ESI-MS for Simultaneous Analysis of Water-Soluble Vitamins 187
- 14.7 Simultaneous Extraction Procedures 189
- 14.8 Conclusions and Future Developments 193
- References 195

Part III Analysis of Fat-Soluble Vitamins 199

15 Analysis of Carotenoids 201

Volker Böhm

- 15.1 Introduction 201
- 15.2 Materials and Methods 202
 - 15.2.1 Chemicals 202
 - 15.2.2 Instrumentation 202
 - 15.2.3 HPLC Equipment 203
 - 15.2.3.1 Separation of Carotenoids 203
 - 15.2.3.2 Separation of Xanthophylls 203
- 15.3 Results and Discussion 203
 - 15.3.1 Extraction 203
 - 15.3.2 Saponification 204
 - 15.3.3 Analysis 204
 - 15.3.4 HPLC 205
- References 208

16 HPLC Determination of Vitamin E in Fortified Foods 211

Afaf Kamal-Eldin and Jelena Jastrebova

- 16.1 Introduction 211
- 16.2 Fortification of Foods with Vitamin E 211
- 16.3 Experimental Procedures Used to Determine Vitamin E in Fortified Foods by HPLC 214
 - 16.3.1 Chemicals 215
 - 16.3.2 Extraction Procedures 215
 - 16.3.3 Instrumentation 216
 - 16.3.3.1 Columns 216
 - 16.3.3.2 Detectors 218
- 16.4 Conclusions 219
- References 220

17 Determination of Vitamin D by LC–MS/MS 223

Dorit Kern

- 17.1 Introduction 223
- 17.2 Materials and Methods 224

17.2.1	Chemicals	224
17.2.2	Preparation of Standards	225
17.2.3	Samples and Reference Materials	225
17.2.4	Sample Preparation	225
17.2.4.1	Saponification	225
17.2.4.2	Solid-Phase Extraction (SPE)	226
17.2.4.3	Equipment	226
17.3	Results and Discussion	227
17.3.1	Analytical Methods	227
17.3.2	Development of the Mass Spectrometry Method	227
17.3.3	Development of the Liquid Chromatographic Method	228
17.3.4	Choice of Internal Standard	230
17.3.5	Calibration and Validation	230
17.3.6	Analysis of Real Samples and Conclusion	230
	Acknowledgments	234
	References	234
18	Quantitation of Vitamin K in Foods	237
	<i>Sameh Ahmed, Naoya Kishikawa, Kaname Ohyama, and Naotaka Kuroda</i>	
18.1	Introduction	237
18.2	Biological Role of Vitamin K	237
18.3	Dietary Vitamin K Sources	238
18.4	Stability of Vitamin K	241
18.5	Bioavailability of Vitamin K from Foods	242
18.6	Dietary Vitamin K Deficiency	242
18.7	Analytical Methods for the Determination of Vitamin K in Foods	243
18.7.1	Official and Regulatory Methods	243
18.7.2	Recent Methods for the Determination of Vitamin K in Foods	244
18.7.2.1	Biological Methods	244
18.7.2.2	Spectroscopic Methods	245
18.7.2.3	Chromatographic Methods	245
	References	252
19	Trace Analysis of Carotenoids and Fat-Soluble Vitamins in Some Food Matrices by LC–APCI-MS/MS	257
	<i>Alessandra Gentili and Fulvia Caretti</i>	
19.1	Introduction	257
19.2	Materials and Methods	259
19.2.1	Chemicals and Materials	259
19.2.2	Standards	260
19.2.3	Samples	260
19.2.4	Sample Treatment	260
19.2.4.1	Maize Flour	261
19.2.4.2	Kiwi and Tomato Pulp	261
19.2.5	Liquid Chromatography and Mass Spectrometry	261

19.2.6	Quantitative Analysis	262
19.2.7	Recovery and Precision	262
19.2.8	Memory Effect and Standard Additions Method	264
19.2.9	Limits of Detection and Quantitation	266
19.3	Results and Discussion	266
19.3.1	Fragmentation Study and Optimization of MS/MS Conditions	266
19.3.2	Optimization of the LC–MS Conditions	271
19.3.3	Recovery Studies	272
19.3.4	Application of the Method to the Analysis of Food Products	274
19.4	Conclusions	275
	Acknowledgment	278
	References	278

Index	281
--------------	------------

