

## Index

### a

Abaqus 117, 290, 237  
 academia, education, and knowledge management  
 – benefits of the platform for 39  
 academic and commercial software codes 28, 38  
 accounting scheme, for commercial providers 317  
 accuracy 138–319  
 adapter services 122  
 air plasma spraying (APS) 92  
 AixViPMaP 38, 53, 58, 61, 118–121, 125, 187, 197, 291, 318  
 AluTex 259, 270  
 amorphous and crystalline phases, mechanical properties of 98–101  
 analysis service 123  
 annealing experiments 150  
 application programming interface (API) 61, 70  
 – USER\_EXPANSION subroutine 75–76  
 – USER\_MATERIAL\_HT programming interface 74–75  
 – USER\_MATERIAL\_TM subroutine 72  
 – USER\_PHASE\_CHANGE subroutine 76–78  
 arc welding processes 150  
 ASCII 61, 63  
 asymptotic homogenization method (AHM) 81, 82, 85–88, 93, 94, 112, 229–230, 272  
 attribute values 65  
 austenite to ferrite–pearlite transformation  
 – phase-field simulations of 164–166  
 AVRAMI-based microstructure model 158, 161

### b

bearing housing process chain 284  
 benefits of platform concept 36  
 – for academia, education, and knowledge management 39  
 – for industrial users 38–39  
 – for software providers 37–38  
 birefringence 229, 232, 239, 244, 245  
 braiding angle 259  
 braiding process 259  
 – of textile perform 259–260  
 – variation of textile structure 260

### c

CALPHAD method 204  
 – carburizing 191  
 – heat treatment 207–208  
 case hardening 188, 191, 192, 208  
 CASTS simulations 158–161, 166–167, 198, 199, 201, 207  
 cells, group of 65  
 central data storage (CDS) 123  
 chewing gum method 179  
 chromium, macrosegregation of 293  
 cloud computing 6, 9  
 collaborative visualization 137  
 commercial providers, accounting scheme for 317  
 commercialization 316–317  
 companies providing ICME infrastructure 306–307  
 computational materials engineering 4  
 computational thermodynamics 47  
 Condor 119, 120  
 confidentiality 317  
 continuous and discrete data, strategies for 140  
 cooling strategies 148–149, 164–167

- crystallization
  - integrative modeling of 237–238
  - multilinear elastic model for 232–234
- cultural shift 311
- d**
  - data history tracking 139–140
  - data integration 122–125
  - data modules 33–34
  - Dataset Sequencer 136–137
  - decimation 132, 133, 137
  - delta ferrite 290, 295, 300
  - density functional theory (DFT) 46
  - DICTRA 47
  - differential scanning calorimetry (DSC) 99
  - dilatometer experiments 150–151
  - direct homogenization 246–247
  - directed acyclic graph manager (DAGMan)
    - 120, 121
  - distilling information at different scales
    - 311–312
  - distributed simulations 52–53, 117
    - AixViPMap<sup>®</sup> Simulation Platform
      - Architecture 118–121
    - data integration 122–125
    - web-based user interface for 125–128
  - domain-specific data analysis 137
  - double ellipsoid heat source 177
  - dynamic recrystallization (DRX)
    - 151–152, 162, 201–206
- e**
  - education and training 316
  - effective anisotropic material properties
    - 271–276
  - effective heat source (EHS) 182
  - effective mechanical properties
    - direct homogenization results 246–247
    - two-level homogenization results
      - 248–251
  - effective properties 26, 31
  - effective properties, prediction of 81
    - dedicated homogenization model 98
      - – amorphous and crystalline phases,
        - mechanical properties of 98–101
      - effective properties, tools for the
        - determination of 102
          - – HOMAT 102, 103–104
          - – Mesh2Homat 102, 103
          - – program environment for virtual testing
            - 104
        - examples 104
          - – stochastic homogenization 110–111
      - – austenite–ferrite phase transformation
        - 106–109
      - – benchmark 105–106
      - homogenization of materials with periodic
        - microstructure 82
          - – asymptotic homogenization method
            - 85–88
          - – periodicity and two-scale description
            - 84–85
          - – static equilibrium of a heterogeneous
            - material 82–84
        - homogenization of materials with random
          - microstructure 88
            - – influence of the RVE position on the
              - effective elastic properties 92–93
            - – morphology analysis and definition of
              - RVE 89–92
            - – stochastic homogenization 94–96
          - postprocessing of macroscale results
            - 96–97
          - virtual material testing 101–102
    - energy dispersive x-ray analysis (EDX) 195
    - equivalent heat source 177–178
    - ESI Virtual Try-Out Space<sup>®</sup> 118
    - extraction services 123
  - f**
    - ferrite
      - elastic properties of 169
      - plastic properties of 169–170
    - field data 65
    - file manager 127, 128
    - finite element method (FEM) simulations 9,
      - 12, 178, 182, 197, 204
    - first-order homogenization method 85
    - flow curves determination and DRX Kinetics
      - compression tests for 151–152
    - FP annealing 190–191, 192
      - microstructure evolution during 212–213
    - future ICME 305, 315
      - education and training 316
      - imperative steps 305–308
      - internationalization, professionalization,
        - and commercialization 316–317
      - lessons learned 308–315
      - platform development 318–320
  - g**
    - gas metal arc welding (GMAW)
      - 150, 152, 180
    - gearing component, test case 187
      - experimental procedures and results
        - 192

- – dynamic recrystallization and grain growth 193
- – particle evolution, investigation of 195–196
- – phase transformations 194
- – welding depth, characterization of 196–197
- materials 188
- process chain 189
- – carburizing 191
- – FP annealing 190–191
- – hot rolling and forging 190
- – laser welding 192
- – machining 191
- simulation chain and results 197
- – macroscopic process simulations 201–212
- – microscopic simulations 212–217
- geometrical correlation function 89
- government’s role in ICME development 308
- grain growth 150, 151, 158, 192, 193
- grid computing 6, 119, 125
- grid operation 26

## **h**

- heat treatment simulations 207–208
- heating and forging, flowchart 200
- heterogeneous material
  - with random microstructure 88
  - static equilibrium of 82–84
- HOMAT 102, 103–104, 236–237, 238
- homogenization of materials 271
  - with periodic microstructure 82
  - – asymptotic homogenization method 85–88
  - – periodicity and two-scale description 84–85
  - – static equilibrium of a heterogeneous material 82–84
  - with random microstructure 88
  - – influence of the RVE position on the effective elastic properties 92–93
  - – morphology analysis and definition of RVE 89–92
  - – stochastic homogenization 94–96
- Hooke matrix 85
- hoop stresses 297
- hot forging 201
- hot rolling 148, 161–164, 190

## **i**

- ICME (Integrative Computational Materials Engineering) 2

- “binaries” 6–9
- current activities toward 13–15
- historical development of 11–13
- modular standardized platform for 15–16
- “quaternary system” 10–11
- “ternary system” 9–10
- “unaries” 6
- immersive visualization 137
- individual models, benefits of platform
  - operations for 56
  - improved quality
    - – of initial conditions 56–57
    - – of materials data 57
  - local effective materials properties 57–58
- industrial users
  - – benefits of the platform for 38–39
- infiltration process 267–268
- information sharing 306
- injection molding process 223
- integrated computational materials
  - engineering (ICME) 81, 117, 131, 221, 305
- integrated visualization 134–138
- integration-friendly software 314
- integration services 123
- integrative simulation 221, 224, 236, 253
- “integrative” and “computational”, thinking of 316
- interface modules/services 32–33
- interfacial mobility 213
- internationalization 316–317
- isotactic polypropylene (i-PP) 98

## **j**

- JMatPro 147, 199, 207

## **k**

- knowledge management 39

## **l**

- large-scale companies, users of ICME
  - in 307
- LARSTRAN/SHAPE 198
- laser welding 192, 208–211
- LaserWeld3D simulation 199, 208, 210
- life-cycle modeling 3, 24
- line pipe, test case 145
  - benefits 183
  - experimental process chain 153–154
  - experiments
    - – dilatometer experiments 150–151
    - – flow curves determination and DRX Kinetics, compression tests for 151–152
    - – tensile tests 152

- line pipe, test case (*contd.*)
  - welding 152–153
  - materials 146–147
  - process
    - cooling and phase transformation 148–149
    - hot rolling 148
    - process chain 147–148
    - reheating 148
    - U- and O-forming 149
    - welding 150
  - simulation models and results
    - cooling and phase transformation 164–167
    - hot rolling 161–164
    - reheating 155–161
    - U- and O-forming 167–175
    - welding 175–182
  - localization 81
  
- m**
  - macroscale results, postprocessing of 96–97
  - macroscopic and mesoscopic models 45, 58
  - macroscopic process simulations 201–212, 241
  - MAGMASoft 286, 288, 291
  - MatCalc 199, 201, 214–215
  - material data 67
  - material ID 65
  - materials properties 146–147
  - MATLAB routines 117
  - mean-field homogenization methods 81
  - Mesh2Homat 102, 103, 236, 238
  - meshes 132, 134, 139
  - message passing interface (MPI) 54
  - metallographic analysis 146
  - metal matrix composites (MMCs) 257
  - MICRESS 157, 158, 197, 201, 212, 214, 268, 292
  - microscopic simulations 212–217
    - microstructure evolution during FP-annealing 212–213
    - precipitation evolution along process chain 213–215
  - microstructure evolution during FP-annealing 212–213
  - microstructure simulation 242–245
    - crystallization 7, 12, 242–243
    - molecular orientation 243–245
  - models and software
    - requirements for, in ICME framework 48
    - improving numerical and model accuracy 50–52
    - information integrity 56
    - model quality 50
    - speeding up individual models and distributed simulations 52–55
  - modularity 28
    - bridging the scales 30–31
    - data modules 33–34
    - individual modules 29
    - interface modules/services 32–33
  - modular platform concept 8
  - molecular orientation effects, integrative modeling of 238–239
  - molecular orientation 227–229, 232, 234–235, 238, 243–245
  - molybdenum, macrosegregation of 294
  - mono-crystalline i-PP 99
  - Moore’s law 52
  - multipass hot rolling process 153, 154
    - FE simulations 161
  - multiscale simulation 167–169, 172–175
  
- n**
  - nearest-neighbor queries (NN) 140
  - Nital etching 196
  - nonlinear computational homogenization methods 82
  - nonuniform transformation field method 82
  - nucleation 224, 225, 227
  
- o**
  - open-access data 314
  - open architecture 27–28, 36
  - OpenMP standard 54
  - ordinary differential equations (ODEs) 209–210
  
- p**
  - PAM-Crash simulations 262
  - parallel computing 52, 53–54
  - ParaView 132, 133
  - partial differential equation (PDE) 209
  - particle evolution, investigation of 195–196
  - pearlite 146, 147, 150, 165, 169, 170, 172
    - elastic properties of 169
    - plastic properties of 169–170
  - phase field models 12, 13, 51, 53
  - phase function 90
  - phase indicator function 89
  - phase transformation 148–149, 158, 160, 164–167, 179, 194
  - planning services 123, 125
  - plastic parts 221

- plastic strain rate 289
- plastic strain rate tensor 290
- platform concept 28, 36
- platform development 318–320
- platform-independent executable formats 120
- points, group of 65
- polypropylene (PP) 222–223
  - molecular orientation-based anisotropy of 232
- power spectral density (PSD) function 91–92
- precalculation strategies 55
- precipitation evolution along process chain 213–215
- predictive capabilities 50
- process chains 21, 22, 23
- professionalization 316–317
- Python script 104
  
- r**
- recovering method 81
- recrystallization 53, 149, 161, 183
- reheating 148, 155–161
  - CASTS simulations 158–161
  - phase-field simulations of austenite formation 155–158
- remeshing 139
- representative volume element (RVE) 82, 88
  - definition of 89–92
  - effective elastic properties 92–93
  - microstructure 167, 170–173, 272
- robustness, predicting 319
  
- s**
- scale-bridging 31
- semicrystalline thermoplastics 221, 222
  - crystallization of 224–227
    - implemented models 225–226
    - in injection-molded parts 224–225
    - mechanical properties of 229–231
- Sigma2VTK tool 237
- SigmaSoft 236
- SimWeld software 175, 177, 182
- small and midsize enterprises (SMEs) 307
- “software as a service” (SaaS) 9, 38
- software providers
  - benefits of the platform for 37–38
- solidification microstructure, simulation of 268–271
- spectral analysis 90
- spherulite growth 225–226
- SphäroSim software 225, 236
- stainless steel bearing housing,
  - test case 281
  - benefits 303
  - materials 283
    - thermophysical properties 283–284
  - phenomena 286
    - application, macrosimulation of 290–291
    - application, microsimulation of 289–290
    - casting, macrosimulation of 286–288
    - casting, microsimulation of 288
    - heat treatment, simulation of 288
    - machining, simulation of 288
  - processes 284
    - application 286
    - casting process 284–285
    - heat treatment process 285
    - machining process 285–286
  - results 293
    - macroscopic process simulations 293–300
    - microstructures 300–303
  - simulation chain 291
    - flowchart 291–292
    - simulation tools 291
- standardization 23, 27, 34–35, 61
  - application programming interface 70
    - USER\_EXPANSION subroutine 75–76
    - USER\_MATERIAL\_HT programming interface 74–75
    - USER\_MATERIAL\_TM subroutine 72
    - USER\_PHASE\_CHANGE subroutine 76–78
  - future directions of 78–79
  - of geometry and result data 62
    - extended file header 64
    - field data 65
    - geometric attributes 64–65
  - material data 65
- state of the art for calculation of materials properties 45
- static recrystallization (SRX) 161, 164
- STEM (scattering transmission electron microscopy) 195
- stochastic homogenization 94–96, 110–111
- strong and weak coupling of platform models 58
- StrucSim model 202, 203, 205, 206
- submerged arc welding (SAW) 150
- syntactic heterogeneity 122
- SYSWELD software 176, 178, 199, 207

**t**

- technical plastic parts 221
  - experimental methods 239–240
  - material 222
  - polypropylene 222–223
  - phenomena along process chain 224
  - macroscopic mechanical materials behavior 231–235
  - molecular orientations, formation of 227–229
  - semicrystalline thermoplastics, crystallization of 224–227
  - semicrystalline thermoplastics, mechanical properties of 229–231
  - process chain 223
  - results 241
  - effective mechanical properties 246–251
  - macroscopic part behavior 251–252
  - macroscopic process simulation 241
  - microstructure simulation 242–245
  - virtual process chain, implementation of 236
    - Abaqus FEA 237
    - HOMAT 236–237
    - SigmaSoft 236
    - simulation chain 237–239
    - SphaeroSim 236
- tensile tests 152
- textile-reinforced piston rod 257
  - effective properties of the component 276–277
  - experimental process chain 258
    - braiding process 259–260
    - investment casting process 261
  - simulation chain 261
    - braiding process, simulation of 262–266
    - braiding structure, simulation of 266
    - effective anisotropic material properties 271–276
    - infiltration process, simulation of 267–268
    - solidification microstructure, simulation of 268–271
- Thermo-Calc 199, 288, 300
- thermodynamics 9
- thermoplastic 222
- 3D Radial Spherulite Model at the Microscale 100
- tooth contact analysis (TCAs) 199, 211, 212
- transformation services 123, 124, 125
- two-level homogenization scheme 99, 231, 248–251
- two-point probability functions 89–90

**u**

- U- and O-forming 149, 167–175
  - UNICORE 119
  - unit system 64
- v**
- verification of developed platform 39–41
  - virtual process chain, implementation of 236
    - Abaqus FEA 237
    - HOMAT 236–237
    - SigmaSoft 236
    - simulation chain 237–239
    - SphaeroSim 236
  - virtual production intelligence (VPI) 34, 313
  - virtual reality 137
  - virtual testing 82, 101, 102, 172, 239–240
    - program environment for 104
  - viscoelasticity 231
  - visualization 131–140
    - data history tracking 139–140
    - integrated 134–138
    - motivation 131–132
    - standardized postprocessing 132–134
  - Visualization Tool Kit (VTK) 35, 62–63, 198, 292
  - library 132

**w**

- web-based platform operation 35–36
- web-based user interface for 125–128
- Web Ontology Language (OWL) 123
- welding
  - depth, characterization of 196–197
  - equivalent heat source, generation of 177–178
  - experiments 152–153
  - fundamentals 175–176
  - macrosimulations 180–182
  - microstructure evolution 179–180
  - process 150
  - process simulation 176–177
  - simulation models 175–182
  - structure simulations 178–179
- “windowing” technique 272
- Workflow Editor 125, 126, 127
- work hardening 162

**y**

- Young’s modulus 272, 273, 276

**z**

- ZaKo3D 199, 211
- Zener pinning forces 215
- ZWICK 100 testing machine 152