

## Index

### a

acetonitrile 376  
 alkyl-silica membranes 196  
 allosteric indicator displacement assay (AIDA)  
 318–319  
 – glucose sensor for continuous monitoring  
 320–321  
 – saccharide sensing system 319–320  
 aluminum-tri-*sec*-butoxide (ATSB) 190  
 3-aminopropyl triethoxysilane (APTES) 199  
 anionic biomolecules 324  
 anisole 271  
 artificial supermolecule. *See* nanocrystals  
 aryl-and alkyl-phosphines 115–116  
 atomic force microscopy (AFM) 105, 272,  
 274, 294  
 auranofin 217  
 azobenzene 170  
 azobenzene-based guest molecules,  
 photoswitching of 27

### b

benzo[5,6]naphthaceno[1,12,11,  
 10-*ijklmna*]thioxanthylum (BNATX) 63  
 benzo[5,6]naphthaceno[1,12,11,  
 10-*ijklmna*]xanthylum (BNAX) 63  
 benzophenone 161–163  
 BET surface area 74, 75, 77, 78, 80, 81, 82  
*Bifidobacterium longum* 19  
 bis-boronic-acid-appended benzyl viologen  
 (BBV) 319, 322, 323–324, 325, 329,  
 333  
 1,4-bis(triethoxysilyl)benzene (BTESB) 199  
 1,2-bis(triethoxysilyl)ethane (BTESE) 197,  
 199, 200  
 1,2-bis(triethoxysilyl)methane (BTESM) 199  
 1,3-bis(triethoxysilyl)propane (BTESP) 199  
 block copolymers 269

boronic acid receptors

– carbohydrate-active enzyme assays  
 327–330  
 – glucose sensing with 317–318  
 – – AIDA glucose sensor for continuous  
 monitoring 320–321  
 – – AIDA saccharide sensing system  
 319–320  
 – – allosteric indicator displacement assay  
 (AIDA) 318–319  
 – indicator displacement assays for sugar  
 detection 316–317  
 – NOVOSIDES project 332–333  
 – solution-phase sensor arrays with boronic  
 acid-appended bipyridinium salts  
 321–322  
 – – neutral saccharide recognition 322–324  
 – – phosphosugars and nucleotide  
 recognition 324–327  
 boronic acids 315–316  
 bottom-up approach 264, 269, 277

### c

cadmium arsenide ( $\text{Cd}_3\text{As}_2$ ) 123, 142–143  
 cadmium phosphide ( $\text{Cd}_3\text{P}_2$ ) 122, 124, 125,  
 127, 128–129, 128, 129, 132,  
 – high-temperature gas-bubbling synthesis  
 with *ex situ*-produced  $\text{PH}_3$  139–140  
 – hot-injection synthesis 134–139  
 calix[*n*]arenes 77  
 cancer treatment 207–208  
 – metal complexes in  
 – – main group-metal complexes 219–221  
 – – non-platinum transition-metal complexes  
 210–219  
 – – platinum complexes 208–210  
 – nanostructured materials in 221  
 – – ceramic materials 224, 226–229

- cancer treatment (*contd.*)
- – macromolecular systems 222–224
  - – nanoparticles 230
- carbohydrate-active enzyme assays 327–330
- carbon nanotubes, functionalized with metal complexes 228–229
- carboplatin 209
- CdSe@ZnS 266, 270, 271, 272, 275, 277, 280
- ceramic materials 224, 226
- carbon nanotubes functionalized with metal complexes 228–229
  - mesoporous silicas functionalized with metal complexes 227–228
  - nanostructured calcium-phosphate-based materials functionalized with metal complexes 226–227
- cetyltrimethylammonium bromide (CTAB) 268
- Chaperone proteins 19
- chemical-deposition method 5
- chemical vapor deposition (CVD) 181, 185–186
- chemical-vapor deposition (CVD) 41
- chemotherapy 207
- cisplatin 208–209, 224, 229, 230
- Clark electrodes 287
- configurational diffusion 84
- conjugated microporous polymers (CMPs) 75, 76, 79, 80, 88
- Connolly surface area 83, 88, 89, 92
- cooperative diffusion 85
- copper and silver compounds 216–217
- core-substituted naphthalene diimides (cNDIs) 98–99
- electron transfer 102–105
  - supramolecular self-assembly of 105–109
  - synthesis of novel derivatives of 99–101
- coronene 60
- covalent compounds 13
- covalent organic frameworks (COFs) 72, 74, 79, 80, 85
- cucurbit[n]urils and cyclodextrins 222–223
- cucurbituril host–guest chemistry 32
- 9-[(2-cyano-2-hydroxy carbonyl) vinyl]julolidine 249
- cyclam 164
- cyclobis(paraquat-*p*-phenylene) (CBPQT<sup>4+</sup>) 26, 29, 30
- cyclodehydrogenation 43, 44, 46, 49, 50, 51, 52, 55, 56, 58, 60, 62, 64, 65
- (1*R*,2*R*)-1,2-cyclohexanediamine (CHDA) 78
- d**
- delayed fluorescence (DF) 285, 296
- steady-state 291
- dendrimers 155
- energy transfer and energy upconversion in multichromophoric 161–164
  - intrinsic photochemical and photophysical properties of organic 156–161
  - as ligands for metal ions 164–168
  - as photoswitchable hosts 170–172
  - self assembly 168–170
- dendrimersomes 172
- density functional theory (DFT) 343, 351
- deprotonation 32, 373
- Dexter-type mechanism 159
- dibenzo[*jk, mn*]naphtho[2,1,8-*fgh*]thebenidinium (DBNT) 62, 63
- 9-(2,2-dicyanovinyl)julolidine (DCVJ) 249
- differential scanning calorimetry (DSC) 50
- diffusion-limited cluster aggregation (DLCA) 186
- 4,4'-difluoro-4-bora-3a,4a-diaza-s-indacene (BODIPY) 249, 251, 252
- dimethoxybenzene 161
- drug delivery system 215, 220, 230
- e**
- electroluminescence 339–340, 342, 345
- electron transfer 102–105
- energy-dispersive X-ray analysis (EDAX) 135
- energy-dispersive X-ray spectroscopy (EDS) 118
- energy-dispersive X-ray spectrum (EDS) 141
- ethyl cellulose (EC) 294
- 1,2-ethylenediamine (EDA) 78
- ethylene–silica sols 196
- ethylenetriethoxysilane (ETES) 196
- E-type delayed fluorescence. *See* thermally activated delayed fluorescence (TADF)
- excimers 159–160
- epoxy photoresist 270–271
- ex situ* approach 271
- external quantum efficiency (EQE) 346, 348, 349
- f**
- fast Fourier transform (FFT) 136
- ferrocene complex 213–215, 214
- Fe<sub>2</sub>O<sub>3</sub> NCs 268, 272–273
- field-effect transistor (FET) 41
- fluorescence 127
- anisotropy 160, 169, 170
  - lifetime-based molecular rotors 249–252

- lifetime imaging microscopy (FLIM) approaches 250
- sensing 285–287, 292–293
  - – oxygen sensing 293–300
  - – temperature sensing 300–307
  - – thermally activated delayed fluorescence 287–292
- fluoroalkyl chains 103
- fluorous–fluorous interactions 13
- Förster-type mechanism 159
- fullerene 286, 287, 293–294
  - C<sub>70</sub> dispersed in polymer films 302–304
  - C<sub>70</sub> encapsulated in polymer nanoparticles 304–307
  - C<sub>70</sub> in dual sensor system 297–300
  - sub-ppm sensor based on C<sub>70</sub> 294–296
- functional polymers 264, 270, 275

**g**

- gallium complexes 219–220
- gallium phosphide 114
- gas-diffusion mechanisms 84–85
- gel-permeation chromatography (GPC) analysis 60
- glucansucrases 331
- glucose sensing, with boronic acid receptors 317–318
  - allosteric indicator displacement assay (AIDA) 318–319
  - – glucose sensor for continuous monitoring 320–321
  - – saccharide sensing system 319–320
- GluMetrics, Inc. 321
- glycoside hydrolases 331
- glycoside phosphorylases 330
- glycosylation reaction 330
- gold complexes 217–219
- grand canonical Monte Carlo (GCMC) simulations 84
- graphene-type molecules by chemical synthesis, tailored 41–42
  - nanographenes 43, 54
    - – graphene nanoribbons 55–60
    - – heteroatom-containing PAHs 60–64
    - – hexabenzocoronenes (HBCs) 43–48
    - – large PAHs 48–55

**h**

- hemoglobin 20
- hexapyrrolohexaazacoronenes (HPHAC) 62
- hierarchical cluster analysis (HCA) 325

- highest-occupied molecular orbital (HOMO) 343, 348
- highly oriented pyrolytic graphite (HOPG) 41
- high-resolution transmission electron microscopy (HRTEM) 55, 136
- hormonotherapy 207
- host–guest interactions, switchable 13–15, 25
  - chemistry 15–17
  - external input and methods for analysis 20–21
    - – switchable guest compounds 26–33
    - – switchable host compounds 21–26
    - natural paragon 19–20
    - supramolecular systems 17–19
- human serum albumin (HSA) 224
- hybrid organic–silica membranes
  - fabrication 193–196
  - hydrophobic silica membranes 196–197
  - membranes from bridged organosilanes 197–199
  - organic–silica membranes for CO<sub>2</sub> separation 199
- hydrogel-sensing arrays 321
- hydrophilic yoctowells 10
- hydrophobic interactions 13
- hydrophobic yoctowells 9, 10, 11
- hydroxyferrocifens 213
- 8-hydroxypyrene-1,3,6-trisulfonic acid trisodium salt (HPTS) 319, 322, 325, 329, 333

**i**

- indium 114, 118
- inkjet printing 275
- inorganic materials 113–114
- intracellular viscosity. *See* molecular rotors
- intrinsic versus extrinsic porosity 81–82
- ionic transition-metal complex (iTMC) 342, 346, 348, 349
  - based on Ir(III) metal core for LECs 343–345
- iridium (III) complex design strategies
  - for highly efficient LECs 346–349
  - for highly stable LECs 350–356
- “jackknifed” classification matrices 322

**k**

- Kelvin equation 183, 184
- kinetic control 13
- Koenigs-Knorr-type reactions 330

**I**

- Langmuir adsorption isotherm 81
- Langmuir-Blodgett film (LB) 5
- ligand-field-splitting energy (LFSE) 343
- ligand-to-ligand charged transfer (LLCT) 345
- light-emitting electrochemical cells
  - ionic transition-metal complexes 343–345
  - iridium (III) complex design strategies
    - – for highly efficient LECs 346–349
    - – for highly stable LECs 350–356
  - motivation and definition 340–343
- light-harvesting antennae 156
- linear discriminant analysis (LDA) 322, 323–324, 325
- lipoplatin® 224
- liposomes and lipid nanocapsules 223–224
- lithography 4
- live cells 246, 252, 254, 255, 257, 259
- logic gates and switches 363–369
- lowest-unoccupied molecular orbital (LUMO) 103, 343, 348
- luminescence 156, 158, 159, 160, 172

**m**

- macromolecular systems 224
  - cucurbit[n]urils and cyclodextrins 222–223
  - liposomes and lipid nanocapsules 223–224
- magic-sized clusters (MSCs) 124, 128, 138
- main group-metal complexes 219
  - gallium complexes 219–220
  - tin complexes 220–221
- mass spectrometry (MALDI-TOF MS) 60
- Maxwell–Stefan model 178
- membrane selectivity 178
- mesoporous silicas, functionalized with metal complexes 227–228
- metal organic frameworks (MOFs) 72, 79, 80, 85
- metal phosphides 113
  - aryl- and alkyl-phosphines 115–116
  - bulk
    - – current applications 114–115
    - – first set of applications 114
    - – synthetic inorganic materials 113–114
  - nickel phosphide nanoparticles 116–117
  - white phosphorous as low-temperature reagent 115
  - white phosphorous nanoscale route generalization 118–119
- metal-to-ligand charged transfer (MLCT) 345, 368
- methyltriethoxysilane (MTES) 193, 196, 197
- microcantilevers 278
- microporous materials 71
  - CO<sub>2</sub> capture and sequestration 72–73
  - – gas separation 73–74
  - framework materials 74
  - H<sub>2</sub> storage 71–72
  - molecular materials 76–79
  - network materials 74–76
  - porosity 81
    - – calculated surface areas and simulated gas uptakes 83–84
    - – gas-diffusion mechanisms 84–85
    - – intrinsic versus extrinsic 81–82
    - – measurement 82–83
  - porous materials and surface area calculation 85
    - – framework materials 85–86
    - – molecular materials 88–89
    - – molecular solids with extrinsic porosity 89–90
    - – molecular solids with intrinsic porosity 90–92
      - – network materials 86–88
  - structural flexibility 79–80
- miniemulsion process 305
- molecular assemblies 3
- molecular devices and machines, photochemically driven 361
  - features of 361–363
  - molecular machines 369–371
    - – molecular shuttles 375–380
    - – threading–dethreading motions 371–375
  - switches and logic gates 363–369
- molecular fluorescence 285
- molecular machines 14, 19, 33, 369–371
  - molecular shuttles 375–380
  - threading–dethreading motions 371–375
- molecular rotors 245–246
  - biological applications 247–249
  - – fluorescence-lifetime-based rotors 249–252
    - – ratiometric fluorescent rotors 255–256
    - – ratiometric molecular rotor measurements of viscosity during PDT 257–258
  - – time-resolved fluorescence anisotropy measurements 252, 254–255
- theoretical background 246–247
- molecular shuttles 371, 375–380
- molecular sorting 7–9
- molecular switches 30, 363
- monosaccharide glucose 315
- multichromophoric cNDIs 104

- multilayer adsorption 82
- $M_xO_y$ -silica membrane
  - fabrication 185–187
  - membrane optimization 193
  - stability, selectivity, and reactivity 187, 190
  
- n**
- nanocomposites 269–278
- nanocrystals (NCs) 121, 263–264
  - colloidal synthesis 265–266
  - nanocomposites for microfabrication and 269–278
  - optical properties of II–V
    - absorption 124–127
    - lifetime measurement 131–133
    - photoluminescence 127–131
  - properties 264–265
  - surface functionalization 266–269
  - synthesis of II–V
    - $Cd_3As_2$  nanocrystals 142–143
    - $Cd_3P_2$  134–140
    - methods 133–134
    - $Zn_3P_2$  nanocrystals 140–141
- nanographenes 42, 43, 53, 54
  - graphene nanoribbons 55–60
  - heteroatom-containing PAHs 60–64
  - hexabenzocoronenes (HBCs) 43–48
  - large PAHs 48–55
- nanoimprint lithography 274
- nanoparticles (NPs) 113, 115–119, 230, 263, 265, 266, 268–269, 271, 274, 275, 277, 280
- nanopermporometry 184
- nanoporous materials 74
- nanoribbons, graphene 55–60, 65
- nanostructured calcium-phosphate-based materials
  - functionalized with metal complexes 226–227
- nanostructures 3
- naphthalene 161–163, 166, 169, 170
- naphthalene dianhydride (NDA) 99
- naphthalene diimides (NDIs) 97–98
- naphthalimide 375, 376
- nickel phosphide nanoparticles 116–117
- noncovalent interactions 13, 14, 15, 19, 21, 33, 97
- non-platinum transition-metal complexes 210
  - group 4 metal complexes 211–213
  - group 8 metal complexes 213
  - iron complexes 213–215
  
- ruthenium and osmium complexes 215–216
- group 11 metal complexes
  - copper and silver compounds 216–217
  - gold complexes 217–219
- NOVOSIDES project 332–333
  
- o**
- octadecyltrichlorosilane (ODS) 197
- oligophenylene precursors 49, 51, 52
- optical-readout assay 329
- optical sensors 287, 292, 293, 301, 307
- optoelectronics 339–340
  - devices 97, 102, 105
- organic electronics 42, 49, 60, 62
- organic light-emitting diode (OLED) 339, 342
- organic materials 339, 341
- organic thin-film transistors (OTFTs) 102
- organosilicas (OS) 294
- osmium complexes 215–216
- oxaliplatin 209
- oxygen sensing 293–294
  - $C_{70}$  in dual sensor system 297–300
  - sub-ppm sensor based on  $C_{70}$  294–296
  
- p**
- permeance 179
- permeate 177, 178, 179, 197, 198
- perylene 303
- 2-phenylbenzo[8,9]quinolizino[4,5,6,7-*fed*]phenanthridinium (PQP) 62, 63
- phosphoglucomutase (PGM) 328, 329, 330
- phosphorescence 127
  - lifetime 288
- phosphorescent organic light-emitting diode (PHOLED) 340
- photochrome 364
- photodynamic therapy (PDT) 257–258
- photoluminescence 127–131
- photoluminescence excitation (PLE) spectra 128
- photoluminescence quantum yield (PLQY) 345, 346
- photonic crystals 275
- photons 362
- photoswitchable host compounds 23
- photosynthesis 3–4
- photosynthetic reaction center (PRC) 4
- physical porosity 81
- picoplatin 209
- poly(aryleneethynylene) (PAE) networks 75, 88
- polyacrylonitrile (PAN) 297, 298, 306

- polycyclic aromatic hydrocarbons (PAHs)  
41  
– synthesis, with zigzag peripheries 51  
– synthetic concepts towards expanded 43  
– – graphene nanoribbons 55–60  
– – heteroatom-containing PAHs 60–64  
– – hexabenzocoronenes (HBCs) 43–48  
– – large PAHs 48–55  
– versatile synthesis of triangle-shaped 52  
polymer-based light-emitting diode (PLED)  
339  
polymeric light-emitting diodes (PLEDs)  
277  
polymeric tapes and rosette H-bonded  
networks 107  
polymer poly(dichloroethylene) (polyDCX)  
87, 88  
polymers 264, 266, 267–271, 273, 274–275,  
277, 280  
polymers of intrinsic microporosity (PIMs)  
79  
polystyrene (PS) 275, 277  
porosity 81  
– calculated surface areas and simulated gas  
uptakes 83–84  
– gas-diffusion mechanisms 84–85  
– intrinsic versus extrinsic 81–82  
– measurement 82–83  
porous aromatic frameworks (PAFs) 72, 85  
porous organic polymers 72  
powder X-ray diffraction (PXRD) 78  
principal component analysis (PCA) 325  
pristine fullerenes 287, 302  
prompt fluorescence (PF) 285  
pseudorotaxanes 32, 370, 372, 375  
*p-tert*-butylcalix[4]arene 80
- q**  
quantum dot (QD) 121
- r**  
rapid lifetime determination (RLD)  
– decay time sensing method 297  
ratiometric fluorescent molecular rotors  
255–256  
ratiometric molecular rotor measurements of  
viscosity, during PDT 257–258  
reactive oxygen species (ROS) 257  
real sensors 320  
redox chemistry 24, 29  
retentate 177, 178  
reverse redox switching 26  
rotaxanes 370, 372, 375, 376–377, 378, 379  
ruthenium complex 215–216, 303, 366
- s**  
satraplatin 209  
scanning electron microscopy (SEM) 135,  
180, 294  
Schiff base 24  
secondary building units (SBUs) 74  
selected area diffraction pattern (SAED) 141  
self-assembly 13–14, 16  
– supramolecular 105–109  
self-repair structures 14  
self-sorting systems 14  
semiconductors 97, 102, 103  
Shake–Rupley Monte Carlo algorithm 83  
single-file diffusion 84  
singlet oxygen 258  
single-wall carbon nanotubes (SWNTs) 228  
single-walled carbon nanohorns (SWNHs)  
229  
small-angle X-ray scattering (SAXS) 186  
sol–gel 181  
solvent-accessible surface areas 76, 85, 86,  
88, 89, 92  
Stern–Volmer constants 296  
Stern–Volmer equation 300  
Stille cross-couplings 100  
Stokes–Einstein–Debye equation 160  
structurable polymers 264  
SU-8 270, 278  
succinamide 375  
sucrose phosphorylase (SPO) 328, 329, 330  
supramolecular chemistry 17–19  
supramolecular systems 361, 370, 380  
Suzuki coupling 46, 47, 50, 100, 315  
switches and logic gates 363–369  
SYSTAT® 322
- t**  
temperature fluorescent sensors 287  
temperature sensing 300–301  
– C<sub>70</sub> dispersed in polymer films 302–304  
– C<sub>70</sub> encapsulated in polymer nanoparticles  
304–307  
tetraethyl orthosilicate (TEOS) 181, 186, 193,  
196, 197, 199  
tetrathiafulvalene (TTF) 30, 31, 375, 379–380  
thermal equilibration–light irradiation cycles  
375  
thermally activated delayed fluorescence  
(TADF) 285–287, 286, 304, 307  
– fundamental aspects 287–292  
– kinetic scheme for 287  
threading–dethreading motions 371–375  
time-correlated single-photon counting  
(TCSPC) 131, 250

- time-resolved fluorescence anisotropy  
 measurements, of molecular rotors 252,  
 254–255
- tin complexes 220–221
- titanium complexes 211
- top-down approach 264, 277
- trace oxygen detection 293
- transduction mechanism 278
- transferrin 211
- transglycosidases 331
- transmission electron microscopy (TEM)  
 305
- trichlorooctadecylsilane 5
- trifluoropropyl)triethoxysilane (TFPS) 197
- 1,3,5-triformylbenzene (TFB) 78
- trioctylphosphine oxide/ trioctylphosphine  
 (TOPO/TOP) 270, 271, 275, 277
- triplet–triplet annihilation (TTA) 285
- twisted intramolecular charge transfer (TICT)  
 249
- two-site quenching model 296
- u**
- ultramicroporous silica membranes 177
- application and fabrication perspectives  
 200
  - fabrication 180–181
  - gas separation and pervaporation 177–180
  - hybrid organic-silica membranes
    - – fabrication 193–196
    - – hydrophobic silica membranes 196–197
    - – membranes from bridged organosilanes  
 197–199
    - – organic-silica membranes for CO<sub>2</sub>  
 separation 199
    - hydrothermal stability–instability 184–185
    - microporous assessment 182–184
    - M<sub>x</sub>O<sub>y</sub>–silica membrane
      - – fabrication 185–187
      - – membrane optimization 193
      - – stability, selectivity, and reactivity 187,  
 190
- w**
- white phosphorous
- as low-temperature reagent 115
  - nanoscale route generalization 118–119
- x**
- X-ray crystallography 86
- X-ray photoelectron spectroscopy (XPS) 278
- y**
- yoctoliter-sized vessels, as potential biological  
 models 3–5
- cavities on glass plates and gold surfaces  
 5–6
  - molecular recognition events 9–11
  - molecular sorting 7–9
  - rigid yoctowell cavity preparation and  
 confirmation 6
  - – rigid gap confirmation 7
- z**
- zinc phosphide (Zn<sub>3</sub>P<sub>2</sub>) 122, 140–141

