

Index

a

acetals thermolysis 199–201
N-acetylglucosamine (*GlcNAc*) 293
 acrylates 165
 acrylic acid 341
 active esters 13–19, 45, 238, 275, 356
 – at end groups 55–57
 – moieties, controlled positioning of 57–58
 – polymer brushes preparation by SI-ATRP 357–360
 – post-polymerization modification 361–362
 – precursors 186
 – in side group 46–47
 – block copolymers 53–55
 – homopolymers 47–53
 – star polymers 55
 acyclic alkoxy-ethyls 199
 acyclic diene metathesis (ADMET) 153
 addition-fragmentation chain transfer 98
Agriocnemis Victoria 315
 aldehyde quenching 161
 alkoxyamines 35
 alkyne/alkene glycosides and backward click reactions 258
 α -allyl- ω -bromo PS 70
 α -CyDs 233
 alternating copolymers 174, 176–177
 amber codon 298, 301, 302, 305, 320, 323
 aminoacyl tRNA synthetase (AARS) 298, 309
 – binding pocket, enlarging 312
 – editing pocket, shrinking 311–312
 – endogenous 310
 – overexpression 310–311
 – orthogonal 299–303
 amphiphilic block copolymers 54
 amphiphilic diblock copolymers 271
 anhydride group thermolytic generation 201–206

– ketene thermolytic generation 206–211
 – transient reactive groups thermolytic generation 211–213
 anthrax toxin 268, 269, 270, 272, 274, 276, 278, 279, 280, 282, 283, 287
 arm-first approach 55
 asymmetric dimethyl arginine (aDMA) 293
 atomic force microscopy (AFM) 357, 359
 atom-transfer radical addition (ATRA) 38
 atom-transfer radical polymerization (ATRP) 2, 46, 56, 70, 74, 87, 122, 130, 162, 177, 178, 179, 200, 203, 239, 241, 287
 – to functionalize polyHIPEs 345
 attenuated total reflection (ATR) FTIR 99
 azide–alkyne click reactions 243–252
 azide alkyne cycloaddition reactions 27–31, 28–30
 azlactones 387–396
 azobisisobutyronitrile (AIBN) 334

b

Bacillus stearothermophilus 299, 301
 base-catalyzed thiol-ene click reaction 248
 Bayer–Villiger oxidation 164, 260
 Beer–Lambert law 361
 benzocyclobutene (BCB) 212, 213
 benzocyclobutenone (BCBO) 212
 β -cyclodextrin (β CD) 280, 282
 β -CyD pendants 224, 229, 233
 biocompatible polymer scaffolds 284–285
 bioconjugation 81–83
 biodegradability 284, 348
 – of polymers 147, 148
 bioengineered polymer scaffolds 285–287
 biologically active polymers 49–50
 biomacromolecules 267
 bio-orthogonal conjugation 313–314

- bio-orthogonal noncanonical amino acid tagging (BONCAT) 314
- bio-orthogonal nonnatural amino acid 308, 313–314
- biophysical studies, using nonnatural amino acid 307–308, 314–315
- biopolymers 173
- biorecognition 238
- biosynthetic machinery exploitation 294
- applications 306–308, 312–315
 - *in vitro* site specific incorporation 294–298
 - *in vivo* site specific incorporation 298–305
 - residue-specific incorporation (RSI) 308–315
- block copolymers 53, 162, 270, 271
- amphiphilic 54
 - and inorganic moieties 53
 - poly(NHS4VB) brushes synthesis 360
 - stimuli-responsive 54–55
- bovine pancreatic trypsin inhibitor (BPTI) 316
- brush regime 355
- c**
- Candida antarctica* 322
- carbene. *See individual entries*
- carbon nanotubes (CNTs) 53
- carbonyl groups, reaction with 161–162
- cationic ring-opening polymerization (CROP) 254
- chain termini polymer synthesis 122, 124–140
- chain-transfer agent (CTA) 105, 122, 124, 130, 133, 156, 157–158, 275
- use of 166–167
- chaperone proteins 233
- characteristic-induced circular dichroism (ICD) 218, 219–220
- chemical amplification 197
- chemical sensing, polymer probes for 222
- colorimetric probes 222–226
 - fluorescent probes 226–228
- circular dichroism (CD) 224, 225
- click chemistry 2, 20, 27, 38, 68, 75, 76, 77, 87, 100, 119, 122, 144, 185, 238, 240, 255, 256, 260, 288, 356, 363
- alkyne/alkene glycosides and 258
 - azide–alkyne 243–252
 - for functionalization of polyhipes 346–347
 - nonradical thiol–yne polymerization 114–115
 - thiol-based 252–253
 - thiol-ene 253–254
 - thiol-yne 254–255
- cobalt-catalyzed chain transfer polymerization (CCTP) 247
- colorimetric probes 222–226
- continuous flow method 342
- controlled ligand spacing 276–280
- controlled microstructure, functional polymers with 173
- maleimide units incorporation on polystyrene
 - - maleimides 180–181
 - - strategy 179–180
 - - styrene derivatives 181–182
 - sequence-controlled polymers preparation 182–183
 - activated esters as post-polymerization modification precursors 186
 - different functionalities incorporation on same polymer 183
 - 1 D periodic molecular arrays 183–185
 - - positionable covalent bridges formation 186–189
 - styrene and maleimides radical copolymerization 174–175
 - - controlled 177–179
 - - conventional 175–177
- controlled-molecular weight linear polymers 273–276
- copolycysteines 80
- copper-catalyzed azide/alkyne cycloaddition (CuAAC) 2, 20, 27, 31, 242, 243, 245, 250, 255, 256, 260, 261, 346
- Cotton effect 224, 225
- covalent layer-by-layer assembly 371, 374
- based on click chemistry 375–386
 - conventional assembly versus 371–375
 - reactions and approaches 396–401
 - reactive, using azlactone-functionalized polymers 387–396
 - scope and organization 375
- cyclic PLA polymer synthesis, via maleimide-terminated telechelic polymers 140
- cycloaddition. *See individual entries*
- d**
- decyldamine 393
- degree of polymerization (DP) 270, 271, 273
- dendrimers 79
- and dendritic polymers 108–110
- di(ethylene glycol) methylether methacrylate (DEGMA) 254
- 1,8-diazabicyclo[5.4.0]undec-7-ene (DBU) 11
- dibenzocyclooctyne

- copper-free click of, and azido-FL/azido-RB 365
 - photoactivated, polymer brushes
 - functionalization with 362–365
 - diblock copolymers 70
 - dibutyltin dilaurate (DBTDL) 11
 - dicyclopentadiene polyHIPEs 347
 - Diels/Alder/retro Diels-Alder
 - cycloaddition-cycloreversion reactions 120–121, 149
 - Diels-Alder reactions 20, 22, 23–24, 205, 206
 - dihydrofolate reductase (DHFR) 297
 - N,N*-dimethylaminoethyl acrylate (DMAEA) 249
 - dimethyl phenyl phosphine (DMPP) 254
 - dimethylsulfoxide (DMSO) 48, 357
 - 2,4-dinitrotoluene (DNT) 228
 - 1,3-dioxepines 167
 - di-*t*-butyl phthalate (DTBP) 202
 - dynamic mechanical thermal analysis (DMTA) 97
- e**
- edema factor (EF) 268
 - elastin-based side chain polymers (EBPs) 343, 345
 - end-functionalization methods 156–159
 - during initiation 159–160
 - after propagation 160–166
 - during propagation 166–168
 - enhanced cyan fluorescent protein (ECFP) 315
 - enhanced permeability and retention (EPR) 119
 - E*-olefins 163
 - epoxide-functionalized polymers 11
 - epoxides, anhydrides, oxazolines, and
 - isocyanates 4, 8–10, 11–13
 - Escherichia coli* 296, 299, 300, 301, 303, 308, 309, 310, 311, 313, 319, 321
 - ethylene glycol dimethacrylate (EGDMA) 249, 254, 255
 - ethyl phenylpropionate 89
 - ethylvinyl ethers, reaction with 162–163
 - expressed protein ligation (EPL) 318–319
- f**
- fast protein liquid chromatography (FPLC) 125
 - fluorescent noncanonical amino acid tagging (FUNCAT) 314
 - fluorescent probes 226–228
 - free-radical polymerization (FRP) 32, 240
 - functional carbene initiator 156

- g**
- gel permeation chromatography (GPC) curves 162
 - gels 228–230
 - giant amphiphiles. See lipase-polystyrene bi conjugates
 - glucamine 393
 - glycine-and arginine-rich (GAR) 293
 - glycopolymers 237–238
 - alkyne/alkene glycosides and backward click reactions 258
 - azide–alkyne click reactions 243–252
 - nonvinyl backbone polymers
 - post-polymerization glycosylation 259–260
 - post-polymerization modification of polymer scaffolds to synthesize 240–243
 - preparation approaches 246
 - synthesis and controlled polymerization of 238–240
 - thiol-based click reactions, utilizing 252–253
 - thiol–ene click reactions 253–254
 - thiol–halogen substitution reactions 255, 257, 258
 - thiol–yne click reactions 254–255
 - grafting-from approach 354
 - grafting glycidylmethacrylate (GMA) 345
 - grafting-through strategy 268
 - grafting-to strategy 268, 354
 - grazing-angle attenuated total reflection FTIR (GATR-FTIR) 360, 361, 364
 - green chemistry 341
 - Grubbs initiators 155
- h**
- helicity induction 218–220
 - helix inversion 220–222
 - heterotelechelic
 - biotin–maleimide-functionalized polymer synthesis 136
 - cleavable 137
 - high-internal-phase emulsion (HIPE) 333
 - histone lysine methyl transferases (HKMTs) 293
 - histone proteins 292
 - history 1–3
 - post-polymerization modification
 - of active esters 13–19
 - via azide alkyne cycloaddition reactions 27–31, 28–30
 - via Diels-Alder reactions 20, 22, 23–24
 - of epoxides, anhydrides, oxazolines, and isocyanates 4, 8–10, 11–13

- history (*contd.*)
 – via highly efficient reactions 35–38,
 36–37
 – of ketones and aldehydes 32–35, 33–34
 – via Michael-type addition 22, 25–26, 27
 – via thiol-disulfide exchange 19–20, 21
 – via thiol-ene addition 3–4, 5–6, 7
 homopolymerization, of *N*-phenyl maleimide 178
- homopolymers 47–48
 – biologically active polymers 49–50
 – hydrophobic 271
 – polymeric ligands for nanoparticles 52–53
 – stimuli-responsive polymers 48–49
 – thin films 51–52
 host–guest chemistry 217–218
 – polymers with responsive three-dimensional structures 218
 – helicity induction 218–220
 – helix inversion 220–222
 – responsive soft materials 228
 – functional polyrotaxanes 232–234
 – responsive smart gels 228–230
 – thermoresponsive materials with molecular recognition ability 230–231
 – specific chemical sensing, polymer probes for 222
 – colorimetric probes 222–226
 – fluorescent probes 226–228
- hydrogel synthesis, maleimide-containing 147–150
- hydrophilic–lipophilic balance (HLB) 340
- hydrothiolation 91
 – double 95, 97
- 2-hydroxyethyl methacrylate (HEMA) 254, 345
- hydroxy-homottelechelic polymers 167
- N*-(2-hydroxypropyl)methacrylamide (HPMA) 275, 276
- hyperbranched polymers 104–108
 – formation of gold-complex-modified 106
- i*
- imido alkylidene initiators 156
- imines 32
- intein-inspired ligation approach 315–316
 – expressed protein ligation (EPL) 318–319
 – native chemical ligation (NCL) 316–318
 – and SSI 319–320
- isopropenyl methyl ketone (IMK) 32
- k*
- ketenes 206–211
- ketones and aldehydes 32–35, 33–34
- Koenigs–Knorr reaction 238, 252, 258
- l*
- Lawesson's reagent 252
- lethal factor (LF) 268
- lipase–polystyrene bioconjugates 81
- liposomes 272
- lower critical solution temperature (LCST) 48, 49, 231, 322
- m*
- main chain α - and ω -functional (co)polymers 110–114
- maleic anhydride (MAn) copolymers 11
- maleimide group design and synthesis 119
 – containing polymeric materials 120
 – Diels/Alder/retro Diels-Alder cycloaddition-cycloreversion reactions 120–121, 149
 – maleimide-containing hydrogel synthesis 147–150
 – polymers containing maleimide groups as side chains 141–147
 – polymer synthesis at chain termini 122, 124–140
- maleimide groups, polymers containing
 – as side chains 141–147
- maleimide units incorporation on polystyrene
- maleimides 180–181
 – strategy 179–180
 – styrene derivatives 181–182
- mannose binding lectin (MBL) 347
- Markovnikov addition 91, 92
- maskless array synthesis (MAS) 394, 395
- matrix-assisted laser desorption/ionization time-of-flight (MALDI-ToF) 136, 180
- Meldrum's acid 206, 207–208, 209, 210
- methacrylate-based polymer synthesis 143
- Methanococcus jannaschii* 300
- methyl methacrylate (MMA) 345, 392
- 1-methylvinylisocyanate (MVI) 12
- Michael-type addition 22, 25–26, 27
- microcontact printing 207
- m*-isopropenyl- α - α -dimethylbenzyl isocyanate 11, 12
- molecular oxygen, reaction with 162–163
- molybdenum carbene initiator 154
- molybdenum–carbene complexes 161
- monomethylarginine (MMA) 293
- multiarm polymers synthesis 131
- multilayers, polymer 371–374, 376–377,
 379, 382, 385, 386–388, 389, 392, 394–395,
 396, 398, 399, 401
- multiresponsive polymers 48, 49

multivalency 237, 262, 270
 multiwalled carbon nanotubes (MWNTs) 386
 mushroom regime 354
 mutually reactive materials 373

n

N-acryloyloxysuccinimide(NAS) 280
 nanoimprint lithography (NIL), thermal 143
 – thiol-reactive micropattern synthesis via 144
 native chemical ligation (NCL) 316
 – selenocysteine-based N-terminal residue 316–318
 – sulfur-based N-terminal residue 316
 NCA polymerization 259, 260
 negative selection 300, 301, 302, 304–305, 308
 neighboring group participation 238
 network polymers 96–98
N-hydroxysuccinimide (NHS) 354, 356
N-hydroxysuccinimide acrylate (NHSAA) 48
N-hydroxysuccinimide derivatives (NHS) 19
N-hydroxysuccinimide methacrylate (NHSMA) 19, 48, 275, 276
N-isopropylacrylamide (NIPAM) 48, 49, 111, 231
 nitroxide-mediated polymerization (NMP) 2, 46, 178, 179, 240, 255, 257. *See also* stable free radical polymerization (SFRP)
 nitroxide-mediated radical polymerization (NMRP) 212
N-methacryloyloxysuccinimide (NMAS). *See* *N*-hydroxysuccinimide methacrylate (NHSMA)
 noncovalent modification, of polymers 217
 nondeactivating olefins, reaction with 165–166
 nonnatural amino acid (NAA) 291, 294–295, 298, 299, 300–303. *See also* posttranslational modification
 – bio-orthogonal 308, 313–314
 – biophysical studies using 307–308, 314–315
 – incorporation 309, 311
 – PEGylation of proteins via 321–322
 – photocross-linkable 306–307, 312–313
 – photoreactive 306
 – physicochemical properties modulation via 322
 – residue-specific incorporation of 311
 – tRNA and mRNA microinjection 298
 nonradical thiol-lyne click polymerization 114–115

nonvinyl backbone polymers
 post-polymerization glycosylation 259–260
N-propargyl maleimide 181
N-substituted maleimides 183, 185
 nucleophilic thiol-ene addition 68–69

o

oil-in-water emulsion 341
 olefin 72–75
 1 D periodic molecular arrays 183–185
 orthogonally functionalizable copolymers 144, 145

p

palladium-catalyzed coupling reactions 35
 pentafluorophenyl (PFP) ester groups 19
 pentafluorophenyl 4-vinyl benzoate (PFVB) 19
 pentafluorophenyl acrylate (PFPA) 49, 50
 pentafluorophenyl methacrylate (PFMA) 19
 3'-phosphoadenosine-5'-phosphosulfate (PAPS) 294
Photinus pyralis luciferase 307
 photochemical glycosylation, of native bovine serum albumin (BSA) 82, 393
 photocross-linkable nonnatural amino acid 306–307, 312–313
 photopatterning 357
 – multifunctional surfaces via 362–365
 photoreactive nonnatural amino acid 306
 poly(2-isopropyl-2-oxazoline) (PIPOX) 70
 poly(2-vinyl-4,4-dimethylazlactone) (PVDMA) 388, 391, 392–393, 394, 395, 396
 poly(acrylic acid) (PAA) 376, 377, 378, 380
 poly(dimethylsiloxane) (PDMS) 365
 poly(ethylene glycol)acrylate (PEGA) 130
 poly(ethylene glycol)methacrylate (PEGMA) 125
 poly(ethyleneimine) (PEI) 378, 386, 387, 388, 391, 392, 394, 395, 396
 poly(ethylene oxide) (PEO) 70
 poly(L-glutamic acid) (PGA) 384
 poly(L-lysine) (PLL) 384
 poly(methyl methacrylate) (PMMA) 201, 203
 poly(NHS4VB)
 – block copolymer brushes synthesis 360
 – brushes functionalization with primary amines 360–361
 poly(NHSAA) 51
 poly(NIPAM). *See* poly(*N*-isopropylacrylamide) (PNIPAM)
 poly(*N*-isopropylacrylamide) (PNIPAM) 48, 49, 51, 72–73, 81, 82, 112, 231, 379, 380

- poly(pentafluorostyrene) 255
- poly(PFPA) 52
- poly(phenyleneethynylene)s (PPEs) 141
 - synthesis of maleimide-containing 142
- poly(styrene-*co*-maleic anhydride) conjugated neocarzinostatin (SMANCS) 11
- poly(tert-butyl acrylate) (pTBA) 273, 275
- poly2Box 4
- polycarbohydrate ionophore 221
- polydispersity index 268, 273
- polyelectrolyte multilayers (PEMs) 371, 373
- polyene/thiol 75–80
- polyesters 147
- Polyether derivative bearing pendant vinyl ether groups (polyEVGE) 38
- polyethylene (PEE) 205–206
- polyHIPEs
 - applications 347–348
 - support materials 348–349
 - in tissue engineering 348
 - dicyclopentadiene 347
 - functionalization of 335–337
 - click chemistry for 346–347
 - based on copolymerization with functional comonomers 337–338, 340–342
 - based on grafting modification of porous materials 343, 345–346
 - by post-polymerization modification 342–343
 - preparation method of 334–335
 - thiol-ene-based 347
- polyhydroxystyrene (PHS) 199
- polyisobutylene (PIB) 70
- polymer analogous reaction 1
- polymer-analog reactions 75
 - polyene/thiol 75–80
 - polythiol/olefin 80–81
- polymer brushes 353–357
 - functional, synthesis and strategies
 - active ester brushes preparation by SI-ATRP 357–360
 - active ester post-polymerization modification 361–362
 - poly(NHS4VB) block copolymer brushes synthesis 360
 - poly(NHS4VB) brushes functionalization with primary amines 360–361
 - functionalization, with photoactivated dibenzocyclooctyne 362–365
 - copper-free click of dibenzocyclooctyne and azido-FL/azido-RB 365
- polymeric ligands for nanoparticles 52–53
- polymer micelles 269–273
- polynorbornenes 164, 165
- polypeptides 259
- poly-pseudo-rotaxane 233
- polyrotaxanes, functional 232–234
- polystyrene 143, 210
- polystyrene origamis, α -shaped 188
- polythiol/olefin 80–81
- Polyurethanes 79, 145
 - linear 145, 146
- Polyvalent inhibitor 268, 269, 274, 276–280, 281, 285, 286
- Polyvalent polymer therapeutics 267–269
 - biocompatible polymer scaffolds 284–285
 - bioengineered polymer scaffolds 285–287
 - controlled ligand spacing 276–280
 - controlled-molecular weight linear polymers 273–276
 - polymer micelles 269–273
 - valency matching to target 280, 282–284
- Polyvinyl alcohol (PVA) 193
- porous polymers functionalization, from
 - high-internal-phase emulsions 333. *See also* polyHIPEs
- positionable covalent bridges formation 186–189
- positive selection 300, 301, 302, 304–305, 308
- posttranslational modification 291
 - biosynthetic machinery exploitation 294
 - applications 306–308, 312–315
 - *in vitro* site specific incorporation 294–298
 - *in vivo* site specific incorporation 298–305
 - residue-specific incorporation (RSI) 308–315
 - combined approach
 - RSI and EPL 319
 - SSI and Intein-mediated ligation 319–320
 - of existing amino acids within protein chain 291
 - acetylation 292
 - glycosylation 293
 - hydroxylation 293–294
 - methylation 292–293
 - phosphorylation 291–292
 - sulfation 294
 - future 322–323
 - intein-inspired ligation approach 315–316
 - expressed protein ligation (EPL) 318–319
 - native chemical ligation (NCL) 316–318
 - protein and polymer conjugates 320
 - PEGylation of proteins via NAA 321–322

- – physiochemical properties modulation via
 - NAA incorporation 322
- propargylamine 112
- property alteration
 - acetals thermolysis 199–201
 - miscellaneous esters, carbonates, and carbamates thermolysis 197–199
 - *t*-butyl esters, carbonates, and carbamates thermolysis 194–197
- protective antigen (PA) 268
- protein and polymer conjugates 320
- PEGylation of proteins via NAA 321–322
- physiochemical properties modulation via
 - NAA incorporation 322
- protein arginine methyltransferases (PRMT) 293
- protein–polymer amphiphiles 128
- protein–polymer conjugates 130
- p*-toluene sulfonic acid (PTSA) catalyst 38
- pyrolysis 194, 203, 206, 207

- r**
- radical polymerization 46, 47, 53, 55
- reactive monomers 12, 19, 20, 22, 27, 31, 32
- reactive polymers, using
 - azlactone-functionalized polymers 387–396
- residue-specific incorporation (RSI) 308–315
- responsive soft materials 228
 - functional polyrotaxanes 232–234
 - responsive smart gels 228–230
 - thermoresponsive materials with molecular recognition ability 230–231
- reversible addition-fragmentation chain transfer (RAFT) 2, 12, 22, 32, 46, 54, 57, 71, 72, 87, 107, 122, 130, 132, 133, 134, 178, 179, 200, 239, 248, 250, 256, 257, 275, 277, 280, 281, 287
- ribosomal engineering, orthogonal 303–305
- ring-opening metathesis polymerization (ROMP) 22, 27, 32, 153, 155, 270, 272, 347
 - end-functionalization methods 156–159
 - functionalization
 - during initiation 159–160
 - after propagation 160–166
 - during propagation 166–168
- ring-opening polymerization (ROP) 240, 259, 261
- ruthenium carbene initiators 162

- s**
- Saccharomyces cerevisiae* 299, 300, 301, 302
- sacrificial synthesis 167–168
- S-adenosylmethionine (SAM) 293
- scanning electron microscopy (SEM) 229
- Schiff-base approach 399
- selenocysteine-based N-terminal residue 316–318
- self-assembled monolayers (SAMs) 100, 393
- self-condensing vinyl polymerization (SCVP) 178
- sensors. *See* chemical sensing, polymer probes for
- sergeants and soldiers effect 219
- side chains, polymers containing maleimide groups as 141–147
- single-component multilayers 376
- size exclusion chromatography (SEC) 108, 136, 275
- solid-phase synthesis technique 173
- split-intein-catalyzed ligation of proteins and peptides (SICLOPPS) 320
- stable free radical polymerization (SFRP) 87.
 - See also nitroxide-mediated polymerization (NMP)
- star polymers 55, 133, 135
- star-shaped polymers 161
- stimuli-responsive block copolymers 54–55
- stimuli-responsive polymers 48–49
- strain-promoted azide alkyne cycloaddition (SPAAC) reaction 31
- streptavidin 135
- styrene and maleimides radical copolymerization 174–175
 - controlled 177–179
 - conventional 175–177
- styrene-based telechelic polymers synthesis 129
- 2-(*N*-succinimidylcarboxyethyl methacrylate (SCEMA) 19
- sulfur-based N-terminal residue 316
- surface-initiated polymerizations (SIPs) and modifications 98–102
- symmetric dimethylarginine (sDMA) 293

- t**
- t*-butyl esters, carbonates, and carbamates thermolysis 194–197
- Tebbe's reagent 161
- telechelic polymer synthesis 134
 - cyclic PLA polymer synthesis, via maleimide-terminated 140
 - styrene-based 129
 - using symmetrical acyclic olefins 157
- tellurium-mediated radical polymerization (TERP) 87

- temperature-triggered functionalization, of polymers 193–194
 - polymer property alteration
 - acetals thermolysis 199–201
 - miscellaneous esters, carbonates, and carbamates thermolysis 197–199
 - *t*-butyl esters, carbonates, and carbamates thermolysis 194–197
 - reactive groups generation 201
 - anhydride group thermolytic generation 201–206
 - ketene thermolytic generation 206–211
 - transient reactive groups thermolytic generation 211–213
 - terminating reagent 156
 - tertiary amine (TEA) 11
 - tetrabutyl ammonium fluoride (TBAF) 126, 248
 - tetrahydrofuran (THF) 225, 270
 - tetrahydropyranyl (THP) 199
 - Tetrahymena thermophila* G73 (THG73) 298
 - 2,2,6,6-tetramethylpiperidin-1-yloxy (TEMPO) 177
 - thermoreponsive copolymers 48, 49, 54, 57
 - thermoreponsive materials, with molecular recognition ability 230–231
 - thiazolidine-2-thione (TT) 19
 - thin films 51–52, 371, 373, 396, 402
 - thiol-based click reactions, utilizing 252–253
 - thiol-disulfide exchange 19–20, 21
 - thiol-ene addition 3–4, 5–6, 7, 65
 - nucleophilic 68–69
 - polymer functionalization 69
 - bioconjugation 81–83
 - endfunctionalization 69–75
 - polymer-analog reactions 75–81
 - radical 66–68
 - thiol-ene-based polyHIPEs 347
 - thiol-ene click reactions 253–254
 - thiol–halogen substitution reactions 255, 257, 258
 - thiol-reactive maleimide group-terminated PLA polymer synthesis 138, 139
 - thiol–yne chemistry 87–88
 - in polymer and material synthesis 95–96
 - dendrimers and dendritic polymers 108–110
 - hyperbranched polymers 104–108
 - main chain α - and ω -functional (co)polymers 110–114
 - network polymers 96–98
 - nonradical thiol–yne click polymerization 114–115
 - polymer beads 103–104
 - surface-initiated polymerizations (SIPs) and modifications 98–102
 - reaction in small-molecule 88–95
 - thiol–yne click reactions 254–255
 - thiyl radicals 96
 - three-dimensional structure polymers, responsive 218
 - helicity induction 218–220
 - helix inversion 220–222
 - titanium–carbene complexes 160
 - transient reactive groups thermolytic generation 211–213
 - transition-metal–carbene complex, functional group tolerance of 154
 - transition-metal-mediated living radical polymerization (TMM-LRP). *See* atom-transfer radical polymerization (ATRP)
 - transition metals 153, 154, 155
 - transmission electron microscope (TEM) 365
 - 2,4,6-trichlorophenyl acrylate (TCPA) 340
 - trifluoroethyl acrylate (tFEA) 249
 - 4-trimethylsilyl-1-buten-3-yne 248
 - 2,4,6-trinitrotoluene (TNT) 228
 - tris[2-carboxyethyl]phosphine hydrochloride (TCEP) 126
 - tRNA chemical aminoacetylation
 - four-base codon 296–298
 - suppressor codon 294–295
 - tungsten–carbene complexes 161
 - tyrosylprotein sulfotransferase (TPST) 294
 - Tyr sulfation 294
- v**
- 4-vinyl-1,2,3-triazole monomers 248, 249
 - 2-vinyl-4,4-dimethyl-5-oxazoline (VDM) 11
 - 4-vinyl benzoate (VB) 19
 - N-(*p*-vinylbenzyl)-4,4-dimethylazlactone (VDMA) 338, 346, 392
 - vinylene carbonate 163, 164
 - vinyl esters, reaction with 163–164
 - vinylisocyanate (VI) 11, 12
 - vinylmethylketone (VMK) 32
- x**
- Xenopus* oocytes 298, 306
- y**
- yeast phenylalanine frameshift suppressor (YFFS) 298
- z**
- Z-olefins 163, 165, 166