

Index

a

- absorption spectra for water 27
- acetals 429–430
 - cyclic 163–164
 - ketene 179
- acetamides 156
- acetates
 - ammonium 1112–1120
 - ethyl 396–405
- acetic acid 396–403
- acetones 267–268
- acetophenones 363, 1133
- acetylacetonates 570
- acetylation 962–964
 - one-pot 981
 - selective 219
- 3-acetylcoumarin 358–362
- acetylenedicarboxylate 1180
- acetylenic esters 740
- 4-acetylphenyl triflate 626
- Acidolysis 907–908
- acids
 - acetic 356–357, 368–369
 - acid–base complexes 37
 - acid-catalyzed reactions 812–819, 938, 988, 1140
 - acidic rearrangement 446
 - (±)-actinophyllic 889–890
 - adipic 323, 325
 - Aib 905
 - alginic 885–886
 - amino, *see* amino acids
 - (S)-3-aminobutyric 1002
 - anhydrides 321, 1040
 - anthranilic 152, 308
 - 3-arylacrylic 550
 - arylboronic 615, 617, 644
 - ascorbic 990
 - L-asparaginic 1002
 - aspartic 912, 914–915, 1047
 - barbituric 1127
 - benzeneboronic 826
 - benzofuran-2-carboxylic 251–252
 - boronic 272, 493–494, 617–620
 - carboxylic 34, 154–156, 192
 - carboxylic diacids 323–326
 - chloroacetic 351
 - cyanuric 315
 - 1,2-dithiolane-3-valeric 1089
 - DNBSA 988–990
 - etidronic 1133
 - FFAs 836–837
 - formic 370
 - 2-formylphenylboronic 862, 879–880
 - gambogic 877–878
 - glucuronic 838
 - lactic 1029–1030
 - Lewis acid catalysis 317, 781, 817
 - Meldrum's 685, 1117–1119, 1127, 1129–1131, 1151
 - mercaptoacetic 686, 1146, 1155–1156
 - methacrylic 229, 1019
 - 2-methylpropionic 1026
 - monochloroacetic 583
 - naphthalenesulfonic 121–122
 - (2-nitrophenyl)boronic 619
 - 2-oxosuccinic 1132
 - phenylboronic 357–358, 414, 609–610
 - pinnaic 763–764
 - polyamic 188–189
 - stearic 316
 - tartaric 156
 - thioctic 1089
 - trifluoroacetic 879, 904, 1124
 - Wells–Dawson heteropolyacid 707
 - ^{65–74}ACP peptide 903

- acrylamides 1018–1019
- acrylamido monomers 1025–1026
- acrylates
 - azo-containing 1022
 - *tert*-butyl 1024
 - methyl 349, 827–828, 1025
 - monomers 1025
- (±)-actinophyllic acid 889–890
- activated carbon (AC) support 214, 414–416
- activated carbonyl ylides 238
- activated cysteine OBt ester 931
- activated histidine 931
- activated manganese dioxide–silica 449
- activated phenols 816
- activation 563–564
 - carbodiimide 920
 - chemical 61
 - energy 131–132, 290
 - enthalpy 361–363
 - free energy 119, 230
 - HXTU 924, 926
 - polar/ionic activators 904
- active base slurries 89–90
- 3-acylaminoindanones 663
- acylation 962–965
 - aromatic compounds 318–321
 - domino 695
 - enzymatic 237
 - Friedel–Crafts 186–187, 318, 321–322
 - graphite-supported 319–320
 - phen-, *see* phenacylation
- acylative cleavage, ethers 322–323
- O*-acylisourea 919–920, 932–933
- acylsulfonamides 662–663
- adamantylidene fulvene 758
- addition
 - cyclo-, *see* cycloaddition
 - Michael, *see* Michael addition
 - microwave-accelerated 428–429
 - nucleophilic 151–164, 182–185
 - poly- 1051
 - radical 983, 1083
 - RAFT 1021, 1025–1027
 - vinylpyrazoles 194–195
- ADEME 92
- adipic acid 323, 325
- adsorbed phases 43–44
- AOPs (advanced oxidation processes) 508, 564
- agents
 - anti-*Cryptococcus* 682
 - CTA 1026
 - curing 1034
 - intercalating 986
 - reducing 489–493
 - therapeutic 750
 - toxic 591
- δ/μ agonists 622
- Aib (α -aminoisobutyric acid) 905
- AIBN (azobisisobutyronitrile) 349, 1016, 1080
- AIDS, *see* HIV
- aigialomycin D 848–849
- akuammiline alkaloids 870
- alcohols 402
 - *anti*-amino 167
 - β -amino 473
 - benzyl 823, 1177
 - benzylic 454
 - deacylation 431
 - (de)protection 218–221
 - dielectric properties 33–39
 - electric field effects 111–114
 - ethanol, *see* ethanol
 - homochiral 863–865
 - *o*-hydroxybenzyl 1064
 - methanol 380
 - nucleophilic additions 162–164
 - oxidation 212, 448–455
- aldehydes
 - aliphatic 1117
 - aromatic 157–158, 821, 1116
 - conversion to thioamides 830
 - diacetates 431–432
 - divergent MCRs 1101
 - porphyrinic 754
 - protection 818
- Alder, *see* Diels–Alder
- aldoses 978, 1157–1159
- aldoximes 613–614
- alginate acid 885–886
- aliphatic diols 1038
- alkaloids
 - akuammiline 870
 - Amaryllidaceae 863, 865, 881
 - C-homoaporphine 873
 - ergot 727, 866
 - (homo)erythrina 885
 - marine sponge 715, 862
 - montanine 865
 - quinazolinone 869
 - total synthesis 859–876
 - toxoflavin 722
 - zoanthamine 892–893
- alkanones 472
- alkenes
 - electron-poor 656
 - hydroaminomethylation 502–503

- hydroformylation 663
- RCM 941
- redox reactions 822–826
- alkoxides 455
- 2-alkoxy-4(5*H*)-oxazolone 932
- alkoxylated compounds, aromatic 175–176
- alkyl aryl ethers 647
- alkyl aryl tellurides 258
- N*-alkyl-*N*-arylnitrones 761
- alkyl bromides, disubstituted 1038
- n*-alkyl halides 171
- alkyl *p*-toluenesulfonates 162
- N*-alkylaminoxy glycosylation 971
- alkylation
 - acid-catalyzed 816
 - amines 170–172
 - charge-delocalized anions 180–182
 - dianhydrohexitols 176–178
 - phosphines 144–145
 - *NH*-pyrrolidine[60]fullerenes 1067–1069
 - regioselective 225
 - selective 181, 196–197
 - solvent-free 253
- N*-alkylation
 - (de)protection 433
 - 2-halopyridines 168
- N*-alkylazadienes 290
- O*-alkylcarbamates 306
- 4'-*O*-alkylcarbamoylazalides 984
- alkylphosphine-supported catalyst 613
- alkynes 504
 - 1,3-dipolar cycloaddition 739–741
 - Sugar 997
 - Terminal 496
 - trimethylsilyl (TMS)-protected 742
- alkynoates 818
- alkynones 1141
 - *in situ* formation 1125, 1148
- alkynyl ketones 758
- alkynyl oxime 684
- alkynylbenzaldehydes 753
- 3-(1-alkynyl)chromones 708–709
- Alkynylnitrile 800–801
- all-PEG-based resin 934
- allyl anion 739
- allyl esters 192–193, 432
- allylation 659
- alumina 453–454
 - alumina-supported hydrazine 458–459
 - alumina windows 90
 - wet 449–450
- aluminum alkoxides 455
- Amaryllidaceae alkaloids 863, 868
- Amberlyst 1136–1137, 1196
- amidation 154–157
 - Goldberg 644–645
 - Nitrile 1042
 - Uncatalyzed 154
- amides 919–935
- amidination 642
- aminals 718
- amination
 - aryl nonaflates 643
 - dimesylate 1003
 - Hartwig–Buchwald 642
 - Leuckart reductive 199–200
 - reductive 457
- amines 151–161
 - alkylation 144–145, 170–172
 - 2-amino-5-cyanopyridines 1110
 - aromatic nitro compounds 458–459
 - coupling 718
 - *N*-formylation 473–474
 - Heteroaromatic 1145
 - oxidative coupling 827–829
 - primary 1197
 - tertiary 928 931
- amino acids
 - azidoamino acids 997
 - *N*-glycosylamino acids 970
 - protected 643–644, 932
- β-amino alcohols 473
 - cyclic 506
- 2-amino-5-arylthieno[2,3-*b*]thiophenes 675–676
- 5-amino-4-cyanopyrazole 1186
- 2-amino-5-cyanopyridines 1110
- 2-amino-4,6-diarylpyrimidines 991
- 5-amino-1,3-dimethylpyrazole 222–223
- α-amino esters 227, 768–769
- amino groups
 - free 910
 - Michael addition 192
- N*α-amino protection strategies 906–918
- 2-amino-substituted isoflav-3-enes 460
- amino sugar-functionalized agents 986
- aminoazoles 1100–1101
- (*S*)-3-aminobutyric acid 1002
- Aminocarbonylation 494–496, 662
- aminocoumarins 162–163
 - *N*-substituted 313
- Aminodihydropyrimidones 1132
- 2-aminoimidazolones 862, 870
- 3-aminoindole-2-carbonitriles, via 694
- aminolysis 161, 183–185
- aminopyrazoles 1186
- 3-aminopyrazoles 1120
- 5-aminopyrazoles 1121–1122

- Aminopyridines 1111
- 2-aminopyridines 1116
- 2-aminopyrimidines 1107–1108
- aminopyrrolidine[60]fullerene 1068
- aminothiol 1147
- aminotoluenesulfonamides 158
- aminotriazine compounds 173
- amlodipine 795–796
- ammonia 505–507
- ammonium
 - acetate 1103, 1113–1120
 - persulfate 435
 - sulfamate 821
 - tetrafluoroborate salts 615
 - ylides 197–198
- amorphous carbon 1081
- amphiphiles 420, 899
- analytical chemistry 545, 591
- anchoring 499, 745
- anhydrides
 - acid 1039–1040
 - cyclic 832
 - maleic 1036
 - phthalic 1039–1040
- anilines 813, 1197
 - deuterated 221
- anion exchanger 535
- anions
 - allyl 739
 - anionic β -elimination 179–180
 - anionic bimolecular reactions 145–146
 - anionic S_N2 reactions 175–180
 - charge-delocalized 180–182
 - charge-localized 175–180
 - malonate 182
 - propargyl 739
- anisole 321, 816
- anisothermal conditions 120–122
- anisyl bromide 645
- annealing 276
- annular flow-through photoreactors 586
- annulated thiazoles 310
- annulation 506
- anomerization 976–977
- anthracycline analogs 987
- anthranilic acids 308–310
- anti*-amino alcohols 167
- anti-*Cryptococcus* agents 682
- antibacterial compounds 986
- antibiotics 939
- antimicrobial oxazolidinones 623
- antiplasmodial naphthyridines 636
- Anton Paar GmbH 73–74
- AOPs (advanced oxidation processes) 564
- apogalanthamine analogs 619, 878
- apolar solvents 544
- Appel's salt 311
- applicators 63–64, 90–91
- aprotic solvents 1104
- aqueous solutions 45
 - cobalt chloride 428
 - electrolytes 390–394, 526
 - phenol 548
- Archimedean screw 1176
- arcs, electric 65, 312, 542
- arenediazonium salts 660–661
- arenes
 - hybrid calixarenes 998
 - hydroarylation 1192, 1194
 - oxidation 454
 - sulfonylation 651
 - thiazolyl 310
- Argand diagram 30–31
- arginine lactam 933–935
- aristolactams 862–863
- aromatic aldehydes 157–158, 1100
 - Knoevenagel condensation 821
- aromatic alkoxyated compounds 175–176
- aromatic carbonyl compounds 825
- aromatic compounds 318–321
- aromatic diisocyanates 1044
- aromatic double bonds 491–492
- aromatic esters 182
- aromatic ethers 186–187
- aromatic fluorides 1197
- aromatic halides 173
- aromatic ketones 23, 238–239
- aromatic nitriles 335, 639–640
- aromatic nitro compounds 458–459
- aromatic substitution
 - electrophilic 219–221
 - nucleophilic, *see* S_NAr reactions
- 2-arylbenzofurans 463
- 3-arylmethylenindol-2-one 235–236
- Arrhenius equation 246, 263, 904
- Arrhenius law 131
- Arrhenius plot 132, 261, 264, 270
- arylaldehydes 458, 471
- 7-aryl-2-alkylthio-4,7-dihydro-1,2,4-triazolo [1,5-*a*]pyrimidine-6-carboxamides 1135–1136
- aryl–aryl coupling 1201
- aryl azides 646–647, 1001
- aryl bromides 494–495
 - conversion to nitriles 637
 - diaryl ethers 647–648
 - unprotected 629
- aryl carbamates 617

- aryl chlorides 610–613, 629–634
 – Heck coupling 653
 – unactivated 634
 aryl cyanation 638
 aryl ethers 647
 2-aryl-4-ferrocenylquinoline 1117
 aryl halides 358
 – aminocarbonylation 661–662
 – cyanation 638
 – exchange reactions 652–653
 – sluggish 631
 aryl iodides 646–648
 aryl ketone β -C-glucosides 971
 3-aryl-5-methyl-2,5-dihydrofuran-2-ones
 622–623
 aryl nitriles 638, 688
 aryl–nitrogen couplings 640–647
 aryl nonaflates 642–643
 aryl–oxygen bond formation 647–648
 aryl phosphonates 649
 aryl–phosphorus couplings 649–650
 aryl spiro-oxazinanone glucosides 995
 aryl–sulfur bond formation 650–652
 aryl tellurides 258
 aryl triflates 638–639, 646
 3-arylacrylic acids 550
 arylation
 – chemoselective 622
 – Heck 653
 – Nucleophiles 633–653
 – oxidative Heck 494
 N-arylation
 – Cu-/Pd-catalyzed 641
 – palladium-catalyzed 646
 – pyrazinone 271–272
 2-arylbenzimidazoles 617–618
 arylboronic acids 615, 644
 4-arylcoumarins 708
 o-arylenediamines 189
 arylhydrazine linkers 917
 arylidenemalononitriles 1122–1123
 arylido species 982
 N-arylpyrrolidinofullerene derivatives 1069
 N-arylsulfonyl imines 473
 ascorbic acid 989–990
 L-asparaginic acid 1002
 aspartic 912, 914–915, 1047
 aspartimide 914–918
 aspidophyllines 875
 assembly, solvent-free 466–467
 asymmetric Heck reactions 660, 1005–1006
 asymmetric reduction 824–826
 athermal effects, *see* nonthermal effects
 “atom economy” 994
 ATR (attenuated total reflectance) probe 367
 ATRP (atom transfer radical polymerization)
 259, 1021–1023
 attenuation factor 112
 autoclave, RAMO 88
 automobile exhaust fumes 82
 avalanche 566
 10-aza-ergoline 727
 aza-Michael addition 1104–1105, 1139–1140
 azadienes 301, 802
 1-azadienes 791–792
 4-azafluorenones 1116–1117, 1122–1124
 Azafulleroid 1064
 7-azaspiro[4.5]dec-8-ene 1161
 azepan-4-ones 710
 azepines 1138–1142
 azetes 1100
 azetidines 674
 azetidiones 1100–1101
 azetidion-2-ones 798
 azides 1064
 – aryl 647, 1001
 – azide–alkyne cycloaddition 741, 750
 – cycloaddition 738–775
 – 1,3-dipolar cycloaddition 739–741
 – hybridized dipoles 738
 – ligands 751
 – phosphonate 740
 – reduction 493
 azidoamino acids 997
 azidobenzaldehyde components 754
 azidomethylphosphonate 289
 azidomethyldiethyl phosphonate 142
 azidophenyl porphyrins 753
 aziridination 235–236
 aziridines 222
 – bridgehead 1153–1154
 aziridino rings 1089
 aziridino fullerene 1064
 aziridinoimidazolines 1155
 azo-containing acrylates 1022
 azobenzene units 1042
 azobisisobutyronitrile (AIBN) 349, 1016,
 1080
 azolic fungicides 196
 azomethine imides 739
 azomethine imines 772–775
 azomethine ylides 739, 766–772, 1065–1071
- b**
 barbituric acid 1127
 barmumycin 852–853

- base-catalyzed reactions 821–822, 912–917
 - Fmoc 910–912
 - Thorpe–Ziegler cyclization 821
- base-free ester aminolysis 161
- base-free oxidative Heck arylation 656
- basic clays 164
- basic media
 - alkylation 180–181
 - ester aminolysis 183–185
 - PTC transesterification 182–183
- batch photoreactors 579–585
- batch processes, MAOS 69–70
- batch reactor 74–75
- batch system 387
- Baylis–Hillman adducts 818
- Beckmann rearrangement 447
- Beller's synthesis 1152
- Benard, *see* Rayleigh–Benard instabilities
- bent dipoles 739
- benzalacetophenone 490
- benzaldehyde 222, 280, 363–366, 815, 823, 1177
- benzamides 662
- benzannulation 877, 1199
- 3-benzazepines 659
- benzene solutions 38
- benzeneboronic acid 826
- benzenes, hexasubstituted 1152–1153
- benzimidazo[1,2-*c*]quinazolines 312
- benzimidazoles 370, 641–642, 694–697, 812–813
- benzoates 180
- benzo[*c*]phenanthridines 873
- benzodiazepines 812–813, 1139–1141
 - synthesis 710–714
- benzofurans 691–693, 1126
 - benzofuran-2-carboxylic acid ethyl ester 252
- benzofused sultams 713
- benzoheterocycles 812
- benzoimidazopyrimidine 1135–1136
- benzonitriles 278
 - tricyclic 639
- benzooxazinones 708–710
- benzopyranones 869
- 2*H*-benzopyrans 312–313
 - *see also* coumarins
- benzothioxazepine 1,1'-dioxides 1181–1182
- benzothiazepines 461–462, 1147–1148
 - tetracyclic 462–463
- benzothiazepinones 1146–1147
- benzothiazinones 708–710
- benzothiazoles 651, 694–696
 - synthesis 310–312
- benzothiazoloquinazolines 1136
- benzotriazoles 920–921
- benzoxazines 1149
- benzoxazinones 445, 819
- benzoxazoles 694–695
- benzoyl chloride 186, 322
- benzoylation 962–963
 - graphite-supported 319
 - selective 218
 - solvent-free 186
- N*-benzoylthiocarbamate 160
- benzyl alcohol 822–823, 1177
- benzylamines 155
 - substituted 828
- benzyl chloride 253
- 6-*O*-benzyl derivatives 977
- benzyl halides 168
- benzylation 1187, 1189
 - 2-pyridone 194, 220, 287–288
 - solvent-free 169
- benzylic alcohol 454
- benzylic methylene group 854
- S*-benzylthiuronium salts 835
- Bestmann–Ohira reagent 850
- biaryls 148, 616–617
- bicyclic cyclohexenes 1152
- bicyclic diaminodicyanopyridines 1114
- bicyclic fluorous prolines 767
- bicyclic isoxazoles 760
- bicyclic lactones 777–778
- bicyclic pyrrolidines 1102
- bicyclic systems 691–697
- bicyclo[2.2.2]octenones 791
- Biginelli reaction 469–470, 834–835, 991, 1132–1133
- bimolecular reactions 144–145, 151–175
 - anionic 145–146
 - one charged reactant 175–188
- Bingel reaction 1083, 1089
- bioactive entities, chiral 992
- bioactive heterocycles 719–729
- bioactive molecules 784, 788
 - natural 843
- biologically active compounds 984–987
- biomass, renewable 987
- biorenewable resources 1004
- Biotage 72–73
- biphasic reactions 253
- biphenyl 415
- bis-pyranobenzoquinones 1145–1146
- bisadducts, isomeric 1061–1063
- bisindolylpyridines 1112–1114
- bisphenol-A 1034–1040
- bistability 110–111

- bistellettadines 859
 block copolymers 1025
 [BMIM]BF₄ 406–412, 536
 Boc protection 907–909
 – Pyrrolidine 884
 Bohlmann–Rahtz cyclization 814
 Bohlmann–Rahtz reaction 1184–1185
 boiling point
 – NLBT/NLBP 123, 247
 – polar solvents 134–136
 – solvents 402–403
 bolaform surfactants 967
 Boltzmann
 – Boltzmann's law 21
 – Maxwell–Boltzmann statistics, *see*
 Maxwell–Boltzmann statistics
 bond activation, C–F 611
 bond formation
 – amide 919
 – aryl–oxygen 647–648
 – aryl–sulfur 650–652
 – carbon–carbon 474–475
 bond length 144
 bond vibrations 8
 bonding
 – disulfide 940
 – hydrogen 38
Boophane flava 865
 Bop 921
 borate 686
Boreostereum vibrans 847
 Born–Oppenheimer approximation 9
 borohydride, sodium 456–457
 boron
 – boron-doped CNTs 1081
 – organoboron compounds 608
 boronic acid 272, 494
 borosilicate glass 332, 354
 bound water 38–39
 2-C-branched carbohydrate derivatives 978
 brevicomin 849–850
 bridgehead aziridines 1153–1154
 bromamine-T 235–236
 bromides
 – anisyl 642, 645
 – aryl, *see* aryl bromides
 – disubstituted alkyl 1038
 – 4-methylphenyl 609
 – phenethyl 166–172
 – phenyl 645
 bromination 472
 6-bromo-2-chloroquinoline 642–643
 bromo-doubleterminated polystyrene 1022
 bromoalkenes 234–235
 2-bromoanilines 695
 2-bromobenzaldehydes 1125–1126
 bromobenzene 826
 bromocriptine 866
 4-bromoiodobenzene 653
N-bromosuccinimide (NBS) 1072
 4-bromotoluene 412–414
 Brownian motion 8–9, 26
 Bsmoc chemistry 917–918
 Buchwald, *see* Hartwig–Buchwald amination
 Buflavine 878–879
 building blocks, natural products 886–893
 Burk's catalyst 489
 butanol 356
 – *sec*-butanol solution 775
n-butanol 316
N-*tert*-butoxycarbonyl group 433
tert-butyl acrylate 1024
 butyl iodide 1032
 1-butyl-3-methylimidazolium 552
 tetrafluoroborate, *see* [BMIM]BF₄
n-butyl oxide 322
 2-*tert*-butylphenol 170
tert-butylsulfinyl chloride 980

C
 C-alkylation 194, 220
 C4-arylated sydnones 621
 C–C double bonds 489–491
 C–C triple bonds 491
 C–F bond activation 611
 C70 fullerenes 195–197, 227, 285
 C60 fullerenes 754, 773–775, 1059–1080
 C-glycosylation 971–973
 C–H borylation 616
 C-homoaporphine alkaloids 873
 C-terminal cysteine 912, 915–917
 C60@SWCNT peapods 1086
 cage systems 1159–1161
 calcination temperature 569
 calcium hydroxyapatite 774
 calixarenes 998
 Cambrex CaMWave KiloLAB 1176
 camera
 – digital 348–350
 – high-speed 418
Candida antarctica lipase B (CAL-B) 747
Cannabis 853
 Cannizzaro reaction 458
 capacitance 13
 capillary reactor 1178
 – multireactor system 1196
 – U-tube 1195
 capping, guanidine 935

- ϵ -caprolactam 261–262
- ϵ -caprolactone 1027–1029
- caramel–montmorillonite intercalation compounds 1006
- carbacycles 1151–1153
- carbamates 306–307, 617
- carbazoles 864
 - carbazole-containing monomers 1020
 - carbazole ring system 864
- carbene ligands 610
- carboannulation 663
- carbodiimides 919–921
 - activation 920
 - carbodiimide-promoted coupling 919–921
- carbohydrates
 - derivatives 745
 - 2-C-branched derivatives 978
 - carbohydrate-based drugs 970
 - chemistry 961–1008
 - fullerene–carbohydrate conjugates 1002
 - heterocarbohydrate oligonucleotide conjugates 998
 - thionolactones 980
 - unprotected derivatives 962
- carbon
 - amorphous 1081
 - carbon black 298
 - carbon-sepiolite nanocomposite 1007
 - C–C bond-forming reactions 474, 653, 477, 827
 - monoxide 494–498
 - nanostructures 1059–1091
 - nanotubes, *see* CNTs
- carbonates
 - cyclic 498–500
 - dialkyl 1187, 1189
 - dibenzyl 1188
 - dimethyl 1188
 - glycerol 1041
 - guanidinium 1131
 - trimethylene 1027
- carbonyl compounds 151–164
 - aromatic 825
 - nucleophilic additions 151–164
 - reduction 455–457
 - reductive amination 457
 - regeneration 436
 - α , β -unsaturated 490
 - urea condensation 160
- carbonyl–ene reaction 304
- carbonyl ylides 226
 - activated 238
- carbonylative coupling 661–663
- carboxamides 1135–1136
- carboxybenzyl (Cbz) 963
 - protection 907
- γ -carboxyl group 940
- carboxylesterases (CEs) 847
- carboxylic acids 34, 192
 - amidation 154–156
 - carboxylic diacids 323–326
- carboxylic esters, cleavage 432–433
- catalysis
 - acid-catalyzed reactions 812–819, 1141
 - base-catalyzed reactions 821
 - frequency effects 417
 - heterogeneous 82–83, 414–416, 811
 - homogeneous 412–414
 - Lewis acid 781, 816
 - MAOS 69–70
 - MW–US-enhanced 541–558
 - photo-, *see* photocatalysis
 - PTC, *see* PTC
- catalysts
 - alkylphosphine-supported 613
 - ammonium sulfamate 821
 - Burk's 489
 - cesium(III) sulfate 1159
 - charcoal-supported 305–306
 - copper 643, 647
 - DNBSA 988–990
 - enzymes, *see* enzymes
 - etidronic acid 1133
 - graphite 316–326
 - Grubbs 849–851
 - iron oxides 321
 - iron(III) chloride 651
 - lanthanide 820, 1028
 - last-second addition 360
 - manganese oxides 381
 - metal 1192
 - microencapsulated 614
 - mixed oxide 510–512
 - molybdenum 977–979
 - montmorillonite K-10 313, 705, 767, 814–815
 - nanoclay 991
 - nickel 629, 634, 649–652, 1119
 - organolanthanide 1018
 - oxygen-conducting 511
 - palladium, *see* palladium
 - perovskite-type 511, 516–517
 - piperidine 361, 937
 - L-proline 976
 - proton-conducting 510–511
 - pyridine–aloxime 613–614
 - rhodium 1161
 - ruthenium 237–240, 750

- selective heating 210–234
- tin powder 1030
- transition metals 607–663
- tributyl borate 686–687
- Wilkinson’s 801
- zinc powder 1027
- zirconium phosphate 817–818
- catalytic dehydration 988
- catalytic hydrogenation 239
- catalytic reduction 518–519
 - selective 518
- cation-exchange resins 1192
- cationic surfactants 420
- caustic curve 91
- cavitation 542
- cavities 63–64
 - resonant 63
 - scale-up 66–67
- CB (1-chlorobutane) 409–411
- CCG (chemically converted graphene) 1090
- CCK (cyclic cystine knot) 909
- cell-penetrating peptides 898
- CEM 70
- CEM Discover S-Class microwave unit 348, 355
 - ReactIR probe 368
- CEM MW reactor 546
- CEM Voyager 1175–1176, 1191
- ceramics 381
 - zinc oxide 276
- cesium(III) sulfate 1159
- CF (continuous flow) reactors 609
- chain polymerization 1014–1034
- chain transfer, RAFT 1021, 1026
- chain-transfer polymerization 1018
- chalcones 362–363, 1110
- chaos theory 108
- charcoal-supported catalysts 305–306
- charge-delocalized anions 180–182
- charge-localized anions 175–180
- charged products 144–145
- charged reactants 175–188
- charging, interfacial 525–527
- chelating vinyl ether 655
- chemical activation 61
- chemical reactions, *see* reactions
- chemiluminescence 593
- chemistry
 - analytical 545, 591
 - Bsmoc 917–919
 - carbohydrate 961–1007
 - electro-, *see* electrochemistry
 - Fmoc 909–917
 - Green 59–60
 - heterocyclic 673–730
 - MW-assisted 127
 - photo-, *see* photochemistry
 - polymer 1013–1053
 - sugar–phosphorus 1004
- chemoselectivity 218–234
 - arylation 623–653
 - Heck coupling 653
 - hydrogenation 489–491
 - sulfonylation 651
- Chemspeed 72–73
- chiral bioactive entities 992
- chiral centers 927
- chiral modifiers 833–834
- chlorides
 - aryl 610–611, 630, 653
 - benzoyl 318, 322
 - benzyl 253
 - *tert*-butylsulfinyl 980
 - chloroacetyl 798
 - cobalt 428
 - diacid 1040–1046
 - iron(III) 651
 - unactivated aryl 634
- chlorinated hydrocarbons 508
- chlorination, dry 217
- 2-chloro-5-nitrobenzaldehyde 1150
- chloroacetate, ethyl 1152
- chloroacetic acid 351
- chloroacetyl chloride 798
- chloroacrylonitrile 288
- chlorobenzenes 366, 1194–1195
 - hydrodechlorination 214
- 1-chlorobutane (CB) 408–411
- chlorochromate, pyridinium 435, 854
- chloroiminium species 187
- 4-chlorophenol 168
- (3-chloropropyl)dimethylsilanes 215–216
- chloropyrimidines 618
- N*-chlorosuccinimide (NCS) 216, 1072
- p*-chlorotoluene 172
- 2-chlorotrityl (Clt)-resin 915
- chocolate 29–30
- chromatography, UPLC 898
- chromeno[4,3c]pyrazol-4-ones 835–836
- chromenopyridines 1156–1157
- chromium dioxide, *see* Magtrieve
- chromium trioxide 449–450
- chromones 225, 705, 781
- chromophores 858
- cineole ketone 163
- cinnamaldehydes 813
- trans*-cinnamaldehydes 456

- cinamate, ethyl 212
- ciprofloxacin 986
- cis*-addition 232
- cis*-decalin cycloadducts 791
- cis*-selective Mannich reaction 1154
- cis*–*trans* photoisomerization 575
- cis:trans* selectivity 555
- cis/trans*-stilbenes 555
- citral 490
- citronellal 236, 829
- (±)-citronellal 833
- (+)-citronellal 305
- Claisen rearrangement 447
- Claisen–Schmidt condensation 361–362, 815
- clausine 860
- Clausius–Mosotti equation 12
- claycop–hydrogen peroxide 451
- clayfen 450
- clays
 - basic 164
 - exfoliation 42–43
 - nanoclay catalysts 991
- cleavage
 - acylative 322–323
 - aldehyde diacetates 431–432
 - carboxylic esters 432–433
 - ethers 437–438
 - phenylhydrazones 436–437
 - resin 942–944
 - selective 433
 - semicarbazones 436–437
- neo*-clerodane 887
- click cycloadditions 555–556, 636
- click reactions 740, 996–1002
- Clt (2-chlorotriptyl)-resin 915
- CMR (continuous microwave reactor) 84, 1174–1175
- CMWI (continuous microwave irradiation) 300
- CNHs (carbon nanohorns) 1088–1090
- CNTs (carbon nanotubes) 213, 1080–1088
 - boron-doped 1081
 - functionalization 1082–1088
 - multi-walled 514
 - purification 1080–1082
 - single-walled 757–758, 769, 771, 1080
 - synthesis 1080–1082
- cobalt chloride aqueous solution 428
- “coconut reactor” 91
- coffee hulls, pressed 513
- Cole–Cole model 31–32
- Cole–Cole parameter 34
- Cole–Davidson model 32
- collisions 21–22
- colloids
 - dielectric properties 45–50
 - particle shape 49–50
- combustion engines 516
- commercial graphites 317
- commercial microwave (MW) reactors 70–78
- commercial water-containing natural quartz 597
- complex dielectric permittivity 11–30
 - condensed phases 33–39
 - frequency dependence 20
 - thermal dependence 108–110
- complex magnetic permeability 30
- complex plane 30–33
- complex propagation constant 112, 115
- complex systems 107
- complex tetracycles 1155
- complexes
 - decomplexation 313–314
 - dielectric properties 37–38
 - host-guest 1060
 - molecular 37
 - molybdenum hexacarbonyl 661–662
 - ruthenium bis(diimine)sulfoxide 237–238
- comproportionation 741, 744
- computational calculations
 - fullerene reactions 1068
 - nonthermal effects 285–295
- COMSOL Multiphysics software 278
- COMU 924–925
- condensation 710
 - azepan-4-ones 710
 - Claisen–Schmidt 361–362, 815
 - Decarboxylative 766
 - heterogeneous catalysis 815–817
 - Knoevenagel, *see* Knoevenagel condensation
 - microwave-accelerated 438–445
 - Pechmann 816
 - *o*-phenylenediamine 370
 - poly- 569, 1038, 1040–1048
 - 2,5,6-triaminopyrimidin-4-one 224
 - urea 160
- condensed naphthyridines 685
- condensed phases 33–39, 43–44
- condenser 582
- condensing cone 589
- conduction, ionic 290, 903
- conduction heating
 - frequency effects 394
 - SPPS (solid-phase peptide synthesis) 906–908
- conduction losses 28–30

- conductivity 280–281, 389
 - ionic 28, 36
 - measurements 280–281
 - thermal 574
- conductors
 - ionic 112
 - metallic 112
- conformational changes 117
- conjugated *p*-phenylene ladder polymers 1049
- continuous flow (CF) organic synthesis, *see* MACOS
- continuous flow (CF) processes, MAOS 93
- continuous flow (CF) reactors 74, 76, 609
- continuous flow (CF) runs 71
- continuous microwave irradiation (CMWI) 300
- continuous microwave reactor (CMR) 1174–1175
- continuous tube reactors 69
- continuum states 10
- controlled “living” radical polymerization 1014–1021
- controller, PID 386
- convective flow 246, 251
- convective patterns 116
- conventional heating 246
- cooking 5–6
- cooling 271–277
- Cope rearrangement 141
- copoly(2-oxazolines) 1031
- copolymers
 - block 1025
 - hydrophilic diblock 1025
 - triblock 1029–1031
- copper catalysts 643
 - *N*-arylation 641
 - Cu/HMS-1 catalyst 825
 - CuAAC 741–754, 996–1002
 - diaryl–sulfide linkage 650
 - metallic 555
- copper–humic substances 591
- copper nanoparticles 652
- copper sulfate 451–452
- (+)-coronatin 887–888
- corroles 466
- cortical neurons 855
- cotton boll weevil 850
- coumarins 226, 781
 - Knoevenagel condensation 438
 - 3-*C*-mannopyranosylcoumarin derivatives 976
 - natural product analogs 885
 - *N*-substituted amino- 313
 - synthesis 705–708, 816
 - *see also* 2*H*-benzopyrans
- counter-electrode 528–529
- coupling
 - amines 718
 - aryl–aryl 1201
 - aryl–nitrogen 640–647
 - aryl–phosphorus 649–650
 - carbodiimide-promoted 919–921
 - carbonylative 661–663
 - cross-, *see* cross-coupling
 - desulfitative 633–634
 - direct Sonogashira 986–987
 - Heck, *see* Heck coupling
 - heterogeneous catalysis 826
 - ionic liquid-catalyzed 478
 - MW–US 544–551
 - onium salt-promoted 921–927
 - oxidative 509–512, 827–829
 - peptides 938
 - self- 828–829
 - solvent-free 634
 - Sonogashira 474, 633–637
 - Stille 851, 1050
 - Suzuki 357–358, 826
 - Suzuki–Miyaura, *see* Suzuki–Miyaura coupling
 - three-component 470
 - transition metal-catalyzed 607–664
 - Ullmann 643, 647–648
- coupling loops 106
- covalent anchoring 499
- covalent functionalization 1084, 1086
- COX inhibitors 623
- CRF (corticotrophin-releasing factor) 845
- critical temperature 24
- crocacin 851
- cross-coupling 608–632
 - one-pot 616
 - Sonogashira 504
 - Suzuki–Miyaura 553–554
- cross-metathesis, ethylene–alkyne 503
- cryptoacetalide 844
- Cryptococcus* 682
- cryptomelane-type manganese oxides 381
- crystal lattices, defects 43–44
- CTA (chain transfer agent) 1026
- Cu, *see* copper
- CuAAC (copper-catalyzed azide–alkyne cycloaddition) 741–754
- Triazoles 996–1002
- Cu/HMS-1 catalyst 825
- curing agents 1034
- current losses 525

- cyanation 637–640
 – aryl 638
 – aryl halides 640
 – smooth 639
 2-cyano-substituted *N*-alkylazadienes 290
 α -cyanoacetophenone 1115
 3-cyanoacetylindoles 1112
 cyanodiynes 801
 cyanoformate, ethyl 994
 2-cyanoprop-2-yl radicals 349
 3-cyanopyridines 1116
 cyanuric acid 315
 cybernetics 107
 cyclic acetals, synthesis 163–164
 cyclic alkenes 823
 cyclic β -amino alcohols 506
 cyclic anhydrides 832
 cyclic carbonates 498–499
 cyclic cystine knot (CCK) 909
 cyclic ethers 445
 cyclic imides 832
 cyclic ketals 163–164
 cyclic peptides 939–941
 cyclic sulfonamides 624, 1181–1182
 cyclic thionocarbonate functionality 975
 cyclic voltammetry 528
 cyclization 189–190
 – *o*-arylenediamines 189
 – Bohlmann–Rahtz 814
 – citronellal 236
 – dehydrative 165
 – divergent 1105
 – domino hydroformylation–cyclization 501
 – electro- 1111
 – enantioselective Heck 659–660
 – 5-*exo-dig* 777
 – head-to-tail 939–940
 – intramolecular 224, 305
 – intramolecular Heck 659–660
 – Paal–Knorr 189
 – Pauson–Khand 497
 – radical 258
 – Sonogashira 635
 – Thorpe–Ziegler 821
 – Ugi 1140, 1149
 – Ugi products 1140
 – Vilsmeier-type 686
 cycloaddition 141–143, 737–805
 – azides 740–757
 – azomethine imines 772–775
 – azomethine ylides 766–772
 – C70 fullerene 195–196
 – CuAAC 741–754
 – Diels–Alder, *see* Diels–Alder (DA) cycloaddition
 – 1,3-dipolar, *see* 1,3-dipolar cycloaddition
 – fullerenes 1060–1064
 – fulvenes 227
 – Green Chemistry 738
 – heterocyclic compounds 221–224
 – Huisgen 740–742
 – *n*-methylazomethine ylides 226
 – nitrile imines 772–775
 – nitrile oxides 757–760
 – nitrile sulfides 764–766
 – one-pot click 555–556
 – Staudinger 798
 [2 + 2]-cycloaddition 795–799
 [2 + 2 + 2]-cycloaddition 1183
 [3 + 2]-cycloaddition 738–775, 1183
 [4 + 2]-cycloaddition 775–795
 cycloadducts
 – pyrazine-containing 1062
 – thiophene 1063
 cyclocondensation 189–190
 – regioselective one-pot 165
 cyclodextrins 556
 – monomethacrylate 225
 β -cyclodextrins 1019
 cycloesterification 989
 cycloheptanone 324
 cyclohexadiene 1153–1154
 cyclohexenes 822, 1152
 cyclohexenones 867, 1153–1154
 3-cyclohexyl-1-phenyl-1-butanone 258–259
 cyclooligomerization 939
 cyclopentanone 1134
 cyclopentene 230–231
 cyclopropane derivatives 1151–1152
 [2 + 2 + 2]-cyclotrimerization 799–800, 844, 861
 cylindrical flow-through photoreactors 586–587
 cylindrical waveguides 115
 cysteines
 – activated OBt ester 931
 – C-terminal 912–913
 – residues 915
 cystine knot 909
- d**
 3D nanostructures 558–559
 Danishefsky's diene 993
 “dark” chemical reaction 590
 Dawson, *see* Wells–Dawson heteropolyacid
 DBC (dibenzyl carbonate) 1188
 DBF (dibenzofulvene) 909–910

- DBP (3,6-diphenyl-4-*n*-butylpyridazine)
404–405
- DCC (*N,N*-dicyclohexylcarbodiimide)
919–921
- deacylation 431
- dealkoxycarbonylation 178
- dealkylation, selective 175–176
- (\pm)-11-*O*-debenzoyltashironin 784–786
- debenzylation 989
- deblocking 901–902, 908–912
- debromination 235
- Debye's model 17, 20–22
- Argand diagram 31
- decalin 544
- cis*-decalin cycloadducts 791
- decarboxylation 1065
- decarboxylation–dehydration process 323
- decarboxylative allylation 659
- decarboxylative condensation 766
- decatrienes, ester-tethered 778
- 1-decene 304
- decision-making processes 111
- decomplexation, metal complexes 313–314
- deethylation 175–176
- defect in crystals lattices 43–44
- deglycosylation 938
- degradation, photocatalytic 593
- dehalogenation 549, 975–976
- dehydration 323
- catalytic 988
- dehydrative cyclization 165
- dehydrocyclocitral 832–833
- dehydrogenation 514–516
- delay 18
- demethylation 176
- dendrimers 774, 1073
- density functional theory (DFT) 282, 494, 777
- pyridines 1127
- deoximation 435–436
- 1-deoxy-1-aminoketoses 979
- 2'-deoxy C-aryl-glycopyranosides 973
- (-)-4-deoxy-3-*epi-ent*-lycoricidine 863
- deoxyaldoses 979
- deprotection 429–438
- alcohols 218–221
- allyl esters 192–193, 436
- peptides 944–945
- deprotonation 1103
- desilylation 433–434, 636–637
- desulfitative Sonogashira coupling
633–634
- desulfonylation 222–223
- dethioacetalization 434–435
- dethiocarbonylation 437
- deuterated anilines 221
- deuteration 475
- Dewar-like vacuum vessel 416–417
- DFE (dissociation field effect) 117–118
- DGEBA (diglycidyl ether of bisphenol-A)
1034–1036
- DHPMs (dihydropyrimidines) 686
- diacetates
- aldehyde 431–432
- iodobenzene 452
- selective deprotection 219
- diacids
- carboxylic 323–336
- chlorides 1045
- dialkyl carbonates 1187, 1189
- dialkylation 177
- dialkynenitrile 801
- 1,2-diaminobenzenes 812
- diaminodicyanopyridines 1114–1115
- 2,4-diaminopyrimidines 1131
- dianhydrohexitols 176–178
- diarylacetylenes 6353
- diaryl ethers 647–648
- diaryl–sulfide linkage 650
- diarylated 2(*1H*)-pyrazinones 620
- 2,4-diarylquinolines 1124
- diastereoselectivity, pyridopyrimidines
1129
- diazepines 1139–1143
- diazepinones 756
- α -diazo ketones 231
- diazoalkanes 739
- diazomethanes 1064
- dibenzoazepinone 1139
- dibenzofulvene (DBF) 909
- dibenzooxazepines 1150
- dibenzoxazepinium ylides 772
- dibenzyl carbonate (DBC) 1188
- diblock copolymers 1025, 1029
- 1,5-dibromo-2,4-dimethoxybenzene 846
- 2,4-dibromophenol 548
- β -dicarbonyl compounds 834
- 1,1-dichloro-2,2-bis(4-hydroxyphenyl)ethylene
1037
- 1,2-dichlorobenzene 505
- o*-dichlorobenzene (ODCB) 285, 1062
- 4,5-dichloropyridazinone 620
- N,N*-dicyclohexylcarbodiimide (DCC) 919
- didemniserinolipids 848–849
- dielectric constant
- alcohols 380
- frequency effects 388, 393
- relative static 12

- dielectric heating 129
 - frequency effects 392
 - MW–US coupling 542–543
- dielectric losses 18–26
 - alcohols 380
 - Cole–Cole model 32
 - Debye’s model 20–22
 - dielectric loss tangent 62, 653
 - dynamic consequences 25–26
 - frequency effects 393, 398
 - ionic conductivity 36
 - macroscopic theory 19–20
 - microscopic theory 21–22
 - temperature effect 23–25
 - thermal dependence 108–111
- dielectric permittivity
 - complex, *see* complex dielectric permittivity
 - frequency dependence 268
 - thermal dependence 26–28
- dielectric properties 3–56
 - adsorbed phases 43–44
 - colloids 46–50
 - condensed phases 33–39, 43–44
 - electrolytes 35–37
 - frequency dependence 526
 - group properties 14
 - interfaces 45–46
 - ionic impurities 399
 - molecular behavior 30–43
 - organic solvents 399–402
 - solids 43–44
 - thermal dependence 109–110
 - water 399–402
- dielectric spectroscopy (DS) 47
- dielectric thermal feedback 110
- dielectrics 13–14
- Diels–Alder (DA) cycloaddition 217–218, 1180
 - fullerenes 1059–1062
 - irreversible 282
 - MACOS 1180
 - simultaneous cooling 271–274
 - triazole ring 448
- Diels–Alder (DA) dimerization 1113
- Diels–Alder (DA) reaction 137, 290, 993–994
 - acid-catalyzed 812–819
 - frequency effects 404–406
 - furan–Diels–Alder (DA) approach 777
 - graphite sensitizers 299
 - hetero- 775–784, 792–795, 1064
 - intermolecular 787–792
 - intramolecular 775–778
 - transannular 784
- dienes 792
 - DA reactions 304
 - Danishefsky’s 993
- dienophiles 288, 791
 - ethylenic 302
- 3,3-diethoxypentane 367
- diethyl ether 398
- diethylacetylene dicarboxylate 273
- differential equations 108
- diffusion 266–269
 - processes 21
- diffusion coefficient 263–264
 - free 263
- digalactosyl clusters 746
- digestion vessel 584
- digital camera 348–350
- diglycidyl ether of bisphenol-A (DGEBA) 1034–1036
- dihalides, organic 549
- dihydrobenzoxepinopyridines 802
- dihydropyranones 792
- dihydropyrans 1142–1144
 - 2,3-dihydropyrans 1142–1143
- dihydropyridines 684–685, 1119, 1187
 - hexasubstituted 1112
- 1,4-dihydropyridines 795
- dihydropyrimidin-2-thione 651, 1134
- dihydropyrimidines (DHMPs) 686, 1133–1137
- dihydropyrimidinethiones 1185
- dihydropyrimidinones, fused 1135
- dihydropyrimidones 645
- dihydropyrroles 1102–1104
 - spiro 1103–1104
- diisocyanates 1044
- N,N*-diisopropylethylamine 980
- diisopropylethylamine (DIEA) 915, 925, 927–930, 980
- 1,4-diketones 443
- Diketopiperazine 915–917, 1137
- dimensional resonances 113–114
- dimeric surfactants 420–421
- dimeric tetraguanidines 859
- dimerization 1113
- dimesylate 1003
- 4,4’-dimethoxyphenyl sulfone 816
- dimethyl acetylenedicarboxylate (DMAD) 150, 1180
- dimethyl acrylamide (DMA) 1027–1028
- dimethyl carbonate (DMC) 498, 1188–1189
- dimethyl formamide (DMF) 134, 140, 402
- N,N*-dimethyl formamide (DMF) 1014–1015
- dimethyl maleate 228
- dimethyl sulfoxide (DMSO) 366, 400–403

- 3-dimethylamino-1-propylamine 1019
 dimethylaminobutanones 1118
 2,3-dimethylbutadiene 301–302
 6,6-dimethylfulvene 289
 2,5-dimethylfuran 1180
 Dimroth condenser 582
 Dimroth rearrangement 1185
 2,4-dinitrobenzenesulfonic acid (DNBSA) 988
 3,5-dinitrosalicylate (DISAL) 967–969
 diols 817
 – aliphatic 1038
 – vinyl-substituted 988
 dioxolanes 429–430
 dipeptides 906
 3,5-diphenyl-4-aminotriazole 136
 3,6-diphenyl-4-*n*-butylpyridazine (DBP) 404–405
 3,6-diphenyl-1,2,4,5-tetrazine 416
 diphenylnitrilimine (DPNI) 774
 1,3-dipolar cycloaddition 739, 758, 994–996
 – fullerenes 1059–1060
 dipolar transition states 146, 151
 dipolarophiles 777
 dipole–dipole interactions 149
 dipole friction 525
 dipole moment 12, 144
 – amine alkylations 171
 – induced 287
 – molecular complexes 38
 – polymers 40
 dipole relaxation 43–44
 dipoles
 – bent 739–740
 – electric 16, 26
 – linear 739–740
 – orientation 129
 – rotation 902
 – *sp*-/*sp*²-hybridized 738–739
 1,2-dipropargylbenzene 278
 direct Sonogashira coupling 986–987
 disaccharides 964, 966
 discharge lamps, EDLs, *see* EDLs
 discharges
 – electric 418
 – UV/Vis 564–579
 Discover system 85
 disk-shaped particles 49
 dispiro heterocycles 766–767
 dissipation factor, *see* dielectric losses
 distribution function 21–22
 disubstituted alkyl bromides 1038
 disubstituted vinyl monomers 1020
 1,4-disubstituted-1,2,3-triazoles 637, 743
 2,4-disubstituted quinolines 464
 3,7-disubstituted quinolines 1125
 4,5-disubstituted pyridazinones 620
 disulfide bonding 940
 disulfides 452–453
 1,2-dithiolane-3-valeric acid 1089
 ditosylates 178
 divergent cyclization 1105
 divergent MCRs 1101
 divergent synthesis 1119–1120
 diversity-oriented synthesis (DOS) 1181
 δ/μ agonists 622
 DMA (dimethylacrylamide) 1026
 DMAD (dimethyl acetylenedicarboxylate) 150
 DMC (dimethyl carbonate) 498, 1188
 DMF (dimethylformamide) 134, 140, 396, 427
 DMF (*N,N*-dimethylformamide) 1014–1015
 DMSO (dimethyl sulfoxide) 366, 399–401
 DNA, recombinant 899–900
 DNA viruses 750
 DNBSA (2,4-dinitrobenzenesulfonic acid) 988–990
 dodecatungstocobaltate trihydrate 1106, 1118
 Doebner, *see* Knoevenagel–Doebner reaction
 domino acylation 695
 domino hydroformylation–cyclization 501
 domino nitro reduction 1140
 doping, titania 569–570
 DOS (diversity-oriented synthesis) 1181
 double-bonded dipolarophiles 765
 double bonds, aromatic 491–492
 double-layer thickness 46
 double wall 585
 double-walled reactor 417
 Dowex 1-X2 anion exchanger 535–536
 DPNI (diphenylnitrilimine) 774
 drilled porous cell 1185
 droplet polymerization 1016
 drugs
 – carbohydrate-based 970
 – erlotinib 701, 703
 dry chlorination 217
 “dry media” 297
 DS (dielectric spectroscopy) 47
 dynamic kinetic racemization 212
 dynamic systems 107–108
 – Raman spectroscopy 356
- e**
- ECHA (ethyl 2-cyano(hydroxyimino)acetate) 897, 911, 924–925, 949

- EDLs (electrodeless discharge lamps) 279, 336
 - batch photoreactors 580–585
 - quantum output 581
 - spectral characteristics 571–572
 - temperature 576–577
 - thin titania films 568–571
- effects
 - dissociation field effect (DFE) 117–118
 - electric field 111–114, 117–120
 - electrostatic polar 129
 - frequency 380
 - Maxwell–Wagner 45–46
 - medium 134–140
 - “microwave effect” 245
 - nonsynergic 590
 - nonthermal 127–200, 210, 478, 515
 - physicochemical 542
 - quantum 119
 - reaction mechanisms 140–146
 - “second Wien’s effect” 117–118
 - selectivity 147–150, 194–198
 - self-reversal 576
 - synergic 590
 - thermal, *see* thermal effects
 - thermal path 120–122
 - thermodynamic 117–118
 - wall 246–247
- efficiency, heating 386–403, 1178
- EGFR (epidermal growth factor receptor) 704
- electric arcs 312, 542
 - MW–US methods 558
- electric dipoles, *see* dipoles
- electric discharges 418
- electric displacement 14
- electric field 14
 - density 384
 - dipole orientation 129
 - effects 111–114, 117–120
 - heating rates 394–397
 - Maxwell’s equations 114–115
 - radial 113
 - static 16–18
 - time-dependent 26
- electric susceptibility 18
- electrical conductivity, *see* conductivity
- electrochemical flow reactor processes 533–536
- electrochemistry 525–537
- electrocyclization 1111
- electrode processes 525–527
- electrodeless excimer lamps 597
- electrodeless lamps 564–579
 - electrodes
 - ITO 529–530
 - platinum disc 533–534
 - surface 251
 - electrokinetic behavior of colloids 49–50
 - electrolyte solutions, aqueous 390–394, 527
 - electrolytes, dielectric properties 35–37
 - electromagnetic energy 14–18
 - electromagnetic spectrum 7–8
 - electron density 298
 - electron paramagnetic resonance (EPR) 527
 - electron-poor alkenes 656
 - electron-withdrawing groups 754
 - electron transfer, photoinduced 1067
 - electronic current losses 525
 - electrophiles
 - arenediazonium salts 661
 - neutral 145–146
 - electrophilic aromatic substitution 219–221
 - electropositive metals 556
 - electrostatic polar effects 129
 - electrostatic potential 286
 - elimination 472–473
 - β -elimination 938
 - anionic 179–180
 - emission wavelengths, EDLs 575
 - EMULPOLY simulation package 1017
 - emulsion polymerization 260, 1015, 1017
 - enamides 494
 - Heck arylation 658
 - enamines 439–443
 - functionalized 289
 - oxidation 455
 - synthesis 151–153
 - β -enaminocarboxylic compounds 440
 - enantioselective Heck cyclization 660
 - enantioselective hydrogenation 489
 - enantioselectivity, modifications 234–239
 - ene reactions 304–305
 - energy
 - activation, *see* activation
 - Brownian motion 9
 - electromagnetic spectrum 7–8
 - electromagnetic storage 14–18
 - stabilization 133
 - transfer mechanisms 903–904
 - energy efficiency 67–68
 - energy partition, molecular systems 9–10
 - engineering, green 59–60
 - enol ethers 210
 - enolization 928–932
 - enones 818–820
 - *ent*-12-*epi*-fischerindole 873
 - envelope material 572–573

- environmental applications of photoreactors 591–597
- enzymatic activity 266
- enzymatic acylation 237
 - racemic 1-phenylethanol 237
- enzymes 264–266
 - CAL-B 747
 - enzyme-catalyzed reactions 476
 - luciferase reporter assays 792
 - MAPK 722
 - PTP 993, 996–997
- epi*-deoxyaldoses 978
- epichlorohydrin 168
- (±)-epilupinine 501
- epimerization 927–928
- epoxidation 822–824
 - selective 236
- epoxides
 - cyclic carbonate formation 499
 - fullerenes 1067
 - ionic liquid-catalyzed coupling 478
 - monosubstituted 234
 - ring opening 167–168, 261, 506
 - styrene 553
 - thiirane synthesis 463
- epoxy-amine systems 1034
- epoxy resins 1034–1037
- 2,3-epoxycyclohexanone 655
- equilibrium distance of ion pairs 134
- ergot alkaloids 727, 866
- erlotinib (Tarceva) 701
- erythrina 866
- ester aminolysis, base-free 161
- esterification 836–838
 - acetic acid 357, 368
 - cyclo 989
 - kinetics 211, 248
 - MACOS 1190
 - propanol 134
 - solvent-free 162
 - stearic acid 316
- esters
 - acetylenic 740
 - allyl 192–193, 433
 - α -amino 227, 768
 - aminolysis 183–185
 - aromatic 182
 - carboxylic 432–433
 - cysteine OBt 931
 - ester-tethered decatrilenes 778
 - ethyl 252, 352
 - pyruvic 1122
 - spiro-orthoesters 1052
 - thermolysis 306–307
 - vinyl 1027
- ethanol
 - acetic acid esterification 369
 - dielectric parameters 378
 - heating profile 247
- Etherification of aromatic halides 173
- ethers
 - acylative cleavage 322–323
 - alkyl aryl 647
 - aromatic 186–187
 - chelating vinyl 655
 - cleavage 438
 - cyclic 445
 - diaryl 650
 - diethyl 398
 - diglycidyl 1034, 1036
 - enol 210
 - polycyclic 887
 - unsymmetrical 550
- ETHOS 4000, 81
- Ethos Pilot 79
- ethoxyanisole 176
- 2-ethoxyanisole 176
- 3-ethoxycarbonyl- α -pyrone 282–283
- 1-ethoxycarbonylcyclohexadiene 282–283
- ethyl acetate 404–405
- ethyl acetoacetate 361, 469
- ethyl benzoate 185
- ethyl *N*-benzoylthiocarbamate 160
- ethyl chloroacetate 1152
- ethyl cinnamate 213
- ethyl cyanofornate 994
- ethyl esters 252, 351
- ethyl formate 367
- ethyl pyruvate 239
- ethylbenzene 514
- ethylene 503–505
- ethylene–alkyne cross-metathesis 504
- ethylenic dienophiles 302
- ethynyl tetra-*O*-benzyl-*C*-galactoside 749
- ethynyl fluorene 1049
- C*-ethynyl ribofuranose 994
- etidronic acid 1133
- eugenol 136
- eugenol–isoeugenol isomerization 446
- Evodia rutaecarp* 873
- exchange reactions 475, 652–653
- excimer lamps 597
- exfoliated graphite oxide (GO) 1090
- exfoliation, clays 42–43
- exhaust fumes, automobile 82
- 5-*exo-dig* cyclization 777
- exo*-glucals 995
- external UV lamp 581

- extraction
 - MW–US-assisted 557
 - supercritical fluid-based 547
- f**
- F-glycosylation 971–973
- F-21-tagged reagents 627
- fatty acids, free 836
- Fe, *see* iron oxide
- feedback
 - dielectric thermal 110
 - GMP 97
 - nonlinear loops 106
- Fenton's reagent 548
- Ferrier rearrangement 447
- As (free fatty acids)
 - 836–837
- fiber-optic (FO) temperature monitoring 329
- field
 - electric, *see* electric field
 - homogeneity 68
 - magnetic 382, 390–391
- filament lamps 336
- fill material 573–574
- films
 - gold 1199
 - thin, *see* thin films
- first-order reactions 146
- ent*-12-*epi*-fischerindole 873
- Fisher indole synthesis 465
- five-membered systems 674–682
- flammability 1037
- flash heating 1173
- flavones 459–460
 - synthesis 705–708
- flavonoids 459
- flocculation processes 48–49
- flow, convective 246, 251
- flow cell 1184
- flow reactors 1185
- flow-through photoreactors 585–589
- fluid-based extraction, supercritical 547
- fluids, supercritical 25
- fluorene ring system 909
- 9-fluorenylmethoxycarbonyl group, *see* Fmoc
- fluorescence 370, 372, 593
 - spectroscopy 372
- fluorescent sensors 980
- fluorides
 - aromatic 1197
 - lithium 44
- fluorination 334
 - heterocyclic compounds 143
 - sugars 975
- fluorine, C–F bond activation 611
- fluoropolymers 330
- fluoroquinolone derivatives 984, 986
- fluorous prolines, bicyclic 767
- fluorous Suzuki–Miyaura coupling 614
- fluorous-tagged bicyclic pyrrolidines 1102
- Fmoc 900–901, 909–917, 932
- FO (fiber-optic) temperature monitoring 329
- focusing, localized 531
- food heating 377
- food science 39
- formate, ethyl 367
- formic acid 370
- formylation 187
- N*-formylation 473–474
- 2-formylphenylboronic acid 880
- fosmidomycin analogs 657
- four-membered systems 674–682
- four-ream multi-mode equipment 377
- β -fragmentation, radical 983
- free amino group 910
- free diffusion coefficient 263
- free energy 119
- free-radical polymerization 1014–1021
- frequency, electromagnetic waves 6
- frequency bands 379
- frequency effects
 - catalysis 412
 - heating efficiency 386–403
 - hot spots 416–419
 - organic synthesis 382
 - reactions 380–381
- friction
 - dipole 525
 - inner 21
- Friedel–Crafts acylation 186–187, 322
- Fries rearrangement 220–221
- Fronodosin 857–859
- fuel oil, solvent-free esterification 162
- fullerenes 1059–1080
 - C60 773–774, 1060
 - C60@SWCNT 1086
 - C70 195–196, 227, 285
 - fullerene-based polymers 1078
 - fullerene–carbohydrate conjugates 1002
 - fullerene-functionalized polycarbonates 1080
 - hydrogenation 1078
 - reactivity 1060–1080
 - symmetry 1069
- fullero-dendrimers 774
- fulleroids 1060
- fullerols 1060
- fulvene 228

- functional C-glycosides 995
 - functional inorganic–polymer composites 41–43
 - functionalization
 - CNTs 1082–1088
 - Covalent 1086
 - Enamines 289
 - functions (chemistry), relaxation time 23
 - functions (mathematics)
 - general relaxation function 25
 - Langevin function 17
 - fungicides 196
 - furan 273
 - furan-Diels–Alder (DA) approach 777
 - furan stannane reagent 627
 - furopyridines 1126
 - fused bicyclic isoxazoles 760
 - fused dihydropyrans 1144
 - fused dihydropyrimidones 1134
 - fused dihydropyrimidinones 1135
 - fused oxazepines 1151
 - fused pyrans 1143–1144
 - fused pyridines 801, 1110–1116
 - tricyclic 1120–1121
 - fused pyrrolodiazepines 1163
 - fused tricyclic piperidines 1124
 - “fuzzy information theory” 107
- g**
- GalA 984
 - 1-galactono-1,4-lactone 429
 - galactopyranosyl analogs 975
 - galactose 966
 - galactosyl azide 998
 - galactosyl iodide 971
 - GalNAc, propargylated 999
 - gambogic acid (GA) 877
 - Garcinia hanburyi* 877
 - gas-phase catalysis, heterogeneous 82
 - gas-phase dehalogenation 549
 - gas-phase reactions 84, 297
 - gas-phase synthesis 508–516
 - gas-phase temperature 510
 - gases
 - gaseous reactants 487–520
 - inert fill gases 574–576
 - ionized 565
 - noble 574
 - pressure 490
 - gatifloxacin 986
 - Gemini surfactants 420–421
 - general relaxation function, supercritical fluids 25
 - general system theory 107
 - generators 383
 - geometric optics 91
 - germanium tetrahalides 314–315
 - Gewald reaction 675, 1145
 - GFP (green fluorescent protein) 372
 - Ghosez-type reaction 679
 - Glarum’s generalization 33
 - glass
 - borosilicate 334, 354
 - coiled flow cell 1184
 - GlcNAc 966
 - exo*-glucals 995
 - gluconyl hydrazide 981
 - gluconyl phenylhydrazide 981
 - glucopyranosyltriazoles 999
 - glucose, peracetylated 1000
 - glucosides, aryl ketone β -C- 971
 - glucosyl donors 971
 - glucuronic acid 838
 - D-glucuronic acid (GlcA) 981–982
 - Glutamine 943
 - Glycans 936
 - glycerol carbonate 1041
 - glycobiology 970
 - glycoconjugation 746
 - glycols 983
 - propylene 163
 - glycopeptides 936–938
 - O-linked 938
 - glycosidase inhibitors 999
 - C-glycosides 996
 - N-glycosyl amino acids 970
 - glycosyl donors 965
 - glycosyl phosphorothioates 1005
 - glycosyl sulphides 239
 - glycosylation 965–975
 - N-alkylaminooxy 971
 - regioselective 975
 - N-glycosylation 966–971
 - O-glycosylation 966–971
 - α -glycosylmethylaldehydes 977
 - glycozolidine 860
 - glycylglycine 906
 - glyoxal monophenylhydrazone 223
 - GMP feedback 97
 - gold films 1199
 - gold–gold junction electrode 533
 - gold nanoparticles 751
 - Goldberg reaction 644
 - graduated acidolysis method 908
 - gramicidin 927
 - grandisol 850
 - granulated electrodeless lamp, MW-discharge, *see* MDGEL

- grapheme 1090
 - graphene oxide nanoribbons (GONRs) 1082
 - graphimets 321
 - graphites
 - catalyst 316–326
 - exfoliated graphite oxide 1090
 - graphite–MW interaction 298
 - graphite-supported acylation 319
 - graphite-supported benzooylation 319
 - sensitizer 299–316
 - synthetic commercial 317
 - graphitization 1006
 - Green Chemistry 128, 199
 - Cycloadditions 739
 - Friedel–Crafts acylation 324
 - 12 principles 59
 - *see also* solvent-free . . .
 - Green Engineering 59–60
 - green solvents, water 386–390
 - Grignard reactions 557
 - Grignard reagent 417
 - Kumada coupling 631
 - group properties 14, 120
 - groups
 - amino 192, 910
 - benzylic methylene 854
 - Bsmoc 917–918
 - *N-tert*-butoxycarbonyl 433
 - γ -carboxyl 940
 - electron-withdrawing 754
 - Fmoc 900–901, 909–917
 - δ -guanidino 933
 - hydroxyl 192
 - methyl 286, 1070
 - methylallyl 233
 - onium 925
 - polar 33
 - side chain protecting 943
 - urethane 932
 - growth, nanocrystals 268–269
 - Grubbs second-generation catalyst 850
 - guanidine capping 935
 - guanidinium carbonate 1131
 - δ -guanidino group 933
 - guest, host-guest complexes 1060
 - gymnocin-A 887
- h**
- H-field, *see* magnetic field
 - halides
 - *n*-alkyl 171
 - aromatic 173
 - aryl 358, 652–653, 661
 - benzyl 168
 - cyanation 640
 - germanium tetrahalides 314–315
 - lanthanide 1028
 - metal 573
 - sluggish aryl 631
 - halofullerenes 1060
 - halogen exchange reactions 652
 - halogenation, *vic*-diol 975
 - halogenation-dehalogenation 975–976
 - halogens, nucleophiles 633–653
 - 2-halopyridines 168
 - Hantzsch pyridine synthesis 992
 - hapalindoles 871–872
 - Hartwig–Buchwald amination 642
 - HCTU 902, 932
 - head-to-tail cyclization 939–940
 - heating
 - conduction 394, 412
 - conventional 246
 - dielectric 129, 394, 542–543
 - efficiency 386–403, 1178
 - flash 1173
 - food 377
 - hot-plate (HP) 264
 - inhomogeneity 351
 - Joule 30
 - MW 86
 - nonequilibrium local 254, 366
 - “(non)invasive” 330–331
 - PHEs 215, 327–331
 - profile 240
 - propagation 416
 - reaction monitoring 356–363
 - selective 210–218, 366
 - SPPS 903–904
 - thin films 271
 - heavy water 389
 - Heck arylation
 - ionic liquids 654
 - oxidative 494, 656
 - Heck coupling 274
 - asymmetric 660
 - iodobenzene 827
 - Heck cyclization 658–659
 - Heck reaction 231, 554–555, 653–661
 - asymmetric 1006
 - pyrazolino[60]fullerenes 1073
 - Heck vinylation, oxidative 657
 - helix–coil transitions 117
 - Hemetsberger–Knittel reaction 692
 - hepatitis C virus NS3 protease inhibitor 690
 - hetero-Diels–Alder (DA) reaction 993–994
 - fullerenes 1064

- intermolecular 787–795
- intramolecular 778–787
- heteroannulation 635
- heteroarenes 492, 1194
- heteroaromatic amines 1145
- heteroaromatic compounds 737
- heteroaromatic double bonds 494
- 4-heteroaryl phenylalanine 618
- heteroatoms 674–682
- heterocarbohydrate oligonucleotide conjugates 998
- heterocycles
 - bioactive 719–721
 - dispiro 767
 - heterogeneous catalysis 837
 - nitrogen 301, 463–465, 1100–1142
 - spiro-fused 470
 - synthesis 308–310, 1080–1082, 1099–1164
 - tricyclic 1119
- N-heterocycles, one-pot synthesis 469
- heterocyclic chemistry 673–730
- heterocyclic compounds
 - fluorinated 143
 - heterocyclic azadienes 802
 - N-heterocyclic carbene ligands 610
 - reactivity 221
 - synthesis 221, 459–470
- heterocyclic motifs 502
- heterocyclic nucleosides 761
- heterogeneous catalysis 82–83, 414–416, 811
- heterogeneous kinetics 122–123
- heterogeneous media, interfacial charging 525
- heterogeneous reactions 266–271
 - MACOS 1190
- heterophosphole sulfides 697
- heterophosphole-2-sulfides 699
- heteropolyacid 707
- hex-1-en-3-uloses 967
- hexacarbonyl complex, molybdenum 661
- hexamethyl disilazane 224
- hexasubstituted benzenes 1152–1153
- hexasubstituted dihydropyridines 1112
- hexoses 978
- 1-hexyne 406
- Hg-EDL 567
- Hickman instabilities 116
- high-pressure devices 87
- high-pressure digestion vessel 584
- high-speed camera 418
- high-speed synthesis 613
- high-throughput experimentation 339
- highly functional inorganic–polymer composites 41–43
- himeradine A 892
- hindered biaryls 617
- hindrance, steric 902, 915
- histidine 932
- histidine residues 928
- history
 - microwave frequency effects 380–381
 - microwaves 3–10
 - SPPS 903–904
- HIV-1, replication 857
- HIV-1 protease inhibitor 624, 631
- Hiyama reaction 632
- HKAs (heterocyclic ketene amins) 718
- HMDO (hexamethyl disiloxane) 159
- HMPA (hexamethylphosphoric triamide) 921
- HOBT (hydroxybenzotriazole) 897, 911–912, 919–926
- homo-coupling, Suzuki–Miyaura 554
- homochiral alcohols 864
- homoerythrina 885
- homogeneous catalysis 412–414
- homogeneous organic reactions, kinetics 248
- homogeneous reactions, MACOS 1177–1190
- homogeneously nucleated emulsion polymerization 260
- homopolymers 1026–1029
- host-guest complexes 1060
- hot spots 122–123, 210, 212, 249–256, 525
 - frequency effects 419
- HP (hot-plate) heating 264
- HTIB ([hydroxyl(tosyloxy)iodo]benzene) 454
- HTPE (high-temperature polyethylene) 337
- Hughes–Ingold model 140
- Huisgen cycloaddition 741
- humidity 399
- Huning's base 1200
- HXTU activation 926
- hybrid calixarenes 998
- hydantoin derivatives 1042
- hydrazides 981
- hydrazine 459
- hydrazones 442, 774
 - synthesis 153–154, 550
- hydroaminomethylation 503
- hydroarylation 1192, 1194
- hydroboration 1069
- hydrocarbons
 - chlorinated 508

- hydrocarbons (*contd.*)
 - oxidative dehydrogenation 514
 - partial oxidation 513
 - hydrochalcogenation 457
 - hydrodechlorination 214, 1195
 - hydrodenitration 787
 - hydrodesulfurization 519
 - hydrodynamics 117
 - hydroformylation 500–503, 663
 - hydrogen
 - bonding 38
 - peroxide 451
 - reducing agent 489–493
 - sulphide 505–507
 - hydrogenation 824
 - C–C triple bonds 491
 - Catalytic 239
 - Chemoselective 490
 - double bonds 489–491
 - enantioselective 489
 - fullerenes 1078
 - transfer 213, 824
 - hydrolysis
 - aromatic nitriles 335
 - aspartimide formation 914
 - enol ethers 210
 - photo- 583
 - hydrophilic diblock copolymers 1025
 - hydrosilylation 269
 - hydrostannylation 626–627
 - hydroxide ion 29
 - hydroxy groups, Michael addition 192
 - o*-hydroxyacetophenone 815
 - hydroxyapatite, calcium 774
 - o*-hydroxybenzyl alcohol 1064
 - β -hydroxycarbonyl compounds 829
 - o*-hydroxychalcones 191–192
 - hydroxyiminodihydrobenzofuran 692
 - hydroxyketals 829
 - α -hydroxy ketones 452, 1159
 - hydroxylamine 832
 - 4-hydroxyquinolones 1142
 - hyperfine structure 564
 - hyphenated techniques 83–85
- i**
- icosahedral structure 1060
 - ideal synthesis 1100
 - ILs, *see* ionic liquids (ILs)
 - imaginary part, complex permittivity 18–26, 35
 - imaging, thermal 350–353
 - IMDA reactions 290
 - imidazo[1,2-*a*]pyridines 1004
 - imidazo[2,1-*b*]thiazoles 992
 - imidazoles 1106–1109
 - synthesis 676–677
 - imidazolones 1109
 - imidazopyridines 1108, 1159–1160
 - -tricyclic 1125
 - Imidazopyridinones 1156
 - imides
 - azomethine 739
 - cyclic 832
 - nitrile 739
 - imidization 132, 188–189
 - imination 506
 - imines 439–443
 - *N*-arylsulfonyl 439
 - asymmetric reduction 824–826
 - azomethine 774–775
 - formation 354
 - imine systems 194–195
 - isolated 1106
 - nitrile 772–775, 1072–1078
 - spirocyclic 890
 - synthesis 151–153
 - imino sugars 1002–1004
 - δ -iminoalkynes 224
 - iminyl radicals 860
 - “Improvements” 59–60
 - impurities, SPPS 947
 - in situ* carboannulation 663
 - in situ* spectroscopy 354
 - 1,3-indanedione 1116
 - indeno[1,2-*b*]pyridines 1117
 - indeno[1,2-*b*]pyridinones 1123
 - indoles 465, 817
 - 2-substituted 635
 - Synthesis 692–694
 - indolin-2-ones 784
 - indolizidines 995–996
 - indolizines 772
 - indolizinones 1161–1162
 - indolo[1,2-*c*]quinazolines 308
 - indoloketones 861
 - induced dipole moment 287
 - induced selectivity 120–121
 - industrial-scale technological management 93
 - inert fill gas 574–576
 - Ingold, *see* Hughes–Ingold model
 - inhibitors
 - COX 623
 - EGFR 704
 - glycosidase 1000
 - hepatitis C virus NS3 protease 690
 - HIV-1 protease 624, 629

- HIV-1 replication 857
- mammalian CEs 847
- MTB-DXR 657
- p38 MAP kinase 641
- pancreatic lipase 847
- plasmepsin 625
- PTP 996–997
- inhomogeneity, thermal 249–256, 353
- injection, sequential 1198
- inner friction 21
- inorganic–polymer composites 41–43
- instabilities, hydrodynamic 116
- insulation 13–14
 - Zetex 83
- inter-laboratory reproducibility 607
- interactions
 - dipole–dipole 149
 - graphite–MW 299
 - intermolecular 38
 - MW–materials 3–51, 582
 - photon–matter 15
 - UV/Vis–materials 589–590
- intercalating agents 986
- intercalation compounds 1006
- interfaces
 - dielectric properties 45–46
 - interfacial charging 526
 - interfacial relaxation 45–46
 - solid–liquid 256
- intermolecular [2 + 2]-cycloaddition 798–799
- intermolecular Diels–Alder (DA) reaction 787–792
- intermolecular interactions 37–38
- internal UV lamp 579
- internuclear distance 10
- INTLI technology 75
- intramolecular amidination 642
- intramolecular cyclization 224, 305
- intramolecular [2 + 2]-cycloaddition 796–798
- intramolecular Diels–Alder (DA) reaction 775–787
- intramolecular Heck cyclization 659
- intramolecular Michael additions 191–192
- intramolecular Mizoroki–Heck spirocyclization 658
- intramolecular S_NAr reactions 1181
- intramolecular Suzuki–Miyaura coupling 623–624
- intramolecular Ugi reaction 1103
- “invasive” heating 331
- “inverse addition” technique 282
- inversion, isomeric 121
- inverted temperature gradients 246–247
- iodides
 - aryl 649
 - butyl 1032
 - galactosyl 971
 - isoiodide 1038
 - per-O-TMS-glucosyl 971
- iodobenzene 828
 - diacetate 452
 - diacetate–alumina 453
- 3-iodobenzoate 649
- ion pairs 132
- ionic activators 904
- ionic conduction 28, 290, 903
 - dielectric losses 36
- ionic conductors 112
- ionic current losses 525
- ionic impurities 399
- ionic liquids (ILs)
 - [BMIM]BF₄ 409
 - CB/MI 411
 - covalent anchoring 499
 - CuAAC 751
 - “invasive” heating 331
 - ionic liquid-catalyzed coupling 478
 - MAOS 62
 - NaBF₄ 412
 - polymerization in 1016–1019
 - RTILs 406, 476
 - synthesis 170–172, 351
 - thermal imaging 350–353
 - water-soluble 1017
- ionization potential 573
- ionized gas 565
- ions
 - hydroxide 29
 - transition metal 571
- IR (infrared) spectroscopy 367–370
- iron oxides 325
 - nanoparticles 823
- iron(III) chloride 651
- irradiation time 412
- irreversible Diels–Alder (DA) cycloaddition 282
- ISM (industrial, scientific, and medical) bands 378–379
- isobenzofuran-1(3*H*)-ones 460
- isocyanide 1141
- isocyanoacetate 1141
- isoeugenol 446
- isoflav-3-enes 460
- isoflavones 621
- isoidanzolylpyrazolino[60]fullerenes 1073
- isiodide 1038

- isolamellarin 869
 isolated imine 1106
 isomeric bisadducts 1061
 isomeric inversion 121
 isomerisation 136, 445–447
 – eugenol–isoeugenol 446
 – 2-methylpentane 515
 Isooxazoles 680–682
 isopolar transition-state reactions 141–144
 isoprene 303, 1018
 N-isopropylacrylamide (NIPAM)
 1026–1027
 (\pm)-isoptilocalin 876
 Isoquinolines 697–701
 Isosorbide 1039
 – monobenzylated 178
 (\pm)-isoteucladiol 852
 isothermal operation 360
 isothiazoles 679–680
 isothiocyanate moiety 872
 isoxazoles 1148
 – fused bicyclic 760
 isoxazolidines 762
 isoxazolino-SWNT 757, 1071
 isoxazolino[60]fullerenes 1071–1072
 isoxazolopyridines 685–686
 ITO (tin-doped indium oxide) 529–530
 Itoh oxime 911
 ITU-R (International Telecommunication
 Union–Radiocommunications sector)
 378
- j**
- jamaicamides 889
 Joule heating 30
 junction-electrode processes 533
 Jung–Redemann 10-mer sequence 918
- k**
- K, *see* salts
 K-10 445, 705, 707
 – heterogeneous catalysis 811
 ketals, cyclic 163–164
 ketene acetals 179
 ketene amins, heterocyclic 718
 ketimines 153
 β -keto ester 223
 ketodecarboxylation 323–326
 – adipic acid 325
 – thermal 324
 ketones
 – alkynyl 758
 – anomerization 976
 – aromatic 238
 – aryl ketone β -C-glucosides 971
 – carbonyl ylides 226
 – cineole 163
 – conversion to thioamides 830
 – α -diazo 231
 – α -hydroxy 452, 1159
 – methyl vinyl 302–303
 – PEEK 547
 Ketoses 979
 2-ketoses 988
 kinetic plots 155, 1023
 kinetic racemisation 212
 kinetic resolution 265
 kinetics
 – esterification 211, 248
 – heterogeneous 122–123
 – homogeneous organic reactions 248
 Knoevenagel condensation 354, 439, 784
 – aromatic aldehydes 821
 – MW–US methods 552
 – pyridine formation 1108
 Knoevenagel–Doebner reaction 550
 Kolbe–Schmitt synthesis 500
 Krapcho reaction 178–179
 Kröhnke salts 771
 Kumada reaction 631
- l**
- labeling, multiple 997
 laboratory-scale experiments 396
 LABOTRON microwave (MW) reactor 74–76
 lactamization, Meyer's 679
 lactams 674
 – arginine 933–935
 β -lactams 798
 – formation 195
 – substituted 282
 δ -lactams 933–934
 d,l-lactide 1029
 lactones
 – analogs 884
 – biaryl 148
 – bicyclic 778
 ladder polymers 1049
 lamellarin 869, 885
 lamps
 – EDLs, *see* EDLs
 – Electrodeless 564–579
 – Excimer 597
 – external UV 581
 – internal UV 580
 Langevin function 17
 Langevin model 43
 lanthanide catalysts 820

- organo 1018
- lanthanide halides 1028
- largazole 868
- large reactors 384–386
 - MACOS 1187–1190
- laser activation 526
- last-second addition 360
- laurydone 92–93, 1189
- laws and equations
 - Arrhenius equation 246, 263
 - Arrhenius law 131
 - Boltzmann’s law 21
 - capacitance 13
 - Clausius–Mossotti equation 12
 - Cole–Cole model 31–32
 - dielectric losses 389
 - dielectric permittivity 11
 - differential equations 108
 - electric field 111–114
 - frequency-wavelength-relation 8
 - loss angle 13
 - Maxwell’s equations 14, 114–115
 - penetration depth 395
 - Poynting’s formulation 108
- Leuckart reductive amination 200
- levoglucosenone 993
- Lewis acid catalysis 781, 792
- library production 625, 690, 746
 - cyclic sulphonamides 1181
 - triblock copolymers 1031
- licoagrodione 847
- ligandless Suzuki–Miyaura coupling 612
- ligands
 - azide 751
 - *N*-heterocyclic carbene 610
 - phosphite–oxazoline 1005
- ligation, Staudinger 980
- light-emitting diodes (LEDs) 348
 - organic 686
- linalool propionate 1189
- line emission peaks 572
- linear alkenes 823
- linear channel microreactor 1194
- linear dipoles 739
- linear kinetic plots 1023
- linear temperature dependence 249
- (+)-lineatin 845
- linkage, diaryl–sulphide 650
- O*-linked glycopeptides 937
- linkers
 - aryl hydrazine 917
 - RAM 626
- liquid flow system 534
- liquid-phase synthesis 488–507

- liquids
 - condensed phases 26
 - ionic, *see* ionic liquids
- lithium fluorides 44
- local heating, nonequilibrium 254, 366
- localized focusing 531
- localized superheating 528
- “lodgian waves” 6
- loop modes 114–115
- loss angle 13
- losses
 - conduction 28–29
 - dielectric, *see* dielectric losses
 - magnetic 30
- louisianins 868
- LR (Lawesson’s reagent) 159, 680, 699
- Lucentamycins 883
- luciferase reporter assays 792
- Lycopodium chinense* 891
- (-)-lycorine 883

m

- MACOS (microwave-assisted continuous flow organic synthesis) 1173–1202
 - ultrasound 1200–1201
- Macquer, P. 4
- macrocycle synthesis 624
- macroelectrode processes 527–530
- macrolactams 856
- macromolecules 40–43
 - *see also* natural products
- macroporous inorganic materials 372
- macroscopic theory, dielectric losses 19
- Magnaporthe grisea* 856
- magnesium, organomagnesium Grignard reagent 417
- magnetic field
 - density 382
 - heating rates 390–391
- magnetic losses 30
- magnetic permeability, complex 30
- magnetic properties, inorganic–polymer composites 41–42
- magnetron 4, 382–384
- Magtrieve 211, 351
- maleate, dimethyl 228
- maleic anhydrides 1036
- maleimide derivatives 767
- malonates 182, 1090
 - hydroarylation 1192
- malonitrile, 1110
- mammalian carboxylesterases (CEs) 847
- mammalian tubulin 880
- manganese dioxide–silica 449

- manganese oxides 381
- Mannich reaction 1101
 - *cis*-selective 1154
- Mannich-type products 551
- 3-C-mannopyranosylcoumarin derivatives 976
- MAOS (microwave (MW)-assisted organic synthesis) 69–70
 - heterogeneous catalysis 811
 - interdisciplinary approaches 69–70
 - ionic liquids 79
 - publications 128
 - selectivity modifications 209
- MAPK (mitogen-activated protein kinase) 722
- Marangoni instabilities 116
- marine sponges 715
 - alkaloids 862
- MARS 71
- Maxwell–Boltzmann statistics 43
- Maxwell–Wagner effect 45–46
- Maxwell's equations 14
 - electric field 111–112
 - strange solutions 114–115
- MCAA (monochloroacetic acid) 583
- MCRs (multicomponent reactions) 470
 - heterocycles 1099–1164
 - MACOS 1173
- MDGEL (microwave discharge granulated electrodeless lamp) 589
- MDTIEL (microwave discharge thermally insulated electrodeless lamp) 567
- Mecke's rotational analysis 27
- medium effects 134–140
- melatonin derivatives 628
- Meldrum's acid 1119
- meloquinolines 876
- meloscine 876
- (±)-menthols 833
- mercaptoacetic acid 1156
- mercury, Hg-EDL 567
- mesofluidic reactors 1177, 1182–1188
- metal catalysts 1189
- metal complexes, decomplexation 313–314
- metal-free synthesis 648, 1028
- metal halides 574
- metal–organic frameworks (MOFs) 559
- metallic condensing cone 589
- metallic conductors 112
- metallic copper 557
- metallic oxidants 451–452
- metallophthalocyanines 160
- metals
 - electropositive 556
 - organometallic derivatives 1060
 - organometallic reactions 474–475
 - transition 30, 569, 607–664
- metathesis
 - cross 503
 - ring-closing 193, 849, 941
 - ROMP 1032–1034
- Methacrolein 299–302
- methacrylamides 1019
- methacrylic acid 229
- methane 509–512
- methanesulfates 1038
- methanofullerenes 1069
- methanol 380
- methionine 1084
- methods and techniques
 - controlled “living” polymerization 1021–1027
 - Fmoc method 909–910
 - furan-Diels–Alder (DA) approach 777
 - graduated acidolysis method 908
 - “inverse addition” technique 282
 - multimode irradiation method 390
 - MW–US methods 544–560
 - MW–UV methods 585–587
 - pairing strategy 713
 - resin selection 944–946
 - S_Ni mechanism 288
 - sol–gel method 493
 - sterilization techniques 596
 - stopped-flow technique 1191
 - surface-finishing techniques 570
 - UDC route 1137–1138
- methoxyphenyl methyl ethers 437
- 2-methoxythiophene 283
- methyl, NMP 1021
- methyl acrylate 827–828
 - polymerization 349
- 2-methyl-3-arylvinyliindoles 819
- 1-methyl benzyl phenylcarbamate 307
- N*-methyl glycine 1065
- 1-methyl imidazole (MI) 409
- methyl 3-iodobenzoate 649
- methyl isocynoacetate 1141
- methyl methacrylate (MMA) 259, 1014
- N*-methyl morpholine (NMM) 282, 925
- N*-methyl nitrones 761
- N*-methyl-*N*-octylpyrrolidine 552
- 2-methyl pentane 515
- 4-methyl phenyl bromide 609
- methyl propiolate derivatives 457
- 2-methyl propionic acid 1026

- N*-methyl pyrrolidone (NMP) 132, 135
 – graphite sensitizers 299
N-methyl-2-pyrrolidone (NMP) 757
 methyl vinyl ketone 302–303
N-methylated nitron 762–764
N-methylated peptides 939
 methylation 1187–1188
N-methylazomethine ylides 227, 285, 1070
 4-methylbiphenyl 412–415
 methylene group, benzylic 854
 methyleneisoxazolidine 762
 Meyer's lactamization 679
 MI (1-methyl imidazole) 412
 micellar solutions 531
 Michael addition 164–166
 – heterogeneous catalysis 811–812
 – intramolecular 191–192
 – microwave-accelerated 428–429
 – simultaneous cooling 271–274
 – Ugi products 1105
 microcoil transceiver 1180
Microdochium caespitosum 857
 microelectrode processes 530–533
 microemulsion polymerization 1015–1017
 microencapsulated Pd catalysts 614
 microfluidic devices 534
 microfluidic NMR chip 1180
 microfluidic reactors 1177–1182
 microporous inorganic materials 372
 microreactors 1173
 – linear channel 1194
 microscopic theory, dielectric losses 21–22
 microtiter plates 337–340
 “microwave effect” 245
 microwave (MW)-accelerated reactions, *see* reactions
 microwave (MW)-assisted chemistry
 – hyphenated techniques 83–88
 – pressure setup 85–88
 – reactors 57
 – SiC susceptors 328
 microwave (MW)-assisted continuous flow
 organic synthesis (MACOS) 1173–1202
 microwave (MW)-assisted electrode processes
 525–527
 microwave (MW)-assisted organic synthesis,
 see MAOS
 microwave (MW)-assisted reactions,
 development concept 62
 microwave (MW) bistability 110–111
 microwave (MW) cavities. *See* cavities
 microwave (MW) Dewar-like vacuum vessel
 417
 microwave (MW) discharges 565–566, 589
 microwave (MW) generators 75, 382–384
 microwave (MW)–graphite interaction 298
 microwave (MW) heating *see also* heating
 – reaction monitoring 347–374
 – SPPS 900–901
 – temperature gradients 139
 – thermohydrolysis 89
 microwave (MW)-induced oligomerization
 381
 microwave (MW) irradiation
 – CMWI/SMWI 300
 – simultaneous cooling 271–274, 276–277
 – single-mode resonance 381–382, 402–403
 microwave (MW)–materials interactions
 3–51, 589–590
 microwave (MW) ovens 63–65
 – cascade 83–84
 – domestic 65
 microwave (MW)-powered EDLs 566–567
 microwave (MW) processes 5–6
 – systemic approach 105–124
 microwave (MW) reactors 63–67 *see also*
 reactors
 – commercial 70–78
 – energy efficiency 67–68
 – supercritical 90–91
 microwave (MW) susceptors, *see* susceptors
 microwave (MW)-transparent vials 271
 microwave (MW)–UV methods 585–587
 MIL-53(Fe) 270
 Milestone (MLS) 72
 – FlowSYNTH 1175–1176
 – MicroSYNTH Labstation 568
 – SCF apparatus 87
Mimosa hostiles 888
 mini-emulsion polymerization 260
 Miniflow microwave (MW) reactor 78
 MiniLABOTRON 77–78
 miniplant setup 79, 81
 mitogen-activated protein kinase (MAPK)
 722
 mixed flow-through photoreactors 587–589
 mixed oxide catalysts 511
 mixed reactors 274–276
 Miyaura, *see* Suzuki–Miyaura coupling
 Mizoroki–Heck reaction, *see* Heck reaction
 Mizoroki–Heck spirocyclization 658
 Mizoroki–Heck vinylation 653
 MMA (methyl methacrylate) 259–260,
 1014–1025
 MMT (montmorillonite) clay 42
 – caramel–montmorillonite intercalation
 compounds 1006
 – K-10 317, 709, 769, 814–815

- modes, loop 114–115
 - modified oligonucleotides 744
 - modified peptides 935–941
 - MOFs (metal–organic frameworks) 559
 - moieties
 - isothiocyanate 872
 - propargylic 796
 - quinazolin-4-one 883
 - molecular biology 39
 - molecular complexes, dipole moment 38
 - molecular photochemical thermometer 582
 - molecular radiators 214–215
 - molecular rotations 8
 - molecular systems, energy partition 9–10
 - molecules
 - bioactive 784, 788, 843
 - dielectric properties 30–50
 - dipole moment 11
 - MW–materials interactions 3–51
 - polar 11–13
 - polar groups 33
 - refractive index 12
 - silylated 829–830
 - molybdenum catalysts 978
 - molybdenum hexacarbonyl complex 661
 - monitoring
 - qualitative 356–359
 - quantitative 359–363
 - reactions 347–374
 - monoarylated 2(1*H*)-pyrazinones 620
 - monobenzylated isosorbide 177
 - monocatenary compounds 967–968
 - monochloroacetic acid (MCAA) 583
 - monomers
 - acrylamido 1026
 - acrylate 1026
 - carbazole-containing 1020
 - conversion 260
 - vinyl 1014, 1020, 1080
 - monomethylformamide (MMF) 612
 - monosaccharides 967
 - monosubstituted epoxides 234
 - monotrifluoroacetylated *o*-arylenediamines 189
 - monourea, selective formation 256
 - (+)-montabuphine 865
 - montanine alkaloids 865
 - montmorillonite (MMT) clay 42
 - caramel–montmorillonite intercalation compounds 1006
 - K-10 445, 684, 701, 814–815
 - Morpholines 1149
 - motifs, heterocyclic 502
 - moxifloxacin 986
 - MTB-DXR inhibitors 657
 - multi-mode cavities 63, 528
 - heating rates 389
 - multi-mode equipment, four-ream 377
 - multi-mode irradiation method 390
 - multi-reactor system, capillary 1196
 - multi-vessel rotors 340
 - multi-walled carbon nanotubes (MWCNTs) 514
 - multicomponent reactions (MCRs) 468–470
 - heterocycles 1099–1164
 - MACOS 1180
 - multiple labeling, oligonucleotides 997
 - multiple ring systems 1153–1163
 - multistep synthesis 832–836, 1199
 - MW, *see under* microwave (MW)
- n**
- NaBF₄ (NB) 411–412
 - Na, *see* sodium...
 - Nafion H 1137
 - nanoclay catalysts 991
 - nanocomposites 42–43
 - PCNs, *see* PCNs
 - nanocrystals 268–269, 811
 - nanohorns, carbon 1088–1090
 - nanoparticles (NPs)
 - copper 652
 - gold 751
 - iron oxide 823
 - MW–US methods 558–560
 - nickel 1119
 - trapping 89
 - nanoribbons 1082
 - nanostructures
 - carbon 1059–1091
 - 3D 558–560
 - synthesis 1006–1007
 - nanotubes, carbon, *see* CNTs
 - naphthalene 320
 - regioselective alkylation 225
 - sulfonation 121–122
 - naphthalenesulfonic acid 122
 - naphthofuran 1190
 - 1-naphthol 168
 - β -naphthol 181
 - C-alkylation 181
 - naphthyridines 1121
 - antiplasmodial 636
 - condensed 685
 - 1,8-naphthyridines 1121
 - narrow channel reactor 1180
 - natural products 264–266
 - analogs 876–886

- building blocks 886–893
- pyrrole-containing 870
- synthesis 843–893
- tyramine-derived 1200
- natural quartz, commercial water-containing 597
- NBS (*N*-bromosuccinimide) 1072
- NCS (*N*-chlorosuccinimide) 216–217, 1072
- Negishi reaction 628–631
- neo*-clerodane 887
- neurons, cortical 855
- neutral electrophiles 145–146
- neutral reactants 144–145, 151–175
- neutron scattering 372–373
- nickel catalysts 629, 634, 650
- nickel nanoparticles 1119
- nickel phosphide 214
- Niementowski reaction 310
- Nifedipine 788
- nimodipine 788
- NIPAM (*N*-isopropylacrylamide) 1026–1027
- nitration, styrenes 471–472
- nitrenes 1089
- nitrile imides 739
- nitrile imines 772–775, 1072–1078
- nitrile oxides 757–760, 1071–1072
 - 1,3-dipolar cycloadditions 758
 - hybridized dipoles 738
- nitrile sulfides 764–766
 - 1,3-dipolar cycloadditions 994–996
 - hybridized dipoles 738
- nitrile ylides 739
- nitriles
 - amidation 1042
 - aromatic 335
 - aryl 637
 - arylaldehyde conversion 471
 - polysubstituted aromatic 640
- nitro compounds, aromatic 458
- 2-nitro-1,1-ethenediamine 760
- nitro reduction, domino 1140
- nitroalkanes 820
- nitroalkenes 439–443
- nitroaromatic compounds 817
- p*-nitrobenzaldehyde 223
- nitrocyclohexanols 166, 444
- 5-nitrodihydropyrimidinones 1133
- nitrogen
 - aryl–nitrogen couplings 640–647
 - heterocycles 301, 463–465, 1100–1142
 - nitrogen-containing rings 1148–1153
 - π -nitrogen 931
 - nitrones 888
 - 1,3-dipolar cycloadditions 994–996
 - *exo*-glucals 995
 - hybridized dipoles 738
 - *N*-methylated 762–763
 - spirocyclic 763
 - (2-nitrophenyl) boronic acid 619
 - Nitroprolines 284
 - β -nitrostyrenes 227, 471–472
 - nitroxide-mediated polymerization (NMP) 1021–1027
 - NLBT/NLBP (nucleation-limited boiling temperature/point) 123, 247
 - NMM (*N*-methyl morpholine) 282
 - NMP (*N*-methyl pyrrolidone) 132, 135
 - graphite sensitizers 315
 - NMP (*N*-methyl-2-pyrrolidone) 757
 - NMP (nitroxide-mediated polymerization) 1021–1027
 - noble gases 565
 - noble metal-doped semiconductor 558
 - non-natural peptidomimetics 941
 - nonaflates 612
 - aryl 640
 - nonequilibrium local heating 253, 366
 - “noninvasive” heating 327–330
 - nonlinear feedback loops 106
 - nonlinear systems 108
 - nonmetallic oxidants 452
 - nonpolar solvents 136–138, 199
 - Suzuki–Miyaura coupling 414–416
 - temperature 330
 - nonsynergic effects 590
 - nonthermal effects 119–120, 256
 - organic synthesis 127–200
 - probing 363–367
 - nonulose 978
 - norbornene 639–640
 - norzoanthamine 893
 - Novozyme 435, 952, 1129
 - NO_x, catalytic reduction 518–519
 - NPs, *see* nanoparticles
 - nucleation rate 270
 - nucleophiles 633–652
 - O-nucleophiles 967
 - nucleophilic additions 151–164, 182–185
 - nucleophilic ring opening 505
 - nucleophilic substitution, *see* S_N reactions
 - aromatic, *see* S_NAr reactions
 - nucleoside phosphonates 1005
 - nucleosides 761

o

- n*-octylamine 184
- N*-octylpyridinium 552
- oils
 - fuel 162
 - UCOs 836
- OLEDs (organic light-emitting diodes) 686
- olefination, Wittig 147, 438
- oligo(lactic acid) 1029–1030
- oligomerization 381
- oligomers, thiophene 1050
- oligonucleotides
 - heterocarbohydrate oligonucleotide conjugates 998
 - modified 744
 - multiple labelling 997
- oligophenylenevinylenes (OPVs) 1073
- oligosaccharides 965
 - synthetic 984
- one-pot acetylation–lactonization 981
- one-pot click cycloadditions 556
- one-pot conditions 303
- one-pot cyclocondensation 165
- one-pot hydrostannylation 626–627
- one-pot Suzuki–Miyaura cross-coupling 609
- one-pot synthesis
 - *N*-heterocycles 468
 - MW–US methods 552
 - *N*-sulfonylimines 441
 - tetrazole 648
- onium salt-promoted coupling 921–927
- open vessels 69, 428, 608
- optically active poly(ester imide)s 1040
- optics, geometric 91
- OPVs (oligophenylenevinylenes) 1073
- organic dihalides 549
- organic functions, relaxation time 23
- organic reactions
 - scale-up 715
 - solvent-free 428
- organic solvents 42
 - dielectric parameters 399–402, 410
 - rate of temperature increase 402–403
- organic synthesis 58
 - continuous flow, *see* MACOS
 - frequency effects 377, 380–421
 - MW-assisted, *see* MAOS
 - nonthermal effects 127–200
 - supported reagents 427–478
- organoboron compounds 608
- organolanthanide catalysts 1018
- organomagnesium Grignard reagent 417
- organometallic derivatives 1060
- organometallic reactions 474–475
 - organozinc reagents 629
 - orientation of dipoles 129
 - orienting effect 16–18
 - orthoesters 1036
 - overheating 210, 247–249
 - oversimplified models 105
 - 1,3,4-oxadiazoles 466, 802
 - oxathiazolones 995
 - oxathiolanone 1157
 - oxazepines 812
 - tricyclic fused 1151
 - 1,3-oxazinan-2-ones 1149
 - oxazinones 1148
 - oxazolidinones, antimicrobial 623
 - oxazolines 680–682, 1030
 - 2-oxazolines, synthesis 157–158
 - oxazolones 919, 932–933
 - oxidants, (non)metallic 451–452
 - oxidation 822–824
 - alcohols 212, 448–449
 - AOPs 564
 - arenes 454
 - benzyl alcohol 1177
 - enamines 454
 - glycosyl sulphides 239
 - α -hydroxy ketones 451
 - partial 512–515
 - propan-2-ol 305–306
 - selective 232, 823
 - solvent-free 450
 - sulphides 232, 453
 - Tamao–Fleming 867
 - thiols 452–453
 - total 516–517
 - volatile organic compounds (VOC) 516–517
 - wet air 508
 - oxidative coupling 509–512, 827–829
 - oxidative dehydrogenation 514
 - oxidative Heck arylation 494, 656
 - oxidative Heck vinylation 656
 - oxidative self-coupling 828
 - oximes 435
 - alkynyl 684
 - heterogeneous catalysis 830–831
 - Itoh 911
 - *O*-phenyl 860
 - oxindoles 645
 - oxoazetidines 174–175
 - oxone–alumina 451–452
 - 2-oxopropanal 224
 - 2-oxosuccinic acid 1132
 - oxygen
 - aryl–oxygen bond formation 647–648

- oxygen-conducting catalysts 511
- oxygen-containing rings 1142–1145, 1148–1151
- synthesis applications 493–494
- ozone treatment 597

P

- P-branch 27
- p38 MAP kinase inhibitor 641
- Paal–Knorr cyclization 189
- Paar GmbH 73–74
- pairing strategy 713
- palladacycles 632
- palladium catalysts 416, 474, 626
 - aryl–aryl coupling 1201
 - N-arylation 643
 - asymmetric Heck reactions 1006
 - fused pyridines 1116
 - MCRs 1105
 - microencapsulated 614
 - Pd-catalyzed N-arylation 641
 - Suzuki reaction 610
- PAN (polyacrylonitrile) 1022
- pancreatic lipase inhibitors 847
- paraformaldehyde 458, 1065
- parallel runs 71
- parallel synthesis 622
- parallelepiped applicator 94–95
- paramagnetic resonance (EPR) 527
- partial oxidation 512–513
- particle shape, colloids 49–50
- particulate–polymer composites 41
- passive heating elements (PHEs) 215
 - polymer-based 328
 - silicon carbide 326–332
- pathogens 591
- Pauson–Khand cyclization 497
- PCC (pyridinium chlorochromate) 854
- PCNs (polymer–clay nanocomposites) 42
- PCs (polycarbonates) 1080
- Pd, *see* palladium
- PDI (polydispersity index) 1014
- peaks, line emission 572
- peapods, C₆₀@SWCNT 1086
- Pechmann condensation 816
- Pechmann reaction 162–163
- pectenotoxins (PTXs) 891
- PEEK (polyether ether ketone) 545
- PEG (poly(ethylene glycol)) 612
 - all-PEG-based resin 934
 - peptide synthesis 897
- penetration depth 111–112, 395, 401
 - microwaves 68
- pentacyclic fused dihydropyrans 1144

- pentacyclic ring systems 1141
- pentacyclic structures 1163
- pentahydroxypyrrrolizidines 995
- n*-pentane 402
- 3-pentanone 367
- 3', 5'-pentathymidine 747
- peptides
 - amphiphilic 899
 - cell-penetrating 898
 - cyclic 939–940
 - N-methylated 939
 - modified 935–941
 - purity 902
 - RCM 941
 - synthesis 897–950
- peptidomimetics 897–950
 - non-natural 941–942
 - synthesis 941–942
- per-O-TMS-galactopyranoside 963
- per-O-TMS-glucosyl iodide 971
- peracetylated glucose 1000
- peracetylated propargyl 1-thioglycosides 970
- peracetylation 964
- perbenzoylation 964
- pergolide 866
- pericyclic reactions 141, 198
- permeability, magnetic, *see* magnetic permeability
- permethacrylation 964
- permittivity
 - complex, *see* complex dielectric permittivity
 - dielectric, *see* dielectric permittivity
- perovskite-type catalysts 511
- peroxides 34
- PET (photoinduced electron transfer) 1067–1068
- Pfu CelB 266
- pharmaceutical industry 93, 96
- pharmacological active compounds 984–987
- phase factor 112, 115
- phase lag 18
- phase-transfer catalysis (PTC) 138, 176–178
 - polymerizations 1038
 - solvent-free 1068
 - transesterification 182–183
- phenacylation 140, 196
- phenethyl bromide 166
- phenols
 - activated 816
 - aqueous solutions 548
 - deacylation 431
- phenyl bromide 609
- 2-phenyl-2-oxazoline 262

- O-phenyl oximes 860
- phenyl pyruvates 1101
- phenyl stannane reagent 627
- phenyl triflate 230
- phenylation 611
 - rapid 651
 - Suzuki 618
- phenylboronic acid 357–358, 412, 609
- p*-phenylene ladder polymers 1049
- o*-phenylenediamine 370
- (*R,S*)-1-phenylethanol 1190
- 1-phenylethylamine 212
- (*R*)-1-phenylethylamine 1019
- Phenylhydrazide 981
- Phenylhydrazone 436
- N*-phenylmaleimide 1020
- 2-phenyloxazol-5(4*H*)-one 1158
- 3'-(*N*-phenylpyrazolyl)isoxazolino[60] fullerene 1071
- phenylsulfanylated 2(1*H*)-pyrazinones 633
- pheromones 850
- PHEs (passive heating elements) 215
 - polymer-based 328
 - silicon carbide 326–332
- phosphate, zirconium 817
- phosphide, nickel 214
- phosphines 144
- phosphinethiazole 659
- phosphite–oxazoline ligands 1005
- phosphonates
 - aryl 649
 - azide 740
 - azidomethyldiethyl 142
 - diesters 649
- phosphonium salts 168–170
- phosphonylation, rapid 649
- phosphopeptides 935–936
- phosphoranes 147
- phosphorothioates 1005
- phosphorus
 - aryl–phosphorus couplings 649–650
 - compounds 1004–1006
 - phosphorus-containing spiro-orthoesters 1052
- phosphoserine 936
- photocatalysis 563–598
 - photocatalytic degradation 593
- photochemistry 257–258, 563–598
 - linear temperature dependence 249
 - photochemical thermometer 582
- Photoconversion 84–85
- photoexcitation 526
- photohydrolysis 586
- photoisomerization, *cis*–*trans* 575, 594
- photolithography 597
- photon–matter interactions 15–18
- photophysical studies 1068
- photoreactors 579–589
 - flow-through 585–589
- phthalazines 705
- phthalic anhydrides 1040
- phthalide [1-(3*H*)-isobenzofuranone] 852
- phthalocyanines 190
- physicochemical effects 542
- physiological saline solution 389
- Pictet–Spengler reaction 831
- PID (proportional–integral–derivative) controller 386
- pinacol–pinacolone rearrangement 446
- pinnaic acid 763
- pinnaotoxins 890
- piperazines 688–691
- piperidines 172, 361
 - Bsmoc group 917
 - fused tricyclic 1120
- piperidinones 1104
- (1-piperidinyl)alanine 916–917
- 3-(1-piperidinyl)alanyl 936
- piperidone derivatives 1142
- PLA (poly(lactic acid)) 1029–1030
- plasma-chemical microwave discharges 565–566
- plasmepsin inhibitor 624
- plates
 - HP heating 264
 - microtiter 337–340
 - silicon carbide 353
 - thermal image 350
- platinum disc electrode 530–532
- PLC 78
- PMMA (poly(methyl methacrylate)) 1017
- polar activators 904
- polar effects, electrostatic 129
- polar groups 33
- polar molecules 11–13
- polar solvents 134–136
 - boiling points 130
 - SPPS 900
 - Suzuki–Miyaura coupling 412–416
- polarity
 - β -elimination 179
 - solvents 578–579
- polarization 14–18, 18–19
 - dipole defects 43–44
 - interfacial 45
- pollutants 297, 517, 564
 - photocatalytic degradation 593
- poly(ϵ -caprolactone) 1029

- polyacrylonitrile (PAN) 1022
 polyaddition 1036
 polyamic acid 188–189
 poly(amideimide)s 1044
 polyamides 1043–1050
 polyandrocaramines 870
 polyaromatics 491
 polyarylene-type polymers 1048
 poly(arylimidazole)s 1048
 poly(aspartic acid) 1047
 polycarbonates (PCs), fullerene-
 functionalized 1080
 polycondensation 569
 – aliphatic diols 1038
 – aromatic diisocyanates 1044
 polycyclic ethers 887
 polycyclic imidazopyridinones 1156
 polycyclic thiopyrano coumarin/chromone
 frameworks 225
 poly(dichlorophenylene oxide) 1051
 polydispersity index (PDI) 1014
 poly(ester imide)s 1039
 polyesters 1038–1041
 – unsaturated 1039
 polyether ether ketone (PEEK) 545
 poly(ether imide)s 1039
 polyethers 229, 1038–1041
 polyethylene
 – HTPE 337
 – PEG 612, 897, 934
 Polyimides 1041–1047
 poly(lactic acid) (PLA) 1029–1030
 polymerization 258–264
 – ATRP 259, 1021–1023
 – chain 1014–1034
 – chain-transfer 1018
 – free-radical 1014–1021
 – heterocyclic compounds 228–230
 – in ionic liquids 1016–1017
 – metathesis 1032–1034
 – methacrylic acid 229
 – methyl acrylate 349
 – (micro)emulsion 1015–1018
 – miniemulsion 260
 – NMP 1021
 – ROMP 1032–1034
 – ROP 262, 1027–1032
 – selectivity 1037
 – step-growth 1034–1047
 – temperature 262
 polymers 298
 – chemistry 1013–1053
 – dielectric properties 41–43
 – dipole moment 40
 – fullerene-based 1078
 – inorganic–polymer composites 41–43
 – ladder 1051
 – PCNs 42
 – polyarylene-type 1048
 – polymer-based PHEs 328
 – polymer supports 613
 – synthesis 1013–1052
 poly(methyl methacrylate) (PMMA) 1017
 polyols 218
 poly(pyrazin-2,5-diyl) 1050
 polystyrene 1015–1016
 polystyrene particles 48
 polysubstituted aromatic nitriles 639
 polysubstituted pyridines 792
 polytetrafluoroethylene (PTFE) 332
 – spiral coil 1179
 Polythioureas 1046–1047
 polyureas 1046–1047
 porous cell, drilled, 1185
 porphyrinic aldehyde 754
 positively charged reactants 185–188
 potassium benzoate 180
 potassium methoxide 149
 potassium permanganate–alumina 454
 Povarov-type reaction 1123–1124
 power efficiency 67–68
 power supply, pulse–pause 515
 Poynting’s formulation 108–109
 precession motion 26
 precipitates, sol–gel-derived 569
 pressed coffee hulls 513
 pressure
 – gas 488
 – inert fill gas 574–576
 – pressure waves 542
 – vapour 573
 pressureless solid-phase sintering 333
 primary amines 1197
 12 principles of Green Chemistry 59–60
 prion protein 927
 “PRODUCTIVELY” 59–60
 prolabo 71
 proline 766
 l-proline 976
 propagation, MW heating 416
 propagation constant, complex 112
 propanol 396
 – esterification 134
 2-propanol 267–268
 propan-2-ol, oxidation 305–306
 propargyl amines 496, 1200
 propargyl anion 739
 propargyl 1-thioglycosides, peracetylated 970

- propargylated GalNAc 999
- O*-propargylated salicylaldehyde 784
- propargylic moiety 796
- propionate, linalool 1189
- propylene glycol 163
- propyne 503–505
- propynylation 505
- protection 429–438
 - alcohols 218–221
 - aldehydes 818
 - amino acids 643–644
 - *N*^α-amino protection strategies 906–917
 - Cbz 907
- proteins
 - GFP 372
 - prion 927
 - synthesis 897–950
- proton-conducting catalysts 510
- prototropy 766
- pseudodilution 939
- pseudoprolines 934
- Psoralea corylifolia* 845
- psoralidin 845
- PTC (phase-transfer catalysis) 138, 176–178
 - polymerizations 1038
 - solvent-free 1068
 - transesterification 182–183
- PTFE (polytetrafluoroethylene) 332, 337–338
 - spiral coil 1179
- (±)-ptilocaulin 876
- PTP (protein tyrosine phosphatase) 993, 996–997
- PTXs (pectenotoxins) 891
- Pulsar system 93–95
- pulse–pause power supply 515
- pure liquids, dielectric properties 34
- purification
 - CNTs 1080–1088
 - multicomponent reactions 1199
- purity, peptides 902
- PyBop 921
- bis-pyranobenzoquinones 1144–1145
- pyranopyrazoles 551
- pyranopyridines 685–686
- pyranoquinolines 781
- pyranoses 983
- pyrans
 - fused 1143–1144
 - tetracyclic 1159
- pyrazines 1137–1138
 - pyrazine-containing cycloadducts 1062
- (1*H*)-pyrazinones 290
- 2(1*H*)-pyrazinones 620
 - phenylsulfanylated 633
 - solid-phase reaction 628
- pyrazoles 166, 1104–1106
 - acid-catalyzed reactions 812
 - alkylation 180–181
 - derivatives 987
 - pyrazole-based COX inhibitors 623
 - synthesis 677–679
- pyrazolino[60]fullerenes 1072
- pyrazolo[1,5-*a*]pyrazin-4(5*H*)-one 690
- pyrazolo[3,4-*b*]pyridine 1121
- pyrazolo[3,4-*b*]quinoline 442
- pyrazolopyridines 1122
- pyrazolopyrimidines 619, 1186
- pyrazolylimines 288
- Pyrex 333, *see also* borosilicate glass
- (-)-pyriculariol 856
- pyridazines 404, 697
- pyridazinones 620
- pyridines 1109–1131
 - aqueous protocol 1115
 - derivatives 371
 - fused 801, 1116–1126
 - Hantzsch synthesis 992
 - polysubstituted 792
 - pyridine–aloxime catalyst 614
 - synthesis 682–684
 - tricyclic 1118–1120
 - trisubstituted 814
 - unfused 1110–1116
- pyridinium chlorochromate (PCC) 854
- pyridinones 684–685
- pyrido-fused ring systems 193, 466
- pyridocoumarin 886
- 2-pyridone 220
 - benzylation 194, 287–288
- Pyridopyrimidines 1127–1129
- pyridylpyrimidines 630
- pyrimidines 1131–1132
 - pyrimidine ring 992
 - steroid-derived 1134
 - synthesis 686–688
 - 2,4,6-trisubstituted 835
- pyrimidopyrimidinediones 1134
- pyrolysis 315–316
- pyrroles 1100–1104
 - derivatives 819
 - pyrrole-containing natural products 871
 - synthesis 674–676
 - tetrasubstituted 768
- pyrrolidines
 - Boc-protected 884
 - fluorous-tagged bicyclic 1102
 - pyrrolidine–SWCNT 1084
- pyrrolidinofullerenes 1066

pyrrolidinones 1104
 pyrrolizidines 995–996
 pyrrolodiazepines 1163
 pyruvic ester 1122

q

qualification, MW reactors 96–97
 qualitative reaction monitoring 356–359
 quantitative reaction monitoring 359–363
 quantum dots 558
 quantum output, EDLs 583
 quartz, water-containing natural 597
 quartz tube, rotating 84
 quinazolines 308–310, 701–705
 quinazolinones 1137
 – alkaloids 869
 – quinazolin-4-one moiety 883
 o-quinodimethane 1060
 o-quinol dimmers 791
 quinolines 1124–1126
 – 2,4-disubstituted 464
 – 3,7-disubstituted 1125
 – synthesis 697–701
 quinolinizones 1161
 quinolones 463–465
 – quinolin-2(1*H*)-ones 621
 o-quinonemethide 1064
 quinoxalines 705, 989
 quinoxalinones 812

r

R-branch 27
 racemic 1-phenylethanol 237, 476
 racemization 931
 – dynamic kinetic 212
 “Radarange” 5
 radial electric field 113
 radiators, molecular 214–215
 radical addition 983, 1083
 radical cyclization 258
 radical β -fragmentation 983
 radical polymerization
 – controlled “living” 1021–1027
 – free-radical polymerization 1014–1021
 radical reactions 258
 2,3-radical shift 198
 radicals
 – 2-cyanoprop-2-yl 349
 – iminyl 860
 radiolabeled compounds 475
 RAFT (reversible addition–fragmentation
 chain transfer) 259, 1021
 RAM linker 626
 Raman scattering 253–254

Raman spectroscopy 279–280
 – dynamic systems 356
 – *in situ* 353–373
 RAMO (reacteur autoclave microonde)
 88–90
 rapid phenylation 651
 rapid phosphorylation 649
 Rayleigh–Benard instabilities 116
 RCM (ring-closing metathesis) 193, 939, 941
 reactants, gaseous 487–520
 reactions 225, 711, 990
 – acetylation 219, 962
 – acetylation–lactonization 981
 – acid-catalyzed 812–819, 1141
 – activation energy 290
 – acylation 186, 318–321, 962–965
 – acylative cleavage 322–323
 – addition, *see* addition
 – Alder 137, 290, 993–994
 – alkylation, *see* alkylation
 – allylation 659
 – amidation 154–157
 – amidination 642
 – amination 643–644, 1003
 – aminocarbonylation 494–496, 662
 – anomerization 976–978
 – aryl cyanation 638
 – aryl halide exchange 652–653
 – arylation, *see* arylation
 – base-catalyzed 821–822, 912–917
 – benzannulation 877, 1199
 – benzoylation 218, 318, 962–963
 – benzylation 169, 194, 220, 1187–1189
 – Biginelli 469–470, 834–835, 991,
 1132–1133
 – bimolecular 144–145, 151–175
 – Bingel 1083, 1089
 – biphasic 253
 – Bohlmann–Rahtz 814, 1184–1185
 – Bromination 472
 – Cannizzaro 458
 – carboannulation 663
 – carbon–carbon bond-forming 474–475
 – carbon dioxide 498–500
 – carbon monoxide 494–498
 – classification 59
 – comproportionation 741, 744
 – condensation, *see* condensations
 – coupling, *see* coupling
 – covalent functionalization 1086
 – cross-metathesis 503–504
 – cyanation 637–640
 – cyclization, *see* cyclization
 – cycloaddition, *see* cycloaddition

- reactions (*contd.*)
- cyclocondensation 165, 189–190
 - cyclotrimerization 799–800, 844, 854, 861
 - “dark” 590
 - deacylation 431
 - dealkylation 175–176
 - debenzoylation 989
 - debromination 235
 - decarboxylation 1065
 - decarboxylation–dehydration process 323
 - decomplexation 313–314
 - deglycosylation 938
 - degradation 593
 - dehalogenation 549, 975–976
 - dehydration 323, 988
 - dehydrogenation 514–516
 - demethylation/deethylation 176
 - deoxygenation 435–436
 - deprotection 429–438
 - deprotonation 1103
 - desilylation 433–434, 636–637
 - desulfonylation 222–223
 - dethioacetalization 434–435
 - dethiocarbonylation 437
 - deuteration 475
 - dialkylation 177
 - Diels–Alder, *see* Diels–Alder (DA) reaction
 - dimerization 1113
 - dynamic kinetic racemization 212
 - elimination 472–473
 - β -elimination 179–180, 938
 - ene 304–305
 - enzyme-catalyzed 476
 - epimerization 927–928
 - epoxidation 236, 822–824
 - esterification, *see* esterification
 - etherification 173
 - exchange 475, 652–653
 - first-order 267
 - fluorination 334, 975
 - formylation 187
 - *N*-formylation 473–474
 - β -fragmentation 983
 - free energy 119
 - frequency effects 410–412
 - Friedel–Crafts acylation 186–187, 322
 - fullerenes 1059–1080
 - gas-phase 84, 297
 - gas-phase dehalogenation 549
 - Gewald 675, 1145
 - Ghosez-type 679
 - glycoconjugation 746
 - glycosylation 965–975
 - Goldberg 644
 - graphitization 1006
 - Grignard 557
 - halogenation 975
 - Heck, *see* Heck reaction, Heck coupling
 - Heck vinylation 657
 - Hemetsberger–Knittel 692
 - heteroannulation 635
 - heterocycles 1099–1164
 - heterogeneous 266–271, 1190–1191
 - Hiyama 632
 - homogeneous 248, 1177–1190
 - hydroaminomethylation 503
 - hydroarylation 1192, 1194
 - hydroboration 1069
 - hydrochalcogenation 457
 - hydrodechlorination 214, 1195
 - hydrodenitration 787
 - hydrodesulfurization 519
 - hydroformylation 500–503, 663
 - hydrogenation 213, 489–491, 824, 1078
 - hydrolysis 210, 335, 914
 - hydrosilylation 269
 - hydrostannylation 626–627
 - IMDA 290
 - imidization 132, 188–189
 - isomerization 136, 445–447, 515
 - isopolar transition-state 141–144
 - ketodecarboxylation 323–326
 - kinetics 248–249
 - Knoevenagel–Doebner 550
 - Krapcho 178–179
 - Kumada 631
 - lactonization 981
 - Leuckart reductive amination 200
 - Mannich 1101, 1154
 - mechanisms. 140–146
 - methylation 1189
 - Meyer’s lactamization 679
 - microwave (MW)-accelerated 427
 - microwave (MW)-assisted 127
 - monitoring 347–374
 - multicomponent 468–470, 1099–1164
 - naphthalene sulfonation 121–122
 - Negishi 629–631
 - Niementowski 310
 - nitration 471–472
 - nucleophilic ring opening 505–506
 - nucleophilic substitution, *see* S_N reactions
 - oligomerization 381
 - organic 428–429, 715
 - organic synthesis, *see* organic synthesis
 - organometallic 474–475
 - oxidation, *see* oxidation
 - Pechmann 162–163

- pericyclic 141, 198
 - phenacylation 140, 197
 - phenylation 611, 651
 - phosphorylation 649
 - photohydrolysis 586
 - Pictet–Spengler 831
 - polycondensation 569, 1038, 1041
 - polymerization, *see* polymerization
 - positively charged reactants 185–189
 - Povarov-type 1123
 - propynylation 505
 - protection, *see* protection
 - pyrolysis 315–316
 - racemization 212, 931
 - radical, *see* radical . . .
 - reaction coordinate 146–147
 - reaction rates 59–61
 - rearrangement, *see* rearrangement
 - redistribution 314–315
 - redox 822–826
 - reduction, *see* reduction
 - ring opening 167–168, 234, 505, 553
 - scale-up 497, 715
 - silylation 829–830
 - small-scale 607
 - SN2, *see* S_N2 reactions
 - S_NAr 149, 172–174, 190–191, 714–719
 - solid mineral-promoted 444–445
 - solid-phase 628
 - solvent-free 138–140, 288, 428–429
 - spirocyclization 658
 - Staudinger ligation 980
 - Stille 626–629
 - Su'arez 983
 - sulfation 976
 - sulfonation 816
 - sulfonylation 651
 - surface-mediated 427
 - Suzuki phenylation 618
 - synthesis, *see* synthesis
 - tandem imination–annulation 506
 - telomerization 1018
 - thermal 307–313
 - thermolysis 306–307, 316
 - thioacylation 964–965
 - Thorpe–Ziegler 692, 694
 - transesterification 836–838
 - transfer hydrogenation 213, 824
 - tritiation 475
 - Ugi 468, 756, 1103–1105
 - Unimolecular 146, 188–193
 - vessels, *see* vessels
 - Wittig olefination 147, 438–439
- ReactIR probe 370
- reactivity, heterocyclic compounds 221–234
- reactors
- capillary-based flow 1178
 - CF 609
 - CMR 1174–1175, 1183
 - “coconut reactor” 91
 - continuous tube 69
 - double-walled 417
 - electrochemical flow processes 533–536
 - large-sized 384–386
 - mesofluidic 1177, 1182–1186
 - micro- 1173, 1195
 - microfluidic 1177–1182
 - mixed 258
 - MW-assisted chemistry 57–98
 - MW-US 545
 - narrow channel 1178
 - organic synthesis 58–59
 - photochemical/photocatalytic 579–589
 - qualification and validation 96–97
 - tubular flow 1192
 - U-tube capillary 1195
- reagents
- Bestmann–Ohira 850
 - F-21-tagged 627
 - Fenton's 548
 - furan stannane 627
 - Grignard 417, 631
 - last-second addition 360
 - Lawesson's 159, 680, 697
 - organozinc 629
 - selective heating 210–218
 - supported 427–478
 - Vilsmeier 187
- real part, complex permittivity 14–18, 31
- real time monitoring 348
- rearrangement
- acidic 446
 - ammonium ylides 197–198
 - Beckmannm 447
 - Claisen 447
 - Cope 141
 - Dimroth 1185
 - Ferrier 447
 - Fries 220–221
 - microwave-accelerated 428–429
 - pinacol–pinacolone 446
 - Wolff 231, 1161
- recombinant synthesis 899–900
- redistribution reactions 314–315
- redox reactions 822–826
- reducing agents, hydrogen 489–493
- reduction
- aromatic ketones 239

- reduction (*contd.*)
 - asymmetric 824–826
 - azides 493
 - catalytic 517–519
 - domino nitro 1140
 - heteroarenes 492
 - microwave-accelerated 428–429
 - selective catalytic 518
 - reductive amination 457
 - Leuckart 200
 - reference electrode 528–529
 - reflux system 387
 - reforming 512–514
 - refractive index 12
 - regeneration, carbonyls 436
 - regioselectivity 218–234
 - alkylation 222
 - aziridine synthesis 222
 - deuterated aniline synthesis 221
 - glycosylation 965
 - one-pot cyclocondensation 165
 - oxidative Heck arylation 656
 - sulfonylation 651
 - regulatory systems 107
 - relative static dielectric constant 12
 - relaxation
 - dipole, *see* dipole relaxation
 - interfacial 45–46
 - relaxation processes, solids 44
 - relaxation time 22–23
 - critical temperature 24
 - frequency effects 395
 - renewable biomass 987
 - renewable resources 1004
 - reproducibility
 - inter-laboratory 607
 - MAOS 69
 - solvent-free reactions 284
 - resins
 - all-PEG-based 934
 - cation-exchange 1192
 - cleavage 942–944
 - Clt 915
 - epoxy 1034–1037
 - TentaGel 927
 - resonances, dimensional 113–114
 - resonant cavity 67
 - rhodium-catalyzed synthesis 1161
 - Ridged waveguide 281
 - ring opening
 - epoxides 167–168, 234, 506
 - nucleophilic 505
 - ROMP 1032, 1034
 - ROP 261–262, 1013–1014
 - styrene epoxide 553
 - ring systems
 - carbazole 865
 - fluorene 909
 - multiple 1153–1163
 - pentacyclic 1141
 - pyrido-fused 193, 466–467
 - tetracyclic pyran-fused 1160
 - rings
 - aziridino 1089
 - nitrogen-containing 1148–1151
 - oxygen-containing 1142–1145
 - pyrimidine 992
 - sulfur-containing 1145–1148
 - thiophene 1063
 - *s*-triazine 719
 - triazole 448
 - RNA viruses 750
 - rod-like particles 49
 - ROMP (ring-opening metathesis polymerization) 1032–1034
 - ROP (ring-opening polymerization) 261–262, 1027–1032
 - rotating quartz tube 83
 - rotations
 - dipole 903
 - Mecke's rotational analysis 27
 - molecular 8
 - rotor systems 339
 - RTILs (room-temperature ionic liquids) 406–407, 476–477
 - rubber vulcanization 1013
 - Ruhmkorff coil 7
 - rutaecarpine 875, 883–884
 - ruthenium bis(diimine)sulfoxide complexes 237
 - ruthenium catalysts 750
- S**
- S-EDL 566–567, 573–577
 - S-glycosylation 973–975
 - Safrole 136
 - SAIREM microwave (MW) reactors 75–79
 - Salicylaldehydes 439, 463, 1150
 - *O*-propargylated 784
 - salts
 - ammonium tetrafluoroborate 615
 - Appel's 311
 - arenediazonium 660
 - *S*-benzylthiuronium 835
 - Kröhnke 771
 - onium 921–927
 - phosphonium 168–170
 - physiological saline solution 389

- tetraalkylammonium 188
- Salvia divinorum* 882–883
- Sarcosine 754
- SAXS (small-angle X-ray scattering) 373
- scalability, solvent-free reactions 284
- scale-up
 - MAOS 69–70
 - MW cavities 457–458
 - nonlinear feedback loops 106
 - organic reactions 715
- Sceptrin 870
- SCF apparatus 87
- Schmitt trigger 111
- scientific microwave unit 348–350
- sealed vessels 69
- sec*-butanol solution 773
- “second Wien’s effect” 117–118
- secondary carbamates 307
- selective acetylation 219
- selective alkylation 181–182, 196–197
- selective benzoylation 218
- selective catalytic reduction 518
- selective cleavage 433–438
- selective dealkylation 175–176
- selective epoxidation 236
- selective heating 210–218, 366
- cis*-selective Mannich reaction 1154
- selective oxidation 823, 854
 - methylallyl groups 233
 - solvent-free 450
- selectivity
 - *cis:trans* 555
 - induced 120–121
 - modifications 209–240
 - polymerization 1037
 - selectivity effects 147–150, 195
- self-absorption 576
- self-coupling, oxidative 828
- semicarbazones 436
- semiconducting plate material 338
- semiconductor, noble metal-doped 558
- semiconductor generator 383, 402
- semiotic 107
- sensitizers, graphite 299–326
- sensors
 - fluorescent 980
 - temperature 276
- sepiolite 1007
- sequential injection 1198
- sequential microwave irradiation (SMWI)
 - 300
- sequential runs 71
- serotonin 5-HAT2C receptor agonists 784
- seven-membered systems 710–714
 - β -sheet formation 910
 - shielding 336
 - side chain protecting groups 943
 - silica 449, 453
 - silicalite 267
 - silicon carbide
 - microtiter plates 337–340
 - sintered 328, 334
 - susceptors 326
 - thermal image 353
 - vessels 277–279, 332–337
 - silylated molecules 829–830
 - silylation 829–830
 - simulation package EMULPOLY 1017
 - single-mode cavities 64, 275, 327, 382–388
 - CMR 1183
 - heating rates 389–397
 - single-walled carbon nanotubes (SWCNTs)
 - 757, 1080–1087
 - sintered silicon carbide 328, 333
 - sintering, pressureless solid-phase 333
 - six-membered systems 674–691
 - skin depths 111–113
 - sluggish aryl halides 631
 - slurries, active base 89–90
 - small-angle X-ray scattering (SAXS) 373
 - small-scale reactions 607
 - SMWI (sequential microwave irradiation)
 - 302
 - Sn, *see* tin
 - SN reactions
 - benzyl halides 168
 - vinylic 174
 - S_N2 reactions 166–172
 - anionic 175
 - tetraalkylammonium salts 188
 - snap-cap 333
 - SNAr reactions 149, 172–174, 714–719
 - intramolecular 191–192
 - SNi mechanism 288
 - SO₂, catalytic reduction 518–519
 - sodium borohydride–alumina 456
 - sodium periodate–silica 453
 - sodium tetraphenylborate 612
 - software, COMSOL Multiphysics 278
 - sol–gel-derived precipitates 569
 - sol–gel method 493
 - solid–liquid interface 255
 - solid-phase peptide synthesis (SPPS) 897,
 - 900–901
 - energy transfer mechanisms 903–904
 - solid-phase reaction 628
 - solid-phase sintering, pressureless 333
 - solid-state Cannizzaro reaction 458

- solid-state microwave (MW) generator 78
- solid supports 218, 441
 - MACOS 1173–1202
- solids
 - dielectric properties 43–44
 - MW–materials interactions 3–30
 - relaxation processes 44
- solutions
 - aqueous 45, 548
 - aqueous electrolyte 390–395, 526
 - benzene 38
 - *sec*-butanol 773
 - micellar 531
 - physiological saline 390
 - solution-phase peptide synthesis 900
 - stock 1198
- solvent-free alkylation 253
- solvent-free assembly 466
- solvent-free benzoylation 186
- solvent-free benzylation 169
- solvent-free conditions 194
- solvent-free esterification, fuel oil 162
- solvent-free organic reactions 428
- solvent-free oxidation 450
- solvent-free PTC 1068
- solvent-free reactions 138–140
 - reproducibility 284
 - scalability 284
- solvent-free Sonogashira coupling 633
- solvent-free synthesis
 - imidazopyridines 1108
 - ionic liquids 476–478
 - oxoazetidines 174–175
- solvents
 - apolar 544
 - aprotic 1104
 - boiling points 360
 - frequency effects 380–381
 - green 386–390
 - nonpolar 136–138, 216, 326, 384–417
 - organic 42, 395–399
 - polar 122, 134–136, 412–414
 - polarity 578–579
 - rate of temperature increase 396, 402–403
 - selective heating 210–218
 - superheating temperature 398
 - viscosity 544
 - water 386–390
- sonochemistry 61, 131
 - *see also* ultrasound
- Sonogashira coupling 474, 633–637
 - desulfitative 633
 - direct 987
 - solvent-free 634
- Sonogashira cross-coupling 504
- Sonogashira cyclization 635
- Sonogashira–heteroannulation sequence 636
- sp-/sp²-hybridized dipoles 738–740
- spark transmitter 7
- spectroscopy
 - dielectric 43
 - fluorescence 372
 - *in situ* 353
 - IR 367–370
 - Raman 279–280, 354–356
 - UV/Vis 370–372
- spectrum
 - absorption, *see* absorption spectra
 - electromagnetic, *see* electromagnetic spectrum
- Spengler, *see* Pictet–Spengler reaction
- spiral Teflon coil 1179
- spiro dihydropyridines 1130–1131
- spiro dihydropyrimidines 1133–1137
- spiro dihydropyroles 1102–1104
- spiro-fused heterocycles 472
- spiro-fused pyrans 1143–1144
- spiro indolethiazolidinone 1146
- spiro orthoesters, phosphorus-containing 1052
- spiro pyridopyrimidines 1127
- spiro tetrahydropyridines 1126–1131
- spiro-thiazolidinone 1146
- spirocyclic compounds 867
- spirocyclic imines 890
- spirocyclic nitrones 763
- spirocyclization 658
- spiro[indolepyrido]thiazines 443
- spiro[indolo-3,4'-quinolines] 1130
- sponges
 - marine 715, 862
 - *Xestospongia exigua*, 853
- stabilization, energy 133
- static dielectric constant 12
- static electric field 16–18
- static permittivity 17
- Staudinger cycloaddition 798–799
- stearic acid 316
- (-)-steganone/(-)-steganacin 879–880
- step-growth polymerization 1034–1047
- stereo control, β -lactam formation 195
- stereochemically rich benzothiazepine 1,1'-dioxides 1181
- stereoconservative Staudinger ligation 980
- stereoselectivity
 - debromination 235
 - ene reactions 304

- modifications 209–239
- steric hindrance 902, 911
- tertiary amines 928
- sterilization techniques 596
- steroid-derived pyrimidines 1134
- steroidal systems 877
- sterols 219
- (±)-sterpurene 796
- stilbenes, synthesis 656
- trans*-stilbenes 555
- Stille coupling 1050
 - natural products 853
- Stille reaction 626–629
- stock solutions 1198
- stopped-flow technique 1191
- storage, electromagnetic energy 14–18
- Streptomyces* sp. 852
- styrenes 515, 632
 - Heck coupling 827
 - nitration 471–472
 - polymerization 1016–1017
 - epoxides 552
 - synthesis 632
- Suárez reaction 983
- N*-substituted aminocoumarins 313
- 9-substituted anthracenes 993
- substituted-1,5-benzothiazepine 798
- substituted benzyl amines 828
- substituted 2-formylphenylboronic acid 880
- 2-substituted indoles 635
- substituted β -lactams 282
- 2-substituted-2-oxazolines 1031
- substituted oxindoles 645
- 1-substituted-4-stryrylpyrazoles 788
- substituted thiazoles 461–462
- substituted 4-thioxooxazolidin-2-ones 507
- substituted ureas 1132
- substitutions, electrophilic aromatic 219–221
- subunits, *see* building blocks
- sugar alkynes 997
- sugar-derived triazolines 1000
- sugar nucleoside phosphonates 1005
- sugar–phosphorus chemistry 1006
- sugars
 - derivatives 977–984
 - fluorination 975
 - imino 1002–1004
 - structure 964
 - 1-thio 980
- sulfamates 617
 - ammonium 821
- sulfates, cesium(III) 1159
- sulfation 976
 - sulfides 448–455
 - diaryl–sulfide linkage 650
 - glycosyl 239
 - heterophosphole 697, 699
 - hydrogen 505–507
 - nitrile 739, 764–766, 994–996
 - oxidation 233, 448–455
 - sulfonamides 646
 - cyclic 1181
 - sulfonation
 - Lewis acid-catalyzed 816
 - naphthalene 121–122
 - sulfones 453
 - sulfonylation 651
 - N*-sulfonyl imines 152, 439–443
 - N*-sulfonyl tetrahydroisoquinolines 223
 - sulfoxides 453
 - sulfoximines 646
 - sulfur
 - aryl–sulfur bond formation 650–652
 - elemental 830
 - sulfur-containing rings 1145–1148
 - sultams 713
 - supercritical fluids 25, 547
 - supercritical microwave (MW) reactors 90–91
 - superheating 525
 - localized 528
 - solvents 402
 - superparamagnetic behavior 47
 - superposition principle 108
 - supported reagents, organic synthesis 427–478
 - supports
 - activated carbon 414–416, 418
 - chromium trioxide–wet alumina 449
 - poly(ethylene glycol) (PEG) 612
 - polymer 613
 - solid 218, 432, 1191–1200
 - supramolecular structures 719
 - surface electrodes 251
 - surface-finishing techniques 570
 - surface-mediated reactions 427
 - surface tension, water 420
 - surfactants
 - bolaform 967
 - dimeric 420–421
 - monocatenary 967
 - susceptibility, electric, *see* electric susceptibility
 - susceptors 297–340
 - selective heating 210–218
 - silicon carbide 326
 - suspensions, colloidal 45–51
 - Suzuki coupling 357–358, 826

- Suzuki cross-coupling 1183–1195
 - Suzuki–Miyaura coupling 412, 611–628
 - fluorous 614
 - intramolecular 624
 - ligandless 612
 - Suzuki phenylation 618
 - SWAVE 72
 - SWCNTs (single-walled carbon nanotubes) 757–758, 1080
 - sydnones 621
 - symmetry, fullerenes 1069
 - synergic effects 590
 - synthesis
 - alkyl *p*-toluenesulfonates 162
 - aminocoumarins 162–163
 - aminotoluenesulfonamides 158–159
 - Beller's 1152
 - benzodiazepines 710–714
 - 2*H*-benzopyrans 312–313
 - benzothiazoles 694–696
 - biologically active compounds 984–987
 - [BMIM]BF₄ 406–412
 - building blocks 886–893
 - CNTs 1080–1082
 - coumarins 705–708, 818
 - cyclic acetals 163–164
 - deuterated anilines 221
 - 3,5-diphenyl-4-aminotriazole 136
 - divergent 1119–1121
 - diversity-oriented 1181
 - δ/μ agonists 622
 - enamine 151–153
 - Fisher indole 465
 - flavones 705–708
 - gas-phase 508–509
 - Hantzsch 992
 - heterocycles 307–313, 987–1004, 1099–1164
 - heterocyclic compounds 221, 459–470
 - hindered biaryls 617
 - hydrazone 153–154, 550
 - ideal 1100
 - imidazoles 676–677
 - imine 151–153
 - imino sugars 1002–1004
 - indoles 692–694
 - ionic liquids 170–172, 349, 406
 - isoquinoline 697–701
 - ketene acetals 179
 - Kolbe–Schmitt 500
 - lactams 674
 - laurydone 92–93, 1190
 - liquid-phase 488–507
 - MACOS, *see* MACOS
 - macrocycle 624
 - MAOS, *see* MAOS
 - metal-free 648, 1028
 - 4-methylbiphenyl 414–419
 - MIL-53(Fe) 270
 - multistep 832–836, 1199
 - MW–US-enhanced 549–558
 - nanostructured materials 1006–1007
 - natural products 843–893
 - one-pot, *see* one-pot synthesis
 - organic, *see* organic synthesis
 - 2-oxazolines 157–158
 - oxygen applications 493–494
 - parallel 622
 - peptides 897–950
 - peptidomimetic 941–942
 - pharmacological active compounds 984–987
 - phosphonium salts 168–170
 - phosphorus compounds 1004–1006
 - polyethers 229
 - polymers 1013–1052
 - proteins 897–950
 - pyrazoles 677–679
 - pyridines 682–684
 - pyrido-fused ring systems 193
 - pyrimidines 684–685
 - pyrroles 674–676
 - quinazolines 308–310, 703–707
 - quinolines 697–701, 836
 - regioselective 221–222
 - solvent-free, *see* solvent-free synthesis
 - stilbenes 656
 - styrenes 632
 - sugar derivatives 977–986
 - 1,3,4-thiadiazoles 462–463
 - thiophenes 674–676
 - thiourea derivatives 160
 - total 719–729, 844–876
 - triazoles 999
 - *see also* reactions
 - synthetic commercial graphites 317
 - synthetic oligosaccharides 984
 - Synthewave (Prolabo) 581
 - syringe–microwave–NMR setup 1180
 - syringolins 856
 - system theory 107
 - systemic approach, MW processes 105–108
 - systems
 - dynamic 107–108
 - nonlinear 108
- t**
- Tamao–Fleming oxidation 867

- tandem reactions 303, 708
 tap water 389
 Tarceva 701
 tartaric acid 156
 technological management, industrial-scale
 93
 Teflon, *see* PTFE
 tellurides 258
 telomerisation 1018
 temperature
 – calcinations 569
 – dielectric losses 23–25
 – distribution 410–412
 – EDLs 576–577
 – fiber-optic monitoring 72, 329
 – gas-phase 508
 – gradients 139
 – inverted gradients 246–247
 – linear temperature dependence 249
 – measurement 65
 – NLBT 123, 247
 – nonpolar solvents 330
 – polymerization 262
 – rate of increase 396
 – sensors 276
 – superheating 398
 – temperature–time profiles 408
 tensioactive properties 967
 TentaGel resin 927
 terminal alkynes 496
 terminal Mizoroki–Heck vinylation 655
 terpene, tetracyclic 844
 terpenophenolic compounds 853
 N-*tert*-butoxycarbonyl group 433
 tert-butyl acrylate 1024
 2-*tert*-butylphenol 169
 tert-butylsulfinyl chloride 980
 tertiary amines, steric hindrance 928
 tetra-*O*-benzyl-*C*-galactoside 749
 tetraalkylammonium salts 188
 tetraalkyl/tetraaryl germanes 314–315
 tetraazidocalix4arene 749
 tetrachloroethylene 1017
 tetracycles, complex 1155
 tetracyclic benzothiazepines 463
 tetracyclic benzothiazoloquinazoline 1136
 tetracyclic fused pyrrolidiazepines 1162
 tetracyclic pyran-fused ring systems 1159
 tetracyclic terpene 844
 tetragalactosyl clusters 746
 tetraguanidines, dimeric 85
 tetrahydrofuran (THF) 255
 tetrahydroindazolones 697
 tetrahydropranyl ethers 437
 tetrahydropyridinones 792
 tetrahydroquinolinediones 1120
 tetrahydroquinolines, 1125
 tetralones 1134
 2,2,6,6-tetramethylpiperidinyl-1-oxy (TEMPO)
 1023
 tetrasubstituted imidazoles 1106
 tetrasubstituted imidazolones 1109
 tetrasubstituted pyrazoles 1106
 tetrasubstituted pyrroles 768
 1,6,8,13-tetraynes 800
 tetrazines 406
 tetrazoles 507, 756, 1109–1110
 – one-pot synthesis 638
 – unprotected 620
 tetrazolodiazepinones 756, 1110
 TFA (trifluoroacetic acid) 904, 908–909,
 936–937
 theories and models
 – chaos theory 108
 – Cole–Cole model 31–32
 – Cole–Davidson model 32
 – Debye’s model of dielectric losses 20–22
 – dielectric losses 19–20
 – “fuzzy information theory” 107
 – general system theory 107
 – Hughes–Ingold model 140
 – “intelligent oversimplified models” 105
 – Langevin model 43
 – plasma-chemical microwave discharges
 565–566
 – SPPS 900–901
 therapeutic agents 750
 – peptide/protein 897
 thermal conductivity 574
 thermal dependence
 – dielectric losses 108–111
 – dielectric permittivity 26–28
 – dielectric properties 109–110
 thermal effects 129, 210, 246–256
 thermal feedback, dielectric 109–110
 thermal imaging 350–353
 thermal inhomogeneity 249–256, 351
 thermal ketodecarboxylation 324
 thermal path effect 120–122
 thermal reactions, heterocyclic syntheses
 307–313
 thermally insulated electrodeless lamp,
 MW-discharge, *see* MDTIEL
 thermocouple 1039
 thermodynamic effects 117–118
 thermohydrolysis 89
 thermolysis 306–307, 316
 thermometer, molecular photochemical 582

- thermometry system, fiber-optic 88, 375
Thermostat system 95–96
THF (tetrahydrofuran) 255
1,3,4-thiadiazoles 462–463
thiazines 1185
thiazoles 679–680
– annulated 310
– substituted 461–462
thiazolidinones 679–680, 1146
thiazolines 679–682
thiazolopyridines 685–686
thiazolopyrimidines 1157
thiazolyl (hetero)arenes 310
thiazotriazines 1138–1139
thienosultines 1063
thiiranes 461–463
thin films 569–571
– MW heating 272
1-thio sugars 980
thioacetals 430
thioacylation 964–965
thioamides 830
thiocarbonyl derivatives 437
thioctic acid 1089
thiodihydropyridines 1112
thioethers 652
thioglycosides 965
1-thioglycosides 970
(±)-thiohalenaquinone 854
thiols 452–453
thionocarbonate functionality, cyclic 975
thionolactones 980
thiophenes 519
– cycloadducts 1063
– derivatives 818
– oligomers 1050
– rings 1063
– synthesis 674–676
– [b]thiophene-2-ylmethoxycarbonyl group,
 see Bsmoc
– 2-thiophenecarboxaldehyde 1104
thiopyrano coumarin/chromone
 frameworks 225
thiopyrano pyrimidinones 1158
thiopyrano quinolines 781
thiopyridines 1111–1112
thiourea derivatives 161
4-thioxooxazolidin-2-ones 507
Thorpe–Ziegler cyclization 821
Thorpe–Ziegler reaction 694
three-component coupling 470
thymallene 763
time-dependent electric field 26
tin-doped indium oxide (ITO) 529–530
tin powder 1030
titania, thin films 568–571
titanium(IV) isopropoxide/titanium(IV)
 butoxide 570
TMC (trimethylene carbonate) 1027, 1030
TMP (2,4,6-trimethylpyridine) 928
TMS (trimethylsilyl) enolates 829
TMS (trimethylsilyl)-protected alkynes 742
 α -tocopherol 531
toluene 330, 402
– Pd/AC support 414
p-toluenesulfonates, alkyl 162
Tolypocladium inflatum, 845
total organic carbon (TOC) 508
total oxidation, VOCs 516–517
total reflectance, attenuated 367
total synthesis
– alkaloids 859–876
– bioactive heterocycles 719–729
– natural products 844–859
toxic agents 591
toxoflavin 722
trans-cinnamaldehyde 456
trans-stilbene 554–555
transannular Diels–Alder (DA) reactions 784
transceiver microcoil 1180
transesterification 836–838
– PTC 182–183
transfer hydrogenation 213, 824
transition metal acetylacetonates 571
transition metal-catalyzed coupling
 607–664
transition metal ions 569
transition states
– dipolar 146, 151
– isopolar 141–144
– position 146–147
trapping, nanoparticles 89
traveling waves 67
TREAT–HF (triethylamine trihydrofluoride)
 334
2,5,6-triaminopyrimidin-4-one 224
2,4,5-triarylimidazole 676
triazines 688–691, 1137–1138
– *s*-triazine ring 719
triazoles 684
– click reactions 996–1002
– derivatives 987
– synthesis 997
– triazole-imidazolium units 556
– triazole ring 448
1,2,3-triazoles 1183
– acid-catalyzed reactions 812
– 1,4-disubstituted 637

- 1,4-disubstituted 743
 - 1,2,4-triazole 196–197
 - phenacylation 140, 197
 - triazolines 1000
 - 1,2,4-triazolo[4,3-*a*][1,8]naphthyridines 833
 - triazolyl glycosides 990
 - triblock copolymers 1029
 - tributyl borate 687
 - 3,4,5-trichloropyridine 718
 - tricyclic benzonitriles 639
 - tricyclic fused oxazepines 1150
 - tricyclic fused piperidines 1124
 - tricyclic fused pyridines 1120–1121
 - tricyclic heterocycles 1119
 - tricyclic imidazopyridines 1125
 - triethyl orthoformate 367
 - triethylamine 284, 1103
 - triethylamine trihydrofluoride (TREAT–HF) 334
 - triflates
 - 4-acetylphenyl 626
 - aryl 638, 646
 - phenyl 230
 - trifluoroacetic acid (TFA) 904, 950
 - tetragalactosyl clusters 746
 - triglycerides 836–837
 - 5-trihalomethyl-3-arylisoxazoles 681–682
 - trimethylene carbonate (TMC) 1027, 1030
 - 2,4,6-trimethylpyridine (TMP) 928
 - trimethylsilyl (TMS) acetylene 633
 - trimethylsilyl (TMS) enolates 829
 - trimethylsilyl (TMS)-protected alkynes 742
 - triphenyl phosphine 253, 638, 650
 - triphenyl(butyl)phosphine 169
 - triple bonds 231
 - dipolarophiles 765
 - triplet state 257
 - tetrasubstituted pyrazoles 1106
 - trisubstituted pyridines 814
 - 2,4,6-trisubstituted pyrimidines 835
 - tritiation reactions 475
 - trityl-protected alkynyl nitrile 800
 - tube reactors, continuous 69
 - tubular flow reactor 1193
 - tubulin, mammalian 880
 - Turbosphere system 93
 - tyramine-derived natural products 1200
- u**
- UDC (Ugi–deprotect–cyclize) route 1137–1138
 - U-shaped waveguide 75–76
 - U-tube capillary reactor 1195
 - UCOs (used cooking oils) 836
 - Ugi–cyclization 1149–1150
 - Ugi reaction 468, 1140
 - intramolecular 1103
 - Ullmann coupling 643, 648
 - ultraCLAVE II 87
 - ultrapure water 389
 - ultrasound (US)
 - activation 526
 - MACOS 1200–1201
 - MW–US methods 544–560
 - ultraviolet, *see* UV
 - unactivated aryl chlorides 634
 - unfused pyridines 1110–1116
 - unimolecular reactions 146, 188–193
 - units
 - azobenzene 1042
 - sub, *see* building blocks
 - triazole-imidazolium 556
 - unprotected aryl bromide 629
 - unprotected carbohydrate derivatives 962
 - unprotected tetrazole 620
 - α , β -unsaturated carbonyl compounds 490
 - unsaturated polyesters 1039
 - unsymmetrical ethers 550
 - UPLC (ultra-performance liquid chromatography) 898
 - uracil 467
 - ureas
 - condensation 160–161
 - pyrolysis 315–316
 - substituted 1132
 - thermolysis 315
 - urethane groups 932
 - urethane-protected amino acids 933
 - US, *see* ultrasound (US)
 - UV lamp
 - external 580
 - internal 586
 - UV-methods, photoconversion 84–85
 - UV/Vis discharges 564
 - UV/Vis–materials interactions 589–590
 - UV/Vis spectroscopy 370–372
- v**
- vacuum vessel, Dewar-like 417
 - validation, MW reactors 96–97
 - vancomycin 881
 - vapor pressure 573
 - verbenone 490
 - vessels
 - Dewar-like 417
 - high-pressure digestion 584
 - open/sealed 69, 279, 366
 - silicon carbide 277–279, 332–337

- vials, MW-transparent/absorbing 277
 - (-)-vibrallactone 847
 - vibrations, bond 8
 - vic-dibromides 235
 - vic-diol halogenations 975
 - vicarinine 875
 - Vilsmeier reagent 187
 - Vilsmeier-type cyclizations 686
 - vinyl esters 1027
 - vinyl ethers, chelating 655
 - vinyl ketones 302–303
 - vinyl monomers 1014, 1080
 - disubstituted 1014
 - vinyl pyrazoles 194–195
 - N-vinyl pyridinium 615
 - vinyl-substituted diols 988
 - vinylation 632, 653
 - N-vinylcarbazole 1080
 - vinyllic SN reactions 174
 - viruses
 - DNA/RNA 750
 - hepatitis C 663
 - viscosity 252
 - polyamides 1041
 - solvents 544
 - surfactants 420
 - VOC (volatile organic compounds) 516–517
 - voltammetry experiments 528, 534
 - vulcanization, rubber 1013
- W**
- WAO (wet air oxidation) 508
 - waste gas treatment 516
 - wastewaters 583
 - water
 - absorption spectra 27
 - bound 38–39
 - dielectric parameters 399–402
 - dielectric properties 30
 - electric field effects 111
 - electrical conductivity 389
 - green solvent 386–390
 - heavy 389
 - rate of temperature increase 402–403
 - surface tension 420
 - ultrapure 389
 - water-containing natural quartz 597
 - water-soluble ionic liquids 1017
 - waveguides 63–64
 - cylindrical 114
 - large-sized reactors 384
 - ridged 281
 - U-shaped 75–76
 - X-ray scattering 372
 - wavelengths, EDL emission 574
 - waves, *see also* ultrasound
 - electromagnetic 6
 - “lodgian” 6
 - travelling 63
 - WAXS (wide-angle X-ray scattering) 373
 - Weflon 327
 - Wells–Dawson heteropolyacid 707
 - wet alumina 449
 - Wheatstone bridge circuit 281
 - Wilkinson’s catalyst 801
 - Wittig olefination 147, 438
 - Wolff rearrangement 230, 1161
- X**
- X-ray scattering 372–373
 - xanthane 1027
 - Xestospongia exigua* 853
 - Xylene 397, 404–405
 - p*-xylene 216–217
 - d-xylose 989
- Y**
- yield
 - [BMIM]BF₄ 407
 - DA reaction 137
 - DBP 405
 - ionic liquid synthesis 407–408
 - nonpolar solvents 136
 - ylides
 - ammonium 197–198
 - azomethine 739, 766–772, 1065–1071
 - carbonyl 226, 237
 - dibenzoxazepinium 772
 - N-methyl azomethine 196, 226, 285, 1070
 - nitrile 739
 - ynamides 496
 - yuremamines 888
- Z**
- Zetex insulation 83
 - zinc, organozinc reagents 629
 - zinc dust 630
 - zinc oxide ceramics 276
 - zinc powder 220, 1027
 - zirconium phosphate 818
 - Zn, *see* zinc
 - zoanthamine alkaloids 892
 - zwitterionic form 117
 - zwitterions 675