

Index

a

- ABBA oxygen packing sequences 38
- AC susceptibility measurements 195
- AFI. *See* antiferromagnetic insulator (AFI)
- AFM. *See* antiferromagnetic (AFM)
- angle-resolved photoemission spectroscopy (ARPES) experiments 249
- antiferromagnetic (AFM) 82
 - ferromagnetic balance 170
 - ferromagnetic system 225
 - interactions 157
 - materials, magnetic properties 222
 - nanoparticles 224
 - noncollinear models 157
 - ordering 214, 219, 227
- antiferromagnetic insulator (AFI) 155
- ARPES. *See* angle-resolved photoemission spectroscopy

b

- Ba_{0.9}CoO_{2.6}, hexagonal perovskite 134
- BaCoO₂
 - divalent cobaltite 61
 - structures 62
- Ba₂Co₉O₁₄
 - crystal structure 50
 - interface layer 51
- Ba₁₂Co₁₁O 20
- BaCoO_{2.60}
 - 12H cobaltites 20
 - 12H structure 21
- BaCoO_{2.74}
 - cobaltites 20
 - 5H structure 21
- Ba₃Co₁₀O₁₇
 - crystal structure 50
 - interface layer 51
 - structure of 51
- Ba₂CoO₄, monoclinic structure 63
- BaCoO₃ polymorph, 2H structure 20
- Ba:Co:O ratio 51
- Ba_{0.9}CoO_{2.60} 20
- Ba₈Co₇O₂₁, structure of 22
- BaCoO_{3-x} structure
 - hexagonal perovskite, topology of 50
- Ba₆La₂Co₄O₁₅, structure 61
- BaLn₂CoO₅ 59
- Ba₆Ln₂Co₄O₁₅, trivalent cobaltites 60
- band-filling 254, 267
- band insulator 258, 260
- BiBaCoO
 - misfits 281
 - $\rho(T)$ curves of 278
- [Bi_{1.7}Co_{0.3}Ca₂O₄] [CoO₂]_{1.67} 49
- [Bi₂Ba_{1.8}Co_{0.2}O₄] [CoO₂]₂ 274
- [Bi₂Ba_{1.8}Co_{0.2}O₄]^{RS}[CoO₂]²
 - isothermal magnetic field 283
- Bi-based misfit family
 - $S(T)$ curves of polycrystals 289
- BiCaCoO
 - misfits 280
 - $\rho(T)$ curves of 278
- Bi_{1.7}Ca₂Co_{0.3}O₄
 - ZFC and FC modes 273
- [Bi_{1.7}Co_{0.3}Ca₂O₄]^{RS}[CoO₂]_{1.67} 272, 280
 - MR, magnetic field dependence 281
- Bi_{0.4}Co_{0.1}Sr_{2.5}CoO_{4.9} 29, 30
- BiO layer, honeycomb configuration 33
- [Bi_{1.3}Pb_{0.6}Co_{0.2}Ca_{1.9}O₄] [CoO₂]_{1.72} 272
- [Bi_{1.5}Pb_{0.5}Sr₂O₄] [CoO₂]_{1.86} 278
- [Bi₂Pb_{1.8}Sr_{0.2}O₄]^{RS}[CoO₂]₂
 - magnetic susceptibility, temperature dependence 274
- BiSrCoO
 - misfits 280
 - $\rho(T)$ curves of 278
- BiSr₃CoO_{5.8}, structure of 30, 32
- Bi₈Sr₈Co₄O₂₅, structure of 32

- Bi–Sr–Co–O misfits 272, 280
- [Bi_{1.74}Sr₂O₄][CoO₂]_{1.82} 49
- [Bi_{1.74}Sr₂O_{4-δ}]^{RS}[CoO₂]_{1.82}(BSCO)
 - in-plane magnetoresistance 282
- Bi_{2-x}Pb_xSr₂Co₂O_z
 - magnetoresistance, temperature dependence 282
- [Bi_{2-x}Pb_xSr₂O_{4-δ}][CoO₂]_z
 - magnetization, temperature dependence 274
- BiSr₃CoO_{5.8} 30
- Bi_{2-x}Pb_xSr₂CoO₆ 33
- Bi_{4-x}Sr_{12-2x}Co₈O_{30-δ} 34
 - tubular structure of 34
- BO₆ octahedra
 - *Pbnm* space group 6
- Bragg peaks 215
- brownmillerite SrCoO_{2.5}
 - structure of 14
- BSCO. *See See* [Bi_{1.74}Sr₂O_{4-δ}]^{RS}[CoO₂]_{1.82}(BSCO)
- c**
- CaBaCo₄O₇
 - χ (*T*) curves 239
 - magnetic properties 239, 243
 - magnetic structure, projection of 240
 - oxidation of 242
 - structure 54
- CaBaCo₄O₇ cobaltites 232
 - magnetic properties 239–241
 - oxygen absorption 241–244
 - YBaCo₄O₇ 233–235
 - substitution effect 238, 239
- CaBaCo₄O_{7.5}, *M*(*H*) curves of 244
- CaBaFe₄O₇ cobaltites, trigonal structure 53
- Ca₃CoIrO₆
 - temperature-dependent Seebeck coefficient 318
- Ca₂Co₂O₅
 - brownmillerite-type ordered oxygen-deficient 12
- Ca₃Co₂O₆
 - anisotropic inverse magnetic susceptibility, temperature dependence 303
 - band structure 308
 - chain magnetization, schematic projections 301
 - characteristic spin relaxation time, temperature dependence of 307
 - cobalt cation lattice 305
 - cobalt chains 312
 - crystal structure 59
 - electrical behavior 310
 - field-dependent magnetization 299, 306
 - frustrated Ising chains, formulation of 308
 - geometrical frustration 303
 - hysteresis loops 306
 - log-derivative of resistivity 312
 - magnetic AC susceptibility 304
 - magnetic phase diagram 302
 - magnetic properties 299
 - magnetization, isothermal magnetic field 305
 - magnetoresistance in pulsed field 316
 - Mössbauer studies 309
 - nanodimensional thin films 303
 - nanorods, magnetization 307
 - neutron diffraction studies 300
 - NMR studies 297
 - resistivity of 313
 - ρ (*T*) curves of 314, 315
 - Seebeck coefficient 318
 - single-crystal resistivity 311
 - spin chain compound 307
 - spin configuration, schematic illustration 304
 - *S*(*T*) for 317
 - temperature-dependent resistivity 311
 - temperature-dependent thermopower 317
 - thermoelectric power value 315
 - variable range hopping (VRH) type 311
 - X-ray absorption spectra 298
 - ZFC and FC curves 300
- Ca₃Co₄O₉
 - derivatives 283
 - Gd and Y double-doped 285
 - HREM studies of 47
 - in-plane/out-of-plane resistivity curves 275
 - magnification of 271
 - misfit structure of 48
 - susceptibility, temperature dependence 270
 - temperature dependence of thermopower 286
 - thermopower 284
- [Ca₂CoO₃]_{0.62}[CoO₂] 269
- Ca₃Co₄O₉[Ca₂CoO₃]^{RS}_{0.62}[CoO₂]
 - successive magnetic transitions 271
- Ca_{2.6}Co₂O₆, calcium-deficient 313
- CaCo₂O₄, calcium ferrite structure 59, 60
- Ca₃Co₂O₆ cobaltite, unidimensional 297
 - anisotropy 302
 - 1D-Ca₃Co₂O₆, magnetic properties 299–302
 - derivatives 310–313
 - doping effect upon resistivity 313, 314
 - electrical resistivity 310–313
 - frustration 302–305

- magnetoresistance 314, 315
- models 307–309
- nanophase 306, 307
- quantum tunneling magnetization (QTM) 305, 306
- substitution effect 309, 310
- thermoelectric power 315–318
- valence and spin state 297–299
- Ca₃Co₄O₉ single crystals
 - $q(T)$ curves of 279
- Ca₃CoRhO₆, antiferromagnetic state 310
- Ca₃Co_{2-x}Fe_xO₆
 - DC magnetization vs. temperature curves 309
 - magnetization and coercive field 310
- Ca₃CoScO₆ 314
- [Ca₂Co_{4/3}Cu_{2/3}O₄]_{0.62} [CoO₂] 272
- [Ca₂CoO₃][CoO₂]_{1.62} 45
- CAF. *See* canted antiferromagnetic (CAF)
- calcium doping 165–167
- Ca_{2.9}Ln_{0.1}Co₄O_{9+δ}
 - Seebeck coefficient, temperature dependence 285
- Ca₃Co₂O₆ 58, 59
- Ca₃Co₄O₉ 269–272
- Ca₉Co₁₂O₂₈ 45
- Ca₃Co_{1.9}Ti_{0.1}O₆ 314
- [(Ca₂Co_{0.65}Cu_{0.35})₂O₄][CoO₂]_{1.60} 49
- [Ca₂Co_{0.6}Pb_{0.4}O₃][CoO₂]_{1.61} 49
- [Ca_{1.7}Nd_{0.3}CoO₃][CoO₂]_{1.62} 49
- canted antiferromagnetic (CAF) 155
 - phase diagram 155, 156
- cationic deficiency scenario 243
- Ca_{3-x}Ag_xCo₄O₉, doping of Ag 275
- Ca_{3-x}Ce_xCo₄O_{9+δ} 284
- Ca_{3-x}Sr_xCo₄O₉ 275
 - thermoelectric power 284
- CdI₂-type CoO₂ layers 47
- charge-ordered insulating (COI) phase 292
- charge-transfer insulators 188
- Cmma* space group 15
- CMR perovskite manganites 237
- Co[Al_{1-x}Co_x]₂O₄
 - inverse molar susceptibility 217
 - magnetic phase diagram 218
- CoAl₂O₄ 37, 216
- cobalt-based spinel thin films
 - doping concentration, effect 220
- cobalt ions
 - electronic configuration of 149
 - spin state of 4
- cobaltites
 - infrared spectroscopy of 74
 - oxygen deficiency 15
- cobaltites, electronic/magnetic properties
 - Co₃O₄ spinel and derivatives 211
 - cobalt, valence and spin states 211–213
 - electrical properties 219–221
 - magnetic and transport properties 213–219
 - nanodimensional, magnetic properties 221–232
 - triangular layered 249
- cobalt oxidation state, evolution 16
- cobalt oxide compounds
 - cobaltites, magnetic/transport properties 59–64
 - cobaltites, with triangular lattice
 - hexagonal perovskite and CdI₂-type layers 50, 51
 - kagomé layers 51–58
 - misfit cobaltites 45–49
 - Na_xCoO₂-type lamellar oxides 37–44
 - spinel cobaltites 34–37
 - unidimensional cobaltite Ca₃Co₂O₆ 58, 59
 - crystal chemistry of 3
 - hexagonal perovskite and derivatives 19–22
 - Hund's coupling 3
 - LaBaCo₂O₆ 8, 19
 - LnCoO₃ 4–7
 - Ln_{1-x}A_xCoO₃ 7–9
 - oxygen-deficient perovskites
 - ACoO_{3-δ} 9–12
 - LnBa-Co₂O_{5,50} 16–18
 - Sr-rich perovskites Sr_{1-x}Ln_xCoO_{3-δ} 13–16
 - Ruddlesden and Popper (RP) cobaltites 22
 - derivatives with double and triple Rock salt layers 29–33
 - Ln_{2-x}Sr_xCoO₄, single-layered 23–25
 - Sr_{3-x}Ln_xCo₂O_{7-δ}, double-layered 25–29
 - tubular cobaltites 33, 34
 - thermodynamic analysis 175
- cobalt spinels, prototype 34
- Co₅ bipyramids 234
- CoCr₂O₄ 37, 218
- COI phase. *See* charge-ordered insulating (COI) phase
- Co *K*-edge X-ray absorption spectroscopy (XAFS) 47
- configuration–interaction (CI) cluster model 299
- Co₃O₄
 - cooling field for 224
 - ferrimagnetism/ferromagnetism 228, 229
 - field-dependent effective magnetic moment 229
 - field-dependent magnetization curves 231
 - magnetic short-range order 36

- magnetic susceptibility 225
 - nanowires/nanotubes 229
 - particle size effects 225
 - superparamagnetism 228
 - temperature–magnetic field phase diagram 226
 - ZFC/FC magnetization curves
 - temperature-dependent 230
 - ZFC magnetization curve 231, 232
 - $\text{Co}_{3-x}\text{O}_4$ 243
 - $[\text{CoO}_2]_\alpha$ layers
 - hole doping of 283
 - Co–O bond length 184
 - Co–O–Co bond angle 3, 23
 - CoO_2 layers
 - transition elements 49
 - two-dimensional 43
 - Co_3O_4 , nanodimensional spinel cobalt oxide
 - magnetic properties 222
 - Co_3O_4 nanostructures 223
 - CoO_6 octahedra 33
 - stacking of 39
 - Co_3O_4 oxide 211
 - antiferromagnetic magnetic structure 214
 - EPR linewidth 215
 - IC-AF ordering 215
 - inverse susceptibility, plot of 213
 - low-spin diamagnetic cobalt(III) cations 211
 - magnetic susceptibility 213
 - thermal expansion 212
 - CoO_5 pyramids 25
 - CoO_4 tetrahedra 64
 - Coulomb correlations 193
 - Coulomb gap 311
 - Coulomb interactions 40
 - $\text{Co}_{3-x}\text{Mn}_x\text{O}_4$
 - magnetic properties 218
 - $\text{Co}_{3-x}\text{M}_x\text{O}_4$
 - spinel derivatives 216
 - crystal field energy 79
 - crystallographic magnetic structures 133
 - Curie constant 72, 254, 257
 - Curie-like contribution 94
 - Curie temperature 164
 - Curie–Weiss behavior 131, 188, 219, 251, 257
 - vs. cobalt valence 132
 - Curie–Weiss fit 184, 187
 - Curie–Weiss law 192, 234, 272, 280, 300
 - Curie–Weiss metal 252
 - metal behavior 258
 - metallic state 258
 - Curie–Weiss nonantiferromagnetic 254
 - Curie–Weiss temperature 216, 217, 243, 256
 - transition–metal aluminum oxide spinels 216
- d**
- DC susceptibility curve 269
 - d–d Coulomb repulsion energy 82
 - density of states (DOS) 268
 - diffuse magnetic scattering 233
 - DOS. *See* density of states (DOS)
- e**
- EELS. *See* electron energy loss spectroscopy (EELS)
 - Efros–Shklovskii (ES) conductivity 202, 311
 - Efros–Shklovskii-type hopping (ESH) 175
 - elastic neutron scattering 186
 - e-LCO. *See* epitaxially strained film of LaCoO_3 (e-LCO)
 - electrical polarization
 - temperature-dependent 241
 - electron diffraction 41
 - electron energy loss spectroscopy (EELS) 15
 - electron–hole asymmetry 164
 - electron microscopy 266
 - electron pairing energy 214
 - electron–phonon-coupled holes 291
 - energy separation, LS/HS state 72
 - epitaxially strained film of LaCoO_3 (e-LCO) 88
 - ESH. *See* Efros–Shklovskii-type hopping (ESH)
 - $\text{EuBaCo}_{1.85}\text{Ni}_{0.15}\text{O}_{5.57}$
 - magnetic field dependence 161
 - $\text{EuBaCo}_2\text{O}_{5.49}$ 158
 - $\text{EuBaCo}_2\text{O}_{5.5\pm\delta}$
 - $M(T)$ curves 158
 - phase diagram 155
 - variation of magnetization with oxygen 155
 - $\text{Eu}_{0.8}\text{Ca}_{0.2}\text{BaCo}_2\text{O}_{5.41}$ 158
 - $\text{Eu}_{0.9}\text{Ca}_{0.1}\text{BaCo}_2\text{O}_{5.44}$ 158
 - $\text{Eu}_{1-x}\text{Ca}_x\text{BaCo}_2\text{O}_{5.5+\delta}$ 158
 - magnetoresistance, variation 172
 - EuSrCoO_4 205
- f**
- Fe_2O_3 56, 243
 - Fe_3O_4 56, 245
 - Fermi level 4, 285
 - Fermi surface reconstruction 252
 - ferrimagnetism 219, 228, 229
 - ferromagnetic (FM) 225
 - antiferromagnetic system 225
 - phase boundary 170
 - transition 154
 - balance 170

- domain walls 123
- motion 169
- ordering 88, 101
- temperature 221
- transition 138, 253
- temperature 112, 203
- ferromagnetic and commensurate (FMC) 116
- ferromagnetic half metallicity (FMHM) 313
- ferromagnetic insulator (FI) 164
- ferromagnetic to paramagnetic (FM/PM) ratio 117
- FMC. *See* ferromagnetic and commensurate (FMC)
- FMHM. *See* ferromagnetic half metallicity (FMHM)

- g**
- Gd_{0.9}Ba_{0.1}CoO₃ 103
- GdBaCo₂O_{5.56}
 - temperature dependence 154
- GdCoO₃ 83
- Gd_{0.5}Ba_{0.5}CoO_{2.9} 146
- GdBaCo₂O_{5.5} 164
- GdBaCo₂O_{5.5+δ}, MR effect 170
- Gd_{0.7}Sr_{0.3}CoO₃, resistivity curve 108
- Gd₂SrCo₂O₇, room-temperature structure 26
- Gd_{1-x}Sr_xCoO_{3-δ}, isothermal MR 144
- generalized gradient approximation (GGA) 74, 313
- GGA. *See* generalized gradient approximation (GGA)
- Glauber-type single spin flip process 308
- Good-enough–Kanamori rules 149
- Griffiths phase 188, 216
- Griffiths singularity 191
- Griffiths temperature 187, 188
- Griffiths-type cluster state 187
- G-type antiferromagnetic
 - phase 145
 - structure 150

- h**
- half-filled Co-band
 - particle-hole symmetry of 291
- Hartree–Fock approximation 180
 - calculation 103, 291
- Heesch–Shubnikov point group 240
- Heikes formula 119, 120, 147, 265, 290, 316
- [Hg_{0.09}Co_{0.88}Ca_{2.03}O₃]^{RS}[CoO₂]_{1.63} 277
- [Hg_{0.39}Co_{0.57}Sr₂O₃]^{RS}[CoO₂]_{1.79} 277
- Hg/Sr/Ca/Co/O misfit cobaltites
 - temperature dependence of resistivity 277
- [Hg_{1-x}Co_xSr₂O₃][CoO₂]_{1.8} 49
- HoBaCo₂O₅ 164
- HoBaCo₂O_{5.5} 158, 164, 172
- HoCoO₃ 84
- hole reservoir layer 277
- Ho_{1-x}Ca_xBaCo₂O_{5.5±δ}
 - magnetization curves 160
- Ho_{1-x}Ca_xCoO₃ 93
- Hubbard bands 83
- Hund’s coupling 3, 72
- Hund’s rule intraatomic exchange energy J_H 3

- i**
- IC. *See* incommensurate (IC)
- IC-SDW transition. *See* incommensurate spin density wave (IC-SDW) transition
- incommensurate (IC)
 - order 116
 - period 238
- incommensurate spin density wave (IC-SDW) transition 270
 - paramagnetic state 273
- inelastic neutron scattering (INS) study 77
- insulator transition 9
- intermediate-spin (IS) state 74
- Ising triangular lattices 301
- IS–JT state 91

- j**
- Jahn–Teller distortions 6, 76, 91, 92, 103, 180, 197
 - Co^{1S}O₆ octahedra 76
- Jahn–Teller octahedral splitting 91
- JT modulation 183
- JT sites, percentage 92

- k**
- kagomé layers 52, 239
 - side-by-side views of 57
- K₂NiF₄ structure
 - Co-based materials 24
 - schematic representation of 23
- Knight shift measurements 268

- l**
- LaBaCo₂O₆ 9, 17, 18
- La_{0.5}Ba_{0.5}CoO₃
 - disordered perovskite, transport data of 122
 - electrical resistivity, temperature dependence 121
 - isotherm magnetization, field dependence of 120
 - $Pm3m$ symmetry 18
- LaBaCo₂O_{5.50} 16, 18

- crystal structure of oxides 17
- ferro/antiferromagnetic phase boundary 170
- magnetic field-dependent isotherm MR effect 171
- oxygen-deficient 19
- view of 17
- LaBaCo₂O₆ 121–123
 - disordered and ordered forms 121
 - HREM image 19
 - tunnel magnetoresistance (TMR) 123
- LaBaCo₂O₅, oxygen-deficient 19
- La_{0.5}Ba_{0.5}CoO₃, 103, 120
- LaBaMn₂O₅ 16
- La_{2-x}Ca_xCoO₄ 183
- La_{0.7}(Ca_{1-x}Ba_x)_{0.3}CoO₃
 - magnetoresistance 113
 - temperature dependence 114
- LaCo_{0.7}Cu_{0.3}O_{3-δ} 147
- LaCo_{0.4}Ni_{0.6}O₃ 86
- LaCoO₃ 4
 - Co³⁺ ions, spin states of 74
 - electric resistance 84
 - epitaxially strained film 88
 - ferromagnetism 88, 89
 - hydrostatic pressure 89
 - IR spectra 75
 - JT deformation 76
 - magnetic behavior 85
 - magnetic susceptibility 82
 - temperature dependence 81
 - magnetoresistance properties 85, 86
 - metal-insulator (MI) transition 83, 84
 - nanoscale electronic and magnetic inhomogeneity 86
 - O–K XAS spectrum 93
 - oxygen deficiency 88
 - pair density function (PDF) 77
 - phase separation 86
 - Raman spectra 76
 - Seebeck coefficient of 87
 - spin disorder 85
 - transition between different spin states 80
 - X-ray photoelectron spectra 73
- La₂CoO₄, antiferromagnetic insulator 180
- lanthanide cation, on strontium site 13
- lanthanide perovskite cobaltes. *See also* LnCoO₃
 - high-temperature diffraction study 80
- lanthanides 150
- La_{0.7}Sr_{0.3}CoO₃
 - Curie temperature, pressure dependence 104
 - La_{0.85}Sr_{0.15}CoO₃
 - magnetoresistance 111
 - La_{1.5}Sr_{0.5}CoO₄ 183
 - Co–O bonding orbitals, schematic drawing 198
 - half-doped phase 186, 187
 - schematic spin and charge configuration 199
 - LaSrCoO₄
 - magnitude of the resistivity 199
 - neutron diffraction studies 180
 - La_{0.5}Sr_{1.5}CoO₄ phase
 - quasi-metallic/semiconducting ferromagnetic 204
 - lattice expansion, Sr²⁺ substitution 8
 - La_{1-x}A_xCoO₃ 97–99
 - elastic neutron scattering studies 99
 - substitution at Co sites 103, 104
 - La_{0.5}Ba_{0.5}CoO₃ 103
 - La_{1-x}Ba_xCoO₃ 107
 - La_{1-x}Ca_xCoO₃ 107
 - cubic symmetry 98
 - Seebeck coefficient 147
 - La_{1-x}Eu_xCoO₃ 101
 - La_{0.7}Sr_{0.3}Co_{1-x}Cu_xO_{3-δ} 145
 - La_{0.7}Sr_{0.3}Co_{1-x}Ni_xO₃ 103
 - La_{1.5}Sr_{0.5}CoO₄ 186, 187
 - La_{0.6}Sr_{0.4}CoO₃ 93
 - La_{0.7}Sr_{0.3}CoO_{3-δ} 148
 - La_{0.8}Sr_{1.2}CoO₄ 204
 - La_{0.93}Sr_{0.07}CoO₃ 145
 - La_{1.25}Sr_{0.75}CoO₄ 205
 - La_{1.7}Sr_{0.3}CoO₄ 24
 - La_{0.5-x}Ln_xSr_{0.5}CoO₃, cluster glass behavior 102
 - La_{1-x}M_xCoO₃, phase diagrams 98
 - La_{1-x}Sr_xCoO₃ 77
 - La_{1-x}Sr_{1+x}CoO₄
 - Seebeck coefficient 207
 - La_{1-x}Sr_xCoO₃ 94–97
 - Co³⁺/Co⁴⁺ ratio 8
 - Co–O bond lengths 8
 - DC magnetic studies 97
 - effective magnetic moment 95
 - elastic neutron scattering 95
 - EXAFS and neutron pair distribution function studies 93
 - ferromagnetic cubic perovskites 190
 - magnetic phase diagram 96
 - magnetic susceptibility for lightly doped crystals 94
 - magnetoresistance contributions, doping 110
 - neutron diffraction studies 97

- phase diagram 96
- phase separation 116
- resistivity
 - temperature dependence 105, 107
- Seebeck coefficient, temperature dependence 118
- *S* vs. *Sr* content 119
- thermoelectric power 118–120
- La_{2-x}Sr_xCoO₄
 - electrical resistivity and local activation energy 197
 - inverse susceptibility 189
 - magnetization loops 189
 - metal–insulator transition 196
 - stripe phases 198
 - thermoelectric power 206
- La_{1-x}Sr_{1+x}CoO₄ phase
 - electrical resistivity, field dependence of 204
- LiCoO₂, structure of 44
- lithium cation 36
- lithium cobaltites Li_xCoO₂ 44
- Li_xCoO₂ 44
- Li_{0.5}CoO₂ 44
- Li_{1.03}Co_{0.97}O_{1.88} 44
- Ln³⁺
 - A²⁺ cations, size difference 16
- Ln_{0.5}Ba_{0.5}CoO₃
 - charge ordering (CO) 109
 - electronic phase diagram 109
- LnBaCo₂O₅
 - magnetic properties 149
- LnBaCo₂O_{5.4}
 - giant magnetoresistance 169
- Ln₂BaCo₅O₅
 - divalent cobaltites 61
- LnBaCo₂O_{5.5}
 - magnetic structure, schematic representation 151
- LnBaCo₂O_{5.50}
 - magnetization, temperature dependence of 150
- LnBaCo₄O₇
 - structural transition 58
- LnBaCo₂O₅ cobaltites 17
- Ln₂BaCo₅O₅ cobaltites
 - pyramidal structure 63
 - unidimensional structure 62
- LnBaCo₄O₇ cobaltites 232, 235–238, 243
 - magnetic cobalt sublattice of 236
 - thermal effect 52
 - trigonal structure 53
- LnBaCo₂O₅ compounds
 - electrical resistivity 161
- LnBaCo₂O_{5.5} compounds 175
- Ln_{0.5}Ba_{0.5}CoO_{3.δ}
 - ferromagnetic transitions 133
- LnBaCo₂O_{5.5±δ}
 - magnetic properties 153, 154
- LnBaCo₄O_{7+δ}
 - absorption and desorption 54, 55
 - TG curves 55
- LnBaCo₂O_{5+δ} cobaltites
 - air-synthesized 162
 - annealed samples 163
- LnBaCo₂O_{5+δ}, ordered oxygen-deficient perovskites 148
 - electron transport properties
 - LnBaCo₂O₅ 161, 162
 - LnBaCo₂O_{5.5±δ} 162–167
 - magnetic properties 149
 - LnBaCo₂O₅ 149
 - LnBaCo₂O_{5.5±δ} 149–160
 - magnetoresistance 169–172
 - phase separation 168, 169
 - thermoelectric properties 172
 - LnBaCo₂O₅ 172
 - LnBaCo₂O_{5.5} 172–175
- LnBaCo₄O₇ oxides, structure 56
- LnCoO₃
 - Co–O bond length 79
 - crystal structure 5
 - electrical properties 82–85
 - electronic phase diagram 79
 - electronic structure/spin state transition 71–80
 - ideal cubic structure 5
 - linear thermal expansion coefficient 6
 - magnetic properties 80–82
 - magnetoresistance 85, 86
 - Mossbauer spectra 71
 - nanoparticles/thin films, ferromagnetism 88, 89
 - neutron diffractions study 6
 - phase separation 86, 87
 - rare-earth cobaltites 4
 - *R*-3*c* rhombohedral distortion 8
 - rhombohedral structure 7
 - spin state transition 72
 - thermoelectric properties 87, 88
 - transition and the rare-earth elements 71
 - YCoO₃, thermal expansion 7
- Ln³⁺ ions, magnitude of distortion 5
- Ln³⁺ size effect 158
- Ln_{1-x}A_xCoO₃ 99–101
 - cobalt, mixed valence/spin state of 90–93
 - La-rich (hole-poor) and Sr-rich (hole-rich) regions 115, 116
 - La-rich series 110

- magnetic properties of 93
 - charge ordering (CO), in $\text{Ln}_{0.5}\text{Ba}_{0.5}\text{CoO}_3$ perovskites 109
 - half-doped systems 101–103
 - $\text{LaBaCo}_2\text{O}_6$ 121–123
 - $\text{La}_{1-x}\text{A}_x\text{CoO}_3$ 97–99
 - $\text{La}_{1-x}\text{A}_x\text{CoO}_3$, substitution at Co sites 103, 104
 - $\text{La}_{1-x}\text{Sr}_x\text{CoO}_3$ 94–97
 - $\text{La}_{1-x}\text{Sr}_x\text{CoO}_3$, thermoelectric power 118–120
 - $\text{Ln}_{1-x}\text{A}_x\text{CoO}_3$ 99–101
 - $\text{Ln}_{1-x}\text{A}_x\text{CoO}_3$, magnetoresistance 109–114
 - $\text{Ln}_{1-x}\text{A}_x\text{CoO}_3$, phase separation 114–117
 - $\text{Ln}_{1-x}\text{A}_x\text{CoO}_3$, transport properties of 104–109
 - magnetoresistance (MR) 109–114
 - phase separation 114–117
 - thermoelectric figure-of-merit ZT , temperature dependence 119
 - transport properties of 104–109
 - $\text{Ln}_{1-x}\text{Ca}_x\text{Ba}_2\text{Co}_2\text{O}_{5.5\pm\delta}$
 - lanthanide cobaltites 159
 - variation of T_C 159
 - $\text{Ln}_{1-x}\text{Ca}_x\text{BaCo}_2\text{O}_{5.5\pm\delta}$
 - cobalt valence and lanthanide size 160
 - T_{IM} with Ln^{3+} size 167
 - $\text{Ln}_{1-x}\text{Sr}_x\text{CoO}_3$
 - electronic properties 107
 - metal–insulator transition 135
 - temperature dependencies of resistivity 135
 - $\text{Ln}_{2-x}\text{Sr}_x\text{CoO}_4$ compounds 23
 - characteristic of 24
 - local density approximation (LDA) 41, 72
 - band calculations 250
 - local spin density approximation (LSDA) 313
 - low-temperature orthorhombic (LTO) phase 24
 - LSDA. *See* local spin density approximation (LSDA)
 - LS–HS transition 77
 - LS–IS transition 77
 - LTO phase. *See* low-temperature orthorhombic (LTO) phase
 - $\text{LuBaCo}_4\text{O}_7$
 - magnetic transitions 238
- m**
- magnetic anisotropy 153, 154
 - magnetic cobalt lattice 233
 - magnetic field-dependent isotherm
 - magnetoresistance 122
 - magnetic fluctuations 268
 - magnetic phase separation
 - vs. magnetic field 169
 - magnetic phase transition 266
 - magnetic susceptibility
 - measurements 254
 - Pauli-like behavior 257
 - temperature dependence 253
 - vs. temperature 269
 - magnetic–transport–structural transitions 237
 - magnetization ZFC 223
 - magnetoresistance 221
 - evolution 280
 - mercury-based misfit cobaltites 277
 - metal–insulator (MI) transition 78, 84, 85, 105, 112, 163, 164
 - composition 9
 - lanthanide size 164
 - metallic phase 101
 - temperature 166
 - transition region 99, 101
 - metallic–metallic state 173
 - metamagnetic transition 253
 - misfit cobaltites 45–49
 - bismuth-based misfit cobaltites 289, 290
 - electrical properties 273–278
 - magnetic properties 269
 - Bi-A-Co-O Systems 272, 273
 - $\text{Ca}_3\text{Co}_4\text{O}_9$ 269–272
 - magnetoresistance 278–282
 - phase separation 290, 291
 - structure of 46, 48
 - thermoelectric properties 282–290
 - misfit cobaltite series, $\rho(T)$ curves of 276
 - misfit compounds, electrical resistivity 277
 - misfit family, $S(T)$ curves of polycrystals 290
 - MI transition. *See* metal–insulator (MI) transition
 - MnCo_2O_4 218, 219, 220
 - $\text{Mn}_{0.5}\text{Ru}_{0.5}\text{Co}_2\text{O}_4$ 219–222
 - resistivity, temperature dependence 222
 - Monte Carlo simulation 308
 - Mott–Hubbard insulators 183, 193, 196, 198, 251, 258
 - nature 174
 - nonmagnetic 94
 - Mott–Hubbard splitting 83
 - Mott’s two-dimensional variable range hopping model 275
 - Mott systems 249
 - Mott variable range hopping (VRH)
 - conductivity 202
 - expression 197
 - MR effect 261

- n**
- Na_{0.36}CoO₂ 266
 - Na_{0.5}CoO₂, in-plane/out-of-plane resistivity 264
 - Na_{0.50}CoO₂ 41
 - Na_{0.52}CoO₂, out-of-plane resistivity, temperature dependence 262
 - Na_{0.53}CoO₂ 266
 - Na_{0.63}CoO₂, temperature dependence of 259
 - Na_{0.67}CoO₂ 39, 40
 - Na_{0.70}CoO₂ 39, 40
 - Na_{0.75}CoO₂, degree of MR effect on temperature 263
 - Na_{0.82}CoO₂, in-plane resistivity 260
 - Na_{0.85}CoO₂, in-plane magnetoresistance 263
 - Na_{5/6}CoO₂, temperature dependence of the resistivity 261
 - β-Na_{0.67}CoO₂
 - NaO₆ prisms
 - stacking of 39
 - Na_{0.5}CoO₂ cobaltites 41
 - characterization of 41
 - NaCoO₂ structure 38
 - nanoscale ordered perovskite 19
 - NaO₆ prisms, stacking of 39
 - Na_xCoO₂
 - bronzes 43
 - crystal structure 37, 60
 - electronic structure 268
 - magnetoresistance 261, 262
 - phase separation 266
 - relevant ordered structures of 42
 - structure of 38
 - thermoelectric properties 262–265
 - thermopower and resistivity 265
 - Na_xCoO₂·γH₂O
 - cobalt valence of superconducting 267
 - magnetic susceptibility 258
 - spin glass behavior 258
 - Na_xCoO₂ oxides 57
 - Na_xCoO₂·yH₂O
 - electronic structure 268, 269
 - magnetic properties 251–258
 - superconducting properties 266–269
 - superconductivity discovery 43
 - NdBaCo₂O₅
 - variable range hopping 161, 162
 - NdBaCo₂O_{5.47} 152
 - NdBaCo₂O_{5.5}
 - G-type antiferromagnetic and spin state ordered phase 152
 - magnetic behavior 152
 - NdCoO₃, IR spectra 75
 - Nd_{1-x}Sr_{1+x}CoO₄
 - thermoelectric power 207
 - vs. temperature 208
 - Nd_{1-x}Sr_xCoO₃, schematic magnetic phase diagram 100
 - Néel temperatures 227
 - neutron diffraction 46, 219, 233
 - neutron powder diffraction 26
 - studies 297
 - neutron scattering studies 81, 186
 - Ni-doped Co₃O₄ spinel 220
 - NQR measurements 268
- o**
- octahedral/tetrahedral cubic fields
 - Co²⁺/Co³⁺ 212
 - O-K X-ray absorption spectroscopy 187
 - studies 183
 - optical conductivity 182, 199
 - optical spectroscopic studies 212
 - orbital filling-induced spin state transition 182
 - oxide crystallizes 58
 - oxygen annealing 144
 - oxygenated Ln cobaltite 242
 - oxygen content
 - evolution of 16
 - oxygen deficiency
 - cobaltites 142
 - LaCoO₃ 88, 129
 - perovskites, MR feature 143
 - phase 137
 - oxygen hyperstoichiometric
 - cobaltites 58
 - crystallographic nature of 55
 - oxygen hyperstoichiometry 241
 - oxygen stoichiometry 164
 - oxygen vacancies 46, 49, 58
 - oxyhydroxide hydrate derivative 184, 195
- p**
- paramagnetic–ferromagnetic–antiferromagnetic (PM–FM–AF) transitions 149
 - paramagnetic insulator (PMI) 155
 - paramagnetic metallic (PM) phase 292
 - particle size effects 225
 - Pauli paramagnetic 252
 - Pauli susceptibility 254
 - [Pb_{0.7}A_{0.4}Sr_{1.9}O₃]^{RS}[CoO₂]_{1.8}
 - Pb/Hg based 288
 - thermopower 288
 - [Pb_{0.7}Co_{0.4}Sr_{1.9}O₃]^{RS}[CoO₂]_{1.8}

- thermopower and resistivity 286
 - thermopower vs. temperature 287
 - $[\text{Pb}_{0.7}\text{Co}_{0.3}\text{Sr}_2\text{O}_3] [\text{CoO}_2]_{1.8}$ 49
 - Pb-doped BSCO single crystals 272
 - Pbnm* space group 5, 6
 - $[\text{Pb}_{0.7}\text{Sr}_{2-x}\text{Ca}_x\text{Co}_{0.3}\text{O}_3]^{\text{RS}}[\text{CoO}_2]_{b_1/b_2}$
 - temperature dependence of thermopower of misfit cobaltites 287
 - $[\text{Pb}_{0.67}\text{Co}_{0.57}\text{Sr}_{1.76}\text{O}_3] [\text{Co}_{0.53}\text{Rh}_{0.47}]_{1.71}$ 286
 - peroxo scenario 243
 - photoemission 73
 - PM-FM-AF transitions. *See* paramagnetic-ferromagnetic-antiferromagnetic (PM-FM-AF) transitions
 - PM-FM-AF transitions 150
 - PMI. *See* paramagnetic insulator (PMI)
 - Pmmm/Pmma* symmetry 16
 - Pm-3m* space group 5
 - PM to ferromagnetic insulator (FI) transition 164
 - polycrystalline YBaCo_4O_7 powder sample
 - inverse magnetic susceptibility 234
 - magnetization curves for zero-field cooled 234
 - Seebeck coefficient 236
 - susceptibility curve of 233
 - temperature-dependent resistivity 235
 - PrCoO_3 , IR spectra 75
 - pristine RP oxide, temperature dependence of DC magnetization 195
 - $\text{Pr}_{1-x}\text{Ca}_x\text{CoO}_3$, phase diagram 100
 - $\text{Pr}_{0.5}\text{Sr}_{0.5}\text{CoO}_3$ 8, 99, 107, 112
 - $\text{Pr}_{2-x}\text{Sr}_x\text{CoO}_4$ 25
 - neutron scattering studies 186
- q**
- QTM. *See* quantum tunneling magnetization (QTM)
 - quantum tunneling magnetization (QTM) 305
- r**
- Raman spectroscopy 266
 - RbCoO_2
 - structures 61
 - trivalent cobaltites, structures of 59
 - RCoO_3 , electrical resistivity, dependence of 84
 - rhombohedral LiCoO_2 , structure of 44
 - rock salt layer
 - bismuth allows 289
 - charge transfer 291
 - misfit layered cobaltites 49
 - SrO layers 25
 - thickness of 45
 - X-ray diffraction measurements 46
 - RP cobaltites. *See* Ruddlesden-Poepper (RP) cobaltites
 - Ruddlesden-Poepper (RP) cobaltites 192–196
 - double-layered 179
 - electronic/magnetic properties 179–184
 - ferromagnetic (FM) signature 179
 - RP phases (*See* Ruddlesden-Poepper (RP) phases)
 - Ruddlesden-Poepper (RP) phases
 - charge ordering (CO) 179
 - electrical properties 196
 - half-doped $\text{Ln}_{1.5}\text{Sr}_{0.5}\text{CoO}_4$ cobaltite 197–199
 - LnSrCoO_4 cobaltites 199, 200
 - $\text{Ln}_{2-x}\text{Sr}_x\text{CoO}_4$ 196, 197
 - $n=2$ RP-type cobaltites 201, 202
 - Sr_2CoO_4 200, 201
 - Sr-rich phases $\text{Sr}_{2-x}\text{Ln}_x\text{CoO}_4$ 200, 201
 - magnetic properties 185
 - 2D ferromagnet Sr_2CoO_4 190
 - half-doped RP phase $\text{La}_{1.5}\text{Sr}_{0.5}\text{CoO}_4$ 186, 187
 - LaSrCoO_4 , magnetic transition region 187–190
 - $\text{Ln}_{2-x}\text{A}_x\text{CoO}_4$ 185, 186
 - Sr-Rich $\text{Sr}_{2-x}\text{Ln}_x\text{CoO}_4$ spin glass-like cobaltites 190–192
 - magnetoresistance 203–205
 - phase separation 202, 203
 - $\text{Sm}_2\text{BaCo}_2\text{O}_{7-\delta}$ 195
 - tetragonal structure 25
 - thermoelectric properties 206–208
 - Ruddlesden–Poepper series 185
 - Ruddlesden–Poepper systems 203
 - Ruddlesden–Poepper-type mixed oxides 185
 - RVB theory 268
- s**
- scanning transmission electron microscope (STEM) 47
 - electron energy loss spectroscopy 47
 - SDW. *See* spin density wave (SDW)
 - Seebeck coefficient 87, 147, 148, 172, 283, 315, 316
 - oxygen deficiency 88
 - temperature dependence of 87
 - semiconductor/insulator-like transport 174
 - $\text{Sm}_2\text{BaCo}_2\text{O}_{7-\delta}$
 - susceptibility and inverse susceptibility curves 196
 - $\text{SmBaCo}_2\text{O}_{5.5\pm\delta}$, phase diagram 155
 - sodium cobaltites (Na_xCoO_2) 249
 - doping rates of 254
 - electrical properties 258–260

- electronic and magnetic properties 260
- FC and ZFC magnetic susceptibility 257
- macroscopic magnetic susceptibility 252
- magnetic features 253
- magnetic phase diagram 255
- magnetic properties 251–258
- magnetic susceptibility 255
- order 291
- phase diagram 256
- sodium/charge ordering
- transport and magnetic properties 260, 261
- temperature dependence of 259
- thermoelectric properties 290, 291
- valence and spin states 250, 251
- sodium, Coulomb potential 42
- sodium, environments 40
- spin blockade mechanism 174
- spin density wave (SDW) 249
 - antiferromagnetic sample 269
 - order 291
- spinel oxide Co_3O_4 , structure of 35
- spin entropy 250
- spin glass (SG) 216
- spin–orbit coupling 92
- spin state order (SSO) 150
- spin state transitions 3, 165
 - of cobalt ions 4
- spiral AFM arrangement 157
- $\text{Sr}_{0.5}\text{Ba}_{0.5}\text{CoO}_{2.5}$, neutron diffraction 134
- $\text{Sr}_{0.8}\text{Ba}_{0.2}\text{CoO}_{2.5}$, electrical conductivity 142
- $\text{SrBaCo}_2\text{O}_5$, magnetic structure 134
- $\text{Sr}_{0.9}\text{Ce}_{0.1}\text{CoO}_{2.74}$, ferromagnets 131
- $\text{Sr}_{2.75}\text{Ce}_{0.25}\text{Co}_2\text{O}_{5.9}$
 - electron diffraction patterns 27
 - temperature dependence of the magnetic susceptibility 194
- $\text{Sr}_{2.75}\text{Ce}_{0.25}\text{Co}_2\text{O}_{6.7}$
 - cerium-doped 194
 - isothermal magnetic field-dependent resistivity 205
- $\text{Sr}_{2.75}\text{Ce}_{0.25}\text{Co}_2\text{O}_{7-\delta}$, oxygen-deficient phase stabilization 27
- $\text{Sr}_{0.9}\text{Ce}_{0.1}\text{CoO}_{2.74}$ 131
- $\text{Sr}_{0.9}\text{Ce}_{0.1}\text{CoO}_{2.83}$ 131
- $\text{Sr}_{1-x}\text{Ce}_x\text{CoO}_{3-\delta}$ 136
- $\text{SrCo}_{0.8}\text{Nb}_{0.2}\text{O}_{2.83}$ 145
- $\text{Sr}_2\text{Co}_2\text{O}_5$, brownmillerite-type cobaltite, structure of 11
- Sr_2CoO_4
 - polycrystalline 24
 - temperature dependences of resistivity 203
- $\text{SrCoO}_{2.5}$, structure of 14
- $\text{SrCoO}_{2.50}$, electrochemical oxidation 10
- $\text{SrCoO}_{2.87}$, semioordered structure of 12
- SrCoO_3
 - electrochemical oxidation 10
 - ferromagnetism/metallic conductivity 89, 90
 - spin state transition 90
 - X-ray absorption study 90
- $\text{Sr}_3\text{Co}_2\text{O}_{5.38}$, magnetic susceptibility, temperature dependence of 193
- $\text{Sr}_3\text{Co}_2\text{O}_{5.64}$ 192
- oxygen-deficient, structural model 29
- oxygen vacancy distribution 27
- $\text{Sr}_3\text{Co}_2\text{O}_{5.82}$, orthorhombic structure 28
- $\text{Sr}_3\text{Co}_2\text{O}_{6.12}$ 25
- $\text{Sr}_3\text{Co}_2\text{O}_{6.60}$, inverse magnetic susceptibility 194
- SrCo_2O_5 brownmillerite
 - electrical properties 141, 142
 - magnetic properties of 140
 - magnetic structure 140
 - thermal evolution 141
- $\text{SrCoO}_{2.5}$ brownmillerite 137
- $\text{SrCoO}_{3-\delta}$
 - dense polycrystalline pellets, thermopower 146
 - magnetoresistance (MR) effect 142
- Sr_2CoO_4 thin films, magnetization, temperature dependence 191
- $\text{Sr}_3\text{Co}_{1.7}\text{Ti}_{0.3}\text{O}_5(\text{OH})_{2-x}\text{H}_2\text{O}$ 28, 195
- $\text{Sr}_3\text{CoIrO}_6$ 59
- $\text{SrCo}_{1-x}\text{M}_x\text{O}_{3-\delta}$, Nb/Ru content, MR data values 144
- $\text{Sr}_3\text{Co}_{1.9}\text{Nb}_{0.1}\text{O}_{6.65}$ 195
- $\text{Sr}_3\text{Co}_2\text{O}_{5.9}$ 190
- $\text{Sr}_3\text{Co}_2\text{O}_{6-\delta}$ 27
- $\text{Sr}_3\text{Co}_2\text{O}_{6.12}$ 25, 26
- $\text{Sr}_3\text{Co}_2\text{O}_7$ 25
- $\text{Sr}_3\text{Co}_2\text{O}_{7-x}$ 25
- $\text{Sr}_3\text{Co}_2\text{O}_{7-\delta}$ 27
- $\text{Sr}_3\text{CoPtO}_6$ 59
- $\text{Sr}_3\text{Co}_{2-x}\text{Zn}_x\text{O}_{6+\delta}$, Zn-doped samples 194
- Sr-doped cobaltites 93
- $\text{Sr}_{0.75}\text{Dy}_{0.25}\text{CoO}_{3-\delta}$ 145
- $\text{Sr}_{0.7}\text{Dy}_{0.3}\text{CoO}_{2.62}$ 140
- $\text{Sr}_{0.67}\text{Ho}_{0.33}\text{CoO}_{2.71}$, G-type antiferromagnetic structure 139
- $\text{Sr}_{0.9}\text{Ho}_{0.1}\text{CoO}_{2.79}$ 140
- $\text{Sr}_{0.9}\text{Ho}_{0.1}\text{CoO}_{3-\delta}$ 133, 145, 165
 - phase diagram 133
- $\text{Sr}_{0.6}\text{La}_{0.4}\text{CoO}_{3-\delta}$, thermopower 147
- $\text{Sr}_{0.67}\text{La}_{0.33}\text{CoO}_{3-\delta}$, high-field magnetization 138

- SrLnCoO_4
 – lanthanide-based cobaltites 200
 – In plot 200
 – temperature-dependent Seebeck coefficient 208
 $\text{Sr}_{0.8}\text{Ln}_{0.2}\text{CoO}_{3-\delta}$, magnetoresistance, evolution 143
 $\text{Sr}_{n+1}\text{Co}_n\text{O}_{3n+1}$, DC magnetization 185
 $\text{Sr}_{1.25}\text{Pr}_{0.75}\text{CoO}_4$, ferromagnetic 191
 $\text{Sr}_3\text{ScCoO}_6$ 59
 $\text{Sr}_{0.9}\text{Th}_{0.1}\text{CoO}_{2.79}$ 131, 137
 $\text{Sr}_{1-x}\text{Ba}_x\text{CoO}_{3-\delta}$ cobaltites, 2H structure 20
 $\text{Sr}_{1-x}\text{Ce}_x\text{CoO}_{3-\delta}$, resistivity of 136
 $\text{Sr}_{1-x}\text{Dy}_x\text{CoO}_{3-\delta}$ 132
 $\text{Sr}_{1-x}\text{Gd}_x\text{CoO}_{3-\delta}$ 136
 – temperature dependences of resistivity 136, 137
 $\text{Sr}_{2-x}\text{In}_x\text{CoO}_4$, MR, doping effect 205
 $\text{Sr}_{2/3}\text{La}_{1/3}\text{CoO}_{3-\delta}$ 143
 $\text{Sr}_{0.6}\text{La}_{0.4}\text{CoO}_{3-\delta}$ 147
 $\text{Sr}_{1-x}\text{La}_x\text{CoO}_{3-\delta}$ 130
 – effective magnetic moment 130
 $\text{Sr}_{1-x}\text{Ln}_x\text{CoO}_{3-\delta}$, disordered perovskites
 – Brownmillerite 136–142
 – electrical properties 135, 136
 – magnetic properties 129–134
 – magnetoresistance 142–145
 – oxygen-deficient perovskites 130
 – phase diagram 14
 – phase separation 145, 146
 – single-phase, formation of 13
 – Sr-rich cobaltites 136
 – thermoelectric properties 146–148
 $\text{Sr}_{1.25}\text{Nd}_{0.75}\text{CoO}_4$ 190
 $\text{Sr}_{2-x}\text{Nd}_x\text{CoO}_4$ 201
 $\text{Sr}_{1.25}\text{Pr}_{0.75}\text{CoO}_4$ 191
 $\text{Sr}_2\text{Y}_{1-x}\text{Ca}_x\text{Co}_2\text{O}_6$ 27
 $\text{Sr}_2\text{Y}_{1-x}\text{Ca}_x\text{Co}_2\text{O}_{6-\delta}$ 26
 $\text{Sr}_{2/3}\text{Y}_{1/3}\text{CoO}_{3-\delta}$ 130
 $\text{Sr}_{0.8}\text{Y}_{0.2}\text{Co}_{0.5}\text{Fe}_{0.5}\text{O}_{2.75}$ 145
 $\text{Sr}_{0.67}\text{Y}_{0.33}\text{CoO}_{2.61}$ 145
 $\text{Sr}_{0.67}\text{Y}_{0.33}\text{CoO}_{2.70}$ 131, 138, 139
 $\text{Sr}_{0.67}\text{Y}_{0.33}\text{CoO}_{2.79}$ 138
 $\text{Sr}_{2-x}\text{Y}_x\text{CoO}_4$ 200
 – electrical resistivity, temperature dependence 201
 – field cooled DC magnetization, temperature dependence of 192
 – Sr-rich cobaltites 200
 – variation in μ_{eff} 182
 $\text{Sr}_{1-x}\text{Y}_x\text{CoO}_{3-\delta}$ 131
 – electrical properties of 136
 $\text{Sr}_2\text{Y}_{0.8}\text{Ca}_{0.2}\text{Co}_2\text{O}_6$ 179
 – calcium-substituted phase 193
 – electrically insulating 201
 $\text{Sr}_{0.67}\text{Y}_{0.33}\text{CoO}_{2.66}$, oxygen-deficient 138
 $\text{Sr}_{0.67}\text{Y}_{0.33}\text{CoO}_{2.614}$, magnetic behavior 138
 $\text{Sr}_{0.67}\text{Y}_{0.33}\text{CoO}_{2.614}$, temperature-dependent magnetization 139
 $\text{Sr}_{0.775}\text{Y}_{0.225}\text{CoO}_3$, annealing of 129
 SrYCoO_4 , resistivity of 201
 $\text{Sr}_2\text{Y}_{0.5}\text{Ca}_{0.5}\text{Co}_2\text{O}_7$ 180, 202, 208
 $\text{Sr}_{0.7}\text{Y}_{0.3}\text{CoO}_{2.625}$ 145
 $\text{Sr}_{0.8}\text{Y}_{0.2}\text{Co}_{1-x}\text{Fe}_x\text{O}_{3-\delta}$, metallic-like behavior 145
 STEM. *See* scanning transmission electron microscope (STEM)
 stoichiometric perovskite cobaltites 71
 superconducting cobaltite 251
 superconducting phase 267
 superparamagnetism 228
 susceptibility, temperature dependence 270
 synchrotron X-ray diffraction studies 52
- t**
- $\text{TbBaCo}_2\text{O}_{5.5}$, spin structures 150
 $\text{TbBaCo}_2\text{O}_{5+\delta}$ 150
 $\text{TbBaCo}_2\text{O}_{5.53}$, three phases of 151
 TbSrCoO_4 25, 180
 temperature, inverse susceptibility 166
 tetragonal $\text{Sr}_{0.7}\text{Y}_{0.3}\text{CoO}_{2.62}$, structure of 14
 thallium atoms 48
 Thenard blue 37
 thermal activation (TA) 174, energy 201
 thermal conductivity 148
 thermoelectric power, doping dependences of 175
 thermopower 264
 $\text{TlSr}_2\text{CoO}_5$ 29, 30
 $\text{Tl}_{0.9}\text{Sr}_3\text{LaCo}_2\text{O}_{8.6}$ 30
 Tl -based misfit $\text{Tl}_{0.4}[\text{Sr}_{0.9}\text{O}]_{1.12}\text{CoO}_2$, thermopower of 285
 $[\text{Tl}_{0.8}\text{Co}_{0.2}\text{Sr}_2\text{O}_3][\text{CoO}_2]_{1.8}$ 30, 31
 Tl -Sr-Co oxides 45
 $\text{Tl}_{0.9}\text{Sr}_3\text{LaCo}_2\text{O}_{8.6}$, Tl -1222 structure of 31
 $\text{Tl}_{0.4}[\text{Sr}_{0.9}\text{O}]_{1.12}\text{CoO}_2$ 272
 $\text{Tl}_{0.41}(\text{Sr}_{0.9}\text{O})_{1.12}\text{CoO}_2$, temperature-dependent resistivity 276
 $\text{TmBaCo}_4\text{O}_7$, neutron diffraction 52
 transition metal oxides, electronic structure of 83
 trigonal prismatic (TP) sites 297
 – energy gap 297
- u**
- ultrahigh resolution synchrotron X-ray powder diffraction 164

v

- variable range hopping (VRH)
 - behavior 166
 - $\text{Ca}_3\text{Co}_2\text{O}_6$ 311
 - conductivity 202
- variational cluster approximation (VCA),
 - LS–HS spin change 78
- VCA. *See See* variational cluster approximation (VCA)
- VRH. *See See* variable range hopping (VRH)

w

- Weiss temperatures 181, 183, 186, 233
 - antiferromagnetic 272

x

- X-ray absorption spectra 73, 82, 298
- X-ray diffraction data 182
- X-ray magnetic circular dichroism (XMCD)
 - study 78, 299
- X-ray powder diffraction studies 49

y

- $\text{YBaCo}_2\text{O}_{5.5}$ 157, 164
- $\text{YBaCo}_2\text{FeZnO}_7$ 238
- $\text{YBaCoFeZn}_2\text{O}_7$ 238
- YBaCo_2O_5 149, 157
- $\text{YbBaCo}_4\text{O}_7$ 52, 236
- YBaCo_4O_7 56
 - magnetic structure 237

- magnetic transitions 238
- side-by-side views of 57
- YBaCo_4O_8 structure
 - FC and ZFC magnetization
 - measurements 242
 - projection of 56
 - side-by-side views of 57
 - structural distortions and corrugated
 - layers 56
- $\text{YBaCo}_4\text{O}_{8.1}$ 242
- $\text{YBaCo}_4\text{O}_{8.2}$ 56, 58
- $\text{YBa}_{1-x}\text{Ca}_x\text{Co}_2\text{O}_{5.5}$ 159
- YCoO_3 , thermal expansion 80
- yttrium phase, thermal effect 52
- $\text{Y}_{1-x}\text{Ca}_x\text{BaCo}_4\text{O}_7$ 237
- $\text{Y}_{1-x}\text{Sr}_x\text{CoO}_3$ 101
- $\text{Y}_{1-x}\text{Yb}_x\text{BaCo}_4\text{O}_7$, $M(T)$ curves 238

z

- Zaenen, Sawatzky, and Allen (ZSA)
 - scheme 84
 - transition–metal compounds 83
- zero-field cooled (ZFC)
 - divergence of 256
 - FC divergence 145
- ZFC. *See See* zero-field cooled (ZFC)
- ZnCo_2O_4 spinel, thin films 220
 - electrical conductivity, temperature
 - dependence 221
- ZSA. *See* Zaenen, Sawatzky, and Allen (ZSA)

