

Index

a

ab initio calculations 215
 acoustic mismatch theory (AMM) 193
 active chains 28, 29
 additives, WSPPC 241
 adsorption–desorption kinetics 65
 Agari empirical model 182, 196
 agglomeration index 149
 aggregation
 – aggregates size 48
 – irreversible 47
 – nanoparticles 39
 alkyl chain length 22
 amine hardener 272
 aminosilanes 101–106
 ammonium modification 133, 134
 amorphous polyethylene melt 71
 analysis methods 39–62
 anchoring points 105
 angular orientation distribution 179
 anharmonicity 54, 58
 anisotropic conductivity 189
 anisotropic fillers 189
 anisotropy, transverse 151
 apolar PNCs 135
 applications
 – MSFEM 153–165
 – SCFT modeling 18–32
 aromatic wall 272
 Arrhenius term 279, 280
 artificial neural network (ANN) 247
 aspect ratio, fibers 238, 239
 asymmetrical arrangement 226, 227
 atomistic scale 97, 101–109, 218
 attached chains, diffusion 89–91
 Au, *see* gold
 autocatalytic models 261, 262
 automotive industry 237, 238
 average t-matrix (ATA) approximation
 186–191

b

bagasse 246
 barrier
 – exfoliation 31
 – Interface barrier layer 191
 batch-specific viscosity 263
 beads, DPD 219
 Benveniste–Miloh model 180
 Berkovich indenter 56, 57
 binding energies, PEO chains 109
 BL-SCEMA 175, 176, 188
 blend systems
 – binary blend 24–32
 – (non)linear blending 250
 – PE/PLLA 223
 block copolymers 22
 boehmite 119, 122
 bonding, interfacial 228
 bonding scheme 105, 106
 bonds, hydrogen 105
 boundary conditions, periodic 7
 bridges 67, 89, 90
 bridging intercalation 27
 Bruggeman asymmetric equation 183–185
 Bruggeman, BL-SCEMA 175, 176, 188
 butadiene–styrene rubber (BSR) 40, 42,
 51–53, 59, 60

c

CAMD (computer-aided molecular design)
 243, 244
 carbon, technical 46, 55
 carbon nanofibers (CNFs) 268–277
 carbon nanotubes (CNTs) 192–195,
 201–214
 – CNT/PE/PLLA composites 228–234
 – functionalized 229–231
 – order parameter 230
 – SWCNTs, *see* SWCNTs
 cation exchange capacity (CEC) 133–137

- CEC (cation exchange capacity) 133–137
 - cellulose esterification 240
 - chains 40
 - active 28, 29
 - binding energies 109
 - conformation 74
 - connectivity 68
 - diffusion 89–91
 - formation 54
 - grafted 22–24
 - internal structure 89
 - junctions 90
 - length 22, 101–106
 - linear entangled 66–72
 - mobility 64
 - octadecyl 133, 136
 - one-/two-sticker 24, 25
 - reinforced particles 63–94
 - telechelic 25
 - chemical product design (CPD) 242
 - chemical structure, aminosilanes 103
 - chemorheological behavior 255–287
 - chemoviscosity model 263–268
 - clays
 - MMT, *see* montmorillonite
 - nano- 18–32, 257
 - organo- 26, 27
 - clusters
 - cluster structure 223, 224
 - clusters number 47
 - P-Cl mechanism 45
 - CNFs (carbon nanofibers) 268–277
 - CNTs (carbon nanotubes) 192–195, 201–214
 - CNT/PE/PLLA composites 228–234
 - functionalized 229–231
 - order parameter 230
 - SWCNTs, *see* SWCNTs
 - coarse-grained mapping 219, 220
 - coefficient of determination 281
 - coefficient of variation (COV) 155, 160, 163–165
 - coherence-potential approximation (CPA) 186, 188–191
 - COMPASS 221
 - compatibilization
 - compatibilizers 140
 - gold 114
 - PP–OMMT nanocomposites 130
 - compliance tensor 150
 - composites
 - CNT/PE/PLLA 228–234
 - PE/PLLA 222–228
 - polar polymer 130
 - polyolefin 2
 - PU 7–8
 - WSPPC 237–253
 - *see also* nanocomposites
 - compressibility 220, 221
 - compressibility parameter 220
 - compressible SCFT 17, 18
 - computer-aided product design 242–245
 - concentration tensor 203
 - conductivity 120
 - anisotropic 189
 - connectivity, chains 68
 - constrained mixture design 136, 137, 249
 - contact model 208, 209
 - contact point density 194
 - continuum model 119–123
 - coordinate system, simplex 248
 - copolymers
 - activation 240
 - block 22
 - diblock 112–119, 223
 - PE/PLLA systems 223
 - triblock 226, 227
 - core–shell structure 185
 - correlation length, diffusion 49
 - correlation matrix 204, 206, 207
 - CPD (chemical product design) 242
 - crosslinking 255, 257, 259
 - crystallization, filler-induced 196
 - cure kinetics model 258–262, 271–275, 279–281
 - curvilinear diffusion constant 66, 68
 - cutoff radius 219
 - cylinder structure 223, 224
 - cylindrical mesophases 112
- d**
- Davis’ model 182
 - deconvolution process 275
 - deformation mode 209
 - degree of cure 264, 268, 269, 274, 281, 282
 - degree of dispersion 263
 - degree of functionalization 231
 - delaminated platelets 132
 - delamination 6
 - density
 - grafting 18
 - mesoscale profiles 111
 - profiles 28, 29
 - density functional theory (DFT) 17, 57
 - depolarization factor 187–189
 - design
 - computer-aided product 242–245
 - constrained mixture 136, 137
 - CPD 242
 - FEM model design 207–210

- materials 101
- mixture design of experiments 247–252
- simplex design plot 137, 140
- “virtual” 95–101
- Design of Experiments (DoE) 129–142
- desorption 65
- detachment/reattachment dynamics 72–74
- DGEBA 278
- diblock copolymers 112–119
 - PE-*b*-PLLA 223
- differential scanning calorimeter (DSC) 260, 271–273
- diffusion
 - attached chains 89–91
 - correlation length 49
 - curvilinear diffusion constant 66, 68, 71, 90
- diglycidyl ether of bisphenol-F (DGEBF) 210
- discretized random field 147
- disengagement time 65
- disorder structure 223, 224
- dispersion 196
 - degree of 263
 - nanoparticles 117
 - random 189
- dissipative particle dynamics (DPD) 109–111, 215–235
- DoE designs 129–142
- dynamic DSC 260, 271–273
- dynamics
 - detachment/reattachment 72–74
 - MD 63, 98, 215
 - reinforced particles 63–94
- e**
- effective curvilinear diffusion constant 71, 90
- effective disengagement time 65
- effective medium approximation (EMA) 169–186
- effective units 196
- eigenvalues 225
- EIM (equivalent inclusion method) 178–180
- Einstein coefficient 177
- Einstein equation 87
- Einstein’s relationship 49
- elasticity modulus 54, 55
- elastomeric nanocomposites 39
 - chains formation 54
 - fractal dimension 51
- elementary steps 69
- ellipsoidal fibers 178
- ellipsoidal fillers 187
- embedding integration method 184
- empirical models 182
- end-functionalized polymers 24–32
- energy
 - free 13, 17, 26, 27
 - mixing 220, 221
 - PEO chain binding 109
- energy calculation and dynamics (ENCAD) 221
- enhancement efficiency 119–123
- enhancement factor 122
- entangled chains, linear 66–72
- enthalpic gain 30
- entropic force 75
- environment sensitivity, thermal
 - conductivity 192, 193
- epidermal surface 246
- EPON 862 153, 154
- epoxy groups 259
- epoxy resins
 - MMT 277
 - MWNTs 205
- equations, *see* laws and equations
- equilibrium structures 226, 227
- equivalent homogeneous REV 148
- equivalent inclusion 207
 - EIM 178–180
- equivalent orthotropic representation (EOR) 208
- equivalent Young’s modulus 209
- Eshelby tensor 150, 209, 210
- esterification, cellulose 240
- Euclidean space 43, 50, 51
- exfoliated nanocomposites 12
- exfoliation 2
 - barrier 31
 - organically modified nanoclays 22
- “Experiment of Lemonade” 247, 248
- experimental studies 1–10, 39–62
- f**
- factorial design 251
- factorial fit 134, 135
- fast Fourier transform (FFT) 161, 162
- Felske’s model 185, 186
- fibers
 - aspect ratio 238, 239
 - CNFs 268–277
 - ellipsoidal 178
 - glass 239
 - natural 237–240, 245–247
- field-based approach 97
- field theory, self-consistent 11–27
- filled polymers 5
- fillers

- anisotropic 189
 - ellipsoidal 187
 - filler–filler interaction 180
 - filler-induced crystallization 196
 - filler–matrix interface 129
 - spherical 123
 - surface modification 131
 - WSPPC 241
 - finite element models (FEM) 7, 119
 - model design 207–210
 - Monte Carlo methods 152, 153, 157
 - MSFEM 143–168
 - finite lifetime 67
 - first principles methods 101
 - Flory–Huggins parameters 15, 19, 20, 217, 219–221
 - Flory’s gelation theory 283
 - flow
 - heat 177
 - macroscopic 73
 - resin 258
 - steady shear 78–85
 - stress 78
 - fluctuations, thermal 68, 73
 - force fields 221
 - fractal dimension 40, 43, 46
 - Hausdorff 50
 - fractional conversion 283
 - fractional factorial design 251
 - free energy 13, 17
 - organoclays 26, 27
 - frequency dependence, storage modulus 77–79, 87
 - Fricke’s model 172–174
 - fullerenes 41
 - functionalized CNTs 229–231
 - functionalized “two-sticker” chains 25
- g**
- gallery intercalation 23
 - gas permeation 8
 - Gaussian chains 16
 - Gaussian distribution 211
 - Gaussian random field, homogeneous 162
 - gel point 255, 264, 276, 277, 282–284
 - gel times 276
 - gelation, Flory’s theory 283
 - generalized effective medium theory 186–191
 - generalized Einstein coefficient 177
 - geometrical approach 246
 - Giesekus equation 64
 - glass fibers 239
 - glass transition temperature 264, 268, 269, 281, 282
 - glassy-like state 44
 - gold compatibilization 114
 - grafted chains 22–24
 - grafting density 18
 - grain averaging theory 169
 - grand-canonical ensemble 15
 - graphite nanosheets (GNS) 191
 - Green’s function 186, 187, 189
 - Grüneisen parameter 55
 - gyration radius 29
 - gyroid structure 223, 224
- h**
- H733-07 131
 - Halpin–Tsai model 1–3, 130
 - Hamilton–Crosser model 174, 175
 - Hashin’s model 175, 176, 185
 - Hasselman–Johnson model 183
 - Hausdorff dimension 50
 - heat flow 177
 - heat transfer 258
 - heating sensitivity 284
 - Heaviside unit step function 75
 - hemp 246
 - heterogeneous REV 148
 - hexagonal morphology 116
 - high aspect ratio nanoparticles 123
 - Holl–Petsch formula 40
 - homogeneous Gaussian random field 162
 - homogenization model 148–151, 156
 - homoligands 118
 - homopolymers 113
 - H733-07 131
 - matrix 18–24
 - hybrid approach 203
 - hybrid nanostructured materials 96
 - hydrogen bonds 105
 - hydroxyl groups 259
- i**
- immiscible nanocomposites 12
 - inclusion phase 149
 - inclusions
 - EIM, *see* equivalent inclusion method
 - prolate 181
 - spheroidal 173, 174, 179
 - stiffness matrix 207
 - incompressible SCFT 13–17
 - inorganic volume fraction 3, 5, 133
 - interaction
 - CNT–CNT 193–195
 - filler–filler 180

- interparticle 95
- polymer–surfactant 19
- repulsive interaction parameter 218–220, 229–233
- sticker–clay 26, 27
- two-way 138
- intercalated nanocomposites 12
- intercalation
 - bridging 27
 - gallery 22, 23
 - mechanisms 24
- interface, filler–matrix 129
- interface barrier layer 191
- interfacial bonding 228
- interfacial layers 42
- interfacial resistance 193–195
- intergallery space 103
- intermolecular bonds 54
- interparticle distance 64
- “interphase” 22
- irreversible aggregation 47
- isothermal DSC 260, 271–273
- iterations number, self-similarity 53

j

- junctions 90
- network 64

k

- Kapitza length 176, 184
- kenaf 246
- Kerner’s equation 176
- kinetics
 - adsorption–desorption 65
 - cure kinetics model 258–263, 271–275, 279–281
 - kinetic model equation 260
- kink mechanism 31
- Kuhn segments 66, 76

l

- Lagrange multiplier 15
- lamellae structure 223, 224
- lamellar mesophases 112
- lamellar morphology 115–117
- Landauer, BL-SCEMA 175, 176, 188
- Langevin function 75
- lattice model 14, 15
- laws and equations
 - Bruggeman asymmetric equation 183–185
 - Einstein equation 87
 - Einstein’s relationship 49
 - Giesekus equation 64

- grand-canonical ensemble 15, 17
- Grüneisen parameter 55
- Holl–Petsch formula 40
- Kerner’s equation 176
- kinetic model equation 260
- Langevin function 75
- MG equation 172, 183
- Newton’s equation of motion 219
- Nielsen–Lewis equation 176, 177
- stiffness tensor 152
- WLF equation 264
- layers
 - Interface barrier 191
 - interfacial 43
- lifetime, finite 67
- linear blending 250
- linear entangled chains 66–72
- liquid state 258, 259
- loading, *see* volume fraction
- localization, particles 116
- logarithmic coordinates 52
- loops 67, 89, 90

m

- macroscopic flow 73
- macroscopic scale 98, 119–123
- maleic anhydride 130, 239
- mapping, coarse-grained 219, 220
- Markov statistical processes 16
- material axis 190
- “material region” (MR) 145, 146
- materials, multiscale modeling 216
- material’s design, first principles methods 101
- matrix
 - filler–matrix interface
 - homopolymer 18–24
- matrix (mathematics)
 - ATA approximation 186–191
 - correlation matrix 204, 206, 207
 - stiffness matrix
 - *see also* tensors
- Maxwell–Garnett (MG) equation 172, 173, 183
- Maxwell’s model 172, 183
- MC (Monte Carlo) methods 63, 98
 - FEM 152, 153, 157
- MD (molecular dynamics) simulations 63, 98, 215
- mean-square displacement (MSD) 63
 - curvilinear 69
- melt-compounded nanocomposites 31
- meshed volume 121

- mesoscopic scale 97, 98, 109–119
 - simulation techniques 216
- message-passing multiscale approach 97
- metastable state 23
- methods and techniques
 - analysis 39–62
 - EIM 178–180
 - first principles methods 101
 - mesoscopic simulation techniques 216
 - midpoint method 153
 - Monte Carlo, *see* Monte Carlo methods
 - Mori–Tanaka method 149, 155, 180, 181, 204–207
 - perturbation methods 186, 187, 189
 - QM 98
 - quadrates method 51–53
 - response surface methodology 247
 - SRM 161
- MG (Maxwell–Garnett) equation 172, 173, 183
- microcomposites 54
- micromechanical models 1, 130, 169–186
 - Nielsen’s 176, 177
- microshungite 46, 55
- midpoint method 153
- misalignment 8
- misorientation 2
- mixing energy 220, 221
- mixture
 - design of experiments 247–252
 - plot 9, 10
 - three-component 248
- mobility, chain segments 64
- models/modeling, *see* theories and models
- modulus
 - elasticity 54, 55
 - storage 77–79, 87
 - tensile 1–3, 132–136
 - Young’s, *see* Young’s modulus
- molecular dynamics (MD) simulations 63, 98, 215
- molecular viewpoint 106–112
- molecular weight 70
- Monte Carlo (MC) methods 63, 98
 - FEM 152, 153, 157
- montmorillonite (MMT)
 - epoxy resins 277
 - MMT/PEO nanocomposites 106–112
 - organically modified 129–142
 - sodium 101–106
 - solvated systems 108, 110
 - *see also* clays, nanoclays
- Mori–Tanaka (MT) method 149, 155, 180, 181, 204–207
- morphologies 12, 20, 21
 - hexagonal 116
 - lamellar 115–117
 - mesoscale 110
 - phase map 25, 29
 - tuning 112–119
- MR (material region) 145, 146
- MSD (mean-square displacement) 63
 - curvilinear 69
- multiple growth model 45
- multiscale modeling 95–128, 218–222
 - homogenization 148–151
 - MSFEM 143–168
- multisticker chains 25
- multiwalled carbon nanotubes (MWCNTs) 143, 202
 - equivalent Young’s modulus 209
- n**
- Na, *see* sodium
- nanoclays 257
 - organically modified 18–32
- nanocomposites
 - chains formation 54
 - elastomeric 39, 51, 54
 - fractal dimension, *see* fractal dimension
 - melt-compounded 31
 - morphologies, *see* morphologies
 - nanotube-reinforced 201–214
 - (non)compatibilized 130
 - particulate-filled 39–62
 - PEO/silica 76, 85–88
 - phase behavior 18–32
 - polyethylene 9, 10
 - polymer-based, *see* polymer-based nanocomposites
 - polymer-clay 11
 - PP 2
 - PP-layered silicate 129–142
 - water-based MMT/PEO 106–112
 - *see also* composites
- nanofillers, superreinforcing 60
- nanindentation (NI) 41, 42
 - Berkovich indenter 56, 57
 - modeling 161–165
- “nanomechanics” approaches 144
- nanoparticles
 - aggregation 39
 - dispersion 117
 - high aspect ratio 123
 - morphology tuning 112–119
 - rigid 66–72, 74
 - self-assembled 112–119
 - size/shape effects 119–123, 191, 192
 - surface properties 77
 - *see also* particles

- nanoreinforcement 95, 256
 - nanosheets, GNS 191
 - nanoshungite 41–43, 46, 55
 - nanotube-reinforced nanocomposites 201–214
 - nanotubes, *see* carbon nanotubes
 - natural fiber plastic composites 237–240
 - modeling 245–247
 - NEMS 201
 - network junctions 64
 - neural network, artificial 247
 - Newtonian rheology 50
 - Newton's equation of motion 219
 - NI (nanoindentation) 41, 42
 - Berkovich indenter 56, 57
 - modeling 161–165
 - Nielsen's model 176, 177
 - non-Newtonian behavior 80, 83
 - noncompatibilized PP–OMMT nanocomposites 130
 - nonfunctionalized “two-sticker” chains 25
 - nonisothermal conditions 263
 - nonlinear blending 250
 - normal stress difference 84, 85
- o**
- oblate particles 190
 - octadecyl chains 133, 136
 - one-dimensional porosity 171
 - one-sticker chains 24
 - order parameter 230
 - organic terminations 279
 - organically modified MMT (OMMT) 129–142
 - organically modified nanoclays 18–32
 - organoclays, free energy 26, 27
 - orientation distributions 189
 - orthophthalic unsaturated polyester 268
 - oxygen permeability, relative 8
 - oxygen permeation 129–142
- p**
- packing coefficient 47
 - parallel models 170–172
 - parenchyma surface 246
 - Pareto chart 133, 134
 - particles
 - diameter 48
 - localization 116
 - particle-cluster (P-Cl) mechanism 45
 - prolate/oblate 190
 - particulate-filled nanocomposites 39–62
 - PE (polyethylene)
 - amorphous melt 71
 - CNT/PE/PLLA composites 228–234
 - nanocomposites 9, 10
 - PE/PLLA composites 222–228
 - polymer-based nanocomposites (PNCs) 95–128
 - apolar 135
 - CNT–polymer composites 194, 195
 - compositions 120
 - DPD 215–235
 - enhancement efficiency 119–123
 - MSFEM 143–168
 - structural randomness 147
 - thermal conductivity modeling 169–200
 - thermosetting 255–287
 - nanocomposites 9, 10
 - PE/PLLA composites 222–228
 - PEO (polyethylene oxide)
 - PEO/silica nanocomposites 76, 85–88
 - water-based MMT/PEO nanocomposites 106–112
 - perforated lamellae structure 223, 224
 - periodic boundary conditions 7
 - permeability
 - gas 120
 - oxygen 8
 - permeation
 - gas 8
 - oxygen 129–142
 - perturbation methods 186, 187, 189
 - phase behavior, nanocomposites 18–32
 - phase map, morphology 25, 29
 - phenomenological models 97–99, 259
 - phonons 192
 - phyllosilicates 129, 278
 - plasticization 6
 - plasticizer 251
 - platelets
 - delaminated 132
 - platelet number 5
 - platelet–platelet separation 106
 - round 7
 - Poisson's ratio 55
 - MSFEM 150, 151, 154–156
 - polar polymer composites 130
 - polarity, polymers 11
 - poly(l-lactide) (PLLA) 222–234
 - polybutadiene 43
 - polydispersity 91
 - polyester, unsaturated 268–277
 - polyethylene oxide (PEO)
 - PEO/silica nanocomposites 76, 85–88
 - water-based MMT/PEO nanocomposites 106–112
 - polyethylene (PE)
 - amorphous melt 71
 - CNT/PE/PLLA composites 228–234
 - nanocomposites 9, 10
 - PE/PLLA composites 222–228

- polymerization 259
 - self- 273
 - polymers 63–94, 74
 - co-, *see* copolymers
 - crosslinking 255, 257, 259
 - end-functionalized 24–32
 - filled 5
 - polar composites 130
 - polarity 11
 - polymer–clay nanocomposites 11
 - polymer–surfactant interaction 19
 - uncrosslinked 269
 - polyolefin composites 2
 - polypropylene (PP)
 - MA-g-PP 239
 - nanocomposites 2
 - PP–OMMT nanocomposites 129–142
 - PP/TiO₂ PNCs 121
 - WSPPC 237–253
 - polystyrene (PS) 43, 113–118
 - polyurethane (PU) composites 7, 8
 - polyvinyl alcohol (PVA) 143, 153–154
 - polyvinylpyridine (PVP) 113–118
 - porosity, one-dimensional 171
 - power spectrum, Young’s modulus 164
 - pre-design 243
 - preintercalation 278
 - probability distribution function 147, 148
 - process design 243
 - product design, computer-aided 242–245
 - prolate inclusions 181
 - prolate particles 190
 - propagators 16
 - property prediction problems 244
 - pseudo-simplex design 249
- q**
- quadrates method 51–53
 - quantum mechanics (QM) methods 98
 - quantum scale 96, 97
 - quantum scattering theory 169
- r**
- radius of gyration 29, 225–228
 - random dispersion 189
 - random field
 - discretized 147
 - Gaussian 162
 - random vector 153
 - randomization process 212
 - reattachment, *see* detachment/reattachment dynamics
 - recycling 237
 - reinforcement
 - degree of 44, 59, 60
 - nano- 95, 256
 - particles 63–94
 - relative oxygen permeability 8
 - relative tensile modulus 1–3
 - relative viscosity 278
 - relative yield strength 5, 6
 - relaxation modes 63, 66
 - relaxation time
 - Rouse 92
 - terminal 66–72
 - representative MR 145, 146
 - representative volume element (RVE) 145, 146, 202, 207, 208
 - reptation model 63–94
 - repulsive interaction parameter 218–220, 229–233
 - resins
 - epoxy resin–MWNTs 205
 - flow 258
 - MMT–epoxy 277
 - preintercalation 278
 - thermoplastic/thermoset 237
 - UP 271–273
 - resistance
 - interfacial 193–195
 - thermal 170
 - response surface methodology (RSM) 247, 250
 - rheology
 - chemorheological behavior 255–287
 - Newtonian 50
 - reinforced particles 63–94
 - rigid nanoparticles 74
 - spherical 66–72
 - Rolie-Poly model 74, 91
 - round platelets 7
 - Rouse-CCR tube model 65, 74, 75
 - Rouse relaxation modes 63, 66
 - Rouse relaxation time, Rolie-Poly model 92
 - rubbers 40
 - RVE (representative volume element) 145, 146, 202, 207, 208
- s**
- Scheffe mixture model 248
 - “seamless zooming” 100
 - “seeds” 45
 - self-assembled nanoparticles 112–119
 - self-consistent field theory (SCFT) 11–27
 - self-polymerization 273
 - self-similarity 50, 52
 - iterations number 53

- sensitivity, heating 284
 - sequential multiscale approach 97
 - series models 170–172
 - SERVE (statistically equivalent RVE) 145, 146
 - shear flow, steady 78–85
 - shear strain 75–78
 - shear-thinning 78, 80
 - silica, PEO/silica nanocomposites 76, 85–88
 - silicates
 - nanocomposites 129–142
 - phyllo- 129, 278
 - silylation, sodium 101–106
 - simplex coordinate system 248
 - simplex design plot 137, 140
 - simulations
 - DPD 219
 - MD 63, 98, 215
 - multiscale modeling 216
 - single-walled carbon nanotubes (SWCNTs) 143, 146–149
 - NI experiments 161
 - size distribution functions 190
 - size/shape effects, nanoparticles 119–123, 191, 192
 - SKS-30, *see* butadiene–styrene rubber
 - sodium MMT 101–106
 - software 256, 257
 - DoE 131
 - SPIP 41, 42
 - solvated MMT systems 108, 110
 - d*-spacing 103, 104
 - spatial randomness identification 146–148
 - spectral representation method (SRM) 161
 - spherical fillers 123
 - spherical nanoparticles, rigid 66–72
 - sphericity 174
 - spheroidal inclusions 173, 174, 179
 - statistical volume element (SVE) 145
 - steady shear flow 78–85
 - steady shear viscosity 79, 81, 83
 - steady state 170
 - step shear strain 75–78
 - sticker–clay interaction 26, 27
 - stiffness matrix 207
 - stiffness tensor 150, 152
 - storage modulus, frequency dependence 77–79, 87
 - straw, wheat 237–253
 - stress difference, normal 84, 85
 - structural characterization 96
 - structural randomness 147
 - styrene 40
 - subelement material structure 148
 - superreinforcing fillers 60
 - surface modifications 139
 - fillers 131
 - surface properties, nanoparticles 77
 - surfactants 19
 - SWCNTs (single-walled carbon nanotubes) 143, 146–149
 - NI experiments 161
- t**
- tails 67, 89, 90
 - technical carbon 46, 55
 - telechelic chains 25
 - temperature, glass transition 264, 268, 269, 281, 282
 - tensile force 68, 73
 - tensile modulus 1–3, 132–136
 - tensors
 - compliance 150
 - concentration 203
 - Eshelby 150, 209, 210
 - stiffness 150, 152
 - velocity gradient 75
 - *see also* matrix (mathematics)
 - terminal relaxation time 66–72
 - terminations, organic 279
 - theories and models
 - acoustic mismatch theory 193
 - autocatalytic models 261, 262
 - Benveniste–Miloh model 180
 - chemorheological behavior 255–287
 - continuum model 119–123
 - cure kinetics model 258–263, 271–275, 279–281
 - DFT 17, 57
 - DPD 109–111, 215–235
 - EOR 208
 - FEM model design 207–210
 - finite element models 7, 119
 - Flory’s gelation theory 283
 - Fricke’s model 172–174
 - generalized effective medium theory 186–191
 - grain averaging theory 169
 - Halpin–Tsai model 1–3, 130
 - Hashin’s model 175, 176, 185
 - lattice model 14, 15
 - Maxwell’s model 172, 183
 - micromechanical 1, 130, 169–186
 - modeling philosophy 258
 - MSFEM 143–168
 - multiple growth model 45
 - multiscale modeling 95–128, 148–151, 218–222

- nanoindentation 161–165
 - natural fiber plastic composites 245–247
 - Nielsen’s model 176, 177
 - oxygen permeation 129–142
 - parallel/series models 170–172
 - particulate-filled nanocomposites 39–62
 - phenomenological 97–99, 259
 - quantum scattering theory 169
 - reptation model 63–94
 - Rolie-Poly model 74, 91
 - Rouse-CCR tube model 65, 74, 75
 - Scheffe mixture model 248
 - self-consistent field theory 11–27
 - thermal conductivity 120, 169–200
 - environment sensitivity 192, 193
 - thermal fluctuations 68, 73
 - thermal resistance 170
 - thermodynamic framework 12
 - thermoplastic/thermoset resins 237
 - thermosetting PNCs 255–287
 - three-component mixture 248
 - titania, PP/TiO₂ PNCs 121
 - trajectory frames 108
 - transient shear viscosity 84, 86
 - transverse anisotropy 151
 - triblock copolymer 226, 227
 - two-step homogenization model 156
 - “two-sticker” chains 25
 - two-way interaction 138
- u**
- uncrosslinked polymer 269
 - Uno empirical model 182, 196
 - unsaturated polyester 268–277
 - UP resins 271
- v**
- van der Waals interactions 3, 32, 95, 193, 203
 - velocity field 84
 - velocity gradient tensor 75
 - “virtual design” 95–101
 - viscosity
 - batch-specific 263
 - monitoring 255
 - relative 278
 - steady shear 79, 81, 83
 - transient shear 84, 86
 - viscous state 258, 259
 - vitrification 257, 274
 - voids 17, 24, 25, 30
 - volume fraction 13
 - inorganic 3, 5, 133
- w**
- Walkers diffusion constant 49
 - wall-to-wall distance 67
 - water-based MMT/PEO nanocomposites 106–112
 - wheat straw PP composites (WSPPC) 237–253
 - William–Landel–Ferry (WLF) equation 264
- x**
- XRD analysis 103, 104
- y**
- yield strength, relative 5, 6
 - yield stress 80
 - Young’s modulus 57, 120
 - equivalent 209
 - MSFEM 150, 151, 154–160
 - power spectrum 164
- z**
- Z-error mistakes 41
 - zero-shear viscosity 78, 82, 83
 - zooming, seamless 100