а

4-acetylbiphenyl 527 acylation (Pd-catalyzed) 227, 229-232 1,4-addition of alkoxide and oxygen function and halide 909 intermolecular reactions 909–911 - intramolecular reactions 911-912 - synthetic applications 912-913 1,4-addition of carbon and oxygen 886-888 1,4-addition of carbon nucleophile (aryl and vinyl) and stabilized carbanion 885-886 aerobic oxidation 1259, 1266, 1280 alkynylboron reagents - alkynylboron coupling partners 725-730 - Suzuki-Miyaura coupling 724-725 -- applications 730-731 aldol surrogate 380 one-pot formation procedure 868 alkene hydroamination catalysts 1146-1148 - expanded substrate scope 1148-1151 - with [Ir(COD)Cl]₂ 1245-1246 mechanistic insights 1152–1153 room temperature reactivity 1153, 1155 - 1156- secondary amine substrates 1151-1152 - with Ti(NMe₂)₄ 1245 alkene substrates catalysts 1189, 1190, 1191-1197 - intermolecular hydroamination 1197 - 1200 intramolecular hydroamination 1200 - 1207alkenes – carbometallation - - intermolecular reactions 764-798 – intramolecular reactions 798–816 - and Heck reaction 541-544 - hydroarylation and hydroalkenylation

- – pioneering studies 1456–1458
- - rhodium-catalyzed reactions 1467-1479
- ruthenium-catalyzed (Murai's) reactions 1458–1467
- transition metals and catalyzed reactions 1480–1484
- metal-catalyzed difunctionalization 1286–1288
- - intramolecular reactions 1288-1309
- and oxidative C–H bond alkenylation
 chelate-directed alkenylation (ortho
- alkenylation) 1392–1403
- Fujiwara–Moritani-type reaction 1390–1392
- heteroarenes regioselective alkenylation 1403–1413
- alkenes oxidative functionalization 1259
- alkenes metal-catalyzed difunctionalization 1286–1288
- - intramolecular reactions 1288-1309
- oxygenation reactions involving Wacker-type chemistry 1265–1266
- amine-derived nucleopalladation 1266, 1267–1271
- Domino nucleopalladation/C–C coupling 1271, 1272–1277
- nucleopalladation followed by C–H bond functionalization 1277, 1278–1286
- palladium-catalyzed nucleopalladation 1259–1260
- Wacker-type reactions 1260–1265
- alkenyl-alkenyl coupling
- conjugated dienes and enynes containing alkenyl groups 163
- and oligomeric homologs containing trisubstituted alkene moieties 171, 172, 173–185

Metal-Catalyzed Cross-Coupling Reactions and More, First Edition.

Edited by Armin de Meijere, Stefan Bräse, and Martin Oestreich.

© 2014 Wiley-VCH Verlag GmbH & Co. KGaA. Published 2014 by Wiley-VCH Verlag GmbH & Co. KGaA.

alkenyl-alkenyl coupling (contd.) conjugated trienes, enynes, and oligomeric homologs containing alkenyl groups 169-171 - critical comparison of Negishi and Suzuki versions 163-169 - highly selective and efficient syntheses of dienes, enynes, and oligomeric homologs 159, 160-163 - synthetic scope and utility 191-193 - tetrasubstituted alkenes via IX and X types alkenyl reagents 185, 187-190 alkenyl derivatives - Type V 175-176 - Type VI 176-177 - Type VII 177-179 – Type VIII 180 alkenyl halides and alkenylmetal reagents, and direct C-H bond alkenylation 1413-1415 alkenylzinc reagents cross-coupling 306-310 - - with (dppf)PtCl₂ 1246 alkyl-alkyl coupling (Pd-catalyzed) 219-221 alkylcupration 174 alkylidenecyclopropane derivatives 83 preparation procedure 867 alkylmetal reagents cobalt-catalyzed C–H alkylation 1455-1456 palladium-catalyzed C–H alkylation 1451-1455 alkylmetals and alkyl electrophiles cross-coupling (other than those containing allyl, benzyl and propargyl groups) 216, 218-219 alkyne hydroamination catalysts 1139-1145 alkyne hydroamination with Au-CAAC complex 1248 alkyne substrate catalysts 1171, 1172, 1173 - 1182alkynes and C–H bond addition 1415–1422 alkyne carbometallations intermolecular reactions 816–858 intramolecular reactions 858, 860–864 alkynylaluminium reagents 739-741 alkynylation (Pd-catalyzed) 191, 193-197 alkynylboron coupling partners 725-730 alkynylcopper reagents - Cadiot-Chodkiewicz coupling 702-706 Sonogashira reaction 668–702 Stephens–Castro reaction 666–667 alkynylgermanium, alkynylsilver, and alkynylmanganese reagents 743-745 alkynylindium reagents 741-743 alkynylmagnesium reagents 736-739 alkynylsilicon reagents

- alkynylsilane cross-coupling 731-735 - one-pot twofold cross-couplings 735-736 alkvnvlstannanes 713 alkynyltins 456-457, 462-463 - Stille coupling 706-708 -- applications 716-717 -- organotriflates 708, 712-713 -- recent advances 713-716 alkynylzinc reagents - C(sp²)-electrophiles cross-coupling 318 - 320 – C(sp³)-electrophiles cross-coupling 320 - 321- Negishi protocol 717-721 -- applications 721-724 allene 917-918 - carbometallation 864-866 - hydroamination -- catalysts 1145-1146 -- with zirconium ureate complex 1246 - substrates catalysts 1183-1189 allenylzinc reagents cross-coupling reactions 311 (2Z)-2-allyl-3,7-dimethylocta-2,6-dien-1-ol 260 - 261allylbenzene derivatives via Pd-catalyzed alkenyl-benzyl coupling and aryl-allyl and allyl-aryl coupling 204 allyl enol carbonates palladium-catalyzed asymmetric Tsuji allylation 983 π -allylmetal intermediates 925–926 - allylic alkylations with transition metals 959 -- iridium 959-964 -- iron 964-966 -- molybdenum 966-969 --nickel 969-971 – – platinum 971–972 – – rhodium 972–977 -- ruthenium 977-981 -- tungsten 981-982 - experimental procedures 983-984 - palladium-catalyzed allylic alkylations -- allylic alkylations 942-954 -- carbonylations 954-955 - – formation and reaction of π -allylpalladium complexes 926-927 - – isomerizations of π -allylpalladium complexes 927-929 -- regioselectivity 929-932 -- stereochemical aspects 932-942 - – umpolung of π -allylpalladium complexes 955-959

allylic alkylations 942 - basic conditions --- allylic esters 942, 943-944 - - allylic halides 944-945 - - allylic phosphates 944 - neutral conditions 945 - - allylic carbonates and carbamates 945-946 -- vinylepoxides 946 - nucelophiles – reactions with enolates and derivatives 948-953 – reactions with hard nucleophiles 953-954 – reactions with stabilized and soft nucleophiles 946-948 - palladium-catalyzed -- carbonylations 954-955 - – formation and reaction of π -allylpalladium complexes 926-927 - – isomerizations of π -allylpalladium complexes 927-929 - - regioselectivity 929-932 - - stereochemical aspects 932-942 - – umpolung of π -allylpalladium complexes 955-959 - with transition metals 959 – – iridium 959–964 -- iron 964-966 -- molybdenum 966-969 -- nickel 969-971 – – platinum 971–972 -- rhodium 972-977 -- ruthenium 977-981 – – tungsten 981–982 allylic carbonates and carbamates 945-946 allylic esters 942, 943-944 allylic halides 944-945 allylic phosphates 944 allylsilane 916-917 π -allylpalladium complexes umpolung 955-959 allyl-substrate-controlled stereoselective reactions 932-934 amide, urethane, urea, and sulfonic acid amide derivatives arylation 1037-1043 amide arylations 1059 amine bases 684-686 amine-derived nucleopalladation 1266, 1267-1271 amine arylations acyclic secondary aliphatic amines 1025-1030 - ammonia equivalents 1005-1012

- aniline derivatives arylation 1030-1036 - cyclic secondary aliphatic amines 1020 - 1025- primary aliphatic amines 1012-1020 aminofluorination 1305 aminohalogenation 1289-1291 aminooxygenation 1291-1295, 1304-1305 ammonia hydroamination 1169, 1170-1171, 1248 aniline syntheses, from aryl halides and ammonia 1056 anion capture 570 arenes 1323, 1325-1327, 1362-1363, 1365, 1366, 1367-2425. See also individual entries Ar-X-Ar' (X=O, N, S) synthesis, under modified Ullmann reaction conditions 1124 aryl bromides Heck reactions with ethene 629-630 aryl-alkenyl and alkenyl-aryl couplings 158 - 159aryl- and heterozrylzinc reagents cross-coupling reactions 298-306 aryl- aryl coupling 156-158 aryltins 454-455, 462 Ar-Z-Ar system methodology 1098-1100 - DreM connection 1100-1101 asymmetric hydroamination - alkene catalysts 1156-1159 - with chiral Rh complexes 1247 - with chiral zwitterionic Zr complex 1246-1247 asymmetric induction - on nucleophile 941-942 - on prochiral and racemic allylic substrates 937-938 atropisomer syntheses (enantiomerically enriched) 101-103 autoretardation 23 azines and related electron-deficient heteroarenes 1346-1348 azoles 1340-1345 - and azines 1348 1.3-azoles and derivatives 1340-1346

b

Bartoli reaction 623, 624 10,11-benzo-13-oxatricyclo[7.4.1.0^{1,6}]tetradeca-3,7-diene-6-carbonitrile 633–634 benzo[c][2,7]naphthyridinone preparation and DoM–Suzuki–Miyaura cross-coupling 1121–1122

benzyl 2-(4,4-dimethyl-5-oxo-1-(perfluorophenyl)pyrrolidin-2-yl)acetate 1422 - 1423benzyl-aryl and aryl-benzyl coupling 203 benzylated alkynes via Pd-catalyzed alkynyl-benzyl coupling and aryl-propargyl and propargyl-aryl coupling 204, 206-207 biaryl synthesis, through metal-catalyzed C-H Cadiot-Chodkiewicz coupling 702-706 arylation 1315-1316 - C-H/C-H coupling – – cross-coupling 1365 -- homocoupling 1362-1365 - C-H/C-M coupling -- with directing groups 1356-1359 - - no directing groups 1359-1362 - C-H/C-X coupling - - early contributions 1316-1317 – of heteroarenes and aryl halides 1329 - 1348- - with directing groups 1318-1323 -- without directing groups 1323-1329 – enantioselective C–H coupling 1373-1374 - experimental procedures 1374-1377 - phenol derivatives and arylcarbonyl compounds -- C-H/C-O coupling 1348, 1351-1353 - - decarboxylative/decarbonylative C-H coupling 1353-1355 biaryls and heterobiaryls 1070-1095 Biellmann coupling 210, 212 bimetallic cyclic mechanism, for carbozirconation 248 bioactive molecules synthesis - DoM-cross-coupling tactics – involving Ar–Ar bond formation 1101-1106 - - involving Ar-Z-Ar bond formation 1106 4,4'-bis[5-ethynyl(5'-methyl-2,2'-bipyridyl)] -1,1'-biphenyl 464-465 bisallylpalladium intermediates 438-441 boronic acids. See Suzuki-Miyaura coupling boronic esters 72, 73, 84, 93, 97, 112, 114, boron-zinc exchange reactions 285-287 (2-bromocyclopent-1-en-1-yl)(cyclohexyl) methanol 412 bulky phosphines 6-12 butyl (E)-3-(1-methylindol-2-yl)-2-propenoate 1423 butyl 5,6-dihydro-5-(4'-chlorophenylsulfonyl) phenanthridine-6-acetate 1422

С

1.4-carboamination 883-884 1.4-carbosilvlation 888-889 C-2-arylated 1,3-azoles 1340-1343 C-5-arylated 1,3-azoles 1343-1345 C-11-labeled molecules synthesis 438 Cadiot-Chodkiewicz active template synthesis of a [2]rotaxane 747 carbanions 918-919 4-carbethoxy-4-methoxybiphenyl 526 6-carboethoxy-3,5-dimethylpyrimidinyl-5-zinc chloride 346 carbolithiation. See carbometallation reactions carbometallation reactions 763-764 alkenes -- intermolecular reactions 764-798 -- intramolecular reactions 798-816 alkvnes -- intermolecular reactions 816-858 -- intramolecular reactions 858, 860-864 - allenes 864-866 - experimental procedures 867-869 carbon-carbon bond forming reactions mediated by organozinc reagents 279-280 - copper-catalyzed cross-coupling reactions, of organozinc reagents 293 - - cross-coupling reactions with C(sp³)-electrophiles 295–296 -- cross-coupling with C(sp)-and C(sp²)-electrophiles 293–295 - experimental procedures 345-354 - transition-metal-catalyzed cross-coupling reactions of organozinc reagents 296-297 - - alkynylzinc reagents cross-coupling reactions 318-321 – C(sp²)-organozinc reagents cross-coupling reactions 297-318 - - C(sp³)-organozinc reagents cross-coupling reactions 321-345 - uncatalyzed cross-coupling reactions 291-293 - zinc organometallics -- direct zincation reactions 287-288 -- halogen-zinc exchange reactions 288-290 - - hydro- and carbozincation reactions 290 - 291-- transmetallation reactions 282-287 - - Zn(0) direct insertion into organohalides

280 - 282

carbon-carbon-bond-forming reactions, mediated by organomagnesium reagents 365 - experimental procedures 411-416 - magnesium organometallics preparation methods 366 - - direct magnesiation reactions 368, 369-370 – halogen–magnesium exchange reactions 366, 367-368 – magnesium direct insertion 366 - transition-metal-catalyzed cross-coupling reactions 370-371 - - C(sp)-organomagnesium reagents cross-coupling reactions 384-390 - - C(sp²)-organomagnesium reagents cross-coupling 372-384 $- - C(sp^3)$ -organomagnesium reagents cross-coupling reactions 390-411 carbon monoxide incorporation and Heck reactions 590-591 carbopalladation reactions in solid-phase syntheses 620-627 cascade processes 437-438 Castro-Stephens reductive Ene-Yne macrocyclization 746 catalyst system 424-58. See also individual entries catalytic asymmetric cross-coupling reactions with secondary alkyl halides 223, 225-227 C–C bond formation - with use of allene 917-918 - with use of allvlsilane 916-917 - with use of stabilized carbanions 918–919 - via vinyl palladation 915-916 C-C cross-coupling reactions comparison, in DOM context 1095-1098 C-H activation and Heck-type processes 579 - 587C-H arylation. See biaryl synthesis, through metal-catalyzed C-H arylation C-H bond activation amination 1051-1054. 1060 C-H bond alkenylation 1389-1390 C–H bond addition across alkynes 1415 - 1422 direct C–H bond alkenylation with alkenyl halides and alkenylmetal reagents 1413-1415 - experimental procedures 1422-1423 - oxidative alkenylation with alkenes - - chelate-directed alkenylation (ortho alkenylation) 1392-1403

 – Fujiwara–Moritani-type reaction 1390-1392 – heteroarene regioselective alkenylation 1403-1413 C-H bond alkylation 1427-1428 - alkene hydroarylation and hydroalkenylation -- pioneering studies 1456-1458 - - rhodium-catalyzed reactions 1467-1479 - - ruthenium-catalyzed (Murai's) reactions 1458-1467 - - transition metal-catalyzed reactions 1480 - 1484- alkylmetal reagents – cobalt-catalyzed C–H alkylation 1455-1456 - - palladium-catalyzed C-H alkylation 1451-1455 - with electrophilic reagents 1428 – first-row transition metals catalysis 1447-1450 -- palladium-catalysis 1429-1445 -- ruthenium-catalysis 1445-1447 - experimental procedures 1484-1487 C-H bond functionalization and nucleopalladation 1277, 1278-1286 C-H/C-H coupling - 1-(5-methoxy-3-phenyl-1H-indol-1-yl) ethanone 1375-1376 - cross-coupling 1365 - homocoupling 1362-1365 C-H/C-M coupling - 10,21-di-tert-butylhexabenzo[a,c,fg,j,l,o,p] tetracene 1375 - no directing groups 1359–1362 with directing group 1356–1359 C-H/C-O coupling 1348, 1351-1353 - 2-(naphthalen-2-yl)benzoxazole 1374-1375 C-H/C-X coupling - 4-phenyltoluene 1374 - early contributions 1316-1317 - with directing groups 1318-1323 - without directing group 1323-1329 - of heteroarenes and aryl halides 1329-1348 chelated enolates rhodium-catalyzed allylic alkylation 983-984 chelate-directed alkenylation (ortho alkenylation) 1392-1403 chlorides 75-79 chlorohydrin synthesis and vicinal dibromination 1298, 1299-1301

cine substitution 425-426

cis-tert-butyl 2-(4-cyanophenyl)-4phenylpiperidine-1-carboxylate 352 cobalt-catalyzed C-H alkylation 1455-1456 cobalt-catalyzed cross-coupling reactions 316-317, 343-336, 383, 386-388 – C(sp²)-electrophiles cross-coupling 408-409 – C(sp³)-electrophiles cross-coupling 409-410 mechanistic considerations 410 complex-induced proximity effect (CIPE) 507, 1097 concerted metallation-deprotonation (CMD) 1325 copper effect 23-24 copper salts as additives 74-75 copper-assisted nucleophilic palladium displacement 1288 copper-catalyzed cross-coupling reactions 406-408 of organozinc reagents 293 – with C(sp)- and C(sp²)-electrophiles 293-295 – – with C(sp³)-electrophiles 295–296 C(sp)- and C(sp²)-electrophiles cross-coupling 293-295 $C(sp^2)-C(sp^2)$ bonds formation 75 - chlorides 75-79 - enantiomerically enriched atropisomers synthesis 101-103 – fluorides 79–82 organoboron cross-coupling partners 92-101 – pseudohalides 82–92 C(sp²)-organozinc reagents cross-coupling reactions cobalt-catalyzed cross-coupling reactions 316-317 - iron-catalyzed cross-coupling reactions 317 - 318- nickel-catalyzed cross-coupling reactions 311-312 - - C(sp²)-electrophiles cross-coupling 312-314 – C(sp³)-electrophiles cross-coupling 314-315 palladium-catalyzed cross-coupling reactions 297-298 – alkenylzinc reagents cross-coupling 306-310 – allenylzinc reagents cross-coupling reactions 311 - - aryl- and heteroarylzinc reagents cross-coupling reactions 298-306

- rhodium-catalyzed cross-coupling reactions 315 - 316 $C(sp^3)-C(sp^3)$ and $C(sp^3)-C(sp^3)$ bonds formation cross-coupling reactions advances 103-104 - cross-coupling between sp³ carbon centers with sp³ carbon centers 117–121 - cross-couplings between unsaturated sp² carbon centers and sp³ carbon centers 105-117 - stereochemistry 104-105 C(sp³)-electrophiles cross coupling reactions 295-296, 310 C(sp³)-H alkylation with boronic acids, directed by O-methyl hydroxamic acids 1486 C(sp³)-organozinc reagents cross-coupling reactions 321-322 - cobalt-catalyzed cross-coupling reactions 343-336 - iron-catalyzed cross-coupling reactions 343 - nickel-catalyzed cross-coupling reactions 332 - - cross-coupling with C(sp³)-electrophiles 335-340 – C(sp²)-electrophiles cross-coupling 332-335 -- mechanistic aspects 340-342 - palladium-catalyzed cross-coupling reactions 322-323 -- cross-coupling with C(sp)- and C(sp²)-electrophiles 323-329 - - cross-coupling with C(sp3)-electrophiles 329-330 -- mechanistic insights 330-331 – oxidative cross-coupling reactions 331-332 - platinum-catalyzed cross-coupling reactions 342-343 - rhodium-catalyzed cross-coupling reactions 344-345 Curtin-Hammett conditions 998 C-X (X = N, O, S) bonds formation in metal-catalyzed reactions 36-39 - C-X bonds nickel- and copper-catalyzed formation 44-46 - reductive elimination to generate C-N, C–O, and C–S bonds from organopalladium(II) complexes 39-43 cyanation (Pd-catalyzed) 232-233 (R)-2-cyclohexenyl-2,5-dihydrofuran (R)-406 632, 633 2-cyano-2',4',6'-triisopropylbiphenyl 348

cyclic (alkyl)(amino)carbene (CAAC) ligands 1170 3-cycloheptyl-2-methylprop-2-ene 351 cyclohexylisopropylzinc 347

d

decarboxylative/decarbonylative C-H coupling 1353-1355 desymmetrization 634, 935-937, 975 di-(5-bromo-2,4-di(carboethoxy)phenyl)zinc 347 di-(5-carboethoxy-5-hexenyl)zinc 346 1,4-diacyloxylation 891 - intermolecular reaction 891-897 - intramolecular reaction 897-898 - synthetic applications 898-902 5,5'-diallyl-2,2-bis(methoxymethoxy)biphenyl preparation and DoM-Negishi cross-coupling 1123 diamination, of alkenes 1295-1298, 1305, 1306-1309 diarylanilines coupling 1058-1059 diastereoselectivity 763, 764, 766, 767, 782, 783, 784, 785, 786, 787, 788, 790, 791, 792, 800, 803, 804, 846, 847, 848, 849, 850, 1183, 1184, 1189, 1212, 1234, 1237 4,4-dicyano-2,7-dimethyl-5-phenylocta-1,7-diene (R = Me) 464 1,4-dienes via Pd-catalyzed alkenyl-allyl and allyl-alkenyl coupling and 1,4-enynes by Pd-catalyzed alkynyl-allyl coupling 197, 198, 199-203 1,5-dienes and 1,5-enynes - via Pd-catalyzed cross-coupling with allyl, benzyl, propargyl electrophiles 210-212 - via Pd-catalyzed homoallyl-alkenyl coupling and homopropargyl-alkenyl coupling 212-214 10,21-di-tert-butylhexabenzo[a,c,fg,j,l,o,p] tetracene 1375 diethyl 4'-chloro-4'-methoxycarbonylspiro-[cyclopropane-1,3'-bicyclo-[4.3.0]non-1'-(6')-ene]-8',8'-dicarboxylate 632 6,6-diethoxy-2-phenyl-1-hexene 349 diethyl 4-bromo-6-iodoisophthalate 412-413 (2R,3S)-2-(3,4-dimethoxyphenyl)-8-mesityl-5,7-dimethoxychroman-3-ol 348-349 1,2-difunctionalization 1288, 1300, 1301, (S)-2,3-dimethyl-4-(2-methylnaphthalen-1-yl) thiophene 1376-1377 1-(3,5-dimethoxyphenyl)-5-phenylpentan-3-one $(R_{alkvl}-BF_3K = 197, R^1 = CH_2CH_2Ph, R' =$ 3,5-dimethoxybenzene) 122

2,6-dimethoxy-2',6'-dimethylbiphenyl 121 3,3"-dimethoxy-2,2': 5'2"-terthiophene preparation and DoM-Migita-Stille cross-coupling 1122-1123 dioxygenation 1301-1304 1,3-diketones ruthenium-catalyzed allylation with allyl alcohol 983 1,3-diphenylpropyne 262 dipotassium (E)-4,4'-diphenylstilbene-4",4"'-disulfonate (stilbene I) (12-SO₃K) 629-630 directed ortho metallation (DOM)-cross coupling nexus 1067-1070 application in synthesis 1101 – bioactive molecules synthesis 1101-1106 - - natural products synthesis 1106-1116 -- organic materials synthesis 1116-1119 - experimental procedures 1121-1124 - prognosis 1120-1121 - synthetic applications 1120 - synthetic methodology 1119 - synthetic methodology derivation – Ar–Z–Ar system methodology 1098-1101 - - for biaryls and heterobiaryls 1070-1095 – named C–C cross-coupling reactions comparison in DOM context 1095 - 1098directed remote metallation (DreM) connections 1097-1098, 1100-1101 1,4-diynes via alkynyl-propargyl coupling 207-208 1-(((E)-dodec-4-envloxy)methyl)benzene 352 domino Heck-Diels-Alder reaction 632 Domino nucleopalladation/C-C coupling 1271, 1272-1277

е

((1*E*)-1-heptenylbenzene (*E*)-14) 525–526

(1*E*)-1-iodo-2-isopropyl-5-methyl-1,4-hexadiene 261–262

- (E)-12-acetoxydodec-5-ene 415
- (E)-1-chloro-4-phenyl-1-buten-3-yne 261
- (*E*)-2-(4-octen-4-yl)-5-phenyl-1,3,4-oxadiazole 1423
- (E)-3-methoxystilbene 1422
- (*E*)-4-[2-(4-acetylphenyl)-1-butylethenyl]benzoic acid ethyl ester 527

(*E*)-5-(4-methoxyphenyl)-4-penten-1-ol 526–527

electrospray ionization mass spectrometry (ESI-MS) 25, 34

6π-electrocyclization and Heck reaction cascades 564-565, 567, 568, 585, 592, 593, 594 elementometallation 142, 143, 148, 159, 174, g 185 enantioselectivity 764, 766, 773, 792, 802, 803, 849, 867 - C-H coupling 1373-1374 -- (S)-2,3-dimethyl-4-(2-methylnaphthalen-1 -yl)thiophene 1376-1377 - hydroamination 1207-1216 endo-trig cyclization 556, 559 enolates 948 Pd-catalyzed α-substitution and related derivatives 233-235 -- direct α-arylation 236-237 - - Pd-catalyzed α-alkenylation of carbonyl compounds 237-239 – Pd-catalyzed α-alkylation, α-benzylation, α -allylation, and α -propargylation 241 - 243 – Pd-catalyzed α-alkynylation of carbonyl compounds 239-241 - ester enolates 950-953 - ketone enolates 948-950 ester enolates 950-953 ethyl 2-(4-phenylbuta-1, 3.3-diynyl)benzoate 261 ethyl 3'-bromo-4'-[(tertbutoxycarbonyl)oxy]biphenyl-4-carboxylate 411-412 ethyl 4-(furan-2-yl)benzoate 350 ethyl 4-(phenylethynyl)benzoate 351 ethyl 4'-methoxy-biphenyl-3-carboxylate 349-350 ethyl 4-isopropylbenzoate 353-354 ethyl 6-phenylhex-5-ynoate 352-353 (2Z,4E,6E)-ethyl trideca-2,4,6-trienoate 260 ethylene hydroamination 1165-1169, 1247 exo-trig cyclization 5-exo-trig cyclization 798, 803 extended one pot (EOP) 717

f

first-generation catalysts 43 first-row transition metals catalysis 1447-1450 flash chemistry 773 fluorides 79-82 - activation 480, 490, 513, 520, 521, 523 fourth-generation catalysts 43 Fujiwara-Moritani-type reaction 1390-1392 fullerene derivative and Heck reaction 634-635

functionalization 1315, 1323, 1340, 1346, 1365, 1367

Grignard reagents. See also carbon-carbon-bond-forming reactions, mediated by organomagnesium reagents 15, 16, 776-780, 781, 782, 783, 790, 811, 812, 823, 825, 826, 828, 837, 839-843, 851, 862,866

h

haloboration 174-175 1,4-haloacyloxylation 901 intermolecular reactions 901-903 intramolecular reactions 903-904 - synthetic applications 904-909 halogen-magnesium exchange reactions 366.367-368 halogen-zinc exchange reactions 288-290 Hartwig-Buchwald amination 995-996 - arylation - - amide, urethane, urea, and sulfonic acid amide derivatives arylation 1037-1043 -- amines 1005-1036 – C–H bond activation amination 1051-1054 – heterocycle arylation 1043-1047 -- intramolecular amination 1047-1050 - experimental procedures 1056-1060 - general considerations 1000 -- base choice 1004, 1005 -- ligand choice 1002-1003 -- precatalyst choice 1000-1002 -- solvent choice 1004 -- temperature choice 1005 - mechanistic considerations 996-1000 - troubleshooting 1054-1055 Hartwig-Buchwald-Heck cascade 591 Hauser bases 368 Heck alkenylation 165-166 Heck-aldol and Heck-Michael cascades 577-579 Heck-Cassar coupling 670 Heck–Diels–Alder cascades 562-564 Heck reaction 533-534 - alkenes 541-544 - carbopalladation reactions in solid-phase syntheses 620-627 - cascade reactions and multiple couplings 557-558 – Heck cascades involving C(sp²) centers 558-561

 – Heck coupling in combination with other reactions 591-592 – Heck reaction cascades involving C(sp²) and C(sp) centers 561-562 – Heck reactions combined with other cross-coupling processes 566-570 - - Heck reactions with carbon monoxide incorporation 590-591 – Heck-6π-electrocyclization cascades 564-565 – Heck–aldol and Heck–Michael cascades 577 - 579– – Heck–Diels–Alder cascades 562–564 – Heck-type processes involving C–H activation 579-587 – hydroarylations and hydroalkenylations 587 - 589– – multiple Heck coupling 592–597 – palladium-catalyzed reactions involving nucleophilic substrates 570-577 - catalysts 536-541 - effects of bases, ligands, and additives 544, 546-551 - enantioselective Heck-type reactions 601-607 - experimental procedures 629-635 - in fine chemical syntheses 627-628 i - heterocycles, natural products, and biologically active compounds applying Heck reactions 607-620 - leaving groups 551, 552-556 - mechanism 534-536 - and palladacycles 14 - palladium-catalyzed reactions 597-601 - structural requirements in intramolecular cyclizations 556-557 1-(1-heptynyl)-4-methoxybenzene 414 hetereoarenes - C-H/C-H cross-coupling 1368, 1369-1371 - C-H/C-H homocoupling 1363, 1364-1365 oxidative C–H/C–H cross-coupling 1371 - 1372heteroarenes. See also individual entries - intermolecular alkylations 1487 - regioselective alkenylations 1403-1413 heteroatom-substituted secondary phosphine oxide (HASPO) ligands 373 - C(sp²)-electrophile cross-couplings 399-404 - C(sp³)-electrophile cross-couplings 404

heterocycles

- arylation 1043-1047

- natural products, and biologically active compounds applying Heck reactions 607-620 - organotins 449, 455-456, 462 hexakismethanofullerene derivative 634 - 6351-hexenylmethylzinc 346 Hiyama transmetallation reaction 28-29 Horner-Wadsworth-Emmons (HWE) and Still-Gennari (SG) olefinations 166 - 169hydroaminoalkylation reaction 1147 1,4-hydroamination 879 1,4-hydroboration 881-882 1,4-hydrocyanation 882 1,4-hydrosilylation 877-878 1,4-hydrostannation 878 1,4-hydrosulfenation and 1,4-hydrothiocarbonylation 881 1,4-hydrosulfonation 880-881 hvdro- and carbozincation reactions 290-291 hydroarylations and hydroalkenylations 587-589

hypervalence 431, 434, 461

indoles 1230-1233 and pyrroles 1329–1334 inorganic synthesis 461 - alkynyltins 462-463 - aryltins 462 - heterocyclic organotins 462 - vinyltins 461-462 inverse Sonogashira coupling 692 iodine atom transfer (IAT) 45 iridium 959-964 iridium-catalyzed asymmetric allylic alkylation 983 iron 964-966 iron-catalyzed alkylation of (hetero)arenes 1486 iron-catalyzed cross-coupling reactions

317-318, 343, 379-383, 398-399

k

ketone enolates 948-950 kinetic isotope effects (KIEs) 1436 Kumada couplings 11, 13, 30 Kumada-Corriu reaction 736-739, 1084 - 1090Kumada-Tamao-Corriu cross-coupling reactions 375

```
1
late transition metal catalysts 1160-1161

    alkene substrates catalysts 1189, 1190,

    1191-1207
- alkyne substrates catalysts 1171, 1172,
    1173-1182
- allene substrates catalysts 1183-1189
- C-N bond formation insertion route 1163, -- palladacycles as catalysts 13-14
    1164 - 1165

    enantioselective hydroamination

    1207-1216
- ethylene hydroamination 1165-1169
- hydroamination with ammonia 1169,
    1170-1171

    mechanistic investigations 1216–1222

    nucelophilic attack

-- on allylic complexes 1162-1163
- on neutral \pi-complexes 1161–1162
Lewis acids as additives 72-73
Li, boron transmetallation 1071-1084
Li, magnesium transmetallation 1084-1090
Li, Sn transmetallation 1090, 1091-1093
Li, Zn transmetallation 1093-1095
Liebeskind conditions 713
ligand-controlled regioselectivity 931-932
ligand-controlled stereoselective reactions
  935-942
```

m

magnesium organometallics preparation methods 366 direct magnesiation reactions 368, 369-370 halogen-magnesium exchange reactions 366, 367-368 magnesium direct insertion 366 manganese-catalyzed cross-coupling reactions 383, 388-389, 410 masked boron derivatives as cross-coupling partners 70-72 Matsuda reaction 552 The Merck Index 136 meso-allyl substrates desymmetrization 935-937 metal-catalyzed C,C- and C,X-bond formation reactions 1-2 - C-X (X = N, O, S) bonds formation in metal-catalyzed reactions 36-39 – reductive elimination to generate C–N, C-O, and C-S bonds from organopalladium(II) complexes

39–43
 – C–X bonds nickel- and copper-catalyzed formation 44–46

- oxidative addition 3-4 - - alkene and anionic ligands 5-6 -- cis-complexes 4-5 – cross-couplings in presence of bulky phosphines 6-12 – N-heterocyclic carbenes as ligands 12 - 13-- Pd(IV) in catalytic cycles 14-16 -- of Stannanes to Pd(0) 16 – palladium-catalyzed α-arylation of carbonyl compounds and nitriles 35-36 - reductive elimination 33-35 - Stille reaction 2-3 -- copper effect 23-24 - - couplings catalyzed by copper and gold 30 - 32- - couplings catalyzed by iron and cobalt 32 - 33- - cyclic and open associative transmetallation 19-23 – dissociative mechanistic proposals 18 - 19- - Hiyama reaction transmetallation 28 - 29 – Negishi reaction transmetallation 27 - 28-- Suzuki-Miyaura reaction transmetallation 24 - 27-- transmetallation step isolation 16-18 1-(5-methoxy-3-phenyl-1H-indol-1-yl)ethanone 1375-1376 2-methyl-5-phenylpentyl benzyl(phenyl) carbamate ($R_{alkyl} = Me$, X = Br, R'alkyl =CH₂CH₂CH₂Ph) 123-124 4-methoxybiphenyl 413 4-methoxybiphenyl ($R = C(O)Net_2$, R' = H, Ar = 4-methoxyphenyl 121–122 4-[2-(4-methoxyphenyl)pyrimidin-4-yl] benzonitrile 350-351 6-methoxy-1-(S)-ethenyl-1,2,3,4 -tetrahydronaphthalene 633 methyl 3-(E)-{2-[2-(E)methoxycarbonylethenyl]cyclopent-1enyl}acrylate 631 methylene compounds (active) 879-880 9-methylenepentadec-7-yne 414 methyliminodiacetic acid (MIDA) 71, 72 Migita-Stille cross-coupling 1090-1093, 1110-1115 Mizoroki-Heck reactions 1389, 1413 molybdenum 966-969 multicomponent reactions (MCRs) 624

n

2-(naphthalen-2-yl)benzoxazole 1374-1375 naphthalene-1,8-diamido (dan) derivative (Ar = Ph) 123 natural product synthesis 443-444, 1106-1116, 1235, 1240, 1241, 1242, 1244 - containing 1,4-diene and allylated arenes 208-209 - intermolecular couplings 446-450 - intramolecular couplings 444-446 Negishi coupling 8, 13, 14, 137, 139, 163-164, 288, 301-310, 312, 318, 319, 323, 325, 327, 329, 330, 1093-1095, 1115-1116 - bibenzyls, homoallylarenes, 1,5-dienes homopropargylarenes, and 1,5-enynes 214 - 216- transmetallation 27-28 Negishi protocol 717-721 - applications 721-724 N-heterocycle synthesis 1233–1195 N-heterocyclic carbene (NHC) 12–13, 69-70, 677-679, 1322, 1330, 1340, 1343, Ni-catalyzed alkyl-alkyl coupling 221-223 nickel 969-971 nickel-catalyzed cross-coupling reactions 311-312, 332, 372-375, 389, 390 – C(sp²)-electrophiles cross-coupling 312-314, 332-335, 391-396 – C(sp³)-electrophiles cross-coupling 314-315, 335-340, 396-398 mechanistic aspects 340–342 N-methyliminodiacetic acid (MIDA) boronates - orthogonality 99 - reactivity in cross-coupling reactions 97 - 98N,N-5-trimethylnaphthalen-1-amine 415 N,N-diethyl-2-trimethylsilyl-3-phenylbenzamide preparation and DoM-Kumada-Corriu cross-coupling 1122 N,N-diethyldecanamide 415 N,N-diethyl-N-phenylanthranilamide synthesis 1124 10-nitro-9-phenyldecyl acetate 347-348 non-fluoride-promoted coupling 488-494 norbornene shuttle 585 nucleophile-controlled stereoselective reactions 934-935

0

one-pot procedure 496, 508 – and tandem catalysis 1222–1225 one-pot Sonogashira coupling through *In situ* TMS deprotection 746–747

organic synthesis 450, 1116-1119 - alkynyltins 456-457 - arvltins 454-455 - heterocyclic organotins 455-456 miscellaneous organotins 457 - vinyltins 451-454 - vinyl-vinyl couplings 450-451 organoboron compounds metal-catalyzed cross-coupling reactions, with organic electrophiles. See Suzuki-Miyaura coupling organoboron cross-coupling partners 92-93, 99-101 - N-methyliminodiacetic acid (MIDA) boronates 97-99 - nucleophilicity adjustment 73-74 - trifluoroborate salts 93-96 organopyridyl- and organothiophenylsilanes 506 - 511organosilanols 482-494 organosiletanes 479-482 organosilicon compounds 475 - applications to total synthesis 524-525 - discovery and early development work 476-479 - experimental procedures 525-527 - modern organosilicon cross-coupling 479 - - organopyridyl- and organothiophenylsilanes 506-511 -- organosilanols 482-494 -- organosiletanes 479-482 -- organosiloxanes 494-497 -- organosilyl ethers 497-506 – organosilyl hydrides 511, 512–513 - silicon-based cross-coupling reactions 475-476 – kinetic analysis and mechanistic implications 519-523 – mechanistic pathways convergence 517-519 - - pentacoordinate silicon 513-515 – substituent steric effects 515–517 organosiloxanes 494-497 organosilyl ethers 497-506 organosilyl hydrides 511, 512-513 organotin reagents, in cross-coupling reactions 423 experimental procedures 464-465 - inorganic synthesis 461 -- alkynyltins 462-463 -- aryltins 462 -- heterocyclic organotins 462 -- vinyltins 461-462 - mechanism 424-428

- methodology 428

organotin reagents, in cross-coupling reactions (contd.) – – advances 436–443 – new ligands, catalysts, and additives 429-434 – new organic and organotin coupling partners 434-435 – polymer-supported Stille chemistry 435 - 436– reaction medium 429 - natural product synthesis 443-444 -- intermolecular couplings 446-450 - - intramolecular couplings 444-446 - organic synthesis 450 --- alkynyltins 456-457 -- aryltins 454-455 -- heterocyclic organotins 455-456 – miscellaneous organotins 457 -- vinyltins 451-454 -- vinyl-vinyl couplings 450-451 - polymer chemistry 457-458, 461 – materials based on polythiophene (or polyselenophene) backbones 458-459 - - materials based on pyrrole and furan 460 – materials based on thiophene in combination with other repeating units 459-460 – polyphenylenevinylene and related materials 460-461 organyl halides cross-coupling with alkenes. See Heck reaction ortho alkenylation 1392-1403 O-tert-butyldiphenylsilyl-protected (3S,5E)-3,9-dimethyl-6-isopropyl-5,8-decadien-1-ol 262 oxidative cross-coupling reactions 306 8-oxo-8-phenyloctyl pivalate 353 oxygenation reactions involving Wacker-type chemistry 1265-1266 amine-derived nucleopalladation 1266, 1267-1271 - Domino nucleopalladation/C-C coupling 1271, 1272-1277 - nucleopalladation followed by C-H bond functionalization 1277, 1278-1286 1,4-oxyamination and 1,4-chloroamination 913 - intramolecular reactions 913-914 -- with C-C bond formation 915-919 - synthetic applications 914

palladacycles 628 as catalysts 13–14 - in Sonogashira reactions 680 palladium(IV) catalysis 14-16, 1288-1289 palladium-catalyzed 1,4-additions to conjugated dienes 875-876 - 1,4-addition of two nucleophiles 890-917 - palladium(0)-catalyzed reactions 876 - - 1,4-coupling with carbanion equivalent and nucleophile 882-889 -- H-Nu addition 876-882 palladium-catalyzed α-arylation of carbonyl compounds and nitriles 35-36 palladium-catalyzed aromatic carbon-nitrogen bond. See Hartwig-Buchwald amination palladium-catalyzed C-H alkylation 1451-1455 - alkylation by Catellani reaction 1432, 1433-1436 - directed alkylations 1429-1432 - intermolecular alkylation 1438, 1439-1445 - intramolecular alkylation 1436-1438 palladium-catalyzed cross-coupling reactions 297-298, 322-323, 375, 376-379, 385-386, 404-406 - alkenylzinc reagents cross-coupling 306-310 - allenylzinc reagents cross-coupling reactions 311 - aryl- and heterozrylzinc reagents cross-coupling reactions 298-306 - cross-coupling with C(sp)- and C(sp²)-electrophiles 323-329 - cross-coupling with C(sp³)-electrophiles 329-330 - mechanistic insights 330-331 – oxidative cross-coupling reactions 331–332 palladium-catalyzed cross-coupling with organometals 133 - (1E)-1-iodo-2-isopropyl-5-methyl-1,4hexadiene 261-262 - (2Z)-2-allyl-3,7-dimethylocta-2,6-dien-1-ol 260-261 - (2Z,4E,6E)-ethyl trideca-2,4,6-trienoate 260 - (2Z,4S)-5-(tert-butyldimethylsilyloxy)-2phenyl-4-methyl-2-pentene 260 - (4S)-4-phenyl-1-pentene 263 - 1,3-diphenylpropyne 262 - alkenes and zirconium-catalyzed asymmetric carboalumination 243-244 - - catalytic asymmetric carbometallation of alkenes via Dzhemilev ethylmagnesiation 246-249

- - historical and mechanistic background of carbometallation of alkenes and alkynes with alkylzirconocene derivatives 244–246

– (*E*)-1-chloro-4-phenyl-1-buten-3-yne 261
– ethyl 2-(4-phenylbuta-1,3.3-diynyl)benzoate

- 261
- metals and transition metals 134–136
- O-tert-butyldiphenylsilyl-protected (35,5E)-3,9-dimethyl-6-isopropyl-5,8decadien-1-ol 262
- Pd- and Ni-catalyzed cross-coupling reactions
- current scope and applications to natural products synthesis and complex organic compounds 154–243
- – discovery 137–154
- (R)-2-phenylpropan-1-ol 263
- transition metal-catalyzed organometallic reactions 136–137
- ZACA-lipase-catalyzed acetylation-Pd- and Cu-catalyzed cross-coupling synergy to chiral organic compounds 253-259
- ZACA-Pd-catalyzed cross-coupling sequential processes for deoxypolypropionates synthesis and related compounds 249–253

palladium-catalyzed direct benzylation, of heteroarenes 1485

palladium-catalyzed direct C-2 alkylation of free N–H Indoles 1485 palladium-catalyzed nucleopalladation

- 1259–1260 palladium-catalyzed ortho-rifluoromethylation, of arenes 1484–1485
- palladium-catalyzed reactions 597-601
- involving nucleophilic substrates 570–577
 palladium-free Stille coupling to enynes 747–748
- palladium on charcoal (Pd/C) 679, 681–682 palladium-pincer-complex-catalyzed allylation
- 441–443 pentacarbonyl[1-dimethylamino-7-trimethyl silyl-2,4,6-heptatriynylidene]tungsten 465

phenol derivatives and arylcarbonyl compounds

- C–H/C–O coupling 1348, 1351–1353
- decarboxylative/decarbonylative C-H coupling 1353–1355

(4*S*)-4-phenyl-1-pentene 263

- (R)-2-phenylpropan-1-ol 263
- 1-phenyl,2.1-(4-acetylphenyl)ethane (Arl = 4-iodoacetophenone) 122–123
- 1-phenylnaphthalene (ROH = naphthol, Ar = Ph) 122

413 - 4144-phenvltoluene 1374 7-phenylheptanoic acid diethylamide 353 pincer ligands 628 platinum 342-343, 971-972 polymer chemistry 457-458, 461 - materials based on polythiophene (or polyselenophene) backbones 458-459 - materials based on pyrrole and furan 460 - materials based on thiophene in combination with other repeating units 459 - 460- polyphenylenevinylene and related materials 460-461 polymerization 763, 764, 768, 794, 795, 797 polymer-supported Stille chemistry 435-436 polyphenylenevinylene and related materials 460 - 461polythiophene (or polyselenophene) materials 458-459 primary aliphatic amines coupling 1056-1057 pseudohalides 82-92 pseudohalides 82 - amines and alcohols 89-92 - carbamates and sulfamates 86-89 - carboxylates 83-85 - ethers 85-86 Pyr-Ar systems and one-pot DoM-Suzuki-Miyaura cross-couplings 1122 pyridine-enhanced precatalyst preparation, stabilization, and initiation (PEPPSI) 77, 301, 307, 325, 330, 431, 432, 724, 1023 pyridines nickel-catalyzed C-4 alkylation 1487 pyrrole - and furan materials 460 - synthesis 1225-1229 r racemic substrate conversion via meso- π -allylpalladium intermediates 938–941 reductive elimination 877, 878, 889

2-phenyl-(2'-phenyl)-4-methylquinoline

- reductive Heck reactions. *See* hydroarylations and hydroalkenylations
- regioselectivity 763, 764, 766, 767, 768, 777, 778, 779, 783, 784, 790, 793, 794, 796, 807, 810, 811, 819, 822, 827, 829, 830, 832, 835, 837, 840, 841, 844, 845, 848, 851, 856, 867, 929–932, 1140, 1143, 1160, 1161, 1164,
 - 1165, 1170, 1173, 1179–1184, 1186, 1189,
 - 1192, 1205, 1222–1224, 1226, 1317, 1318,

regioselectivity (contd.) 1319, 1322, 1323, 1325, 1330, 1332, 1334, 1338, 1346, 1349, 1362, 1363, 1365, 1368-1372, 1403-1088. See also individual entries reoxidation 1259, 1263, 1265, 1266, 1275, 1277, 1280, 1289, 1293, 1298 rhodium-catalyzed reactions 315-316, 344-345, 383, 384, 972-977, 1467 - directed alkylation 1467-1477 - nondirected alkylation 1477-1479 Rieke magnesium 366 ring-opening metathesis polymerization (ROMP) 682, 683 ruthenium 977-981 ruthenium-catalyzed C-H alkylation 1445 - 1447ruthenium-catalyzed (Murai's) reactions - mechanistic studies 1464, 1465-1467 method development 1458–1464

S

scrambing, with phosphine 12 secondary aliphatic amines coupling acyclic 1058 - cyclic 1057 silacyclobutanes 480 silane-terminated intramolecular enantioselective Heck reaction 633 sila-Sonogashira-Hagihara reaction 731-735 silicon-based cross-coupling reactions 475-476 - mechanistic studies – kinetic analysis and mechanistic implications 519-523 – mechanistic pathways convergence 517-519 – pentacoordinate silicon 513–515 - - substituent steric effects 515-517 silver salt 604 silver-catalyzed cross-coupling reactions 410-411 single-electron transfer (SET) 44, 45 solution-phase combinatorial synthesis 436 solvents and additives 686-687 Sonogashira coupling 24, 30, 31 Sonogashira reaction 665, 668 amine bases 684–686 - applications 699-702 - mechanism 668-671 - protecting groups and in situ protodesilylation/alkynylation 687-689 recent extensions

 – alkynylations catalyzed by transition metals 694-697 -- electrophilic alkynylations 692-694 -- metal-free versions 697, 698-699 - - microwave-enhanced reactions 689-690 – substrate scope and leaving group developments 690-692 - solvents and additives 686-687 - Sonogashira catalysts 671-674 - - heterogeneous catalyst developments 679 - 684 – homogeneous catalyst developments 674-679 - triphenylene derivative 747 sp carbon atoms 665 - alkynylaluminum reagents 739-741 - alkynylboron reagents - - alkynylboron coupling partners 725-730 – applications of Suzuki–Miyaura reaction 730-731 -- Suzuki-Miyaura coupling 724-725 - alkynylcopper reagents -- Cadiot-Chodkiewicz coupling 702-706 -- Sonogashira reaction 668-702 -- Stephens-Castro reaction 666-667 - alkynylgermanium, alkynylsilver, and alkynylmanganese reagents 743-745 - alkynylindium reagents 741-743 - alkynylmagnesium reagents 736-739 - alkynylsilicon reagents - - alkynylsilane cross-coupling 731-735 -- one-pot twofold cross-couplings 735-736 - alkynyltin reagents - - applications of Stille reaction 716-717 - - organotriflates in Stille couplings 708, 712 - 713 – recent advances of Stille reactions 713-716 -- Stille coupling 706-708 - alkynylzinc reagents - - applications of Negishi cross-couplings 721-724 -- Negishi protocol 717-721 - experimental procedures 746-748 sp³ alkyl boron derivatives and sp² alkenyl and aryl halides and cross-couplings between them - achiral cross-couplings 110-113 - stereoselective Suzuki-Miyaura cross-couplings between alkenyl and aryl halides with sp³ alkyl boron derivatives 113 - 117

sp³ alkyl halides and sp² alkenyl and aryl boron derivatives and cross-couplings between them - achiral cross-couplings 105-108 stereoselective Suzuki–Miyaura cross couplings between sp3 alkyl halides sp2 with aryl and alkenyl boron derivatives 108 - 109sp³ carbon centers and sp³ carbon centers and cross-couplings between them - achiral cross-couplings 117-118 - stereoselective Suzuki-Miyaura cross-coupling reactions of sp³ alkyl halides with sp³ alkyl boranes 118–121 spirocyclization 464 SPRIX ligands 1263, Stannanes oxidative addition to Pd(0) 16 Stephens-Castro reaction 666-667 stereoisomerization (unexpected) and prevention 180, 183-185 stereoselectivity. See also individual entries 1161, 1165, 1170, 1202, 1205, 1209 Stille chemistry 423 - polymer-supported Stille chemistry 435-436 Stille coupling 1, 8, 706–708 - applications 716-717 - organotriflates 708, 712-713 - recent advances 713-716 Stille reaction 2-3 - copper effect 23-24 - couplings catalyzed by copper and gold 30 - 32- couplings catalyzed by iron and cobalt 32 - 33 – cyclic and open associative transmetallation 19 - 23- dissociative mechanistic proposals 18-19 - Hiyama reaction transmetallation 28-29 Negishi reaction transmetallation 27–28 - Suzuki-Miyaura reaction transmetallation 24 - 27- transmetallation step isolation 16-18 strain-release Lewis acidity 480 styrenes coupling with bromo- and chloroarenes 630-631 substrate-controlled hydroboration 286 substrate-controlled regioelectivity 929-931 Suzuki coupling 137, 139, 164-165 to alkynylated naphthalene-tricarbonylchromium complexes 748 Suzuki–Miyaura coupling 1, 4, 7, 8, 10, 11, 14, 24, 65, 724-725, 1071-1084, 1106-1110

- applications 730-731 - catalytic cycle 66-69 - copper salts as additives 74-75 $- C(sp^2) - C(sp^2)$ bonds formation 75 – – chlorides 75–79 - - enantiomerically enriched atropisomers synthesis 101-103 – – fluorides 79–82 -- organoboron cross-coupling partners 92-101 – – pseudohalides 82–92 $- C(sp^3)-C(sp^3)$ and $C(sp^3)-C(sp^3)$ bonds formation cross-coupling reactions advances 103-104 – cross-coupling between sp³ carbon centers with sp³ carbon centers 117–121 - - cross-couplings between unsaturated sp² carbon centers and sp³ carbon centers 105-117 -- stereochemistry 104-105 - experimental procedures - - 1-(3,5-dimethoxyphenyl)-5-phenylpentan-3-one (R_{alkvl} -BF₃K = 197, R^1 = $CH_2CH_2Ph, R' = 3,5$ dimethoxybenzene) 122 - - 1-phenyl, 2.1-(4-acetylphenyl)ethane (Arl = 4-iodoacetophenone) 122-123 – 1-phenylnaphthalene (ROH = naphthol, Ar = Ph) 122 - - 2,6-dimethoxy-2',6'-dimethylbiphenyl 121 - - 2-methyl-5-phenylpentyl benzyl(phenyl)carbamate ($R_{alkvl} = Me$, $X = Br, R'alkyl = CH_2CH_2CH_2Ph$ 123 - 124- - 4-methoxybiphenyl (R = C(O)Net₂, R' = H, Ar = 4-methoxyphenyl 121–122 - - naphthalene-1,8-diamido (dan) derivative (Ar = Ph) 123 - Lewis acids as additives 72-73 - masked boron derivatives as cross-coupling partners 70-72 - mechanistic cycle 66 - new phosphine and N-heterocyclic carbine (NHC) ligands 69-70 - organoboron cross-coupling partners nucleophilicity adjustment 73-74 - transmetallation 24-27

t

telomerization 879, 880, 882, 886, 888, 889 tert-butyl((cis-3-(4-((tert-butyldimethylsilyl)oxy)but-1-yn-1-yl)cyclohexyl)oxy)dimethylsilane 351–352

2-tert-butyl-4-tert-pentyl-6-phenyl-1,3,5-triazine - asymmetric alkene hydroamination 416 (2Z,4S)-5-(tert-butyldimethylsilyloxy)-2-phenyl-4-methyl-2-pentene 260 tertiary alcohols 40 by alkylation/arylation reactions of alkenylcarbamates and quenching with t-BuONO 867 tethered amination reactions 1288 tetrabutylammonium fluoride (TBAF)-promoted coupling 483-488 tetrahydrofuran (THF) 686 tetra-n-butylammonium fluoride (TBAF) 477, 480, 482, 483-488, 496, 497, 502-510, 512, 513, 516-522, 525-526 tetrasubstituted 1,3-dienes synthesis 868-869 2-(2-(thiophen-2-yl)ethynyl)pyridine 349 thiophene materials, in combination with other repeating units 459-460 thiophenes and furans 1334-1340 third-generation catalysts 43 tin and catalytic reaction 436-437 trans, cis-2-methyl-1-phenyl-1,2,3,5,6,10bhexahydropyrrolo[2,1-a]Isoquinoline 868 trans-4-acetylstilbene 630-631 transition metals 134-136 - transition metal-catalyzed organometallic reactions 136-137 transition-metal-catalyzed cross-coupling reactions 370-371, 1480-1484 - C(sp)-organomagnesium reagents cross-coupling reactions 384-390 - C(sp²)-organomagnesium reagents cross-coupling 372-384 - C(sp³)-organomagnesium reagents cross-coupling reactions 390-411 - of organozinc reagents 296-297 – alkynylzinc reagents cross-coupling reactions 318-321 – C(sp²)-organozinc reagents cross-coupling reactions 297-318 - - C(sp3)-organozinc reagents cross-coupling reactions 321-345 transition-metal-catalyzed hydroamination reactions 1135-1136 - early transition metal catalysts 1136-1139, 1159-1160 – alkene hydroamination catalysts 1146-1156 – alkyne hydroamination catalysts 1139-1145 – allene hydroamination catalysts 1145-1146

catalysts 1156-1159 - experimental procedures 1245-1248 - future directions 1244-1245 - hydroamination in synthesis 1222 -- indoles 1230-1233 – – *N*-heterocycle synthesis 1233–1195 – one-pot reaction and tandem catalysis 1222-1225 - - pyrrole synthesis 1225-1229 -- total synthesis 1240-1244 - late transition metal catalysts 1160-1161 - - alkene substrates catalysts 1189, 1190, 1191-1207 – alkyne substrates catalysts 1171, 1172, 1173-1182 - - allene substrates catalysts 1183-1189 -- C-N bond formation insertion route 1163, 1164-1165 - - enantioselective hydroamination 1207-1216 -- ethylene hydroamination 1165-1169 - - hydroamination with ammonia 1169, 1170-1171 -- mechanistic investigations 1216-1222 - - nucelophilic attack on allylic complexes 1162-1163 – nucelophilic attack on neutral π -complexes 1161–1162 transmetallation reactions - boron-zinc exchange reactions 285-287 - with main-group and transition metal organometallics 282-285 trifluoroborate salts - orthogonality 96 - reactivity in cross-coupling reactions 93-96 trimethyl-(3-p-tolylprop-1-ynyl)silane 414 trimethyl((R)-3-p-tolylhept-1-ynyl)silane 350 triphenylene derivative 747 tunable catalyst in situ generation 1486 tungsten 981–982 turbo Grignard 366

и

uncatalyzed cross-coupling reactions, of organozinc reagents 291-293 unsaturated sp² carbon centers and sp³ carbon centers and cross couplings between them - sp³ alkyl boron derivatives and sp² alkenyl and aryl halides 110-117 - sp³ alkyl halides and sp² alkenyl and aryl boron derivatives and cross-couplings between them 105-109

ν

vic-dibromoalkenes Heck reaction with alkenes 631 vinylpalladation 915-916 vinylepoxides 946 vinyltins 448-449, 451-454, 461-462 vinyl-vinyl couplings 446-448, 450-451

w

Wacker process 1259, 1260 Wacker-type reactions 1260-1265

x

X-ray absorption near-edge structure/extended _ ZACA-lipase-catalyzed acetylation-Pd- and X-ray absorption fine structure (XANES/EXAFS) 46

z

zinc organometallics

- direct zincation reactions 287-288
- halogen-zinc exchange reactions 288-290 zirconium-catalyzed methylalumination of - hydro- and carbozincation reactions
- 290-291
- transmetallation reactions 282-287
- Zn(0) direct insertion into organohalides 280-282

zipper molecule 437-438 zirconium-catalyzed alkyne carboalumination 133 zirconium-catalyzed asymmetric

carboalumination of alkenes (ZACA) reaction 133, 243-244, 816

- catalytic asymmetric carbometallation of alkenes via Dzhemilev ethylmagnesiation 246-249

- historical and mechanistic background of carbometallation of alkenes and alkynes with alkylzirconocene derivatives 244-246

Cu-catalyzed cross-coupling synergy to chiral organic compounds 253-259

- ZACA-Pd-catalyzed cross-coupling sequential processes for deoxypolypropionates synthesis and related compounds 249-253

alkynes (ZMA reaction) and related reactions 173, 174

zwitterionic Sadow catalysts 1155