а

activated silk optics 203 additive-mediated fiber branching 95–98 additive-mediated nucleation 101 anti-counterfeiting 209, 216 arginine-glycine-aspartic acid (RGD) 136, 138–139 atomic force microscope (AFM) 8, 19, 21, 23, 32, 105, 175, 187, 188, 191, 212–213 atomic layer deposition (ALD) 200 Atridox[®] 122 Atrigel[®] 121 Avrami equation 53, 83 Avrami-Mempel law 52

b

biomedicine – silkworm silk 220, 221, 224–225 – spider silk – – drug delivery 202 – – tissue engineering 201 biomimetic approaches 209, 226 biophotonics 215 biopolymers 185 branched DNAs 153

С

carbon nanotube 240–243 Cayley tree-like networks 79–80, 89–90 chemical gels 129 Chinese Hamster Ovary (CHO) cells 144 circular dichroism (CD) 17–21, 43, 148 collagen generation assessment 138 colored/fluorescent silkworm silk 216 – dieting 218–220 – genetic engineering 216–217 – nanoparticles 217–218 conduits, assembled from nanofibers 278–280 conjugates, drug-gelator 118–119
coordination polymer particles (CPPs) 43–44
Cotton effect 23
crimping effect and nanofiber scaffolds 287
crystallite size and silk spinning conditions 196–197
crystallographic mismatch nucleation induced fiber branching 87–89
– fiber side branching 89
– fiber tip branching 89
curcumin 118
cyclic tetramers 147

d

1D aggregation 4-5 3D nucleation model 91-93 2'-deoxyadenosine-based gelator 46 design-and-production approach 77 Dickinson fractal model 53 dipolar orientation 252 DNA hydrogels 151–153 drug delivery and small-molecule gels 115 - 117- hybrid organogels 123-124 - hydrogels in pharmaceutical applications 117 – drug carriers 117–118 - - drug-derivatized small-molecular hydrogelators 118 – drug-gelator conjugates 118–119 - organogel delivery of bioactive factors, in regenerative medicine 123 - organogels in pharmaceutical applications 119-120 – dermal and transdermal formulation 120 - 121

- – oral formulation 122–123
- – parenteral depot formulation 121–122

Soft Fibrillar Materials: Fabrication and Applications, First Edition. Edited by Xiang Yang Liu and Jing-Liang Li. © 2013 Wiley-VCH Verlag GmbH & Co. KGaA. Published 2013 by Wiley-VCH Verlag GmbH & Co. KGaA.

- 298 Index

eADF4 spider silk protein 202 Einstein's equation 83 elastic compressibility constant 254 electrospun nanofibers 265-267 - alignment 273-274 - - due to electrostatic forces 275-276 – due to magnetic forces 277 – due to mechanical forces 274–275 - applications in regenerative medicine – dura mater repair 283–284 – nerve injury repair 280–283 – tendon-to-bone insertion site repair 287-290 -- tendon/ligament repair 284-287 - bioactive molecules incorporation 269 - 270- cell infiltration 272-273 - degradation characteristics 270-271 - materials consideration 269 - mechanical properties 271-272 - scaffolds with complex architectures 277 -- assembled conduits 278-280 – stacked arrays 278 - setup and principle 267-269 Eligard® 121-122 enzymatic in situ formation of gelators and gels 33-40 ethylene/vinyl acetate copolymer (EVACP) (EVACP) 91, 92, 97 evaporation-induced self-assembly method 226-227 extracellular matrix (ECM) 136, 138, 140, 144, 265-266, 273, 280, 290, 291 f fiber branching 82

fiber side branching 89 fiber tip branching 89, 91 fluorescence (FL) 13-15, 29 fmoc-protected acids 35-36 force sensors 258-259 Fourier self-deconvolution (FSD) 213 Fourier-transform infrared (FT-IR) 13-14, 42, 93, 191, 213, 238-239, 247, 249, 251, 252 - transmission microscopy (FTIR-TS) 240-242

g

gap technique 275-276 gel. See also individual entries – classification 129–130 - definition 129 - primary structure 132

- secondary structure 132 - tertiary structure 132 gelators. See also individual entries - potential use and applications 157-159 glycolipids 141

h

Hamlet-Taft treatment 30 Hansen-type approach 31 heparin 139 Hermans orientation function 197 Hildebrand solubility parameter 31 hydrogels 36, 115, 123, 141 - applications 133-136 - - lipid-based molecular gels 142-146 - - nucleobase-based molecular gels 146-155 -- peptide-based molecular gels 136-139 - - saccharide-based molecular gels 140 - 142- in pharmaceutical applications 117 -- drug carriers 117-118 - - drug-derivatized small-molecular hydrogelators 118 -- drug-gelator conjugates 118-119 i

ibuprofen 122 interconnecting fiber networks and multi-domain fiber networks 102-105 intercrystallite distance and silk spinning conditions 198-199 ionic liquids 168-170 isoleucinelysine-valine-alanine-valine (IKVAV) 139

j

junction zones 5

k

Kamlet-Taft parameters 29 kinetic models, for following one-dimensional growth and gelation 50-59 kinetically controlled homogenization, of fiber networks 105-107

1

 β -lactamase 36 lecithin-based organogel 120 lipid-based molecular gels 142-146 liposomes 143 lithocholic acid (LCA) 57 lithography 225 low specific mismatch free energy 88 low-molecular-mass organic gelators (LMOGs) - kinetic models for following 3-7, 9, 15, 17, 25, 26, 28-30, 34, 37, 38, 40, 44, 47, 48, 50, 51, 53, 55, 59-63, 65-66 low-molecular-weight gelators (LMWGs)

129-135, 147, 149

m

macromolecular gels 130 major ampullate (MAA) gland 185 material elasticity improvement - by controlling gelator primary nucleation 108 - 109- by converting multi-domain network into interconnecting fiber network 110 – by enhancing fiber branching 109–110 mesenchymal stem cells (MSCs) 145 micro-/nano-structures and molecular gels 163-164 metallic nanostructures – – silver and gold nanoparticles 170–172 - - silver and gold nanowires 172, 174-175 - nanofibers/metal tubes/transition metal oxide and sulfate 167-170 - organic and composite structures controlled formation 175-176 - pharmaceutical substances crystal growth control 176-178 - silica nanofibers and nanotubes 164-166 silica nanoparticles 166–167 micro/nano structure, of fiber networks engineering strategies 94 - multi-domain fiber networks engineering 98-107 - single fiber networks engineering 94-98 microwells 276 minor ampullate (MIA) gland 185 molecular force field (MMFF) 19 molecular gels and fibrillar networks 3-6 gelation stimulation - - enzymatic in situ formation of gelators and gels 33-40 - - radiation-induced gelation and degelation 47 - 50-- ultrasound 40-47 - gelator a priori design advances and perspectives 59-66 gelator design – chirality as tool 17–25 – liquid influence on gelator networks 25 - 32- - structure packing analysis 6-17

- one-dimensional growth and gelation 50 - 59
- multi-domain fiber networks engineering 98-99
- and interconnecting fiber networks 102-105
- fiber network manipulation, by controlling primary nucleation 99-102
- kinetically controlled homogenization 105 - 107
- volume confinement 107

n

- nano-pressure sensor. See polyvinylidene fluoride (PVDF) electrospun nanofiber web 235
- nanofibers. See also individual entries - crystallization
- crystallographic mismatch nucleation induced fiber branching 87-89
- homogeneous and heterogeneous nucleation 85-87
- thermodynamic driving force 84–85
- kinetics growth and branching 90-94
- metal tubes/transition metal oxide and sulfate 167-170
- nanogenerator 259

nanowires 172, 174-175

- neural guidance conduits (NGCs) 281, 283
- non-ionic surfactants 135
- nucleic acid chains 150-155
- nucleobase-based molecular gels 146-147
- and hybrid biomolecules 147–150
- nucleic acid chains 150-155

0

- one-photon fluorescence 209, 220, 222, 223 optical limiting silkworm silk films 220 orb-web-weaving spiders 185 organic sonogels 44 organogels 115 and composite structures controlled formation 175-176 - hybrid 123-124 - in pharmaceutical applications 119-120 – dermal and transdermal formulation 120 - 121-- oral formulation 122-123
- - parenteral depot formulation 121-122 orientation distribution and silk spinning
- conditions 197-198

parenteral depot formulation 121–122 peptide amphiphiles 136–139 peptide-based molecular gels 136-139 – peptide amphiphiles 138–139 self-complementary alternating amphiphilic peptides 137-138 pharmaceutical substances crystal growth control 176-178 phosphatidylserine (PS) 146 physical gels 129-130 piezoelectric charge coefficient 253 polarization 253 poly(methylmethacrylate co-methacrylic acid) (PMMMA) 100-101, 109 poly(vinylidene fluoride-trifluoroethylene) P(VDF-TrFE) 243-245 polymer-enhanced fiber branching 96-97 polymeric organogelator networks 116 polymethylmethacrylate (PMMA) 175 polyvinylidene fluoride (PVDF) electrospun nanofiber web 235-236 - electrospinning mechanism and setup 236 - 237- flexible devices 255 -- force sensors 258-259 – – nanogenerator 259 -- touch sensor 256-258 -- web-based sensor 255-257 piezoelectric properties – and different electrospinning conditions 245 - 248 – origin in electrospun nanofiber web 246 - 255 poly(vinylidene fluoride-trifluoroethylene) P(VDF-TrFE) 243-245 preparation and characterization under varied conditions 237 – crystalline structure 238–240 - - morphology and diameter distribution 237-238 with CaCl₂ and carbon nanotube 240 - 243protease enzymes 35 q quantum dots (QD) 218 r RAD16-I 137 radially aligned nanofibers 276, 284-285 radiation-induced gelation and degelation

47 - 50

random nanofibers 284–285

regenerative medicine - and organogel delivery of bioactive factors 123 - electrospun nanofiber applications -- dura mater repair 283-284 – – nerve injury repair 280–283 – tendon-to-bone insertion site repair 287-290 -- tendon/ligament repair 284-287 Reyleigh instability 236

s

saccharide-based molecular gels 140-142 salt leaching 272 scanning electron microscope (SEM) 8, 21, 23, 32, 44, 145, 152, 155, 169, 187, 188, 213, 237-239, 241, 243, 244, 247, 248, 268, 274, 279, 286, 288, 289 Scherrer's formula 196 Schröder-van Laar equations 29 self-assembled fibrillar networks (SAFINs) 3-5, 7, 8, 17, 19, 25-26, 28, 29, 31, 32, 34, 40-41, 50, 52-56, 58-59, 61-66, 130, 132 self-assembling peptide nano-fiber scaffolds (SAPNS) 137 self-assembly and gel structures 131-133 self-complementary alternating amphiphilic peptides 136-138 self-seeding method 102-103 sensitivity of sensor 245 "sergeant-and-soldiers" effect 23 serine-leucine-serineleucine (SLSL) 139 silica nanofibers and nanotubes 164-166 silica nanoparticles 166-167 silk fibroin films nano-and micro-patterning 224-225 silk proteins, from mammalian cells 195 silk strain hardening 189-193 silkworm silk 209 - functionalization 215-216 – colored/fluorescent silkworm silk 216 - 220 – optical limiting silkworm silk films 220 - - silk fibroin films nano-and micro-patterning 224-225 - - structural color construction to silk fabrics 225 - 227- - two-photon fluorescent silkworm silk fibers 220-224 - legend and history 210-211 - structure 211-215 silkworms and spider silk harvesting 195

silver - and gold nanoparticles 170-172 - and gold nanowires 172, 174-175 single fiber networks engineering 94 - additive-mediated fiber branching 95-98 - supersaturation/supercooling and effects on fiber branching 94-95 slow surface integration 88 small angle scattering (SAS) 8 small angle scattering neutrons (SANS) 8, 51 - - tougher silk than natural spider silk 200 small angle scattering X-rays (SAXS) 8, 51 small-angle crystallographic mismatch branching (SA-CMB) 89 small-molecular hydrogelators, drug-derivatized 118 small-molecular-weight organogelator networks 116 small-molecule gels (SMG) 77-78 small-molecule gels (SMG). See also micro-/nano-structures and molecular gels fiber networks – – fiber branching 82 – nucleation and growth mechanism 78 - - single and multi-domain 78-82 – structural networks 82–84 - fiber networks micro/nano structure 94 – multi-domain fiber networks engineering 98-107 – single fiber networks engineering 94–98 - gel macroscopic properties engineering 107 - 108- - material elasticity improvement 108 - 110 nanofiber crystallization – crystallographic mismatch nucleation induced fiber branching 87-89 – homogeneous and heterogeneous nucleation 85-87 -- thermodynamic driving force 84-85 - nanofibers kinetics growth and branching 90-94 solvent scale 31 sono-crystallization 41 sonogelation 40-41 sonogelators 42-44 spherulitic fiber networks 100-101 sphingosine-1-phosphate (S1P) 145-146 spider silk 185-186 - applications 201 – drug delivery 202 -- technical applications 202-204 - - tissue engineering 201 - mechanical design -- hierarchical design 187-189

 – spider dragline silk strain hardening 189 - 193 – spider dragline supercontraction 193 - 194- - tough silk at low temperature 193 - mimicking 194 – – genetic engineering 194–195 – spinning conditions modification 195 - 199spideroins 187, 189, 191, 199 stacked arrays, from nanofibers 278 structural networks 82-84 supercontraction 193-194 supersaturation 85, 88-89, 100, 134, 197 - and supercooling, and effects on fiber branching 94-95 - control of topological modification of fiber networks 102-103 supramolecular gels. See physical gels - surfactant-enhanced fiber branching 97 - 98surfactant-enhancement tip branching 93

t

temperature-modulated differential scanning calorimetry (TMDSC) 213 tissue engineering molecular gels 129 hydrogel applications 133–136 - - lipid-based molecular gels 142-146 – nucleobase-based molecular gels 146 - 155-- peptide-based molecular gels 136-139 - - saccharide-based molecular gels 140-142 - low-molecular-weight gelators (LMWGs) 129-131 - self-assembly and gel structures 131-133 touch sensor 256-258 transmission electron microscopy 148 tubular silica 164-165 two-photon fluorescent silkworm silk fibers 220-222 - absorption cross-section of designed organic molecules 222 - quantum yield of designed organic molecules 223-224

- silk in bio-imaging application 224

u

ultrasound 40-47, 135

ultrasound-assisted reconstruction, of fiber networks 103, 105

uniaxial alignment, of nanofibers 275-276, 278

V

vancomycin-pyrene compound 118

w

web-based sensor 255-257 wide-angle crystallographic mismatch branching (WA-CMB) 89 wide-angle X-ray diffraction (WAXD) 9 wide-angle X-ray scattering (WAXS) 196 X X-ray diffraction (XRD) 191, 213, 238–240, 244, 247 xerogels 7, 8, 10, 13, 19, 20, 23, 25, 42-43

Y

Y unit 151