

Index

a

acoustic combustion instability
 – model for suppression 423
 – oscillatory combustion 414
 – test 415
 acoustic wave travelling 414
 activation energy 167
 – ammonium perchlorate 119
 active polymers
 – azide polymers 318
 – nitropolymers 317
 adiabatic flame temperature 27
 – of HMX-CMDB propellants 260
 adiabatic flame temperature vs. burning rate
 – AN-GAP composite propellants 245
 – AP-GAP composite propellants 248
 ADN composite propellants 249
 afterburning 376, 377
 ammonium dinitramide 81, 132
 ammonium nitrate (AN) 121
 – characteristics 78
 – composite propellants 104
 – disadvantages of 78
 – fuel oil explosives 114
 – physicochemical properties of 79
 – pyrolants 367
 – thermal decomposition 78
 ammonium nitrate fuel oil (ANFO)
 explosives 282
 ammonium perchlorate (AP) 77, 94
 – AP-GAP propellants 103
 – AP-HTPB composite propellants 101
 – burning rate 121
 – combustion wave structure 121
 – pyrolants 482
 – thermal decomposition 119
 ammonium perchlorate (AP) composite
 propellants 375, 376

– binders 205
 – combustion wave structure 200
 – granular diffusion-flame theory 199
 – LiF negative catalyst 213
 – particle size 203
 – positive catalyst 211
 – premixed and diffusion flame 195
 – SrCO_3 negative catalyst 216
 – temperature sensitivity 209
 AN-(BAMO-AMMO)-HMX composite
 propellants 246
 AN-GAP composite propellants 243
 AP-CMDB propellants
 – burning rate 255
 – flame structure and combustion
 mode 254
 AP composite pyrolants 490
 AP-GAP composite propellants 247
 AP-nitramine composite propellants
 – binder 238
 – particle size 236
 – theoretical performance of 235
 atmospheric windows 361
 azide polymer 87, 318, 322

b

band spectra 361
 B-AP pyrolants 347
 bis-azide methyl oxetane (BAMO) 142
 2,2-bis(ethylferrocenyl)propane (BEFP) 209
 B- KNO_3 pyrolants 336
 black-body radiation 360
 black powder 113, 326
 black smoke emitters 365
 Boltzmann constant 3
 brittle fracture 21

- burning rate 321
 - ammonium perchlorate 121
 - AP-CMDB propellants 255
 - AP-nitramine composite propellants 236
 - bis-azide methyl oxetane 142
 - characteristics 411
 - catalysts 397, 398
 - catalyzed HMX-CMDB propellants 269
 - GAP 139
 - HMX 122
 - HMX-GAP composite propellants 224
 - HNIW composite propellants 249
 - NC-TMETN propellants 171
 - nitramine-CMDB propellants 261
 - nitramine composite propellants 220
 - nitro-azide propellants 173
 - pressure exponent 66
 - SrCO_3 negative catalyst 216
 - TAGN 130
 - TAGN-GAP composite propellants 242
 - temperature sensitivity of 66
- burning surface transition 428
- C**
- catalyst activity, HMX-CMDB propellants 272
- catalyzed double-base propellants
 - burning rate 179
 - combustion models 184
 - dark zone reactions in 182
 - fizz zone reactions in 184
 - LiF 188
 - Ni 189
 - super-rate plateau, and mesa-burning characteristics 176
- catalyzed HMX-CMDB propellants
 - burning rate 269
 - combustion wave structure 270
- catastrophic explosion 95
- catocene 398
- Chapman–Jouguet points 46
- chemical bond energy 23
- chemical smoke 363
- CHNO explosives 279
- colored light emitters 362
 - combustion 334
 - aluminum particle 325
 - B-AP pyrolants 347
 - B- KNO_3 pyrolants 336
 - boron particles 326
 - burning rate augmentation 424
 - effects of aluminum particles 425
 - GAP-AN pyrolants 345
 - Li- SF_6 pyrolants 327
 - magnesium particles 325
 - metal-GAP pyrolant 339
 - metal particle with gaseous oxidizer 325
 - Mg-Tf pyrolants 329
 - NaN_3 pyrolants 342
 - nitramine pyrolants 346
 - pressure 466
 - Ti-C pyrolants 341
 - Ti- KNO_3 and Zr- KNO_3 pyrolants 338
 - zirconium particles 326
 - Zr pyrolants 328
- combustion wave 41
 - burning rate model 62
 - Chapman–Jouguet points 46
 - chemical reaction rate 69
 - deflagration wave 52
 - detonation wave 49
 - flame stand-off distance 64
 - propagation of 43
 - Rankine–Hugoniot equation 44
 - thermal model of 56
 - thermal structure in condensed and gas phases 59
- combustion wave structure
 - ammonium dinitramide 132
 - AP 121
 - AP propellants 200
 - bis-azide methyl oxetane 146
 - GAP 142
 - HMX 124
 - HMX-GAP composite propellants 224
 - HNF 135
 - LiF 215
 - NC-NG double-base propellants 152
 - NC-TMETN propellants 173
 - nitramine composite propellants 221
 - nitro-azide propellants 174
 - SrCO_3 negative catalyst 216
 - TAGN-GAP composite propellants 242
 - TAGN 130
- composite-modified double-base (CMDB) propellants 110
- composite propellants 94, 101
- condensed-phase reaction zone 154
- conductive heat 393
- continuous emission 359
- convective and conductive ignition 393
- convergent-divergent nozzle 462
- critical friction energy 354–356
- cross-flow velocity 407
- crystalline oxidizers 309, 310

cyclo-1,3,5,7-tetramethylene-2,4,6,8-

tetranitramine 80

cyclo-1,3,5-trimethylene-2,4,6-

trinitramine 80

d

damping factor 424

dark zone 153

deflagration model 121

deflagration to detonation transition
(DDT) 324

deflagration wave 49

degrees of freedom 3

destructive force formation 20

detonation temperature 279

detonation transition to deflagration
(DTD) 324

detonation wave 52

detonation wave propagation 286

diffusional flamelets 196, 321, 430, 431

diffusional mixing process 210

diffusion flame 42

direct-connect flow (DCF) test 491

dissociation process 23

double-base propellants 378, 396, 402, 403,
409, 411, 428

dual-thrust motors

– burning interruption 450

– design parameters 448

– mass generation rates 447, 448

– physical parameters 450

– physicochemical parameters 449

– pressure deflagration limit 450

– pressure vs. burning time curve 449

– principles 444

– single propellant grain 445

– thrust modulator 451

ducted rocket propulsion 471

– combustion of variable-flow gas
generator 493

– combustion test facility 491

– computational process 474

– design parameters 474, 475

– flight altitude 476

– flight Mach number 476

– fuel-flow system 477

– high-temperature gaseous products 472

– multi-port air-intake combustion
efficiency 497

– ramburner 472

– structure 472

– thrust and drag 473

ductile fracture 21

e

electromagnetic radiation 359

elements 297

– heat of combustion 299

– periodic table 297

– physicochemical properties 299, 300

energetic explosive materials 280

energetic material 400, 401

energy density 92

enthalpy

– definition 1

– stagnation 6

entropy 4

equilibrium constant 26, 29, 30

erosive burning 463

– erosive ratio vs. mass flow rate 458

– head-end pressure 455

– overall erosive ratio vs. L/D 459

– peak pressures 457

– propellant grain internal geometry 456

– thrust versus burning time

relationship 456

erosive burning model 406

erosive burning phenomena

– cross-flow effects 404

– heat transfer through boundary layer 404

– Lenoir–Robillard parameters 406

– threshold velocity 402

erosive burning rate equation 405

erosive ratio 457

ethyl nitrate 136

explosives 293, 294

– ANFO 114

– CHNO explosives 279

– critical diameters 285

– detonation process 277

– detonation velocity 279

– detonation velocity and pressure 278

– energetic materials 280

– equation of state for detonation 280

– industrial explosives 281

– lens 285, 286

– military explosives 283

– plastic-bonded 115

– Rankine–Hugoniot equations 277

– slurry 11

– TNT-based 115

– uses 114

f

first law of thermodynamics 1

first-order reaction 32

fixed fuel-flow ducted rocket 478

- fizz zone 153
 - flame stand-off distance 161
 - heat flux 166
 - reaction models in 157, 184
 - flame stand-off distance 64
 - catalyzed HMX-CMDB propellants 260
 - flame structure
 - AP-CMDB propellants 254
 - nitramine-CMDB propellants 258
 - flame temperature 409
 - flame velocity 138
 - flame zone 153
 - flammability limit 55
 - flat detonation wave formation 285
 - flow Mach number 11
 - freejet (FJ) test 492
 - friction sensitivity 353, 354
 - fuel components 314
 - metallic fuels 314
 - metal particles 487
 - non-metallic solid fuels 316
 - polymeric fuels 317
 - fuel-flow system
 - fixed fuel-flow system 478
 - non-choked flow system 478
 - variable fuel-flow system 478
- g**
- GAP-AN pyrolants 345
 - GAP-B pyrolants 488
 - gas constant 2
 - gaseous high-temperature flames 362
 - gas-generating pyrolants
 - AP composite pyrolants 490
 - burning rate and pressure exponent 483
 - fuel components metal particles 487
 - GAP-B pyrolants 488
 - GAP pyrolants 486
 - metal particles on combustion stability 490
 - physicochemical properties 482
 - used in VFDR 485
 - wired gas-generating pyrolants 484
 - gas-hybrid rocket
 - liquid oxidizer 464
 - mixing process 464
 - principles 463
 - pyrolants 466
 - schematic diagram 464
 - self-regulating oxidizer feeding mechanism 465
 - thrust and combustion pressure 466
 - types of 465
 - gas-phase reaction 123
 - gas-phase reaction HMX-GAP propellants 224
 - gas-phase reaction rate 59
 - gas phase reaction zone 156
 - gas-pressurized system 465
 - Gibbs free energy 25
 - glycidyl azide polymer (GAP) 87
 - glycidyl azide polymer (GAP) pyrolants 483, 486
 - granular diffusion-flame (GDF) theory 199
 - granulated propellant 95
 - green propellants
 - ADN-and HNF-composite propellants 390
 - AN-composite propellants 389
 - characteristics 388
 - nitramine composite propellants 390
 - nitropolymer propellants 391
 - oxidizer components 389
 - physical and chemical properties 388
 - TAGN-GAP composite propellants 391
 - gun cotton 135
 - gun propulsion
 - internal ballistics 18
 - thermochemical process 17
- h**
- HCl reduction
 - acid mist formation 384
 - ammonium perchlorate composite propellants 383, 384
 - booster propellant 384
 - by metal chlorides formation 385
 - heat balance, HMX-CMDB propellants 273
 - heat conduction zone 152
 - heat of detonation per mole 279
 - heat release process 321
 - heats of explosion 25, 36
 - heats of formation 25, 35
 - heat-transfer coefficient 394
 - heat-transfer process 426
 - heterogeneous pyrolants 322
 - hexanitrostilbene 75
 - hexanitrohexaazaisowurtzitane 75
 - HMX
 - burning rate 122
 - combustion wave structure and heat transfer 124
 - gas-phase reaction 123
 - thermal decomposition 122
 - HMX composite propellants
 - chemical properties 232
 - compositions of 232
 - HMX-GAP composite propellants
 - burning rate 224

- combustion wave structure 222
- physicochemical properties of 224
- HMX-PBX materials 284
- HNF composite propellants 249
- HNIW composite propellants 249
- homogeneous pyrolants 322
- Hopkinson effect 288
- hot particles 362
- hot-spot ignition 400
- Hugoniot curve
 - definition 45
 - detonation and deflagration regions on 49
- hydrazinium nitroformate 134
- hydrazinium nitroformate composite propellants 106
- hydrocarbon polymers 317, 318
- hydroxy-terminated polybutadiene (HTPB) 103
- hydroxy-terminated polyester (HTPS) 85

i

- igniters 323
- ignition 397
 - for combustion 398
 - definition 41
 - physicochemical parameters of 54
 - system 322
 - thermal theory of 54
 - transient 393
 - industrial explosives 114
 - ANFO 282
 - nitroglycerin 281
 - slurry and emulsion 282
- inert polymers 84 *see also* hydrocarbon polymers
- infrared emission 387
- infrared light 361
- infrared radiation 361
- infrared spectra of TAGN 129
- inhibitory effect of lead oxide 178
- internal ballistics gun 18
- internal burning 440

l

- laminar flame 42
- laminar flame-speed theory 156
- L^* combustion instability 411
- lead-catalyzed double-base propellant 412, 413
- lead stearate 228
- LiF-catalyzed double-base propellants 187
- light attenuation 372, 373
- line spectra 361
- liquid ramjets 471

- Li-SF₆ pyrolants 327
- lithium fluoride (LiF)
 - catalyst action on combustion wave 232
 - super-rate burning 230
- luminous flame front approach 163
- luminous flame zone 154

m

- Mach number 5
- mass flux 11
- mass variable fuel-flow ducted rockets (VFDR)
 - generation rates 480
- metal azides 318
- metal-GAP pyrolants 339
- metallic crystalline oxidizers
 - barium chlorate 311
 - barium nitrate 311
 - potassium chlorate 311
 - potassium nitrate 310
 - potassium perchlorate 311
 - sodium nitrate 312
 - strontium nitrate 312
- metallic fuels 314
- metallized pyrolants 324
- methyl nitrate 136
- Mg-Tf pyrolants 329
- military explosives 115
 - plastic-bonded explosives 284
 - TNT 283
- molten jet stream formation 288, 289
- momentum change 12
- multi-port air-intake combustion efficiency 497
- Munroe effect 287

n

- NaN₃ pyrolants 342
- NC-NG double-base propellants 98
 - burning rate characteristics 151
 - combustion wave structure 152
 - energetics 162
 - gas-phase model 160
 - heat feedback 160
 - temperature sensitivity 168
- NC-TMETN propellants 99
 - burning rate 172
 - combustion wave structure 173
- negative erosive burning 407, 408
- neutralized propellants 386
- Ni-catalyzed double-base propellants 189
- nitramine-CMDB propellants
 - burning rate characteristics 261
 - burning rate model 267
 - flame structure and combustion mode 258

nitramine-CMDB propellants (*contd.*)

- thermal wave structure 262
- nitramine composite propellants 104, 110
 - binders 220
 - combustion wave structure 221
 - particle size 220
- nitramine pyrolants 346
- nitrate esters 82, 135
- nitro-azide polymer propellants 99
- nitro-azide propellants 173
- nitrocellulose 322
- nitro compounds 80
- nitroglycerin 114
- nitroguanidine 81
- nitronium perchlorate 76
- nitropolymer propellant 374
- nitropolymers (NP) 317
 - pyrolants 366, 483
- non-choked fuel-flow system 478
- non-metallic solid fuels
 - boron 316
 - carbon 316
 - silicon 317
 - sulfur 317
- normal shock wave 8
- nozzle discharge coefficient 12, 462
- nozzle expansion 380
- nozzleless rocket motor
 - combustion performance analysis 462
 - flow characteristics 460
 - principles of 459

O

- overall erosive burning ratio 458
- oxidation and combustion process 325
- oxidation reaction 33
- oxidizer components
 - chemical potential 309
 - crystalline materials 309, 310
 - fluorine compounds 313
 - metallic crystalline oxidizers 310
 - metallic oxides 312
 - metallic sulfides 313
 - metal oxides 309
- oxygen balance 33

P

- particle size
 - AP composite propellants 203
 - nitramine composite propellants 219
- pentaerythritol tetranitrate 74
- pentaerythrol tetranitrate 79
- physical smoke 363
- plastic-bonded explosives (PBX) 115, 284

- plateau burning 232
- poly(bis-azide methyl oxetane) 87
- polybutadiene acrylonitrile (PBAN) 85
- polybutadiene copolymer 85
- polymeric fuels
 - azide polymers 318
 - hydrocarbon polymers 318
 - nitropolymers 317
- polymers
 - azide 87
 - inert 84
 - nitrate esters 82
 - physicochemical properties of 82
- polysulfides 86
- polyurethane 407
- polyurethane copolymer 85
- potassium nitrate 79
- potassium perchlorate 78
- potassium salts 379
- premixed flame 42
- preparation zone 154
- propellants 293, 294, 393
 - composite 100
 - double-base 96
 - and explosives 91
 - formulation of 94
 - nitropolymer 96
- pulse rocket motor
 - combustion test 454
 - design 451
 - operational flight design 452
- pyrolants 92, 293, 294, 321, 393, 466
 - burning rate 370
 - categories 307
 - characteristics 300
 - chemical composition 368
 - chemical ingredients 307
 - combustion characteristics 305
 - deflagration 305
 - diffusional process 306, 307
 - energetic materials 306
 - energetics of elements *see* elements
 - enthalpy and heat of reaction 297, 298
 - flame temperature and gas volume 369
 - fuel components *see* fuel components
 - gas generators 306
 - heats of explosion 369, 370
 - heats of formation 297, 298
 - heterogeneous materials 322
 - homogeneous materials 322
 - igniters 323, 369, 372
 - metal azides 318
 - oxidizer components *see* oxidizer components

- physicochemical characteristics 304
- reactants and products 296
- smoke characteristics 368
- thermodynamic energy 294
- thermodynamic properties 295

r

- radiative energy 362
- radiative ignition 396, 400
- ramburner 472
- Rankine–Hugoniot equation 9, 44
- Rayleigh equation 45
- RDX-AP composite propellant 416, 419, 423
- RDX-PBX materials 284
- reaction rate 31
- reduced-smoke propellants 376
- Reynolds number 43
- rocket flight trajectories 375
- rocket motors
 - burning rate 435
 - combustion efficiency 437
 - combustion phenomena 437
 - erosive burning 437
 - pressure versus burning time curves 435, 436
 - propellant burning 435, 436
 - stability criteria 440
 - temperature sensitivity 442
 - zones of burning 435, 436
- rocket nozzle 377
- rocket plumes 377, 380, 382
- rocket propulsion
 - characteristic velocity 15
 - vs. gun propulsion 17
 - pressure–volume and enthalpy–entropy diagrams 14
 - specific impulse 16
 - thrust coefficient 15

s

- second-order reaction 32
- self-sustaining combustion 41
- semi-freejet (SFJ) test 492
- shaped charge 287, 288
- shock wave
 - formation 7
 - and pressure 20
- side-thrusters 451
- simplified burning-rate model 185
- single-base propellants 96
- single-grain dual-thrust motor 445
- six-pointed-star geometry 416
- six-pointed-star grain 417
- slurry and emulsion explosives 282

- slurry explosives 114
- smoke and flame 370
- smoke emission
 - black smoke emitters 365
 - chemical smoke 363
 - physical smoke 363
 - white smoke emitters 364
- smokeless pyrolants
 - ammonium nitrate 367
 - nitropolymer 366
- sodium nitrate 79
- solid-phase reaction zone 153
- solid ramjet 478
- solid rockets 471
- sonic velocity 5
- specific heat 2
- specific impulse, rocket propulsion 16
- stagnation point 6
- standing pressure wave 422
- step function model, for gas-phase reaction 62
- subsurface reaction zone 154
- super-rate burning
 - HMX-GAP composite propellant 229
 - HMX-HTPE composite propellant 229
 - HMX-HTPS composite propellant 228
 - LiF catalysts for 230
- supersonic nozzle flow 10
- suppression of combustion instability 422, 423

t

- TAGN composite propellants 108
- TAGN-GAP composite propellants
 - burning rate and combustion wave structure 242
 - physicochemical properties of 242
- T-burner 415, 416
- T* combustion instability 409
- temperature sensitivity ammonium perchlorate composite propellants 209
- temperature sensitivity of burning rate 66
- termolecular reaction 155
- thermal conductivity of carbon 185
- thermal decomposition 321, 357
 - ammonium nitrate 121
 - ammonium perchlorate 119
 - AP 213
 - bis-azide methyl oxetane 142
 - GAP 139
 - HMX 122
 - TAGN 126

thermal dissociation 31
 thermal equilibrium 25
 thermodynamic energy 36
 thermodynamic potential 242
 third-order reaction 32
 thrust 12
 Ti-C pyrolants 341
 Ti-KNO₃ and Zr-KNO₃ pyrolants 338
 TNT-based explosives 283
 triaminoguanidine nitrate (TAGN) 80
 – burning rate 130
 – combustion wave structure and heat transfer 130
 – thermal decomposition 126
 trinitrobenzene 74
 triple-base propellants 112
 turbo pump operation system 465
 turbulence 5
 turbulent flame 42

u

underwater explosion 289

v

variable-flow gas generator 493
 variable fuel-flow ducted rockets (VFDR)
 – definition 479

 – energy conversion 479
 – high and low pressure exponent
 pyrolants 482
 – mass generation rate 479
 – nozzle throat area controller 481
 – pyrolants 485
 Vieille's law 17, 151
 volumetric burning rate of propellant
 grain 19
 von Neumann spike 50, 51

w

white smoke emitters 364
 wired gas-generating pyrolants 484
 wired propellant burning
 – burning rate augmentation 428
 – heat-transfer process 426

z

Zeldovich von Neumann, and Düring (ZND)
 model 50
 zirconium pyrolants 328



