а

activated carbon fibers (ACFs) 110 active site 78 active species, identification and roles 3 hydroxyl radical 9–12 - key species in photocatalytic reactions 3-6 - reaction mechanisms 3 -- for bare TiO₂ 15-17 – of visible-light-responsive photocatalysts 17 - 20- singlet molecular oxygen 12-14 - superoxide radical and hydrogen peroxide 7 - 9- trapped electrons and hole 6-7 "Adsorb and Shuttle" (A&S) mechanism 109-111, 117-119, 130 advanced oxidation processes (AOPs) 367-369 Agro-Environment (company) 169 alcohol fragmentation and oxidation 36-37 alkyl substituents oxidation 37-38 alumina and cordierite cellular foams 160 - 161alveolar foam materials 157, 159 anatase 84, 89, 92-98 antenna mechanism 127 apparent hydrolysis reactions 38 arenes oxidation and adsorption importance 30 - direct single electron transfer (SET) indicators versus hydroxyl chemistry, in aromatic systems 32-35 - hydroxylation and oxygen source 30 - 31- ring-opening reactions 32 aromatic systems, SET indicators versus hydroxyl chemistry in 32-35

b

back reactions 57–60 band gap engineering 226 – codoping 227–228 – metal doping 226–227 – nonmetal doping 227 benzoquinone 40 binderless approach 148 biodegradable organic carbon (BOC) 285 bismuth vanadate 251 boron-doped diamond electrode 371 bulk modification 104 bulk recombination 53, 57

С

carbonaceous materials 110, 128 carbon nitride polymer 213-214 carboxylic acids 35-36 cascade falling-film photoreactor application 180-194 cation doping 250 cellular foam structures 157-158 chalking 75 charge separation efficiency enhancement 210 charge transfer complex (CTC) 206, 214-217 charging-discharging 132-133 chemical anchoring method 212 chemical vapor deposition (CVD) 151 chemical vapor infiltration (CVI) 151 chemisorption-calcination cycle 104 Chicago Blue Sky 6 119 chlorophenol 44, 122 4-chlorophenol photocatalytic degradation - bench-scale slurry photocatalytic reactor 352

Photocatalysis and Water Purification: From Fundamentals to Recent Applications, First Edition. P. Pichat. © 2013 Wiley-VCH Verlag GmbH & Co. KGaA. Published 2013 by Wiley-VCH Verlag GmbH & Co. KGaA.

4-chlorophenol photocatalytic degradation (contd.) – – experiments 352 – mass balances in tank and reactor 354-355 – – radiation model 352–354 – – reaction rates 354 -- results 355-356 - quantum efficiencies 346 -- calculation 346-347 – experimental results 347–348 codoping 227-228 composite photocatalysts 105 composites, comprised of TiO2 and metallic nanoislands 116, 124 compound parabolic collector 180-183 compound parabolic concentrators (CPCs) 379-382 conducting polymers 214 coupled semiconductors 251-253 – n–n heterojunctions 253–254 p-n heterojunctions 254–255 crystal faces 62-64 crystalline phase and morphology, of TiO2 125 crystallinity evaluation 86-87 current doubling reaction 36, 59 β -cyclodextrin 118

d

Damkohler ratio 322 deaerated suspensions photocatalysis facilitation in 134 density functional theory (DFT) 63, 300 design and optimization, of photocatalytic water purification reactors - catalyst immobilization strategy 363 -- aqueous suspension 363-365 - - TiO2 immobilization particles onto solid supports 365-366 - historical overview 361-363 market transition of industries related to photocatalysis 361 - photocatalytic reactor system effective design 369 – – strategies 369–371 -- total system design 371-372 - synergistic effects and other methods 366 – combination with advanced oxidation processes (AOPs) 367-369 – metallic nanoparticles deposition onto TiO₂ surface for disinfection 366-367 diethyl phosphoramidate (DEPA) 363

diethyl phthalate (DEP) 123 diffuse reflectance infrared Fourier transform spectroscopy (DRIFTS) 281 diffusion-controlled process 80 diisopropyl methylphosphonate (DIMP) 119 dip-coating 149 direct charge transfer 224 direct-indirect (D-I) model 57, 59-60 discrete ordinate method 341, 353 disinfection by-products (DBPs) 273, 282-284 dissolved organic carbon (DOC) 275-276 dissolved oxygen (DO) 298 Diuron[®] phenylurea herbicide 162 DMPO (5,5-dimethyl-1-pyrroline-N-oxide) 9 - 10donor levels 89-90 doping 97-98. See also band gap engineering - carbon 126 - cation 250 - - and anion doping 188-190 - with metals 124-125, 131-132 – – and oxides 116–117 – with nonmetals 132 dye-photosensitized auto-oxidation 328-329 dye sensitization 201-202 electron transfer from dyes to TiO₂ 205-207 - excited-state redox properties of dyes 203-205 - geometry and electronic structure of interface 202-203 nonregenerative dye sensitization

208-211 - regenerative dye sensitization 211-213

electrodes preparation and reactors 255-256 electron-hole recombination influence and high irradiance penalty 314-315 electron paramagnetic resonance (EPR)/ electron spin resonance (ESR) spectroscopy 6, 10-11, 15, 20, 87-88, 128, 300, 301 electron traps 87-89 electrophoretic deposition 151-152 electrostatic multilayer self-assembly deposition 152 excitation emission matrix fluorescence spectroscopy 277

f

femtosecond transient spectroscopy 206 first-order kinetics 79–80 floating photocatalysts 154 fluid residence times and irradiance profiles interplay between 329 – batch reactors 329–31 fluorescein and anthracene-9-carboxylic acid 206 fluorescence probing method 10 fluorescence spectroscopy 277–278 formic acid 35 Fourier transform infrared (FTIR) 280–281 full width at half maximum 83 fumaric acid 40

h

haloacetic acids (HAAs) 283–284 Henyey and Greenstein phase function 341 high-performance size exclusion chromatography (HPSEC) 278–279 Honda–Fujishima effect 77 honeycomb-shaped materials 155 humic substances 274, 276, 281, 286 hydroquinone 40 (4-hydroxy-2,2,6,6-tetramethylpiperidine) 15–16 hydroxyl radical 9–12 hydroxyl radical attack mechanism 326

i

immobilisation of TiO2 by integrative chemistry 164 indirect photochemistry 313 infrared spectroscopy 280-281 inorganic ligand 217-218 interfacial charge transfer 18, 20 internally irradiated monolith reactors (IIMRs) 167 interparticle electron transfer (IPET) 218, 219 iron oxide 251 irradiance influences and photocatalytic water treatment 313 - dye-photosensitized auto-oxidation 328-329 - electron-hole recombination influence and high irradiance penalty 314-315 - hydroxyl radical attack mechanism 326 - interplay between fluid residence times and irradiance profiles 329 -- batch reactors 329

-- flow reactors 329-331

Langmuir–Hinshelwood (LH) kinetic form and equilibrated adsorption 315–317
mass transfer and diffusion influences at steady conditions 321–323
periodic irradiation 323–324
photon utilization efficiency 313–314
pseudo-steady-state analysis and nonequilibrated adsorption 317–321
quantum yield, photon efficiency, and electrical energy per order 331
simultaneous homogeneous and heterogeneous photochemistry 327
solar-driven photocatalysis 324, 326
isoelectric point (IEP) 298, 299

k

kinetic and probe molecules, photocatalytic mechanisms and reaction pathways from
multisite kinetic model 65–67
photocatalytic rate 53–55
– kinetic models 55, 57
– substrate-mediated recombination 57–60
surface speciation
– commercial catalysts 60–61
– crystal faces 62–64
– surface manipulation 61–62
– surface traps for holes 64–65
kinetic models 55, 57, 65–67

I

Langmuir-Hinshelwood (LH) model 55, 80 - 82- kinetic form and equilibrated adsorption 315 - 317lanthanide 124, 125, 193 laser-induced fluorescence 11 lattice monolithic solids 155 Levenberg-Marquardt method, modified 342 ligand to metal charge transfer (LMCT) 214-215, 217 lipid peroxidation 301, 304 localized surface plasmon resonance 222-226 local volumetric rate of photon absorption (LVRPA) 342, 343, 345, 350, 354

m

magnetron sputtering deposition method 190–194 maleic acid 40 mass transfer 133

medium-pressure ultraviolet lamps 364 mesh filter (TiO2 impregnated; TMiP fabrication method) 365-366 mesoporous materials 119-120 metal doping 226-227 metallic foams 160 metallic nanoparticles deposition, onto TiO₂ surface for disinfection 366-367 metal-organic chemical vapor deposition (MOCVD) 151 methanesulfonate 184, 185 2-methyl-1,4-naphtoquinone 118, 119 modified photocatalysts 103-104 - forms 104-106 - physicochemical properties, modified 106 -- charging-discharging 132-133 – crystallinity and phase stability 106 - 107- - deactivation reduction 125-126 – – mass transfer 133 – oxygen adsorption 111 – photocatalysis facilitation in deaerated suspensions 134 – products' control 122–125 – recombination rates and charge separation 126-132 – – specificity 112–122 - - surface morphology, surface area, and adsorption 107-111 – surface OH concentration 111–112 - - visible light activity 132 molecular imprinting 120-122 and surface modification 123–124 molecular recognition sites 117-119 monodoping 228 monolithic photocatalytic materials 155 - 164multiple internal reflection infrared (MIRIR) absorption 4,7 multisite kinetic model 65-67

n

nanoislands 105
nanoporous films 246
nanorods 125
nanotubes 246
natural organic matter photocatalysis in water 273–274
by products from photocatalytic oxidation and resultant disinfection by-products (DBPs) 281–284
hybrid photocatalysis technologies for

 hybrid photocatalysis technologies for treatment 284–287 - monitoring techniques 274-275 - – fluorescence spectroscopy 277–278 - - infrared spectroscopy 280-281 - - molecular size fractionation 278-279 – resin fractionation 280 -- total organic carbon (TOC) 275 -- UV-vis spectroscopy 275-277 net radiation method 345 nitrophenols 122 n-n heterojunctions 253-254 noncellular monolith materials 164 nonconcentrating solar collectors 378-379, 382 nonmetal doping 227, 250-251 nonmetallic composite 125 nonwoven fabric 365

0

one sun reactor 381, 383 optical absorption method, in gas phase 11 optical fiber monolith reactor 166 optical fibers 164-167 organic ligands 215-217 organic molecules, as test probes for next-generation photocatalysts 41-42 organic probes wavelength-dependent chemistry of 42-44 oxidative reactivity, in photocatalytic degradations 29 alcohol fragmentation and oxidation 36 - 37- alkyl substituents oxidation 37-38 apparent hydrolysis reactions 38 - arenes oxidation and adsorption importance 30-35 - carboxylic acids 35-36 - sulfur-bearing compounds 39 ozonation 295

р

packed-bed photocatalytic materials 153–154 parabolic-trough concentrators (PTCs) 377–378 particle size 82–85 pentachlorophenol (PCP) 123–124 perfluorooctanoic acid (PFOA) 364–365 periodic irradiation 323–324 persistent water pollutants 168 phosphorescence 13 photocatalytic activities dependence, on physical and structural properties – correlation 90 - highly active mesoscopic anatase particles of polyhedral shape 95–96 - statistical analysis of correlation 92-94 - titania particles common features with higher photocatalytic activity 94-95 photoeffects, at semiconductor interfaces 242 - 245photoelectrocatalysis, for water purification 241-242 electrodes preparation and reactors 255 - 256- photoeffects at semiconductor interfaces 242 - 245- photoelectrode materials 249 r – coupled semiconductors 251–255 - - semiconductor photoelectrodes 251 -- titanium dioxide 249-251 - water depollution at photoelectrodes 245 – applied potential effect 247 - - electrolyte composition 249 - - morphology and microstructure 245 - 246-- oxygen effect 248 -- pH effect 247-248 photoelectrode materials 249 – coupled semiconductors 251–255 - semiconductor photoelectrodes 251 - titanium dioxide 249-251 photoexcited electron and positive hole recombination 85-86 photo-Fenton 386 photofuel cells TiO₂ thin film, application for 186-187 photoinduced oxidation 179 photosensitization principle 200-201 Phytocat[®] 169 Phytomax[®] 169 plasmonic metal 222-223 - critical parameters 225-226 - proposed mechanisms 224-225 p-n heterojunctions 254-255 point of zero charge (PZC) 108, 116 pollutant photocatalytic degradation kinetic modeling 348 - kinetic model 349-350 - kinetic parameters estimation 350-351 - mass balances 348-349 polluted water remediation, TiO₂ thin-film-coated fibers application for 184-186 polycarbosilane 184 polyethylene glycol (PEG) 108 polyethylene terephthalate (PET) 157 polymer foams 159-160

polymer sensitization - carbon nitride polymer 213-214 - conducting polymers 214 polytetrafluoroethylene (PTFE) 111 pseudo-steady-state analysis and nonequilibrated adsorption 317-321

q

quantum-size effect 84 quantum yield, photon efficiency, and electrical energy per order 331 Quartzel® 170-171

radiation model 342-343, 352-354 - experimental set up and procedure 343-344 radiation field inside photoreactor 344-345 radiative energy transfer 224-225 radiative transfer equation (RTE) 336, 337, 339, 341, 344, 345, 353-354 reaction pathways photocatalytic 25-27 - modified catalysts 42-44 - organic molecules, as test probes for next-generation photocatalysts 41-42 - oxidative reactivity, in photocatalytic degradations 29 - pathway determination methods 27-29 – alcohol fragmentation and oxidation 36 - 37 – alkyl substituents oxidation 37–38 - - apparent hydrolysis reactions 38 - - arenes oxidation and adsorption importance 30-35 -- carboxylic acids 35-36 - - sulfur-bearing compounds 39 - prototypical reductive reactivity, in photocatalytic degradations 39-40 reactive oxygen species (ROS) 29, 201, 208 - concentration, increasing 190-191 recombination rates and charge separation 126 - 127- composites composed of TiO₂ - - and nonoxide semiconductors 128-129 -- and oxides 127-129 - composites comprising carbonaceous materials 128 - composites-metal islands 127-128 - doping -- with metals 131–132 – – with nonmetals 132

- structure modification 127

reductive reactivity in photocatalytic degradations 39–40 reflective surface and photoreactor 382–386 resin fractionation 280 Resolution (company) 169 response surface methodology 363 Rideal–Eley mechanism 81 ring-opening reactions 32 rotating disk photoelectrocatalytic reactor 255 rutile 75, 84, 89, 92–94, 97

S

Saint-Gobain Quartz 170-171 scanning electron microscopy (SEM) 84, 95 scanning tunneling microscopy (STM) 230 Scherrer's equation 83-84 Schottky barrier 90 secondary ion mass spectrometry (SIMS) 191 selectivity factor (preferential) 120 semiconductor photocatalyst immobilization on solid supports, 145-147 laboratory and industrial applications 168 - 171- supports 152-153 – monolithic photocatalytic materials 155 - 164– – optical fibers 164–167 – packed-bed photocatalytic materials 153 - 154- techniques 147-152 semiconductor photoelectrodes 251 semimineralization 122-123 sensitization, of titania semiconductor 199 - band gap engineering 226 -- codoping 227-228 -- metal doping 226-227 - - nonmetal doping 227 - dye sensitization 201-202 – electron transfer from dyes to TiO₂ 205 - 207 – excited-state redox properties of dyes 203-205 – geometry and electronic structure of interface 202-203 – nonregenerative dye sensitization 208-211 - - regenerative dye sensitization 211-213 - photosensitization principle 200-201 polymer sensitization – carbon nitride polymer 213–214

– conducting polymers 214

- solid semiconductor and metal sensitization 218 -- plasmonic metal 222-226 – small-band-gap semiconductor 219 - 222- structure and surface engineering 228-230 - surface-complex-mediated sensitization 214 -- inorganic ligand 217-218 -- organic ligand 215-217 shape memory synthesis (SMS) replica method 161-163 β-SiC foams 161-163 singlet molecular oxygen 12-14 slurry photocatalytic reactors modeling methodology 335-337 - aqueous TiO₂ suspension optical properties evaluation 337-338 -- parameter estimation 341-342 – radiation field in spectrophotometer sample cell 339-341 – spectrophotometric measurements 338 - bench-scale slurry photocatalytic reactor for 4-chlorophenol degradation 352 -- experiments 352 - - mass balances in tank and reactor 354 - 355– – radiation model 352–354 – reaction rates 354 -- results 355-356 - pollutant photocatalytic degradation kinetic modeling 348 – – kinetic model 349–350 -- kinetic parameters estimation 350-351 -- mass balances 348-349 - quantum efficiencies of 4-chlorophenol photocatalytic degradation 346 -- calculation 346-347 -- experimental results 347-348 - radiation model 343-352 - - experimental set up and procedure 343-344 - - radiation field inside photoreactor 344-345 small-band-gap semiconductor 219 - charge transfer process category 219-222 solar disinfection (SODIS) 295, 298 solar-driven photocatalysis 324, 326 solar photocatalytic pilot plants 377-379 - compound parabolic concentrators (CPCs) 379 - 382

- disinfection specific issues 390-394

- reflective surface and photoreactor 382-386 - solar photocatalytic treatment plants 388-390 suspended and supported photocatalysts 386 - 388sol-gel method 149-151, 255 solid semiconductor and metal sensitization 218 - plasmonic metal 222-226 - small-band-gap semiconductor 219-222 solid-state dispersion 112 spread-coating 149 substrate-mediated recombination 57-60 sulfur-bearing compounds 39 superoxide dismutase (SOD) 303 superoxide radical and hydrogen peroxide 7-9 surface-complex-mediated sensitization 214 - inorganic ligand 217-218 - organic ligand 215-217 surface manipulation 61-62 surface overcoating, TiO₂ 115-116 surface-reaction-limited process 80 surface speciation - commercial catalysts 60-61 - crystal faces 62-64 - surface manipulation 61-62 - surface traps for holes 64-65 surface traps for holes 64-65 surface trap-to-trap (T) hopping mechanism 246 synchronous fluorescence scanning (SFS) 277 synergetic effect 96-97

t

thermal catalysis 157, 158 thermal treatment method 149 time-resolved diffuse reflectance (TRDR) 301 titania. See also individual entries - active photocatalysts design 78-79 - crystallinity evaluation 86-87 - donor levels 89-90 - doping 97-98 - electron traps 87-89 - first-order kinetics 79-80 - Langmuir-Hinshelwood mechanism 80 - 82- photocatalysis thermodynamic aspect

75-77

- photocatalyst particle size topics and problems 82-85 - photocatalytic activities dependence on physical and structural properties -- correlation 90, 92 – highly active mesoscopic anatase particles of polyhedral shape 95-96 - - statistical analysis of correlation 92-94 - - titania particles common features with higher photocatalytic activity 94-95 - photoexcited electron and positive hole recombination 85-86 - reexamination of catalytic activity 77-78 - synergetic effect 96-97 total organic carbon (TOC) 275 transmission electron microscopy (TEM) 84, 132, 191 trapped electrons and hole 6-7 trichloroacetate (TCA) 132, 134 trihalomethane (THM) formation potential 283 trihalomethanes (THMs) 295 tubular fluoropolymers 383-384 tungsten trioxide 251 turnover frequency 78

u

Ultraviolet photoelectron spectroscopy (UPS) 5 UV absorbance 243-244 UV-vis spectrophotometry/UV-vis spectroscopy 275-278

visible light activity 132 visible-light-responsive photocatalysts reaction mechanisms 17-20 visible-light-responsive TiO2 thin films

preparation 187-188 - by cation and anion doping 188-190

- by magnetron sputtering deposition method 190-194

w

wastewater treatment 179-180

- cascade falling-film photoreactor application 180-184
- TiO₂ thin film application for photofuel cells (PFC) 186-187
- TiO₂ thin-film-coated fibers application for polluted water remediation 184-186
- visible-light-responsive TiO₂ thin films preparation 187-188
- -- by cation and anion doping 188-190

wastewater treatment (contd.)

 – by magnetron sputtering deposition method 190–194

waterborne Escherichia coli inactivation 295–296

 bacteria abatement proposed mechanisms 303

- cell inactivation by irradiated TiO₂ nanoparticles 304
- UV-A light alone and TiO₂ in dark 303–304
- biological aspects 10
- - initial bacterial concentration 302
- physiological state of bacteria 302–303
- bulk physicochemical parameters effect 296
- -- oxygen concentration 298
- – pH influence 298
- simultaneous presence of anions and organic matter 297–298
- TiO₂ concentration effect and light intensity 296–297

- TiO₂ physicochemical characteristics 299
 N-doped TiO₂ in photocatalytic inactivation
 - of waterborne microorganisms 299–301

water depollution, at photoelectrodes 245

- applied potential effect 247
- electrolyte composition 249
- morphology and microstructure 245-246
- oxygen effect 248
- pH effect 247–248

Williamson-Hall equation 84

X

X-ray diffraction (XRD) 83, 84, 86, 87 X-ray photoelectron spectroscopy (XPS) 5

Z

Z potential 298, 299 zinc oxide 251