

Index

Page numbers in italics refer to figures and tables.

- 1-dodecanethiol 13–14
- 1,3-dipolar cycloaddition reactions 317
- 2-[4-(2-hydroxyethyl)-1-piperazinyl] ethanesulfonic acid (HEPES) 157
- 2,7-dihydroxynaphthalene (2,7-DHN) 154, 155
- 4-methoxyphenylhydrazine hydrochloride 317

A

- acorn structures 150
- aerosol technology 281
- aggregation ratios 14
- alkanediols 190
- alloy nanoparticles 17, 165, 168, 169
- alternating electric fields 41
- alumina (Al_2O_3) 43
- alumina (Al_2O_3) nanoparticles 72
- aluminum phosphate (AlPO_4) 253
- amidation reactions 317
- amino acids 30
- antibacterial technology 154, 155
- aqueous sol–gel process 186, 212
- aspect-ratio tuning 116–118
- atomic species 39

B

- bacterial infections 28, 29
- barium titanate (BaTiO_3) layers 195, 196
- barium titanate (BaTiO_3) nanoparticles 100
- batch synthesis 249
- benzyl alcohol 113, 191–197, 199–201
- bimetallic nanoparticles (*see also* alloy nanoparticles, core shell nanoparticles) 119, 164, 172
- biofilm formation 152

- biomedical nanoparticles 214
- biotin–streptavidin interaction/linkage 219, 222
- bismuth dioxide (BiO_2) nanoparticles 100
- bismuth(III) selenide (Bi_2Se_3) nanoparticles 101
- bisphosphonates 218, 220
- bottom-up (build-up) method 8, 9, 107, 108
- bovine serum albumin (BSA) 152
- breakdown/build-up method (*see* top-down/bottom-up method)
- Burkholderia cepacia* 29
- butyl mercaptan 201

C

- cadmium hydroxide ($\text{Cd}(\text{OH})_2$) nanoparticles 100
- cadmium selenide (CdSe) nanocrystals 129
- cadmium selenide (CdSe) nanoparticles 100
- cadmium sulfide (CdS) nanocrystallites 127
- cadmium sulfide (CdS) nanoparticles 58–61, 100, 101
- cadmium telluride (CdTe) nanocrystals 129
- cadmium telluride (CdTe) nanoparticles 100
- cadmium zinc selenide (CdZnSe) nanoparticles 102
- cadmium-telluride–cadmium-sulfide (CdTe–CdS) core–shell nanocrystals 127
- cancer cells 22, 23
- carbodiimide chemistry 220
- carbon nanotubes (CNTs) 173, 174, 311–321
- carbon-coated nanomaterials 167, 168
- carbon-supported metal catalysts 171

- catalytic properties, nanoparticles 19–21
 centrifugal separation 15
 ceramic–ceramic core–shell
 nanoparticles 280
 ceramics 31
 cerium(IV) oxide (CeO_2) nanoparticles 100
 characterization, nanoparticles 278, 279
 chelating agents 313
 chemical vapor deposition (CVD)
 method 9
 chemically converted graphene (CCG)
 sheets 173
 chemisorption 217
 chromium (Cr) nanoparticles 99, 158, 160
 citric acid 18
 click chemistry 219, 221, 222
 cobalt ferrite (CoFe_2O_4) nanocrystals 68
 cobalt ferrite (CoFe_2O_4) nanoparticles 101
 cobalt (Co) nanoparticles
 – applications 159, 164
 – synthesis 99, 158, 160, 164
 cobalt–nickel (Co–Ni) alloys 175
 colloidal nanocrystal clusters
 (CNCs) 111–113
 colloidal semiconductor nanocrystals 125,
 126
 communications 25
 conduction heating 43, 45
 continuous flow methods 90–96,
 249–268
 conventional heating methods 31, 49, 62,
 63, 64, 67, 68, 71, 86–90, 108, 147
 cooling chamber 57
 cooling conditions 56, 84–87
 copper (Cu) alloy nanoparticles 169
 copper (Cu) nanoparticles
 – application to electronics 22, 158
 – synthesis 98, 158, 159
 copper–copper(I)-oxide ($\text{Cu}-\text{Cu}_2\text{O}$)
 core–shell nanoparticles 165
 copper–silver (Cu–Ag) core–shell
 nanoparticles 165
 copper(I) oxide (Cu_2O) nanoparticles 99
 copper(II) oxide (CuO) nanofluids 68
 copper(II) oxide (CuO) nanoparticles 99
 copper(II) sulfide (CuS) nanoparticles 99
 copper(II) sulfide (CuS) nanotubes 70
 coprecipitation method 211
 core–alloy–shell nanoparticles 167
 core–shell nanoparticles 17–18, 150, 151,
 164–168, 280, 281
 covalent linkages 219
 cryptomelanate-type manganese oxide
 (K-OMS-2) 257, 258, 259–261, 262, 263
 cycloaddition reactions 317–319
 cytotoxicity 153
- D**
- D-glucose 154
 diamond films 69
 dielectric constants 42, 43, 44, 248, 249
 dielectric heating 41, 43, 45, 247–249
 dielectric loss factor 42, 43, 44, 47, 48, 248
 dielectric materials 39, 40
 Diels–Alder (DA) cycloaddition
 reaction 318
 digestive ripening method 15
 dimethyl formamide 201
 dimethyl sulfoxide (DMSO) 43, 258,
 263–265
 dipolar polarization 248, 312
 dipole interactions 109
 direct functionalization 217–219
 direct micelle microemulsion method 212,
 224, 225
 dispersing agents 13
 domestic microwave systems 109, 110, 250
 dopants/doping 192–195
 double-walled carbon nanotubes
 (DWCNTs) 318
 drug targeting 210
 dry grinding 8
 dynamical theory of the grating 10
- E**
- electrical properties, nanoparticles 19
 electrodeless lamps 32, 33
 electromagnetic waves 39, 40
 electron spin resonance (ESR)
 spectroscopy 26
 electronic applications, nanoparticles 22
 electrostatic repulsion 217, 218
 elongated nanoparticles 21
 energy transmission 25
 ethanol 155, 197
 ethylene glycol 19, 43, 155, 200
 ethylenediaminetetraacetic acid
 (EDTA) 313
 europium (Eu) nanoparticles 235
 europium(III) oxide (Eu_2O_3)
 nanoparticles 235
- F**
- Faraday, Michael 3
 ferromagnetic nanoparticles 294–296
 Fischer–Tropsch reactions 159
 flower-like mixed-phase titania 196
 fluorophores 232

food defrosting/heating 76
forced hydrolysis 211, 212
frequency selection 43, 46, 47, 76–81
– continuous flow methods 250
– plasma methods 283, 284
fuel cells 174
functionalization (*see also* surface functionalization) 316–321

G
gas-phase reactions 272
gas-sensing nanoparticles 297, 298
gel electrophoresis 15
gel filtration 15
gold (Au) clusters 21
gold (Au) films 20
gold (Au) hydrosols 18
gold (Au) nanoparticles
– applications
– – chemistry 21, 171
– – electronics 22
– – medicine 22, 152
– – paints 20
– – color 1, 11, 12
– – functionalization 230, 231
– – history 3
– – synthesis 75, 77–79, 86, 97, 98, 152–154, 162
– – continuous flow methods 267
– – plasma methods 96
gold (Au) nanorods
– applications 22, 23, 160
– synthesis 15–17
gold (Au) nanospheres 12
gold (Au) nanotubes 18
gold (Au) nanowires 161
gold/CNT hybrid nanostructures 64, 65
gold–gold-palladium (Au–Au–Pd)
– core–alloy–shell nanoparticles 168
gold–palladium (Au–Pd) alloys 168
gold–palladium (Au–Pd) core–shell
– nanoparticles 166, 167
gold–platinum (Au–Pt) core–shell
– nanoparticles 166
gold–silver (Au–Ag) alloy nanoparticles 169
gold–silver (Au–Ag) core–shell
– nanoparticles 17, 119, 166
graphene 132, 172, 173
graphene nanosheet–gold (GNS-Au)
– nanocomposites 69
graphene nanosheets 65, 133, 134
graphite oxide (GO) 133, 134, 173
green chemistry 84, 145, 146

H
hermatite (α -Fe₂O₃) nanostructures 114–118, 224–256
hexadecyltrimethylammonium bromide (CTAB) 16, 154, 162
high quality nanoparticles 272
hot spots 56, 118
hot surfaces 118
human serum albumin (HSA) 152
hybrid core–shell nanoparticles 281
hydrophobic nanoparticles 215
hydrothermal method 84, 85, 212
hydroxide ions 43
hydroxyapatite (HAP) 64
hyperthermia 210

I
icosahedrons 21
immunoassays 208, 209
in situ nozzle with conventional heating (INC) method 67
in situ nozzle with microwave heating (INM) method 65–67, 251, 252, 253, 255, 266
indium trioxide (InO₃) 69
infrared radiation 42
ink-jet method 22
International Telecommunication Union (ITU) 47
ionic conduction 109, 248
ionic liquids 198, 199
ionic surfactants 158
iridium (Ir) nanoparticles 99, 158, 160
iron (Fe) nanoparticles 99
iron–palladium (Fe–Pd) alloy
– nanoparticles 169
iron–platinum (Fe–Pt) alloy
– nanoparticles 169
iron(III) oxide (Fe₂O₃) nanocrystals
– applications 207
– synthesis 198
iron(III) oxide (Fe₂O₃) nanocubes 229
iron(III) oxide (Fe₂O₃) nanoparticles (*see also* superparamagnetic iron oxide nanoparticles)
– functionalization 221, 231–234
– synthesis (conventional heating) 211, 224
– synthesis (microwave heating) 99, 100, 211, 224–227
– – plasma methods 295
iron(III) oxide (Fe₂O₃) nanorods 226

- iron(III) oxide (Fe_2O_3) nanospheres 228
 iron(III) oxide (Fe_2O_3) nanowires 226
 ISM (industrial, scientific and medical)
 47, 48, 76
- J**
 Johnson Space Center 28
- K**
 Karlsruhe micro-nose (KAMINA) 297, 298
 Karlsruhe microwave plasma process
 (KMPP) 280
- L**
 L-arginine 154
 L-lysine 154
 lead chalcogenides (PbS , PbSe ,
 PbTe) 129–131
 lead hydroxide bromide ($\text{Pb}(\text{OH})\text{Br}$)
 nanowires
 – synthesis (conventional heating) 62, 63
 – synthesis (ultrasound/microwave
 irradiation) 61–63
 lead selenide (PbSe) nanoparticles 101,
 130, 131
 lead sulfide (PbS) nanoparticles 101, 129
 lead titanate (PbTiO_3) nanoparticles 100
 lead titanate (PbTiO_3) nanopowders 68
 ligands 215, 216, 219
 liquid phase methods 9
 liquid plasma methods (*see* plasma synthesis
 methods)
 lithium ion (Li-ion) batteries 200, 287,
 299–300
 lithography 107
 localized surface plasmon resonance
 (LSPR) 11, 12
 loss angles/tangent δ 43, 249
 Lycurgus cup 2, 3
- M**
 maghemite ($\gamma\text{-Fe}_2\text{O}_3$) nanocrystals 231–233
 maghemite ($\gamma\text{-Fe}_2\text{O}_3$) nanoparticles 210,
 224, 229
 maghemite ($\gamma\text{-Fe}_2\text{O}_3$) nanorods 226
 magnetic field 34, 35, 36, 45, 53
 magnetic heating 45, 81–83
 magnetic nanoparticles 150, 159, 163
 magnetic properties, nanoparticles 18–20
 magnetic resonance imaging (MRI)
 209
 magnetite (Fe_3O_4) nanoparticles 99, 192
 manganese ferrite (MnFe_2O_4)
 nanoparticles 101
 manganese (Mn) nanoparticles
 – applications 159
 – synthesis 99, 158, 160
 manganese zinc ferrite ($\text{MnZnFe}_2\text{O}_4$)
 nanoparticles 102
 manganese(IV) oxide (MnO_2)
 nanoparticles 262, 263, 264, 265
 mass production, nanoparticles 178, 179
 mechanical properties, nanoparticles 19
 medical applications, nanoparticles 22, 23
 metal catalysts 20, 21
 metal nanoparticles 1, 152, 163
 metal–metal-oxide core–shell
 nanoparticles 164, 165
 metal-decorated graphene 173
 metal-oxide nanoparticles 197
 metal-oxide nanotube arrays 170, 171
 metal-oxide-supported nanoparticles 170,
 171
 methanol 155
 micelle synthesis (*see* direct micelle
 microemulsion method)
 microbial contamination 152
 microemulsion 212
 microfluidic reactors 92, 93
 microwave chemistry 25, 26, 28, 108, 109
 – equipment 33–36, 109, 110
 microwave discharge electrodeless lamps
 (MDELs) 32, 33
 microwave drying 68
 microwave extraction 32
 microwave heating 25
 – advantages 55, 76, 108, 150, 185
 – applications 26–29
 – disadvantages 56
 – efficiency 36, 42, 43, 50
 – limitations 42
 – performance optimization 52, 53
 – types of heating 45
 microwave plasma chemical vapor
 deposition (MPCVD) 69, 70
 microwave plasmas 274–278
 microwave power, plasma systems 291,
 292
 microwave radiation
 – applications 25, 26, 27
 – history 25
 microwave-assisted coupling 232
 microwave-assisted hydrothermal (MW-HT)
 method 223–227
 microwave-assisted hydrothermal reduction/
 carbonization (MAHRC) 121
 microwave-assisted organic synthesis
 (MAOS) 222

microwave-assisted solvothermal method (MW-ST) 70, 71, 223, 227–229
 microwave-transparent materials 56
 mixed metal oxides 266
 molecular assemblies 40
 molecular sieve nanomaterials 253–259
 molecular species 39, 40
 molybdenum (Mo) nanoparticles 99, 158, 160
 molybdenum(VI) selenide (MoSe_3) nanoparticles 101
 monodisperse colloidal nanoparticles 90
 monomers 186
 multilayer ceramics capacitors (MLCC) 178, 179
 multimode microwave apparatus 33, 34, 35
 multiwall carbon nanotubes (MWCNTs) 174–176, 314, 318

N

nanoalloys 168
 nanomaterials 2
 nanomedicine 208
 nanometallic inks 95
 nanoparticles
 – applications
 – chemistry 20, 21
 – electronics 22
 – medicine 22, 23
 – paints 20
 – color 11, 12, 20
 – definition 1, 2
 – history 1–7
 – properties 1, 19, 20
 nanotechnology 1
 National Nanotechnology Initiative (NNI) 1
 nickel ferrite (NiFe_2O_4) nanoparticles 101
 nickel ferrite (NiFe_2O_4) spinel nanoparticles 65, 66, 67
 nickel (Ni) nanocrystals 163
 nickel (Ni) nanoparticles
 – applications 159, 161, 162
 – synthesis 98, 147, 159, 178
 nickel (Ni) nanorods 162
 nickel/carbon supported nanoparticles 171
 nickel/silver (Ni/Ag) composite nanoparticles 83
 nickel–cobalt (Ni–Co) core–shell nanoparticles 167
 nickel–nickel-oxide (Ni–NiO) core–shell nanoparticles 165
 nickel-coated carbon nanofibers 64

noble metals 157
 non-aqueous sol–gel process 186–189, 213
 non-covalent interactions 222
 non-equilibrium local heating 150, 151
 non-thermal microwave effects 191
 nozzle microwave (NMW) method 251, 253, 266
 nucleation 278
 nucleation–aggregation–dissolution–recrystallization 118
 nucleation–aggregation–recrystallization 118

O

olefin hydrogenation 157
 oleic acid 216, 217
 one-dimensional nanostructures 160
 optical applications, nanoparticles 13
 optical properties, nanoparticles 1, 19, 20
 organic solvents 190, 192, 199
 organic synthesis 29, 30, 75, 76
 organometallic precursors 285, 286
 osmium (Os) nanoparticles 99, 158, 160
 oxidation, CNTs 314

P

palladium (Pd) nanoparticles
 – applications 157, 171, 177
 – color 1
 – morphology 163
 – synthesis 75, 98, 157, 158, 162
 palladium–copper (Pd–Cu) alloy nanoparticles 176, 177
 palladium–gold (Pd–Au) core–shell nanoparticles 167
 particle mass spectrometry (PMS) 278
 penetration depths 45, 46, 79, 249, 250
 permittivity 42
 phosphorus 18
 photocatalysis 170
 physical adsorption 217
 physical vapor deposition (PVD) method 9
 plasma jet reactors 252, 253, 254, 265, 266
 plasma synthesis methods 96, 271, 272, 279–300
 plasma treatments 320, 321
 plasmas 96, 272–278
 platinum (Pt) nanoparticles
 – applications 156, 161, 171
 – color 1

- synthesis (microwave heating) 75, 98, 156–158, 162
 - continuous flow methods 267, 268
 - plasma methods 96
 - rapid deposition method 170
 - synthesis (ultrasound/microwave irradiation) 58
 - platinum/carbon catalysts 68
 - platinum/carbon-nanotube (Pt/CNT) supported nanoparticles 174
 - platinum/cerium(IV)-oxide (Pt/CeO₂) supported nanoparticles 170
 - platinum/graphene hybrids 134, 135
 - platinum/H-ZSM5 catalysts 71, 72
 - platinum/multiwall-carbon-nanotube (Pt/MWCNT) supported nanoparticles 175
 - platinum/titanium-dioxide (Pt/TiO₂) supported nanoparticles 170, 171
 - platinum–cobalt (Pt–Co) alloy nanoparticles 172
 - platinum–gold (Pt–Au) core–shell nanoparticles 167
 - platinum–palladium (Pt–Pd) core–shell nanoparticles 18
 - platinum–ruthenium (Pt–Ru) alloy nanoparticles 172, 176, 177
 - poly(ethylene oxide)-poly(propylene oxide)-poly(ethylene oxide) (PEO-PPO-PEO) 162
 - poly(*N*-vinylpyrrolidone) (PVP) 153–157
 - polyacrylamide–metal nanocomposites 155
 - polyalcohols 189
 - polyethylene glycol (PEG) 316, 317
 - polymer–metal nanocomposites 156
 - polymers
 - synthesis 30, 31
 - use as surfactants 153, 155–157
 - polyol method 19, 82, 119, 153, 156, 158, 164, 189–191, 199, 200, 213, 214
 - continuous flow systems 267
 - polypeptides 30
 - polystyrene micro/nano-particles 229
 - polyvinyl alcohol (PVA) 153
 - precipitation separation 14, 15
 - precursors
 - concentration 287, 288
 - selection 284–287
 - purification, CNTs 313, 314
 - Purple of Cassius 3
- R**
- Raman spectra 147–149
 - rapid deposition method 170
 - red grape pomace 153, 156, 157
 - reducing agents 18, 19
 - residence times, plasma synthesis methods 288–293, 296
 - reverse micelles microemulsion method 213
 - rhenium (Re) nanoparticles 99, 158
 - Rhodamine 6G 147
 - Rhodamine B 233, 234
 - rhodium (Rh) nanoparticles
 - applications 157
 - synthesis 99, 158, 160
 - room temperature ionic liquids (RTILs) 122, 123
 - ruthenium (Ru) nanoparticles
 - applications 157, 171
 - synthesis 99, 158, 160
 - ruthenium/carbon-nanotube (Ru/CNT) supported nanoparticles 174
- S**
- scanning electron microscopy (SEM) 279
 - scientific microwave systems 110
 - sedimentation method 9, 10
 - seeded growth processes 196
 - selective heating 50–52, 196
 - selenium dandelions 124
 - selenium/carbon (Se/C) colloids 123
 - selenium–carbon (Se–C) composites 125
 - sequential ultrasound/microwave irradiation 56–58, 63–72
 - shape-controlled synthesis 15–17, 75, 116
 - silane (SiH₄) 277
 - silica nanoparticles 229, 259, 261
 - silica shells 217, 234, 235
 - silica-coated gold nanoparticles 230
 - silicon dioxide (SiO₂) nanoparticles 5
 - silver (Ag) alloy nanoparticles 169
 - silver (Ag) nanoclusters 121
 - silver (Ag) nanoparticles
 - applications 154, 163
 - color 1, 12
 - history 13
 - synthesis (conventional heating) 86–90
 - synthesis (microwave heating) 75, 79–90, 97, 147, 148, 154–156, 163
 - continuous flow methods 92, 93, 156, 267
 - plasma methods 96
 - silver nanorods
 - applications 160
 - synthesis 160, 161
 - silver (Ag) nanowires 18
 - silver/carbon (Ag/C) nanocables 121, 122

silver–copper (Ag–Cu) core–shell
 nanoparticles 150, 151, 165
 silver–gold (Ag–Au) core–shell
 nanoparticles 166
 silver–nickel (Ag–Ni) core–shell
 nanoparticles 165
 silver–silicon-dioxide (Ag–SiO₂) core–shell
 nanoparticles 94, 171, 262
 simultaneous (US/MW) irradiation 56, 57,
 58–63
 single-mode microwave apparatus 33, 35,
 36
 single-wall carbon nanotubes
 (SWCNTs) 311, 314–318
 size-controlled synthesis 12–15
 sol–gel processes 186, 189
 sonochemistry 56
 specific microwave effect 126, 127
 stained glass 3, 4
 structure-controlled synthesis 17, 18
 sugar moieties 319, 320
 sulfonated multi-walled carbon nanotubes
 (SF-MWCNTs) 63, 175
 superheating 49, 50, 51
 superparamagnetic iron oxide nanoparticles
 (SPIONs) 208, 209
 superparamagnetic nanoplatforms 232, 233
 supported nanoparticles 196
 surface functionalization 207, 208,
 214–222, 229–235
 surface plasmon resonance (SPR) 10–12,
 15, 21
 surface-enhanced Raman scattering
 (SERS) 147, 148–150, 154, 160, 163
 surfactants 188, 189, 191
 Suzuki–Miyaura cross coupling reaction
 29

T

tails interdigitation 216, 117
 tellurium (Te) 122
 tellurium (Te) nanoparticles 98, 122, 123
 tellurium (Te) nanowires 123
 temperature, plasma synthesis
 methods 288, 289
 temperature distributions, microwave
 heating 47–49
 tetradecylammonium bromide (TOAB) 161
 tetraethylorthosilicate (TEOS) 235, 259
 tetramethylammonium hydroxide
 (TMAOH) 235
 thallium(III) oxide (Tl₂O₃)
 nanoparticles 100
 thermal plasmas 273

thermal properties, nanoparticles 19
 thermolysis 214
 thermophoretic deposition 281
 tin (Sn) nanoparticles 299
 tin dioxide (SnO₂) 297
 tin dioxide (SnO₂) nanoparticles 100, 299,
 300
 tin-dioxide–silicon-dioxide
 core–shell nanoparticles 297, 298
 titanium dioxide (TiO₂) nanoparticles
 – history 5
 – synthesis 99, 197, 198
 top-down (breakdown) method 8, 9, 107
 transmission electron microscopy
 (TEM) 278
 transparent conducting oxides
 (TCOs) 193–195
 transverse electrical (TE) mode 279
 tungsten (W) nanoparticles 99, 158, 160
 tungsten trioxide (WO₃) nanoparticles 101,
 197
 twinned shell structure 17

U

ultrasound (US) irradiation 56
 ultrasound/microwave (US/MW)
 irradiation 55, 56

V

vulcanization 30, 31

W

water
 – dielectric constant 43
 – molecular structure 42
 – use as a solvent 84
 water-soluble nanoparticles 214, 216
 waveguides 40–41
 wet grinding 8–9
 wet-chemical methods 170, 194, 272
 wood drying 76

X

X-ray diffraction (XRD) 278

Y

yttria-stabilized zirconia (YSZ)
 nanocrystals 65

Z

zeolites 254, 255–7
 zinc aluminate (ZnAl₂O₄) spinel
 nanoparticles 65
 zinc oxide (ZnO) 110

- zinc oxide (ZnO) nanocrystals 110–113
- zinc oxide (ZnO) nanoparticles/
nanostructures
 - applications 111
 - doping 193
 - inhomogeneous deposition 195
 - synthesis (microwave heating) 101, 113, 114, 189, 190, 197, 201
 - synthesis (ultrasound/microwave
irradiation) 58
- zinc phosphate ($\text{Zn}_3(\text{PO}_4)_2$)
nanocrystals 63, 64
- zinc selenide (ZnSe) nanoparticles 101
- zinc selenide (ZnSe) quantum dots 131, 132
- zinc sulfide (ZnS) nanoparticles 101, 131
- zinc tungstate (ZnWO_4) nanoparticles 101
- zirconium oxide (ZrO_2) nanoparticles 101, 259, 261
- ZSM-5 molecular sieve 254