

Contents

List of Contributors *xi*

- 1 Block Copolymer Templating as a Path to Porous Nanostructured Carbons with Highly Accessible Nitrogens for Enhanced (Electro)chemical Performance 1**
John P. McGann, Mingjiang Zhong, Eun Kyung Kim, Sittichai Natesakhawat, Mietek Jaroniec, Jay F. Whitacre, Krzysztof Matyjaszewski, and Tomasz Kowalewski
 - 1.1 Introduction 1
 - 1.2 Electronic Properties of Graphene Edges 2
 - 1.3 Edge Functionalization of Graphene 3
 - 1.3.1 Post-Pyrolysis Nitrogen Doping 3
 - 1.3.2 Pyrolysis of Nitrogen-Containing Precursors 3
 - 1.3.2.1 Polyacrylonitrile 4
 - 1.4 Block Copolymer Templating as a Path to High Surface Area N-Doped Carbons with Accessible Nitrogen-Containing Graphitic Edges 5
 - 1.5 Evidence of Enhanced Electrochemical Performance of Nitrogen-Rich Copolymer-Templated Mesoporous Carbons 8
 - 1.5.1 Supercapacitors 8
 - 1.5.2 Metal-Free Oxygen Reduction Reaction 11
 - 1.6 CTNCs as CO₂ Sorbents 12
 - 1.7 Conclusions 13
Acknowledgments 13
References 13

- 2 Functional Carbon Materials from Ionic Liquid Precursors 21**
Jens Peter Paraknowitsch and Arne Thomas
 - 2.1 Introduction 21
 - 2.2 Ionic Liquids as Carbon Precursors 22
 - 2.3 N-Doped Carbon Materials 23
 - 2.4 From Ionic Liquids to Carbon Materials – Structural Development during Carbonization 25

2.5	N-Doped Carbon Materials from Ionic Liquid Precursors	26
2.6	Processing, Shaping, and Functionalization	30
2.7	Deep Eutectic Solvents – Supramolecular ILs for Carbon Materials	32
2.8	Applications of IL Derived Carbons	34
2.9	Conclusion	36
	References	37
3	Functionalization of Graphene Oxide by Two-Step Alkylation	43
	<i>Yi Huang, Weibo Yan, Yanfei Xu, Lu Huang, and Yongsheng Chen</i>	
3.1	Introduction	43
3.2	Results and Discussion	43
3.3	Conclusion	49
	Acknowledgments	49
	Supporting Information	50
	Experimental Section	50
	Materials and Methods	50
	Functionalization of GO	50
	Electrical Conductivity Characterization	50
	References	51
4	Toward Rationally Designed Graphene-Based Materials and Devices	53
	<i>Yu Teng Liang and Mark C. Hersam</i>	
4.1	Introduction	53
4.2	Graphene Synthesis	54
4.3	Structure–Property Relationships	55
4.4	Graphene Separation	57
4.5	Graphene-Based Catalysis	59
4.6	Graphene Functionalization and Templating	61
4.7	Conclusion	62
	Acknowledgments	64
	References	64
5	Supramolecular Synthesis of Graphenic Mesogenic Materials	69
	<i>Fei Guo and Robert Hurt</i>	
5.1	Introduction	69
5.2	Liquid Crystal Precursors and Phases	71
5.2.1	Thermotropic Discotic Liquid Crystals	71
5.2.2	Lyotropic Chromonic Liquid Crystals	73
5.3	Methods for Directing Assembly	74
5.4	Graphenic Mesogenic Materials and their Applications	77
5.5	Comparison of Thermotropic and Lyotropic Assembly Routes	80
5.6	Outlook	81
	Acknowledgments	82
	References	82

6	Synthesis and Characterization of Hexahapto-Chromium Complexes of Single-Walled Carbon Nanotubes	87
	<i>Irina Kalinina, Elena Bekyarova, Santanu Sarkar, Mikhail E. Itkis, Sandip Niyogi, Neetu Jha, Qingxiao Wang, Xixiang Zhang, Yas Fadel Al-Hadeethi, and Robert C. Haddon</i>	
6.1	Introduction	87
6.2	Experimental Section	89
6.2.1	Synthesis of $(\eta^6\text{-SWNT})\text{Cr}(\text{CO})_3$ Complex (3a)	89
6.2.2	Synthesis of $[\eta^6\text{-SWNT-CONH}(\text{CH}_2)_{17}\text{CH}_3]\text{Cr}(\text{CO})_3$ Complex (4a)	90
6.2.3	Synthesis of $(\eta^6\text{-SWNT})\text{Cr}(\eta^6\text{-C}_6\text{H}_6)$ Complex (5a)	90
6.2.4	Synthesis of $[\eta^6\text{-SWNT-CONH}(\text{CH}_2)_{17}\text{CH}_3]\text{Cr}(\eta^6\text{-C}_6\text{H}_6)$ Complex (6a)	90
6.2.5	Decomplexation Reactions	90
6.2.6	High Vacuum Conductivity Studies of SWNT Thin Films by Electron Beam Metal Evaporation	91
6.3	Results and Discussion	91
6.3.1	Synthesis and Bonding in the SWNT–Cr Complexes	91
6.3.2	Thermogravimetric Analysis (TGA) and Chromium Stoichiometry	95
6.3.3	Transmission Electron Microscopy (TEM)	98
6.3.4	Mid-Infrared Spectroscopy (IR)	101
6.3.5	X-Ray Photoelectron Spectroscopy (XPS)	101
6.4	Raman Spectroscopy	102
6.4.1	Ultraviolet–Visible–Near-Infrared–Far-Infrared Spectroscopy (UV–Vis–NIR–FIR)	103
6.4.2	High Vacuum Conductivity Studies of SWNT Thin Films by Electron Beam Metal Evaporation	107
6.5	Conclusions	110
	Acknowledgments	110
	References	110
7	Chemical Synthesis of Carbon Materials with Intriguing Nanostructure and Morphology	115
	<i>An-Hui Lu, Guang-Ping Hao, Qiang Sun, Xiang-Qian Zhang, and Wen-Cui Li</i>	
7.1	Introduction	115
7.2	Zero-Dimensional Carbon Materials: Carbon Quantum Dots and Carbon Spheres	116
7.2.1	Solid Carbon Spheres	117
7.2.1.1	Pyrolysis of Carbon-Rich Polymer Spheres (Solution Chemistry)	117
7.2.1.2	Hydrothermal Carbonization (HTC) Synthesis of Carbon Spheres	121
7.2.2	Hollow Carbon Spheres	122
7.2.2.1	Hard-Templating Method	122
7.2.2.2	Soft-Templating Method	125
7.2.3	Core–Shell Carbon-Based Composites	127
7.3	One-Dimensional (1D) Carbon Materials	129
7.4	Two-Dimensional (2D) Carbon Materials: Membranes and Films	131
7.5	Three-Dimensional (3D) Carbon Materials: Monoliths	135
7.5.1	Sol–Gel Method	135
7.5.1.1	New Synthesis Approaches	135

- 7.5.1.2 Functionality Integration 136
- 7.5.2 Nanocasting Pathway 140
 - 7.5.2.1 Carbon Monolith Replicated from Silica Monolith 140
 - 7.5.2.2 Carbon Monoliths Replicated from Colloidal Crystals 142
 - 7.5.2.3 One-Step Nanocasting Technique 142
- 7.5.3 Self-Assembly Approach for the Preparation of Carbon Monoliths 143
- 7.5.4 Dual Template to Hierarchical Carbon Monolith: A Combination of Nanocasting and Self-Assembly 145
- 7.6 Summary and Outlook 147
 - Acknowledgments 148
 - References 148

8 Novel Radiation-Induced Properties of Graphene and Related Materials 159

Prashant Kumar, Barun Das, Basant Chitara, K. S. Subrahmanyam, H.S.S. Ramakrishna Matte, Urmimala Maitra, K. Gopalakrishnan, S. B. Krupanidhi, and C. N. R. Rao

- 8.1 Introduction 159
- 8.2 Radiation-Induced Reduction of Graphene Oxide 159
- 8.3 Nanopatterning 163
- 8.4 Blue Emission from Graphene-Based Materials 167
- 8.5 Photothermal Effects in Laser-Induced Chemical Transformations 170
- 8.6 Graphene as an Infrared Photodetector 172
- 8.7 Reduced Graphene Oxide as an Ultraviolet Detector 178
- 8.8 Laser-Induced Unzipping of Carbon Nanotubes to Yield Graphene Nanoribbons 178
- 8.9 Generation of Graphene and Other Inorganic Graphene Analogs by Laser-Induced Exfoliation in Dimethylformamide 180
- 8.10 Conclusion 184
 - References 184

9 Heterofullerenes: Doped Buckyballs 191

Max von Delius and Andreas Hirsch

- 9.1 Introduction 191
- 9.2 Heterofullerenes (C_nX_m), Azafullerenes (C_nN_m) and their Properties 191
 - 9.2.1 Azafullerenes 192
 - 9.2.2 Borafullerenes 193
 - 9.2.3 Other Heterofullerenes 193
- 9.3 Synthesis and Functionalization of Azafullerenes: An Overview 196
 - 9.3.1 Synthesis of $(C_{59}N)_2$ 196
 - 9.3.2 Radical Functionalization of $C_{59}N$ 197
 - 9.3.3 Nucleophilic Functionalization of $C_{59}N^+$ 199
- 9.4 Recent Developments: Pentaadducts $C_{59}N(R)_5$, Synthetic Efforts Toward $C_{58}N_2$, Azafullerene Peapods, Endohedral Azametallofullerenes, and Application of Azafullerenes in Organic Solar Cells 200
 - 9.4.1 Pentaadducts $C_{59}N(R)_5$ 200
 - 9.4.2 Synthetic Efforts Toward $C_{58}N_2$ 203
 - 9.4.3 Azafullerene Peapods and Endohedral Metallo(aza)fullerenes 206

9.4.4	Applications of Azafullerenes in Organic Solar Cells and Fuel Cells	209
9.5	Conclusions	210
	Acknowledgments	211
	References	211

10 Graphene–Inorganic Composites as Electrode Materials for Lithium-Ion Batteries 217

Bin Wang, Bin Luo, Xianglong Li, and Linjie Zhi

10.1	Introduction	217
10.2	Graphene/0D Inorganic Composites for LIBs	220
10.2.1	Graphene/0D Metal Oxides for Anodes	220
10.2.2	Graphene/0D Li-Alloying Materials for Anodes	225
10.2.3	Graphene/0D Composite Nanomaterials for Cathodes	228
10.3	Graphene/1D Inorganic Composites for LIBs	230
10.4	Graphene/2D Inorganic Composites for LIBs	234
10.5	Summary and Future Outlook	237
	References	238

Index 251

