

## Index

### a

- achiral molecules on achiral surfaces 113–114
- acid leaching 222
- adsorption Langmuir–Hinshelwood-type mechanism 87
- aerobic oxidation of benzyl alcohol
  - active sites determination in 385–392
  - *in situ* ATR-IR spectra 390, 391
  - *in situ* NMR 398–400
  - *in situ* X-ray absorption spectra 386, 387
  - mechanism, elucidating 381–385
- alcohol oxidation, MOFs 310–311
- alcohol selective oxidation 11–33
- alcohol selective oxidation, *see also* metal-catalyzed alcohol selox
  - mechanistic studies of 11–33
  - oxidant considerations 12
  - oxide catalysis 22
  - selective oxidation 11–12
  - sulfide catalysis 22
  - vanadate catalysis 22
- alkene epoxidation 262–263
- alternative energy reactors for green chemistry 7–9
  - microchannel reactors 7
  - microwave reactors 7–9
  - microwaves in electromagnetic spectrum 8
- alternative solvents 5–6
  - biphasic systems 6
  - fluoruous solvents 5
  - ionic liquids 5
  - phase transfer catalysts (PTCs) 6
  - supercritical fluids 5
- amberlyst-15 132
- amberlyst-70 132
- ambient-pressure X-ray photoelectron spectroscopy (APXPS) 437–465
  - application to electrochemistry 460–464
  - applications of 445–464
  - basic concept 438–441
  - carbon nanotube-based catalysts investigation 453–457
  - chiral molecules chemistry on metal surfaces 450–452
  - electrons attenuation by gas phase 441–442
  - insulating samples measurement 444
  - photoelectron spectroscopy of the gas phase 443
  - sample contamination 443–444
  - selective CO oxidation in hydrogen on Pt/CeO<sub>2</sub> and Pd/CeO<sub>2</sub> 457–460
  - technical aspects 438–445
  - water vapor interaction with metal oxide surfaces 446–450
  - X-rays interaction with gas phase 443
- anion-exchange resins 157
- artificial neural network (ANN) 146
- asymmetric epoxidation 263
- asymmetric synthesis, MOFs in 316–320
  - asymmetric aldol reaction 316–318
  - asymmetric diethyl zinc addition to aldehydes 319
  - asymmetric olefin epoxidation 318–319
  - asymmetric transesterification 320
- atline* technique 414
- atom efficiency/economy 4
- attachment techniques, types 173
- attenuated total reflection (ATR) 40–42
- attenuated total reflection infrared spectroscopy (ATR-IR) 15
- aza-Michael addition 315–316

**b**

- Bacillus subtilis* 229
- Baeyer–Villiger oxidation 125
- band target entropy (BTE) methods 406
- base-catalyzed clean technologies, *see also* solid
  - acids and base-catalyzed clean technologies 125–163
- 1,4-benzenedicarboxylate (BDC) groups 296
- bifunctional catalyst, double catalytic
  - activation using 186–189
- bimetallic selox catalysts 15–17
- biodiesel production 155–159
  - triglycerides transesterification
    - with alcohol over Brønsted acid catalysts 156, 157
    - with methanol 155
- biomass conversions 144–163
  - biodiesel production 155–159
  - glycerol carbonate synthesis 159–163
  - hydrolysis of cellulose 145–147
  - lactic acid synthesis 153–155
  - sugars to furfurals transformation 147–153, *see also individual entry*
- Biot number 336
- 4,4-biphenyldicarboxylates (bphdc) 318
- 1,1-bis-2,2-naphthol (BINOL) derivative 319
- 2,2'-bis(diphenylphosphino)-1,1-binaphthyl (BINAP) groups 111
- Bodenstein number (Bo) 349
- Brunauer–Emmett–Teller (BET) surface 127, 297
- 1-butyl-3-methylimidazolium chloride (BMIMCl) 146

**c**

- carbenelike intermediates 133
- carbenium cation 133
- carbon nanotube (CNT)-based catalysts
  - investigation 453–457
  - growth on conductive supports 453–457
- carbon nanotubes (CNTs) 21
- carbon templating 224–227
  - hard templating by polymers 227
- carbon-based materials 130–131
  - new carbon–carbon bond formations 133–141
- carbon–carbon bond formation, MOFs in 303–310
  - cyanosilylation reactions 306–308, *see also individual entry*
  - Heck coupling reactions 308–310
  - Knoevenagel condensation 303–306, *see also individual entry*

- MIL-101-supported palladium nanoparticles 309
- Sonogashira coupling reactions 308–310
- Suzuki–Miyaura coupling reactions 308–310
- Ullmann coupling reactions 308–310
- carbonization 130
- catalyst construction within pores of support 107–108
- catalyst life 380–381
  - catalyst death, probing 392
- catalyst nascence 366–373
  - combination of techniques 372–373
- diffraction and scattering methods 371–372
- ED-XRD 371
- *in situ* analysis 367–369
- light scattering 372
- molecular methods 369–370
- NMR 370
- physicochemical methods 369
- secondary building unit (SBU) mechanism 371
- silicalite-1 molecular sieves synthesis 367
- small X-ray scattering 371–372
- synthesis 367
- vibrational spectroscopy 370
- XRD 371
- catalytic microstructured reactors 342–350
- catalytic wall microchannels 342–344
- cation-exchange resins 158
- cell assemblies 219
- cellulose hydrolysis 145–147
  - mathematical modeling in, importance 146
  - sulfonated silica/carbon nanocomposites 146
- chiral molecules chemistry on metal surfaces, APXPS for 450–452
- chiral solids uses 109–112
  - chiral metal–organic catalysts 110–112
  - chiral zeolites 110
  - in enantioselective catalysis 111
  - metal or metal oxide on a chiral support 109–110
- chiral zeolites 110
- chirally modified metal surfaces 112–120
  - achiral molecules on achiral surfaces 113–114
  - enantioselectivity 114–120
- clean technology and catalysis 1–9, *see also* alternative solvents; green chemistry
  - heterogeneous catalysis 6–7
  - homogeneous catalysis 6–7

- colloidal crystals 219
  - colloidal crystal-templating method 217
  - continuous-wave cavity ring down spectroscopy (CW-CRDS) 96
  - coordination shift 417
  - copolymerization, covalent immobilization by 107
  - cosurfactants 219
  - coupled *in situ* spectroscopic techniques in organic synthesis 39–61
    - attenuated total reflection (ATR) 40–42
    - EPR 40
    - EXAFS 40, 41
    - FBRM 40
    - FTIR 39
    - HERFD XAS 41
    - heterogeneously catalyzed hydrogenation of imines 50–56
    - *in situ* techniques 42
    - method coupling 41–45, *see also individual entry*
    - NMR 40
    - online 44
    - PVM 40
    - Raman 39, 40
    - SAXS 40, 41
    - spectroscopic reactors and practical aspects 45–50
      - fiber-optic probes 46
      - polyetheretherketone (PEEK) 47
      - process analytical technology 46
      - ReactIR™ system 46
    - three-phase hydrogenation of nitrobenzene over nanosized Au on TiO<sub>2</sub> 56–58
    - UV–vis 39, 40
    - vibrational spectroscopies 39
    - WAXS 40, 41
    - XANES 40, 41
    - XAS 40, 41
  - covalent immobilization
    - by copolymerization 107
    - on inorganic supports 105–106
    - on polymeric resins 106–107
  - covalent tethering 105–107
  - cross-polarization magic-angle-spinning (CP-MAS) 182
  - crotyl alcohol selox 20
  - cubo-octahedron model 275–276
  - cycanoethoxycarbonylation, surface acid/base interaction for 187
  - cyanosilylation reactions in MOFs 306–308
    - Cd-based MOF catalyzing 306–307
    - HKUST-1 307
    - MIL-101 307–308
  - cyclohexanedimethanol (CHDM) 271
- d**
- 2D exchange spectroscopy (EXSY) 416
  - Damköhler number 335, 338, 340
  - dealumination 222–223
  - Debye–Scherrer formula 371
  - density functional theory (DFT) 51
  - desilication 223
  - deuterium-free samples 418
  - diagonally offset Raman spectroscopy (DORS) 374–376
  - diffuse reflectance Fourier transform infrared spectroscopy (DRIFTS) 66, 377
  - diffuse reflectance spectroscopy (DRS) 55
  - 4-dimethylaminopyridine (DMAP) 132
  - direct synthesis, mesoporous materials 212
  - Domino coupling 316
  - double catalytic activation using bifunctional catalyst with both acid and base on solid surfaces 186–189
  - drain-off effect 401
  - dynamic nuclear polarization (DNP) enhanced NMR 302
- e**
- E factor 4
  - effective mass yield 4
  - electron paramagnetic resonance (EPR) 28, 79–90, 302
    - electron hole pairs, photoactivated formation of 85
    - reactive oxygen species 85–89
    - semiconductor charge separation and transfer 79–85
    - sulfur-doped TiO<sub>2</sub> 85
    - under visible light illumination 84–85
  - enantioselective heterogeneous catalysis 103–121
    - chirally modified metal surfaces 112–120
    - comparison of various approaches 120–121
    - creation strategies 105–120
      - catalyst construction within pores of support 107–108
      - chiral solids uses, *see also individual entry* 109–112
      - copolymerization, covalent immobilization by 107
      - covalent tethering 105–107
      - electrostatic interactions, immobilization by 108

- enantioselective heterogeneous catalysis (*contd.*)
  - – encapsulation, immobilization by 107–108
  - – immobilization of homogeneous or enzyme catalysts 105–109
  - – industrial application of immobilized catalysts 109
  - – inorganic supports, covalent immobilization on 105–106
  - – polymeric resins, covalent immobilization on 106–107
  - – support construction around the catalyst 108
  - enhancing selectivity, challenge 104
- enantioselectivity 114–120
- encapsulation, immobilization by 107–108
- energy-dispersive X-ray diffraction (ED-XRD) 371
- epoxidations, MOFs 312–313
- Equisetum arvense* 230
- ethylenediaminetetraacetic acid (EDTA) 97
- extended X-ray absorption fine structure (EXAFS) 138, 302, 380

**f**

- fiber catalysts 355–358
  - sintered metal fibers (SMFs) 355
- flow NMR 422–426
  - flow scheme and hyphenation 423–425
  - flowing samples 423
  - residence times 425–426
- fluorous biphasic solvent systems 5–6
- fluorous solvents 5
- focused beam reflectance measurement (FBRM) 45
- functional MOFs, characterization 301–302
  - DNP enhanced NMR 302
  - EPR 302
  - EXAFS 302
  - HYSORE-EPR 302
  - NMR 301
  - PXRD analysis 301
- 2,5-furandicarboxylic acid (FDCA) 12
- furoic acid (FuA, 2-furancarboxylic acid) 132

**g**

- glycerol carbonate synthesis 159–163
  - glycerol transesterification 160
- green chemistry 1–3, *see also alternative solvents*
  - alternative energy reactors for, *see also individual entry* 7–9
  - ideals of 2–3

- metrics 3–4
  - – atom efficiency/economy 4
  - – conventional methods 4
  - – E factor 4
  - – effective mass yield 4
  - – external communication 4
  - – in-house communication 4
  - – reaction mass efficiency 4
- traditional chemical manufacturing, resource demands of 2
- Guinier region 371

**h**

- 5-hydroxymethylfurfural synthesis from fructose and glucose 148–149
- H-SAPO-34 molecular sieves 398–400
- H-ZSM-5 molecular sieves 394–397
  - confocal fluorescence microscopy 395
  - scanning transmission X-ray microscopy (STXM) 396
  - *in situ* NMR of 398–400
- Hagen–Poiseuille equation 344, 346
- hard templating by polymers 227
- Heck coupling reactions 308–310
- heterogeneous catalysis
  - advantages of 6–7
  - disadvantages 7
- heterogeneously catalyzed hydrogenation of imines 50–56
- hexoses 147
- hierarchical porous materials 227–233
  - cell assemblies 219
  - colloidal crystals 219
  - cosurfactants 219
  - microemulsions 219
  - ordered macroporous-mesoporous materials 218–219
  - properties of 220–222
    - – active phases dispersion improvement 201–222
    - – deactivation by pore blockage, robustness against 221
    - – mass transfer enhancement 221
    - – total available surface area, increase in 220
  - polymer spheres 219
  - zeolites with, combining microporous with meso-/macroporous 219
- hierarchical zeolites 201–202
  - for cleaner technologies 230–233
  - synthesis of 222
    - – *Bacillus subtilis* in 229
    - – carbon templating 224–227
    - – dealumination 222–223

- desilication 223–224
- *Equisetum arvense* 230
- hard templating by polymers 227
- hierarchically macro-/meso-/microporous structured catalyst, Hp-ZSM 230
- improved polymerization-induced colloid aggregation (im-PICA) method 230
- nanocasting 226
- hierarchically macro-/meso-/microporous structured catalyst, Hp-ZSM 230
- high-angle annular dark field-scanning transmission electron microscopy (HAADF-STEM) 13
- high-energy resolution fluorescence detection (HERFD) mode 44, 401
- high-pressure liquid chromatography (HPLC) 422
- high-pressure NMR 426
- high-resolution transmission electron microscopy (HR-TEM) 83
- homogeneous Brønsted acid (HCl) catalysts 149
- hydrocarbon oxidation 69–74
- hydroxyapatite 21
- hydroxymethyl furfural (HMF) 12

## i

- immobilized catalysts, industrial application of 109
- impregnation 374–376
- improved polymerization-induced colloid aggregation (im-PICA) method 230
- in situ* characterization 365–407
- in situ* flow MAS NMR spectroscopy 431–433
- in situ* investigations 66–98
- *in situ* XANES 92–94
- EPR techniques 97
- ethylenediaminetetraacetic acid (EDTA) 97
- FTIR 66–79
- gas-phase analysis 74
- hydrocarbon oxidation 69–74
- XAFS 92–94
- local structure of active sites 89–90
- UV–Vis 92–94
- XPS 90–92
- NMR spectroscopy 94–96
- NO<sub>x</sub> depollution 66–69
- oxygen-containing compounds oxidation 75–79
- photocatalytic decomposition of formic acid over Pt/TiO<sub>2</sub> 76

- photocatalytic mineralization
- of dicarboxylic acids 77
- of malonic acid over TiO<sub>2</sub> 78
- photocatalytic oxidation 75, 76
- quantum-dot (QDs)-assisted photocatalysis 98
- real-time gas-phase *in situ* FTIR studies of 67
- sunlight-driven Ag/Ag<sub>3</sub>PO<sub>4</sub> plasmonic nanocatalysts 97
- surface acidity role in photocatalysts deactivation 73
- in situ* method 413
- of selox catalysts 24–32
- incipient wetness impregnation (IWI) 374
- indirect hard modeling (IHM) 421–422
- infrared spectroscopy 379–380
- inline technique 414
- inorganic supports, covalent immobilization on 105–106
- insulating samples measurement 444
- ion-exchanged resins 131–132
- ionic liquids 23–24
- isorecticular metal–organic framework (IRMOF) series 296

## k

- Knoevenagel condensation 139, 140, 303–306
- in MOFs 303–306
- Am-functionalized MIL-53 304
- ED-MIL-101 catalyst generated by postsynthetic modification 304
- IRMOF-3 304
- malononitrile as substrate 303
- SIM-1 (substituted imidazolate material-1) 305–306

## l

- lactic acid synthesis 153–155
- left-handed enantiomers 103
- levulinic acid (LA) 132
- life cycle assessment 4
- lignocellulose 144
- Lobry de Bruyn–van Ekenstein transformation 148
- local structure of active sites 89–90
- XPS 90–92
- Lorentz–Gauss functions 421

## m

- magic angle spinning (MAS) 430–431
- magnetic resonance imaging (MRI) 374–375

- manganese 1,4,7-trimethyl-1,4,7-triazacyclononane (tmtacn) complexes 181–184
- mass transfer coefficient 345
- matrix-assisted laser desorption/ionization-time-of-flight mass spectrometry (MALDI-TOF MS) 270
- Meerwein–Ponndorf–Verley (MPV) reaction 125
- memory effect 140
- mesoporous materials with zeolitic crystal within walls 215–216
- mesoporous materials, 203–216, *see also* ordered mesoporous materials
- mesoporous metal oxide solid acids 129
  - Nb–W and Ta–W mixed oxides 129
- mesoporous nonsiliceous metallic oxide materials 214–215
- mesoporous oxide architectures 21
- mesoporous silica nanoparticles (MSNs) 216
- metal or metal oxide on a chiral support 109–110
- metal organic frameworks (MOFs) 104, 111
- metal oxide nanosheets solid acids 127, 128
- metal oxides 126–130
- metal phthalocyanine (MPc) 314
- metal-catalyzed alcohol selox 13–22
  - Au–Pd catalysts 15–17
  - bimetallic selox catalysts 15–17
  - crotyl alcohol selox 20
  - mesoporous aluminas 19
  - monometallic catalysts 13–15
  - support effects 17–22
- metal-containing silica mesostructured materials 209–211
- metal-organic frameworks (MOFs) 293–326, *see also* functional MOFs
  - as heterogeneous catalysts 293–302
  - catalytic features of 298–299
  - diversity of 293–298
  - Domino coupling 316
  - enzymes as source of inspiration 322–325
  - in asymmetric synthesis 316–320
  - in carbon–carbon bond formation 303–310
  - in fine chemical synthesis 293–326
  - isorecticular metal-organic framework (IRMOF) series 296
  - laboratory-scale synthesis 294
  - mechanochemical synthesis 295
  - oxidation reactions 310–315
    - $\alpha$ -oxidation of alkenes to give corresponding enol or enone 313–314
    - alcohol oxidation 310–311
    - aza-Michael addition 315–316
    - epoxidations 312–313
    - of alkanes to give alcohols or ketones 314–315
    - sulfoxidation 311–312
  - polymetallic nodes and organic linker self-assembly giving access to 294
  - postsynthetic modification, engineering MOFs by 299–301
  - self-assembly versus 300
  - representatives 296–297
  - HKUST-1 296–297
  - MIL-101 297
  - MIL-53 297
  - MOF-5 296
  - ZIF-8 297–298
  - salt-free electrochemical procedure 294–295
  - solvothermal synthesis strategy 294
  - strengths of 321–322
  - weaknesses of 321–322
- metathesis 184–186
- methanol-to-hydrocarbon (MTH) reaction 392–400
  - coke-forming process 393
- method coupling 41–45
- methylcyclohexane 73, 74
- methylthio-ethyl methacrylate (MTEMA)-based microgel 22
- microchannels
  - external mass transfer in 344–346
  - pressure drop in 346–348
- microemulsions 219
- microporous oxide architectures 21
- microwaves in electromagnetic spectrum 8–9
- modified Ergun equation 354
- modifier 112–120
- modulation-enhanced spectroscopy (MES) 406
- molecular sieves 195
- monolithic honeycombs 350–353
  - fast deactivating catalysts 352
  - sphere-packed monolith reactors 352
- monometallic catalysts 13–15
- morphology effects on catalytic performance 272–282
  - cubo-octahedron model 275–276
  - in Pt group metals 279, 281
  - in ring enlargement reactions 278
  - metal oxide nanoparticles 280–281
  - Au nanoparticle during CO oxidation 281

- direct effect 280
- indirect effect 280–281
- in selective hydrogenation 277
- tetradecyltrimethylammonium bromide (TTAB) 276
- multifunctional zeolites 202
- multimetallic heterogeneous catalysts 210
- multiwalled carbon nanotubes (MWCNTs) 21

## n

- Nafion NR50 132
- Nafion SAC13 132
- nanocrystalline zeolites 200–201
- nano-size effects 262–272, *see also* tailored nanoparticles for clean technology
  - 3d transition metals 271–272
  - alkene epoxidation 262–263
  - Au-catalyzed aerobic epoxidation of alkenes 265–266
  - catalyst activation treatment 263–265
  - gas-phase epoxidation 266
  - reference catalyst system 265
  - reproducible fabrication of catalysts 267
  - selective oxidation of hydrocarbons 262
  - water–gas shift (WGS) reaction 267–268
- nanostructured metal oxide solid acids 127–130
  - mesoporous 129
  - metal oxide nanosheets solid acids 127
  - metal oxide nanotube solid acid 128
- near-edge X-ray absorption fine structure (NEXAFS) 28
- noninvasive* technique 414
- ‘novel process windows’ 333
- novel solid acids 130
- nuclear magnetic resonance (NMR) spectroscopy 94–96
- Nusselt number 345

## o

- offline* analytics 414
- one-pot sequential reactions 141–144
  - furfurals synthesis from monosaccharides and disaccharides 149–153
  - mesoporous materials 212
  - using acid and base sites on same solid 142–143
  - using different particles of solid acid and base catalysts 143–144
- online monitoring with NMR 413–434
  - advanced experiments 417

- benefits of 414–415
- catalysts in heterogeneous reactions, direct monitoring 430–433
- flow NMR 422–426
- fundamentals 415–417
- heterogeneous liquid reactions 426–430
- high-pressure NMR 422–426
- homogeneous liquid reactions 426–430
- *in situ* methods 413
- *operando* method 413
- quantitative NMR in technical samples 417–422
- reaction monitoring and process analytical technology 414
- operando* characterization 365–407, 413
  - of selox catalysts 24–32
- ordered macroporous materials 216–218
  - direct synthesis 212
  - metal-containing silica mesostructured materials 209–211
  - modification of 207–214
  - morphology control in 216
  - multimetallic heterogeneous catalysts 210
  - one-pot synthesis 212
  - organic functionalization of 211–213
  - periodic mesoporous organosilicas (PMOs) 213–214
  - synthesis of, mechanism 207
    - conventional 207
    - mesoporous materials with zeolitic crystal within the walls 215–216
    - mesoporous nonsiliceous metallic oxide materials 214–215
    - new trends in 214–216
- ordered porous materials preparation 194–218
  - templated methods for 194–218
  - zeolites and zeotypes, *see also* zeolites 195–203
- organic functionalization of mesoporous silica materials 211–213
- organic–inorganic hybrid zeolites 202
- organosilane-based methods 227–229
- oxidant considerations 12
  - catalyst development 12
  - explosion hazards 12
  - platinum group metal (PGM) alcohol selox catalysts 12
- oxidation reactions 310–315, *see also* metal–organic frameworks (MOFs)
- oxygen-containing compounds oxidation 75–79

**p**

- p*-toluenesulfonic acid (*p*-TsOH) 132
- packed bed reactors 340–342
- particle vision measurement (PVM) 45
- particle X-ray diffraction (PXRD) analysis 301
- perfluorinated carboxylic acids (PFCAs) 86
- perfluorooctanoic acid (PFOA) 85
- periodic mesoporous organosilicas (PMOs) 213–214
- phase transfer catalysts (PTCs) 6
- phenylaminopropyltrimethoxysilane (PHAPTMS) 228
- photo-Kolbe reaction 77
- photocatalytic materials, *in situ* studies 65–99
- polarization-modulation infrared reflection absorption spectroscopy (PM-IRAS) 30
- poly(methyl methacrylate) (PMMA) 227
- poly(vinyl alcohol) (PVA) 14
- polyaniline (PANI) 16
- polyetheretherketone (PEEK) 47, 424
- polyhydroxy fullerenes (PHFs) 86
- polymer spheres 219
- polymeric resins, covalent immobilization on 106–107
- polyvinylpyrrolidone (PVP) 14
- porous coordination polymers (PCPs) 322
  - homochiral PCP 322
- porous inorganic architectures, designing 193–234, *see also* hierarchical porous materials; ordered macroporous materials; ordered mesoporous materials; ordered porous materials preparation
  - aqueous and gaseous streams, pollutants removal from 194
  - chemical processes enhancement 193
  - waste compounds valorization into high-value products 194
- porphyrinic Illinois zeolite analog (PIZA) 313
- pressure gap 390
- process intensification (PI) for clean catalytic technology 333–362
  - transport phenomena effect on, *see also individual entry* 334–340
- prochiral carboxylic acid
  - 4-[*trans*-2-(pyrid-4-yl-vinyl)]benzoic acid (PVBA) 119
- propane dehydrogenation 400–405
  - *in situ* HERFD XANES 403, 404
  - HERFD 401

- supported metal catalyst materials 400–404
- supported metal oxide catalysts 404–405

**q**

- quadrupole mass spectrometry (QMS) 72
- quantitative NMR spectroscopy
  - in technical samples 417–422
- quantum-dot-(QDs)-assisted photocatalysis 98

**r**

- racemic reaction 113–114
- reaction mass efficiency 4
- reaction mechanisms, *in situ* studies on 65–99, *see also in situ* investigations
- reaction monitoring in multiphase systems 39–61, *see also* coupled *in situ* spectroscopic techniques in organic synthesis
- reactive oxygen species 85–89
- residence time distribution (RTD) function 338, 425
- residence time distribution in MSR 348–350
- resonance Raman effect 370
- response surface methodology (RSM) 146
- Reynolds number 344, 354
- right-handed enantiomers 103

**s**

- ‘scaling up’ approach 7
- scanning transmission X-ray microscopy (STXM) 396
- secondary building unit (SBU) mechanism 371
- selective CO oxidation in hydrogen on Pt/CeO<sub>2</sub> and Pd/CeO<sub>2</sub> 457–460
- selective oxidation (selox) 11, *see also* alcohol selective oxidation
  - applications of 11–12
  - oxidant considerations 12
- selox catalysts
  - *in situ* studies of 24–32
  - operando X-ray studies of 24–32
  - X-ray photoelectron spectroscopy 28–32
- Sherwood numbers 345, 353
- silicalite-1 molecular sieves synthesis 367
- silicon-constrained monodentate alkylphosphane (SMAP) 174
  - Au-supported SMAP–Rh complex 174–176
- single-crystal surfaces, metal complexes on 174–177



- single-walled carbon nanotubes (SWCNTs) 21
  - sintered metal fibers (SMFs) 355
  - site-isolated heterogeneous catalysts/'site isolation' concept 173–189
    - assembled monolayers of metal complexes on single-crystal surfaces 174–177
    - cyano-ethoxycarbonylation using 188
    - double catalytic activation using bifunctional catalyst 186–189
    - Michael reaction using 188
    - tmtacn complexes 181–184
    - well-defined silica-supported Mo–imido alkylidene complexes for metathesis 184–186
  - small X-ray scattering 371–372
  - small-angle X-ray scattering (SAXS) 371
  - soft landing 254
  - solid acids and base-catalyzed clean technologies 125–163, *see also* biomass conversions
    - carbon-based materials 130–131
    - ion-exchanged resins 131–132
    - mechanistic studies of 125–163
    - new carbon–carbon bond formations 133–141
    - new catalytic systems 126–144
    - solid acid–base bifunctional catalysts 140–141
  - solid base catalysts 139–140
  - solid foams 353–358
  - solvent selection 22–24
    - ionic liquids and water 23–24
    - supercritical fluids 22–23
  - solvent suppression techniques 418–419
  - solvents for cleaning 5–6, *see also* alternative solvents
  - Sonogashira coupling reactions 308–310
  - spatially offset Raman spectroscopy (SORS) 375
  - specific outer surface area 335
  - sphere-packed monolith reactors 352
  - structured catalyst 350–358
    - fiber catalysts 355–358
    - monolithic honeycombs 350–353
    - solid foams 353–358
  - sugars to furfurals transformation 147–153
    - 5-hydroxymethylfurfural synthesis 148–149
    - furfural from xylose 149
    - furfurals from monosaccharides and disaccharides 149–153
    - Lobry de Bruyn–van Ekenstein transformation 148
  - sulfonated activated carbon (AC-SO<sub>3</sub>H) 145
  - sulfoxidation, MOFs 311–312
  - sunlight-driven Ag/Ag<sub>3</sub>PO<sub>4</sub> plasmonic nanocatalysts 97
  - supercritical fluid chromatography (SFC) 422
  - supercritical fluids 5, 22–23
  - support construction around the catalyst 108
  - supported ionic liquids on microstructured supports 358–360
  - supported metal (oxide) catalysts preparation 373–380, 400–405
    - activation 376–380
    - calcination 376–380
    - diagonally offset Raman spectroscopy (DORS) 374–376
    - impregnation 374–376
    - – incipient wetness impregnation (IWI) 374
    - infrared spectroscopy 379–380
    - magnetic resonance imaging (MRI) 374–375
    - X-ray diffraction imaging 377–379
  - supramolecular assemblies formation 116–118
  - surface intermediates, *in situ* studies on 65–99, *see also in situ* investigations
  - surfaces 185–189
  - Suzuki–Miyaura coupling reactions 308–312
- t**
- tailored nanoparticles for clean technology 241–282
    - catalytic activity importance on side effects 254–262
      - – dendrimer-templation approach 258
      - – electrocatalytic oxidation of CO 260
      - – factors affecting 256
      - – Michaelis–Menten approach 258
      - – modeling of catalytic activity 256–257
    - morphology effects on catalytic performance 272–282, *see also individual entry*
    - nano-size effects 262–272, *see also individual entry*
    - particle size effects on side effects 246–254
    - size effects 242–262
  - tandem deprotection–aldol reaction with acids and bases 144
  - temperature-programmed desorption (TPD) 118, 134

- tert*-butyl hydroperoxide (TBHP) 312  
 tetrabutylammonium hydroxide (TBAOH) 127, 223  
 tetradecyltrimethylammonium bromide (TTAB) 276  
 tetraethyl orthosilicate (TEOS) 126, 219  
 tetrakis(hydroxypropyl)phosphonium chloride (THPC) 14  
 tetramethyl silane (TMS) 416  
 tetrapropylammonium hydroxide (TPAOH) 198  
 Thiele modulus 335–338  
 three-phase hydrogenation of nitrobenzene over nanosized Au on TiO<sub>2</sub> 56–58  
 three-point contact model 51  
 time-resolved microwave conductivity (TRMC) experiments 73  
 tomographic energy-dispersive diffraction imaging (TEDDI) 377  
 trade-off index 348  
 transport phenomena effect on heterogeneous catalysis 334–340  
   – intensification of transport phenomena 340–360  
 triglycerides transesterification  
   – with alcohol over Brønsted acid catalysts 156, 157  
   – with methanol 155  
 trimethylphosphine oxide (TMPO) 128  
 trimethylsilyltrifluoromethanesulfonate (TMSOTf) 43  
 two-dimensional (2D) zeolites 201
- u**
- Ullmann coupling reactions 308–312  
 ultrahigh-vacuum (UHV) techniques 245  
 ultralarge pore zeolites 199–200  
 unsaturated Ru complexes supported on SiO<sub>2</sub> surfaces  
   – epoxidation performance of Ru catalysts 180  
   – reaction-induced and photoinduced formation of 177–181
- v**
- Vienna *ab initio* simulation package (VASP) 281
- w**
- water–gas shift (WGS) reaction 267–268  
 water-suppression-enhanced through T1 effects (WET) 419  
 water-tetrahydrofuran (THF) system 149  
 wide-angle X-ray scattering (WAXS) 371
- x**
- X-ray absorption fine structure (XAFS) 45  
   – X-ray absorption near-edge spectroscopy (XANES) 28, 380  
 X-ray absorption spectroscopy (XAS) 15  
 X-ray diffraction (XRD) 371, 377–379  
   – X-ray diffraction-computed tomography (XRD-CT) 377  
 X-ray photoelectron spectroscopy 28–32  
   – anaerobic conditions and 30  
   – electron transfer mechanism 28  
   – temperature-programmed 29, 31  
 X-ray studies of selox catalysts 24–28  
   – Pd during benzyl alcohol oxidation 24–26  
   – untreated and Bi-promoted Pd/Al<sub>2</sub>O<sub>3</sub> for phenyl ethanol selox 26
- y**
- Yttria-stabilized zirconia (YSZ) 462
- z**
- zeolite metal–organic framework (ZMOF) 295  
 zeolites 195–203, *see also* hierarchical zeolites  
   – conventional hydrothermal synthesis of 197–198  
   – crystallization mechanism 196–199, 368  
   – for cleaner technologies 202–203  
   – conventional hydrothermal synthesis of 197, 198  
   – crystallization mechanism 196–198, 368  
   – hierarchical zeolites 201–202  
   – large pore size (12 tetrahedra) 195  
   – medium pore size (10 tetrahedra) 195  
   – molecular sieves 195  
   – multifunctional zeolites 202  
   – nanocrystalline zeolites 200–201  
   – organic-inorganic hybrid zeolites 202  
   – preparation 195–203  
   – small pore size (6–8 tetrahedra) 195  
   – structure and topology of 196  
   – two-dimensional (2D) zeolites 201  
 zeolitic imidazole frameworks (ZIFs) 295