

Index

a

active matrix spatial light modulator (AMSLM) 43

adaptive networks

- chemical triggering 24
- light-induced logic operations 25–28
- light triggering 24–25

algorithmic assembly, via DNA lattices 206

- error correction schemes for tilings 207–209
- error sources 206–207

AND logic 15, 26, 62, 63, 64, 65, 67, 68, 71, 270–271

antibody encryption and steganography 108–112

approximation simulation 318–319

aptamers 118

- biocomputing 121–124

aqueous computing 245, 255–260

asymmetric structure 241

atomic force microscopy (AFM) 214

b

bacteriorhodopsin 33, 38

- genetic engineering, for device applications 51–53
- as photonic and holographic materials for bioelectronics 40
- – branched photocycle 42
- – light-induced photocycle 40–42

bio-barcode 113–114

biocatalyst 107, 113, 127

- cascade, 103–104, 106, 108m 109
- keypad lock 107
- oxidation 111

biochemical model, for heat shock response 332–334

biocomputing 61, 62, 69–71, 75, 77, 81, 82, 83, 85, 88, 89–94, 97, 98, 117, 265, 348, 349.

See also individual entries

- aptamer 121–124
- DNA 119–121
- enzyme 124–128

bioelectronic devices 61–62

- biomolecular logic systems 70–74
- enzyme-based logic systems
- – with electrodes modified with signal-responsive polymers 64–68
- – injury biomarkers processing by 74–77
- – producing pH changes as output signals 62–64
- – switchable biofuel cells controlled by 68–69

biofuel cells 107, 108, 109, 121–123, 125, 126

- switchable 68–69, 124

biological networks

- building models for 281–283
- translation into logic circuits 286–287

biomedical application. *See individual entries*

biomolecular computing systems 1–5, 199, 348. *See also biocomputing*

- biochemical DNA reaction networks 217–218
- design and programmability ease of 220
- DNA 200
- – computing 203–205
- – reaction review 200–203
- – structure 200
- – tiles 205–209
- experimental advances
- – in enzyme-based DNA computing 212–217
- – in purely hybridization-based computation 209–212

- biomolecular computing systems (*contd.*)
 - *in vitro* 220
 - scalability 218–220
 - biomolecular electronics and protein-based optical computing 33
 - bacteriorhodopsin as photonic and holographic materials for bioelectronics 40
 - – branched photocycle 42
 - – light-induced photocycle 40–42
 - bacteriorhodopsin genetic engineering, for device applications 51–53
 - Fourier Transform holographic associative processors 42–45
 - semiconductor electronics 34
 - – architecture 36–37
 - – nanoscale engineering 37
 - – reliability 38–40
 - – size and speed 34–36
 - – stability 38
 - three-dimensional optical memories 45–46
 - – efficient algorithms for data processing 48–50
 - – multiplexing and error analysis 50–51
 - – write, read, and erase operations 46–48
 - biomolecular finite automata 145–146
 - developmental biology applications 172–176
 - DNA-based automaton with bacterial phenotype output 161–163
 - first realization of autonomous DNA-based 150–155
 - molecular computing device for medical diagnosis and treatment *in vitro* 159–161
 - molecular computing with plant cell phenotype 163–167
 - molecular cryptosystem for images by DNA computing 157–159
 - molecular Turing machine theoretical models 146–150
 - three-symbol-three-state DNA-based 155–157
 - transducer 167–172
 - biomolecular logic 3
 - systems 70–74
 - biomolecule computing 260–261
 - biosensors 61, 64, 74, 77, 119, 123, 124, 129, 275. *See also* enzyme logic digital biosensors
 - Boolean analysis, of regulatory networks 285–286
 - biological networks translation into logic circuits 286–287
 - from digital networks to workable models 288–289
 - regulatory and metabolic logic integration in same Boolean circuit 287–288
 - Boolean logic 117, 119, 121–125, 128. *See also individual entries*
 - Boolean satisfiability problem (SAT) 253
 - Broken Lego Property 17
- c**
- cellular computing circuits development, bacteria-based 265, 266
 - genetic toolbox
 - – engineered gene regulation 267–269
 - – quorum sensing 269
 - implementations
 - – AND logic gates 270–271
 - – complex logic functions with multiple strains 272–273
 - – edge detector 271–272
 - – oscillators 269–270
 - – switches 270
 - transition from enzyme computing to bacteria-based computing 274–276
 - transition to *in silico* rational design 273–274
 - charge-coupled detector (CCD) 43, 48
 - chemical logic gates 9, 28. *See also* peptide-based computations
 - chemical reaction networks (CRNs) 217
 - circular DNA molecules 248–249
 - convolution-based parallel machine (CONV-PAR) 49–50
 - cooperative binding errors 206
- d**
- data refinement 331
 - decision making, in environmental bacteria 279–281
 - biological networks, building models for 281–283
 - Boolean analysis of regulatory networks 285–286
 - – biological networks translation into logic circuits 286–287
 - – from digital networks to workable models 288–289
 - – regulatory and metabolic logic integration in same Boolean circuit 287–288
 - Boolean description of m-xylene 289–291
 - – 3MB 296
 - – Ps–Pr regulatory node deconstruction into three autonomous logic units 292, 294

- – regulatory events formalization at upper and lower TOL operons 294–296
 - – TOL logicome 296–298
 - – TOL regulatory circuit narrative description 291–292
 - regulatory networks formulation and simulation 283–284
 - – graphical models 285
 - – stochastic versus deterministic models 284–285
 - deoxyribozyme 133–134, 135, 136, 202, 217
 - developmental biology applications and biomolecular finite automata 172–176
 - directed evolution 37, 52, 53
 - directed self-assembly 209
 - disjunctive normal form (DNF) 185, 187–188, 191
 - DNA 200
 - -based automaton, with bacterial phenotype output 161–163
 - -based finite automaton, first realization of autonomous 150–155
 - biocomputing 119–121
 - circular molecules 248–249
 - computing 3, 119–121, 246–251, 253–254, 255, 257, 259, 260–261, 347
 - – challenges 218–220
 - – experimental advances in enzyme-based 212–217
 - – Hamiltonian path problem via 204
 - – models 204
 - – molecular cryptosystem for images by 157–159
 - – NP-complete problems 203
 - – shortcomings and nonscalability if schemes using 204–205
 - ligation 202
 - polymerase 202
 - reaction networks, biochemical 217–218
 - reactions review 200–203
 - structure 200
 - tiles 205
 - – algorithmic assembly via lattices 206–209
 - – TAM 205–206
 - DNAzymes 2
 - dry splicing systems 249–252
 - dynamic programming (DP) 225
- e**
- electronic computing 347, 348
 - ELISA plate 110, 112
 - encryption 104, 106, 111–114
 - endonucleases 202
 - enumeration approach, to interacting nucleic acid strands analysis 225–226
 - chemical equilibrium and hybridization reaction system 227–229
 - set and multiset definitions and notations 226–227
 - symmetric enumeration method 230
 - – associated weight functions 241–242
 - – basic notations 237–239
 - – complexity issues 242–243
 - – convex programming problem for computing equilibrium 235–236
 - – enumeration graph 230, 239–241
 - – enumeration scheme 232–235
 - – path mappings 231–232
 - – symmetric properties 242
 - – target secondary structures 237
 - enzyme-based logic systems. *See* bioelectronic devices
 - enzyme biocomputing 124–128. *See also individual entries*
 - enzyme logic digital biosensors 81–82
 - filter systems application 94–96
 - injury codes multiplexing for parallel operation of enzyme logic gates 85–89
 - for injury conditions identifications 82–85
 - mimicking biochemical pathways 89–94
 - equilibrium equation 228
 - equilibrium state 228, 229
 - Escherichia coli* 265, 268, 269, 270, 272–273, 280, 282, 287, 326
 - exonucleases 202, 216
 - experimental logic gates 21
 - additional logic operations 23
 - NOT, NOR, and NOTIF logic 21, 23
 - OR logic 21
- f**
- feedback and feed forward loops (FFLs) 280, 286
 - feedback mechanism 326
 - feed-forward loop (FFL) 20–21
 - finite automaton 150–155, 252
 - fluid memory 254–255
 - Fourier Transform holographic associative processors 42–45
 - free-energy minimization problem (FEMP) 225, 235–236
- g**
- gene expression 183, 184, 191, 195
 - genetic engineering 37
 - bacteriorhodopsin, for device applications 51–53

genetic regulatory network 307, 308
graphical models 285

h

Halobacterium salinarum 33, 40
heat shock response
– biochemical model for 332–334
– pathway identification for
 phosphorylation-driven control of
 341–342
human–computer interface 348, 349
hybridization reaction system (HRS) 226,
 228–229, 230, 236

i

information security applications 103–104
– antibody encryption and steganography
 108–112
– bio-barcode 113–114
– molecular and bio-molecular keypad locks
 104–108
initial distribution 228
intelligent logic detection *See* biocomputing
in vivo information processing
– computational core experimental
 confirmation 188–189
– computation versus computer 182
– regulatory pathways as computations 181
– RNA interference-based logic 183–184
– – logic circuit blueprint 184–188
– sensory module building 189–190
– – complex transcriptional regulation using
 RNAi-based circuits 194–195
– – siRNA direct control, by mRNA inputs
 191–194
– synthetic biomolecular computing circuits,
 prior work on 182–183

k

keypad locks 104–108
kinetic tile assembly model (kTAM) 206

l

Langmuir-Blodgett technique 37
Latin hypercube sampling method (LHS)
 337–338
living cell functioning, model for processes
 inspired by 303–304
– examples 307–310
– gene expression systems approximations
 316–317
– quantitative model, generic 315–316
– reactions 304–305
– – generalized 312–315

– reaction systems 305–307
– – with measurements 310–312
– – simulating approximations by 318–319
logic gates 2, 61, 62, 65, 66, 68, 73–75, 82,
 85–89, 91, 94, 97, 103–104, 107, 133, 134,
 136, 137, 281, 286–287, 293, 295, 299. *See*
 also *individual entries*
– biochemical 63
– construction
– – RNA quasispecies replication 17–19
– – symmetry and order in peptide-based
 catalytic networks 16–17
– within ternary networks
– – AND logic 15
– – NAND logic 15
– – OR logic 14–15
– – uniform design principles of two-input
 gates 13–14
– – XOR logic 15–16
logic network 81, 89, 90
Lotka–Volterra chemical oscillator CRN, using
 DNA 218

m

MAYAs 134, 136, 137, 138, 139
measurement function 311, 312, 314, 315,
 319
metabolic networks 281
mitogen-activated protein (MAP) kinase 126
molecular and bio-molecular keypad locks
 104–108
molecular computing 182, 191, 194, 195
– device, for medical diagnosis and treatment
 in vitro 159–161
– with plant cell phenotype 163–167
– and robotics 133
– – gates and programmable automata
 133–139
– – random walker and molecular robotics
 139–142
molecular networks 9, 13, 17, 24. *See also*
 peptide-based computations
molecular programming, DNA as tool for
 200
– DNA reaction review 200–203
– DNA structure 200
molecular spiders 140
m-xylene Boolean description 289–291
– P_s–Pr regulatory node deconstruction into
 three autonomous logic units 292, 294
– regulatory events formalization at upper and
 lower TOL operons 294–296
– – 3MB 296
– TOL logicome 296–298

- TOL regulatory circuit narrative description 291–292

n

- NAND logic 15, 26, 122
- nanomedicine 348
- natural computing 303
- network motifs 20–21
- NOR logic 21, 73
- NOTIF logic 21, 23
- NOT logic 21
- nucleases 202
- nucleotides 200

o

- ordinary differential equations 284
- OR logic 14–15, 21, 63, 64, 65, 67, 68, 71, 74, 75

p

- peptide-based computations 9–10
 - adaptive networks
 - chemical triggering 24
 - light-induced logic operations 25–28
 - light triggering 24–25
 - arithmetic units 19–20
 - experimental logic gates 21
 - additional logic operations 23
 - NOT, NOR, and NOTIF logic 21, 23
 - OR logic 21
 - logic gates construction
 - RNA quasispecies replication 17–19
 - symmetry and order in peptide-based catalytic networks 16–17
 - logic gates within ternary networks
 - AND logic 15
 - NAND logic 15
 - OR logic 14–15
 - uniform design principles of two-input gates 13–14
 - XOR logic 15–16
 - network motifs 20–21
 - replication networks
 - *de novo* designed synthetic networks 12–13
 - network connectivity theoretical prediction 11–12
 - template-assisted replication 10–11
 - switches and gates for molecular electronics 28–29
- photocycle 40
- plasmids, computing with 253–254
- process refinement 331
- Pseudomonas aeruginosa* 275, 276

- Pseudomonas putida* 281, 283, 289
- purple membrane 40

q

- quantitative submodel comparison
 - computational methods 323–324
 - case study
 - biochemical model for heat shock response 332–334
 - control-based decomposition 334–335
 - knockdown mutants and local comparison 335–337
 - parameter-independent comparison of mutant behavior 337–341
 - pathway identification for phosphorylation-driven control of heat shock response 341–342
 - methods 327
 - local submodel comparison 329
 - mathematically controlled model comparison and extension 327–329
 - model comparison for pathway identification 332
 - parameter-independent submodel comparison 331–332
 - quantitative measure for goodness of model fit against experimental data 329–330
 - quantitative refinement 330–331
 - model decomposition methods 324
 - control-based decomposition 325–326
 - elementary flux modes 325
 - knockdown mutants 324–325
- quorum sensing 269

r

- random mutagenesis (RM) 52
- regulatory networks
 - Boolean analysis of 285–286
 - biological networks translation into logic circuits 286–287
 - from digital networks to workable models 288–289
 - regulatory and metabolic logic integration in same Boolean circuit 287–288
 - formulation and simulation 283–284
 - graphical models 285
 - stochastic versus deterministic models 284–285
- replication networks, peptide-based
 - *de novo* designed synthetic networks 12–13
 - network connectivity theoretical prediction 11–12
 - template-assisted replication 10–11

- restriction enzymes, in language generation 245–246
 - aqueous computations 255–260
 - biomolecule computing 260–261
 - dry splicing systems 249–252
 - fluid memory 254–255
 - plasmids, computing with 253–254
 - splicing theory 252–253
 - wet splicing systems 246–249
 - RNA interference-based logic 183–184
 - complex transcriptional regulation using RNAi-based circuits 194–195
 - logic circuit blueprint 184–188
 - RNA quasispecies replication 17–19
 - robotics, molecular 139–142
- S**
- secondary structures 233, 237
 - seesaw gates 209–212
 - self power 123, 125, 126, 127, 128–129
 - self-replication 11, 17
 - semiconductor electronics and molecular electronics 34
 - architecture 36–37
 - nanoscale engineering 37
 - reliability 38–40
 - size and speed 34–36
 - stability 38
 - semi-random mutagenesis (SRM) 52
 - sensory module building 189–190
 - complex transcriptional regulation using RNAi-based circuits 194–195
 - siRNA direct control, by mRNA inputs 191–194
 - siRNA direct control, by mRNA inputs 191–194
 - site-directed mutagenesis (SDM) 52
 - site-specific saturation mutagenesis (SSSM) 52
 - snaked-proofreading technique 207–208, 209
 - spatial computation 138–139
 - splicing language 246
 - consisting of 10 molecular varieties 246–247
 - infinite 247–249
 - splicing system 245
 - splicing theory 252–253
 - S-systems 327
 - steganography 108–112, 111
 - sticker-based methods 204
 - stochastic versus deterministic models 284–285
 - strand displacement 200–201, 201, 209, 213, 217
 - switches and gates, for molecular electronics 28–29
 - symmetric enumeration method (SEM) 226, 230
 - application to nucleic acid strands interaction
 - associated weight functions 241–242
 - basic notations 237–239
 - complexity issues 242–243
 - enumeration graph structure definition 239–241
 - symmetric properties 242
 - target secondary structures 237
 - convex programming problem for computing equilibrium 235–236
 - enumeration graph 230
 - enumeration scheme 232–235
 - path mappings 231–232
 - symmetric structure 241
 - synthetic biology 281, 299
 - synthetic biomolecular computing circuits, prior work on 182–183
 - synthetic networks, *de novo* designed 12–13
- T**
- TAM model 205–206
 - template-assisted replication 10–11
 - test tube model 204
 - three-dimensional optical memories 45–46
 - efficient algorithms for data processing 48–50
 - multiplexing and error analysis 50–51
 - write, read, and erase operations 46–48
 - three-symbol-three-state DNA-based automata 155–157
 - threshold inequalities 289
 - tiles, DNA 205
 - algorithmic assembly via lattices 206–209
 - TAM 205–206
 - TOL logicome 289–298
 - transcriptional regulation, complex
 - using RNAi-based circuits 194–195
 - transcription factors 183, 194–195, 279, 281, 282–283, 287–288
 - transducer, biomolecular finite 167–172
 - transition molecules (TMs) 148, 152, 158
 - transition system 307, 309–310
 - Turing machine theoretical models, molecular 146–150

u

unconventional computing *See* restriction enzymes, in language generation

v

Vibrio fischeri 269

w

wet algorithm 245. *See also* splicing language

whiplash PCR 212

whole cells 267

x

XOR logic 15–16

