

Index

a

- ABC-type transporters 88
- abiotic factor 88, 176
- abiotic signals 2
- abiotic stresses 60, 61, 81, 115
- roles of selected secondary metabolites in response to 115
 - xanthophyll cycle, resistance against 108
- Abrus precatorius* 252
- acetylcholine 252, 310, 312
- role in control of voluntary/involuntary processes 312
- acetylcholinesterase (AChE) 321
- inhibition 321
 - insect-specific AChE inhibitors 335
 - irreversible inactivation 335
 - medical applications of inhibitors 336
 - natural inhibitors 333, 334
 - symptoms of SLUDGE 335
- AChE. *see* acetylcholinesterase (AChE)
- acidification 108
- Acomys cahirinus* 187
- Acomys russatus* 187
- actin filaments 91
- acyltransferases 52, 53, 104
- adenosine triphosphate (ATP) 10, 32, 33
- adenylate cyclase 10
- Aesculus hippocastanum* 195
- aflatoxin B1 231
- aflatoxin, in food 230
- carcinogenic, metabolism of 231
- aging 259, 271, 278, 336, 345, 347
- aglycones 370
- Agrobacterium rhizogenes* 71
- air pollution 124
- ajmalicine 77
- alanine 182
- albumin 366
- aldoximes 28, 46
- aliphatic glucosinolates, major variation in 26
- alkalinization 108
- alkaloids 10, 12, 85, 160, 161. *See also various alkaloids*
- act a phytoalexins 149
 - and growth 93–95
 - importance 15
 - parasitic plants accumulate 171
 - and precursors, according to their chemical structure 13–15
- alkenylbenzenes 231
- allelochemicals 171
- inhibitory effect 170
 - juglone 171
 - pH value, role in the function of 171
 - protective against plants 171
 - volatiles serve as 172
- allelopathy 7, 170
- Alliaria petiolata* 46
- allicin 355, 356
- allyl isothiocyanate 317
- alpha-terthienyl compound 164
- alternative oxidase (AOX) 100, 101
- Alzheimer's disease 237, 277, 321, 336, 351, 373, 377
- Amanita muscaria* 22
- Amanita phalloides* 250
- Amanita virosa* 250
- amararanthin 22
- amino acids 16, 310, 341, 346
- γ -aminobutyric acid 310
- ammonium 49
- Amorphophallus titanum* 100, 101
- AMP-activated kinase (AMPK) 346, 347
- amphetamine-like compounds 18
- amphetamines 19, 337
- Angelica acutiloba* 334
- Angelicae sinensis radix* 375

- anthraxanthine 120
 - anthocyanins 21, 22, 41, 42, 44, 85, 95, 106, 118, 123, 169
 - colors, dependent on parameters 106, 107
 - as pH indicators 107
 - role in abiotic stress tolerance 106
 - anthranilate synthase 77
 - anthranilic acid 12
 - anthraquinones 10
 - anticarcinogenic substances, from marine organisms 362
 - antidepressants 69, 329
 - antimicrobial potential, in plant protection 154
 - antioxidants 68, 84, 124, 261, 278
 - high-dose and health 280
 - in leaves under nutrient deficiency 123
 - antioxidative cellular reaction 277
 - antioxidative enzymes 117
 - antioxidative properties, in plants 116–118
 - Antirrhinum majus* 108
 - apigenin 119, 125, 187
 - apigeninidin 150
 - apocarotenoids 131
 - apoptosis 48, 56, 134, 245, 346, 347, 353, 362
 - Arabidopsis thaliana* 19, 21, 25
 - chalcone synthase mutants 19
 - development of plant 84
 - flavonoid-free mutants 96
 - gene duplication 48
 - model plant to investigate natural variations 58
 - nitrilase activity 49
 - SAR signaling 154
 - transcriptional control of pigment and proanthocyanidin synthesis in 36
 - *transparent testa (tt)* mutants 19
 - arbuscular mycorrhizal (AM) fungi 108, 169
 - flavonoids as common signals in arbuscular mycorrhiza and rhizobia symbiosis 129
 - synthesis and compartmentation, of mycorradicin and derivatives in roots colonized by 130
 - Arion lusitanicus* 166
 - Aristolochia clematitis* 229
 - aristolochic acid 247
 - bioactivation of 230
 - aroma volatiles 99, 100, 102
 - amino acid derivatives 99
 - fatty acid derivatives 99
 - phenylpropanoids/benzenoids 99
 - terpenoids 99
 - ascorbic acid 139, 141, 151, 264, 266
 - ascorbigen 139
 - asparagine 29, 49
 - aspartic acid 49
 - Aspergillus flavus* 182, 230
 - Aspergillus terreus* 334
 - aspirin 365
 - Astragali radix* 375
 - Atrichelaphinis tigrina* 100
 - autoimmune diseases 344
 - autophagosomes 347
 - autophagy 347
 - autotoxicity 171
 - auxins 60, 83, 84, 142
 - asymmetric distribution 90
 - chemiosmotic model 88
 - efflux 88
 - flavonoid-deficient plants 127
 - homeostasis 60
 - transport 88
 - *tt* mutants 90
 - AUX, transport protein 88
 - avenacin 52, 53, 55, 57
 - avenacin A, preformed defense compound 138–140
 - avenacinase 139
 - Avena sativa* 56
 - $\Delta 5$ -avenasterol 99
 - axons 312
 - Azadirachta indica* 164
 - azelaic acid 154
- b**
- bacterial toxins 252
 - Banisteriopsis caapi* 338
 - Barbarea vulgaris* 161
 - beetle-pollinated species 100
 - benzaldehyde 192
 - benzenoid compounds 100
 - benzoic acid 19
 - benzophenanthridine 18, 149
 - benzoxazines 182
 - benzoxazinoids 142
 - derivatives, roles 142
 - formation of conjugates with thiol groups by 143
 - benzoylation 25
 - benzoyl-CoA 19
 - benzylacetate 104
 - benzyl alcohol 104, 192
 - benzylglucosinolates 26, 128, 185
 - benzylisoquinolines 18, 333
 - benzylisoquinones 44

- berberine 18, 334
 - betacyanins 22, 24
 - biosynthesis from aromatic amino acid tyrosine 23
 - novel gene involved in biosynthesis in *Beta vulgaris* 24
 - betalain-containing plant species 22
 - betalains 22, 44
 - biosynthesis from aromatic amino acid tyrosine 23
 - N-containing 22
 - betalamic acid 22
 - betanidine 22, 23, 68, 69
 - betaxanthins 22, 24
 - bioactive metabolites 69
 - bioavailability 366
 - effects on enzymes controlling 232, 233
 - medical importance 233, 234
 - biochromatography 68
 - biofilm 151
 - biofumigation 154, 155
 - biogenic amines 310
 - biological effects, on microorganisms and animals 175
 - coevolution 175
 - biologically active food 341
 - biological plant protection
 - against insects with secondary metabolites 164
 - biological space 368
 - Biology-Oriented Synthesis (BIOS), of nature-inspired substances 368
 - biopesticides 68, 81
 - bioreactors 72, 115
 - configurations, used for Hairy root cultivation 78
 - biosynthetic pathways
 - and metabolism of glucosinolates cyanogenic glycosides in comparison 27
 - pathways for flavonoid synthesis derived from 21
 - of selected phenols from phenylalanine as precursor 20
 - biotic factors 61
 - biotic stress 1, 2, 39, 57, 65, 72, 75, 82, 120, 127
 - biotransformation 182
 - effects on enzymes controlling 232, 233
 - enzymes 354
 - incidence of polymorphisms for enzymes 235
 - natural substances, inhibiting enzymes 233
 - bird-pollinated species 100
 - bitter-tasting 10
 - Blarina brevicauda* 247
 - blood–brain barrier 329
 - Botrytis cinerea* 182
 - Brassicaceae 24, 25, 46, 49, 127, 161
 - nitrilases 49
 - plants belonging to 25
 - brassicinal A 148
 - Brassica napus* 25, 67, 148, 162, 169
 - direct transport of aliphatic glucosinolates across plasma membrane 44
 - Brassica oleracea* 74, 157
 - mutant (*see* MYB, transcription factor)
 - brassicalexin 28, 148
 - brassinin 148
 - Brevicoryne brassicae* 185
 - B-ring 125
 - broccoli 25
 - affected target proteins 234
 - health benefits, and presumed molecular basis 354
 - health benefits ascribed to 354
 - sprouts 120
 - sulforaphane 353
 - α - and β -bungarotoxin 308
 - Buxaceae 334
- C**
- cadaverine 18, 100
 - caffeine 14
 - calcium signaling 117
 - callose 139
 - calmodulin 39
 - binding motif 39
 - caloric restriction (CR) 278, 347
 - benefits of 344
 - calorigenic compound, emission of volatiles by induction with 100, 101
 - camalexin 36, 39, 140
 - control pathogenicity 141
 - synthesis 38
 - Cameraria ohridella* 195
 - camphor 172
 - cancerogenesis 254, 350, 361. *See also* carcinogenesis
 - dysregulation of critical regulatory processes 361
 - cannabinoids, bioactivity 315–318
 - analgesic properties 324–327
 - pain pathways 325
 - effects of phytocannabinoids on neural functions 318–320
 - beneficial effects 321, 322
 - glutamatergic synapse 316

- neural network activity, modulated by endocannabinoid signaling 318
- perisynaptic signaling machinery 317
- reaction cascade 316
- signaling at glutamatergic synapse 317
- TRPV₁ receptor 317
- vanilloid receptors 317
- capsaicin 317
- carbamodithioate 276
- carbinol pseudobase 108
- carboxyfluorescein (CFSE) 244
- carboxylases 83
- carboxylic acid 25, 29
- carboxymethyltransferases 104
- carcinogenesis 230, 231, 253, 272, 302
- carcinogens 254
- Caricaceae 46
- Carica papaya* 24, 46
- carotenoids 29, 108, 120
 - as lipophilic pigments 108
 - occurring in flowers 109
- Caryophyllales 22, 44, 106
- case studies, for selected natural compounds 221
 - catechins 224
 - morphine 226, 227
 - nicotine 227–229
 - proanthocyanidins 224
 - quercetin 221–224
 - resveratrol 224–226
- castanospermine 18
- catalase 83, 117
- catechins 22, 117
- Catha edulis* 18
- catharanthine 77
- Catharanthus roseus* 36
 - compartmentation of terpene indole alkaloid biosynthesis 17
 - drugs vinblastine and vincristine by dimerization of 75
 - genetically modified terpene indole alkaloid metabolism in 76
 - RNA-mediated suppression of tryptamine biosynthesis 77
- cathinone 14, 18
- cell cycle 91
- cell death 95, 148, 244, 361
- cellular stress 201, 345
 - hormetic response to 345
- Centaurea rupestris* 153
- central nervous system (CNS).
 - see* nervous system
- cerivastatin 193
- chalcones 108, 125
- chalcone synthase 19, 96, 119
- chelates, with metals 274, 275
- chemical modification of natural substances 367
- chemoprotective effect 276
- chemotaxonomy 65
- Chenopodiaceae 127, 128
- chitinase 135
- chitosan 56
- chlorophylls 30, 166
 - triplet state of 120
- cholesterol 99
- cholinergic signaling 308
 - for activity of voluntary/autonomous nervous systems 314
 - natural substances affecting 330
 - target for natural substances 332, 333
 - toxicity of excessive 334
- chromosomal aberrations 256
- 1,8-cineol 172
- cinnamic acid 19, 88
 - derivatives 44
- cinnamon oil 356
- cinnamoyl-CoA 19
- Cistus ladanifer* 187
- Clostridium botulinum* 252
- 2-C-methyl-Derythritol-4-phosphate 31
- cocaine 15, 18
- Coccinella septempunctata* 184
- codeine (3-O-methylmorphine) 18, 322
- codeinone 18
- colchicine 15, 92, 93
- cold stress 122
- Coleoptera 184, 187
- collenchyma 88
- Colletotrichum graminicola* 150
- colonization 129
 - by biotrophic pathogens 148
 - mycorrhizal fungi 130
- colors, of flowers 105
 - distinguished by bees 105, 106
- combinatorial chemistry 368
- compartmentation
 - process, implications 7
 - of terpene indole alkaloid biosynthesis in *Catharanthus roseus* 17
 - tissue-specific and subcellular, hydrophilic and lipophilic compounds 8
- condensed tannins 21
- coniine 14
- copalyl synthase 51
- p*-coumaric 173

- coumarin 19
 CR. *see* caloric restriction (CR)
 Creutzfeld–Jakob disease 336
 cryoprotectants 122
 C15-skeleton 125
 culture conditions 69
 curcumin, inducing ROS in human hepatoma cell 277
Cuscuta europea 168
Cuscuta pentagona 169
Cuscuta reflexa 168
 cyanide bomb 185
 β-cyanoalanine 29
 cyanoalanine nitrilase 49
 cyanobacteria 125
 cyanogenic glycosides 6, 10, 24, 28, 29, 46, 166, 173
 – metabolism of 49
 cyanohydrin 29
 cyclic AMP (cAMP) 10
 cyclic guanosine monophosphate (cGMP) 10
 cyclobrassinin 28, 148
 cyclo-DOPA 23
 cyclooxygenase I 230
 cycloamine 257
 CYP2A6 gene 229
 cysteine 29, 335
 cytochrome c oxidase 83
 cytochrome P450-dependent monooxygenases 24, 83, 104
 cytokinins 142
 cytoskeleton 10, 91, 200
 – actin cytoskeleton with phalloidin 251
 cytotoxicity 242–246. *See also* toxicity
 – quantitative toxicological evaluation *in vivo* 242
 – tests to determine compound 243
- d**
 daidzein 125, 221
 danaidale 185
 danaidone 185
Danio rerio 255
 databases, of natural substances 368
 defense 132–134
 – endogenous cellular ROS defense, by natural substances 276
 – induced-defense compounds 143
 – induced defense mechanisms in plants, by secondary metabolites 133
 – inhibition of enzymes involved in stress defense 275, 276
 – larvae of *Chrysomela* species, defense mechanism 187
 – pathogens 134, 135
 -- events leading to a resistance response in plants after interaction with 135
 -- pathogenesis-related (PR) proteins 135
 -- phytoanticipins, preformed defense compounds 136, 137
 -- systemic acquired resistance 135
 – phytoalexins, from different plant species 144–148
 – phytopathogenic fungi alter chemical defense of plants against insects 163, 164
 – plant defense, differentially regulated after wounding/damage by insects
 -- using jasmonic acid as signal 160
 – preformed defense response 136
 – secondary metabolites, as plant defense compounds 134
 – strategy of wild tobacco 195
 – systemic acquired resistance 153, 154
 – volatiles roles as defense compounds 162
 defoliation 195
 dehydroabietinal 153, 154
Delia radicum 163, 189
 demissin 162
Deroceras reticulatum 166
 desoxyribonucleic acid (DNA) 10
 desulfo-glucosinolates 139
 detoxification 28, 46, 49, 123, 139, 143, 175, 181, 182, 231, 357, 358
 – of cyanide 49
 – via glycosylation 182
 dhurrin 28, 166
 dibenzofurane 132
 dicarboxylases 83
 digitalis glycosides 10, 42
 diglycosides 22
 dihydroflavonol-4-reductase (DRL) 95
 dihydroflavonols 21
 2,4-dihydroxy-2*H*-1,4-benzoxazin-3(4*H*)-one 28
 2,4-dihydroxy-7-methoxy-1,4-benzoxazin-3-one (DIMBOA) 28
 DIMBOA (2,4-dihydroxy-7-methoxy-1,4-benzoxazin-3-one) 28, 52, 142, 194
 dimethylallyl-diphosphate (DMAP) 29
 dimethyldisulfide 100
 dimethyl-nonatriene 193
 dimethyltrisulfide 100
 3,7-di-*O*-methyl kaempferol 187
 1,4-diphenyl butadiene 132

- disaccharide 22
 - diterpenes 31
 - synthases 51
 - DNA-binding proteins 369
 - DNA repair 254
 - DODA gene 24
 - for betaxanthins 24
 - DOPA (L-3,4-dihydroxyphenylalanine) 22
 - DOPA 4,5-dioxygenase (DODA) 24
 - dopamine 310
 - DOPA-quinone 24
 - dose–response curve 200
 - Dracunculus vulgaris* 100, 101
 - DRL gene 95
 - DRL promoter 96
 - Drosophila melanogaster* 190
 - drought-mediated stress conditions 93
 - drought stress 122
 - drug discovery, by pharmaceutical industry 371
 - drugs and different target proteins, network of molecular interactions between 374
 - Dysdercus cingulatus* 161
 - (dys)regulation, complex critically involved in cancer 346
- e**
- (*E*)- β -caryophyllene 193
 - (*E*)- β -ocimene 195
 - ecdysone 99, 161
 - ectomycorrhizal fungus 128
 - synthesize and secrete growth-promoting indole alkaloids 128
 - (*E*)-4,8-dimethyl-1,3,7-nonatriene 193, 195
 - effector-triggered immunity (ETI) 176
 - EGF receptor (EGFR) 350
 - (*E*)-2-hexenal 193, 194
 - encephalin 310
 - endocannabinoid signaling. *see* cannabinoids, bioactivity
 - endocrine disruptors 280–285
 - endocrine effects, of natural substances 280
 - endocrine system, signaling 308
 - endomorphines 310
 - endophytic fungi 131
 - endorphins 323
 - environmental pollution 123
 - air pollution 124
 - heavy metal stress 123
 - ephedrine 18, 337, 338
 - epigallocatechin-3-gallate (EGCG) 355, 366
 - epithionitrile 29
 - epithiospecifier protein 29
 - epoxidation, by several CYP enzymes 231
 - ergosterol 139
 - ergotamine 337
 - Erythroxylaceae 48
 - Escherichia coli* 252
 - Eschscholzia californica* 149
 - estradiol receptor, target of natural substances 287–290
 - ethnomedicine 199
 - Eustoma grandiflorum* 42
- f**
- α -farnesene 195
 - farnesylpyrophosphate 104
 - F-box protein 37, 38
 - fertilizers 162
 - ferulic 173
 - flavanols
 - Role of the gut microbiota for uptake and 225
 - flavanone-7-*O*-glucose 113
 - flavin-containing monooxygenase (FMO3) 229
 - flavones 21
 - flavonoids 19, 21, 41, 42, 84, 85, 108, 151
 - accumulation in cell-specific fashion to protect 119
 - antioxidant properties of 117
 - antioxidative effect *in vitro* 256
 - as aroma compounds 112
 - biosynthesis, regulation 36
 - effect on aphid resistance of bean plants 163
 - formation of pollen grains and their fertility 95
 - function as antimicrobial compounds 149
 - glycosylated 97
 - induced by high light 119
 - induced defense mechanisms in plants by (*see* Defense)
 - induction by UV light 119
 - influence resistance against aphids 161
 - influence the cell cycle 93
 - as inhibitors of polar auxin transport 89
 - major classes, with estimated number of compounds and functions 22
 - modulate auxin transporters 59
 - pollen formation dependent on 97
 - reaction with ROS and chelate trace metals 274, 275
 - ROS-scavenging activity 277
 - secreted by the roots of hosts 129
 - *in situ* staining of flavonoids in *Arabidopsis thaliana*

- with diphenylboric acid
 - β-aminoethylester 66
 - transport 88–90
 - flavonole-3-hydroxylase 151
 - flavonole naringenin 151
 - flavonol-3-O-glycoside 97, 98
 - role in pollen development 97
 - flavonols 21
 - flavoproteins 83
 - flower biology 98
 - fluorescence *in situ* hybridization (FISH) 56
 - Folsomia candida* 189
 - food components 341
 - physiological reactions elicited by 341
 - food consumption, affecting health status 344
 - food restriction and cell stress, on health and longevity 345
 - food with health-promoting bioactive substances 351
 - broccoli (sulforaphane) 353, 354
 - garlic (allicin) 356
 - grapes (resveratrol) 351–353
 - green tea (epigallocatechin 3-gallate) 355
 - hops (xanthohumol) 354, 355
 - forkhead transcription factors (FoxO) 346
 - fosfomycin 373
 - fosmidomycin 193
 - fruit development 109–111
 - functional food 359, 360
 - fungicide 182
- g**
- Gaeumannomyces graminis* 138
 - galanthamine 334, 336
 - gasotransmitter 324
 - gene clusters 52–57
 - in biosynthesis of secondary metabolites in plants 53
 - cluster for phytoalexane 52
 - hypothesis for the evolution of core genes within 55
 - gene duplication 48–51
 - indole derivative DIMBOA in maize 48
 - *MAMA* gene 47
 - synthesis of secondary metabolites from *Arabidopsis* and 48
 - genetically modified organisms (GMOs) 65
 - genetic polymorphisms 235
 - caffeine 237, 238
 - codeine 238
 - CYP gene affecting bioavailability of substance 237
 - for key metabolic enzymes 235, 236
 - morphine 238, 239
 - personalized medicine 239, 240
 - pharmacogenomics 239, 240
 - genistein 125
 - geranyl-geranyl-diphosphate 31
 - geranylpyrophosphate 104
 - germacrene 195
 - glandular trichomes, of tobacco 195
 - β-1,3-glucanase 135
 - glucosinolate 25
 - biosynthesis, transcriptional control 38
 - glucosinolate-containing genus *Drypetes* 44
 - glucosinolate–myrosinase system 25, 139
 - cellular compartmentation in inflorescences of *Arabidopsis thaliana* 26
 - glucosinolate 2-propenylglucosinolate 46
 - glucosinolates 6, 10, 24, 25, 28, 39, 44, 46, 59, 139, 160, 162, 185, 341
 - and biosynthesis of IAA 90
 - broccoli sprouts 120
 - insects sense to 191
 - long distance transport and loading/unloading 43
 - glucosinolates (GSL)
 - metabolized and/or excreted from various plant 186
 - glucosinolate-specific transporters 43
 - glucosyltransferases 46
 - β-glucuronidase 95
 - glutamic acid 310
 - glutamine 179
 - glutathione 117, 139, 142
 - glutathione S-transferase 231
 - glutathione S-transferase (GST)-like protein 41
 - glutathione transferases 142
 - glyceollin
 - accumulation 149
 - in incompatible interaction 148
 - glycine 182
 - glycosides 24
 - glycosylated anthocyanins 106
 - glycosylated DIBOA 28
 - glycosylation 26
 - feature of natural compounds 368
 - glycosylation reactions 22
 - Golgi apparatus 10
 - G-protein-coupled receptors 309, 364
 - green leaf volatiles 100, 193, 195
- h**
- hallucinogenic drugs 328
 - harmaline 338

- harmine 338
 - H⁺-ATPases 142
 - haustorium 169
 - induction of 170
 - HDMBOA levels 142
 - health industries 341
 - health-promoting products 341
 - health-promoting substances in food,
 - mechanistic principle 357–359
 - healthy food 341
 - guidelines for 359
 - heavy metals 115, 123
 - detoxification of 123
 - stress 123
 - hederagenincellobiose 161
 - Helicoverpa armigera* 157
 - hemiparasites 166, 167
 - hemolytic-uremic syndrome 252
 - hemolytic-uremic syndrome (HUS) 247, 252
 - Herba epimedii* 210
 - herbivores 9
 - adaptation mechanisms 179, 180
 - perception of diverse signals by plants
 - generated by 177
 - herbivorous insects 7
 - highdensity lipoprotein (HDL) 343
 - high temperature 120
 - accumulation of phenolic compounds 121
 - anthocyanins induced in *Arabidopsis* 121
 - glucosinolates, increased synthesis at 121
 - lipid peroxidation 120
 - volatile terpene compounds, role in 121
 - histones 200, 211, 300, 301
 - holoparasites 168
 - homeostasis 131
 - camalexin, factors for the regulation of 131
 - control of reactive oxygen, and nitrogen species 261
 - homomethionine 46
 - homospermidine 18
 - hookerianamide 334
 - hormesis 278
 - hormone gradients 88
 - hormone replacement therapy 297, 298
 - 5-HT_{1A} and 5-HT_{2A} receptors 329
 - human brain 314
 - hummingbirds 197
 - adapted to low nicotine levels 197
 - pollination strategy 197
 - Humulus lupulus* 354
 - Huperzia serrate* 333
 - huperzine 334
 - hydrangea flowers 107
 - p*-hydrobenzoic acid 173
 - hydrogen peroxide 117, 118
 - accumulation of glyceollin 148
 - hydroxy-danaidale 185
 - hydroxylation 26
 - hydroxymethylglutaryl-CoA synthase 30
 - hydroxynitrile 47
 - hydroxynitrile lyase 29
 - hyoscyamine 15, 18, 74
 - hypaphorine 93, 128
- i**
- icaritin 209, 210
 - indigo 68
 - indole-3-acetaldoxime 28
 - indole-3-acetic acid (IAA) 15, 83
 - indole alkaloids 19
 - indoleamines 329
 - indole derivatives 24
 - in grasses 142
 - indole glucosinolate biosynthesis 90, 91
 - and formation of plant hormone IAA 91
 - indole glucosinolates 39, 58
 - act as pathogenicity factors 142
 - levels, reduction in disease
 - symptoms 142
 - metabolism to toxic defense
 - compounds 141
 - indole-3-glycerol phosphate 28
 - indole-3-methylamine 139
 - indole-3-methylglucosinolate 139
 - indole phytoalexins 28
 - indole-type phytoalexins, in *Brassica* species 28
 - indolizidine alkaloids 18
 - insects 182
 - adaptation responses, to physico-chemical
 - plant surface structures 182, 183
 - attraction of 189–198
 - glucosinolates metabolized and/or excreted
 - from 186
 - herbivorous 7
 - perception of attractive and unattractive
 - compounds/volatile mixtures by 192
 - sense glucosinolates 191
 - strategies to avoid plant's defense
 - mechanisms 184
 - volatile compound, attractive for parasitoid or
 - zoophagous insects 193
 - zoophagous 7, 193–195
 - insulin-like growth factor (IGF-1) 279, 346
 - interactions. *See also* molecular interactions,
 - with cellular components

- resistant 132
- susceptible 132
- invertebrate herbivores 154
 - distribution of glucosinolates in different leaf parts 159
 - insects 155–163
 - plant defense, regulated after wounding/damage using jasmonic acid as signal 160
 - sucking insects 157
 - sucking vs. chewing insects 158
- Ipomea nil* 108
- isoflavonoids 19, 21, 125, 126
- isoleucine 18
- isopentenyl-diphosphate (IPP) 29
- isoprene 124
 - derivatives 104
- isoprenoids 131
- isorhamnetin 161
- isothiocyanates 10, 25, 28, 139, 166, 185, 187, 276
 - volatile 25

j

- jasmonate 77
- jasmonate-dependent signaling pathway 179
- jasmonate-mediated gene expression regulation
 - COI signaling pathway 37
- jasmonic acid 35, 36, 37, 39, 160, 161
- Juglans regia* 172
- juglone 171
 - metabolism 172
 - synthesis 172

k

- kaempferol 21, 61, 86, 90, 96, 119, 161, 187, 353, 355
- kaempferol-3-*O*-rutinoside 151
- kaurene synthase 51

l

- laticifers 6
- leaching 154
- leghemoglobin 127
 - plant-derived 127
- Lepidium sativum* 26, 58, 128, 142
- Lepidoptera 184
- Leptosphaeria maculans* 164, 182
- lethal phenotypes 372
- Letharia vulpina* 166
- leucine 18
- (leuco)anthocyanidins 22

- leucoanthocyanins 44
- leuencephalin 323
- lichens 131, 132, 166
- light-harvesting complexes 120
- lignans 44
- lignins 44, 85, 87, 88, 133, 143
 - monomers 88
- linalool 100, 113
- lipid peroxidation 120
- lipophilicity 370
- lochnericine 77
- Lophophora williamsii* 328
- low-density lipoprotein (LDL) 343, 351, 356
- luteoliflavane 153
- luteolin 125
 - glycosides 119
- luteolinidin 149
- lycopene 108
- Lyngbya majuscula* 362

m

- macrolide 345
- MAM genes 58
- mammalian herbivores 187
- Manduca sexta* 162, 179, 186, 192, 195, 197
 - nicotin used by larvae of 186, 187
- MAP kinase cascade 38
- marigold 164
- Marssonina brunnea* 138
- MDR-like protein 41
- Medicago sativa* 125
- medicinal chemistry, inspired by natural products 364, 365
- melanin 23
- membrane permeability 149
- membrane receptors 10
- mescaline 328
- messenger ribonucleic acid (mRNA) 33
- metabolic bioactivation 229–231
 - aristolochic acid 230
 - carcinogenic aflatoxin in food 231
- metabolic channeling 28
- metabolic engineering 74
- metabolic syndrome 343
- metabolomic data 65
- metabolomics approaches 64
 - in plant research 64
 - scheme for extraction, purification and possible identification
 - of complex metabolite mixtures 63
- metal ions 106, 123
- metamorphosis 161
- metencephalin 323

- methionine 25, 26
 - 4-methoxybrassinin 148
 - 4-methoxy glucosinolate 139
 - 4-methoxy-indole-3-methylglucosinolate 139
 - methylation 26, 106, 160
 - eugenol/iso Eugenol 104
 - of salicylic acid 104
 - methyl benzoate 100, 192
 - methylerythritol-phosphate (MEP) pathway 29
 - 4-(methylnitrosamino)1(3-pyridyl)-1-butanone (NKK) 229
 - methylquercetagetin 153
 - methylthioalkylmalate synthase (MAMa) 48
 - methyltransferases 104
 - SABATH-family of 104
 - mevalonate (MVA) pathway 29
 - microbiome 177
 - defense response 178, 179
 - induced systemic resistance 178
 - plants actively shape root 178
 - rhizospheric 179
 - microfilaments 200
 - micronucleus formation 256
 - microorganisms
 - adaptation mechanisms 179, 180
 - beneficial bacteria, not attracted to maize plants 193
 - mechanisms for adaptation, to plant secondary metabolites 181
 - perception of diverse signals, by plants generated by 177
 - microRNAs (miRNAs) 33, 197
 - microRNA-mediated silencing 35
 - microtubules 91, 92, 93, 200
 - mistletoes 166
 - mitochondria
 - mTORC activity 279
 - role in hormetic redox-response 278
 - mitogen-associated protein 38
 - mitosis 10
 - effect of secondary metabolites on 92
 - mitotic spindle 92
 - modulation of molecules, with similar functions 59–60
 - molecular interactions, with cellular components 201
 - interaction with carbohydrates 206
 - interaction with lipids 206
 - interaction with nucleic acids 206
 - metal chelators 207, 208
 - protein targets 201–205
 - momilactone 57
 - monoamine oxidases (MAOs) 338
 - monocrotalin 10, 165, 166
 - monoglycosides 22
 - monolignols 19
 - monoxygenases 26, 29
 - monosaccharide 22
 - monoterpenes 19, 29, 172
 - emission 124
 - morphinane 18
 - morphine-6-glucuronide (M6G) 225
 - morphines 14, 18, 322
 - metabolism of 227
 - receptors 324
 - morphinone 18
 - morphogenesis 185
 - morphogens 185
 - mTORC (mechanistic target of rapamycin complex) 279, 345–347
 - multiple sclerosis (MS) 321
 - muscarine 14
 - mustard oil bomb 185
 - desert mouse avoiding 188
 - mustard oils 24
 - mutations
 - in esterase activity 113
 - in flavonoid synthesis 90
 - point 182
 - transcription factors 20
 - mutualism 125
 - MYB-transcription factor 39, 74
 - activation 74
 - family 39
 - mycobiont 132
 - mycorradicin 130, 131
 - mycorrhiza 127–131
 - ectomycorrhiza 127
 - endomycorrhiza 127
 - mycosporin-like amino acid metabolism 61
 - MYC transcription factors 37
 - myosin 10
 - β -myrcene 169
 - Myrosinase 24, 58
 - myrosin cells 24
 - Myzus persicae* 185
- n**
- NAD/NADH ratio 346
 - Na^+/H^+ -antiporter 108
 - Na^+ , K^+ -ATPase 10
 - naphthoquinones 276
 - naphthylphthalamic acid 89
 - naringenin 19, 20, 21, 90, 125

- natural chemical scaffolds, and
 - pharmacological optimization 365–367
- natural compounds
 - about relevant targets 365
 - affecting cholinergic signaling 330–332
 - affecting redox homeostasis 273
 - affecting steroid biosynthesis 290–292
 - assist endogenous cellular ROS defense 276
 - biotechnological production of 68–79
 - cellular targets, of natural substances 200
 - different classes of natural compounds in evolution of plants 45
 - endocrine effects 280
 - grouped into families with similar structural properties 369
 - initiation of adaptive response 276–278
 - interference with neural functions 307
 - interfering with nonsteroidal signaling 304–307
 - in mammals, metabolism (*see* natural substances in mammals, metabolism)
 - in pharmacological research 360
 - mining for bioactive compounds 360–363
 - in plants, evolution of 44–46
 - with sympathomimetic activity 338
 - transgenerational effects 299–304
 - visualization, in living cells 209–211
 - fluorescence resonance energy transfer (FRET) 210
 - microscopic imaging techniques 209, 210
 - positron emission tomography (PET) 209, 210
 - quercetin elicits fluorescence 210
- natural inhibitor, for developmental signal
 - causes malformations in vertebrates 307
- natural plant products
 - biological activity 67, 68
 - identification 62–67
 - quantification 62–67
- natural scaffolds, and peptide motifs
 - systematic computational analysis of 368, 369
- natural substances in mammals, metabolism 213
 - absorption, distribution, metabolism, and excretion 216
 - bioavailability of a substance 218, 220
 - physiological parameters 218, 219
 - chemical modifications of polyphenols affecting
 - binding affinity to plasma proteins 219, 220
 - defense mechanisms against uninhibited uptake of xenobiotics 219
 - enterolignans formed beneficial effects in 221
 - enzymes involved in biotransformation process 214
 - excretion of natural compounds and their metabolites 219
 - functional groups, added to substance 214
 - during Phase I metabolism 215
 - human cardiovascular system, and blood supply of the intestine 216
 - major metabolic pathway of ingested flavonoids 217, 218
 - metabolic differences, due to variations in gut microflora 221
 - metabolic reactions, in different organs in tissue-specific manner 220
 - metabolism of endosymbiotic bacteria of gut 220, 221
 - pharmacokinetics, principles of 213–215
 - Phase II biotransformation reactions 218
 - physiological processes from uptake 214
 - polyphenols and other natural substances 213
 - sequence of typical first-pass metabolic reactions 217
 - toxicokinetics 213
 - typical biotransformation reactions 215
 - natural variations 58
 - in secondary metabolites 58, 59
 - nature-inspired drugs 370
 - nectar 197
 - nectarthodes 99
 - nematodes 164–166
 - neopinone 18
 - neostigmine 334
 - nervous system 307
 - ACh receptor 313
 - action potential 308
 - ascending and descending neural pathways 313
 - cholinergic signaling 314
 - complex neural networks 313
 - depolarization of neuron 308
 - neural connections 308
 - neurodegenerative disorders
 - cannabinoids, role in 321
 - neurotransmitters 308–310
 - signaling systems 308
 - types 309
 - strong poisons affecting 308
 - sympathetic nerves 313

- telencephalon 313
 - network pharmacology 375
 - neural synapse 308
 - general features 309
 - neurodegenerative disorders 344
 - neurohormone 329
 - neuron 312
 - neurotransmitters 10, 213, 308, 312, 325, 332, 337, 338
 - with relevance to neural functions 310, 311
 - neutraceuticals 341
 - N*-(17-hydroxylinolenoyl)-L-glutamine 161
 - Nicotiana alata* 42
 - Nicotiana attenuata* 162, 179, 186, 194, 195
 - various complex defense strategies against insect herbivores 196
 - Nicotiana langsdorffii* 42
 - Nicotiana tabacum* 42
 - nicotiflorin 151
 - nicotinamide adenine dinucleotides 343, 344
 - roles in cellular energy metabolism 344
 - nicotine 14, 18, 160, 161
 - accumulation provides protection against predators 187
 - C-oxidation 229
 - metabolism of 228
 - used by larvae of hawkmoth 186
 - nitric oxide 120
 - nitrilase activity, synthesis of the
 - phytoalexin 49
 - nitrilase genes 49
 - evolution of 50
 - nitrilases 29, 49
 - nitrogen 127
 - starvation 123
 - nod* genes 126, 127
 - nonessential materials 1
 - noropinic acid 124
 - noscapin 56
 - nutrients 98
 - deficiency 122, 123
 - stress conditions 123
 - nutritional value 341
 - nutrition, optimal 341
 - Nymphalidae 184
- o**
- Ochradenus baccatus* 187
 - octopamine-associated modulation 192
 - O*-glycoside-salicin 187
 - oleuropein 352
 - olfactory channels 192
 - omics technologies 374, 375
 - Oomyzus gallerucae* 193
 - opioids 322
 - analgesic properties 324–327
 - pain pathways 325
 - cultural history of usage 323
 - endogenous 324
 - receptors 323, 324
 - role in male fertility 324
 - organophosphates 335
 - toxicity 335
 - oripavin 18
 - ornithine 15, 18
 - Orobanchaceae 168
 - Orobanche cumana* 168
 - Oryzias latipes* 255
 - osmolytes 122
 - organic 122
 - oxidative stress 117, 261, 264, 271, 272, 278, 280, 321, 356, 372
 - and hormones 279
 - in human diseases and in aging 271–273
 - mild stress elicit beneficial physiological reaction 279, 280
 - ozone 124
 - generation of ROS 118
 - isoprene-induced ozone resistance 124
- p**
- paclitaxel 92
 - PAMP-triggered immunity (PTI) 176
 - Papaver somniferum* 56, 78, 322
 - parallel evolution, similar pathways 46–48
 - parasitic plants 166
 - parasitoid insects, in defense against
 - herbivorous insects 194. *See also* insects
 - para sympathetic nerves 312
 - Parkinson's disease 321
 - pathogenesis-related (PR) proteins 135
 - pathogens 134, 135
 - clubroot pathogen 142
 - events leading to a resistance, interaction with plants 135
 - secondary metabolites, respons against 135
 - Paxillus involutus* 241
 - Periplaneta americana* 161
 - perisynaptic signaling machinery (PSM) 317
 - peroxidases 83, 117, 230
 - petunia flowers 105
 - combination of color and scent 105
 - cues for pollinators 105
 - loci regulating vacuolar pH 108
 - PGP proteins 59

- pharmaceuticals, comparison of strategies in
 development of 376
Phelipanche ramosa 169
 β-phellandrene 169
 phenol derivatives 19
 phenolic compounds in food 341–343
 phenols 104, 166
 phenomenon 44
 phenylalanine 15, 18
 phenylalanine ammonia lyase (PAL) 19, 20
 phenylalkylamine 329
 phenylethylglucosinolate 128
 pheromones 185
 phosphatases 117
 phosphatidylinositol 3-kinase (PI3K) 350
 phosphatidylinositol (3,4,5)-triphosphate
 (PIP3) 346, 350
 phosphodiesterase 349
 phospholipases 247
 phosphorus 122, 123, 125, 127
 photobionts 125, 131
 photooxidation 2, 95, 115, 118, 120, 122
 photooxidative stress 124
 photosynthesis 10, 29, 83, 95, 121, 123, 133,
 166, 167
 photosystems 120
 pH values 107, 108
 – regulation 108
Phyllotreta nemorum 161
Physcomitrella patens 51, 60
 physico-chemical defenses, against
 herbivory 183
Physostigma venenosum 333
 physostigmine 15, 334
 phytoalexins 1, 28, 39, 84, 131, 140, 143,
 150, 182
 – antimicrobial 133
 – concentration in agricultural and crop
 plants 151
 – from different plant species 144–148
 – inducible 132
 – of millet 150
 phytoanticipins 1, 132, 139, 182
 phyto cannabinoids, effects on neural
 functions 318
 phytocassane 57
 phytochelatins 123
 phytochemicals 200
 phytoestrogens 285–287, 292
 – benefits 292, 293
 – evaluation of risks 292, 293
 – experimental challenge of mechanistic
 analysis 299
 – hormone replacement therapy 297, 298
 – medical applications 320–322
 – physiological effects of 298, 299
 – protect against breast cancer 296, 297
 – and reproductive functions 293–295
 phytopathogenic fungi, alter chemical defense
 of plants 163
Phytophthora brassicae 140, 141
Phytophthora infestans 151
Phytophthora megasperma f.sp. *glycinea* 148
Picea abies 124
Pieris rapae 185
 pilocarpine 68
 PIN. *see* protease inhibitors (PIN)
 pinalic acid 124
 α-pinene 124, 166
 β-pinene 169
 pinonic acid 124
 PIN proteins 88
 – in the plasma membrane 90
 PIN-transporters 60
 pipercolic acid 154
Piper longum 363
 piperlongumine, anticarcinogenic activity 363
Piriformospora indica 125, 131
 plant-based beverages 341
 plant development 83
 – developmental processes and interactions
 with 85
 – roles of secondary metabolites
 in 83, 85–87
 – vegetative growth 83
 plant families, with parasitic
 representatives 167
 plant growth regulators 83
 plant–herbivore system 163
 plant hormones 70, 83
 – signaling/transport 84
 plant–pathogen interactions 182
 plant–pest interactions 153
 plant signals 39
 plasma membrane 10
Plasmodiophora brassicae 142
 plastids 29
 ploidy, of tissue 92
Plutella xylostella 161, 164, 185
Pogonomyrmex rugosus 195
 polar growth 91
 pollen-mediated germination 85
 pollination 7, 84, 98
 – rates 99, 100
 pollinators 1, 98
 – attracting 98, 99

- combination of cues, importance of 105
 - patterns of volatiles emitted from different *Protea* species 102
 - plants can punish 197
 - polyacetylenes 166
 - polyketides 10
 - polymorphisms 374. *See also* genetic polymorphisms
 - polypharmacology 372, 374, 375
 - polyphenol-rich foods 356, 357
 - polyphenols 198, 199, 280, 370
 - polyploidic plants 93
 - polyploidization, in plant 93
 - prenyltransferases 29
 - primary metabolism
 - secondary compounds 81–83
 - secondary metabolites involved in various reactions within 83
 - principal component analysis (PCA) 65, 100
 - proanthocyanidins 21, 120
 - problem of complexity
 - analysis and consequences 370
 - from pharmacology to polypharmacology 371–375
 - reverse pharmacology, inspired by traditional medicine 375–377
 - targets 370
 - prohexadione-calcium
 - accumulation of flavonoids. treatment with 152
 - inhibition of symptom development in 153
 - prohexadione-calcium 151
 - Protea roupelliae* 100
 - protease inhibitors (PIN) 160, 161, 179
 - Protea simplex* 100
 - protein kinase B (PKB) 346
 - protoberberine 18
 - pseudoephedrine 18
 - Pseudomonas putida* 193
 - psilocin 328, 329
 - Psilocybe similanceata* 328
 - psilocybin 328
 - changes in cerebral blood flow caused by 330
 - p53 tumor suppressor gene 254
 - putrescine 18, 100
 - pyrethrins 164, 165
 - pyrethrum 164
 - pyridine 18
 - pyridostigmine 335
 - pyridoxalphosphate 83
 - pyrrolizidine 10, 15, 16, 18, 48, 170, 171, 181, 184, 185
- q**
- quantitative trait loci (QTLs) 58
 - quantity of food intake, affecting life expectancy 343
 - quercetin 21, 61, 89, 90, 96, 117, 119, 153, 161, 199
 - cytoprotective effect of 246
 - effect on cell proliferation 245
 - major Phase I and Phase II metabolic reactions 222
 - metabolism in human cancer cells, visualization 223
 - quercetin-3-*O*-rutinoside 151
 - Quercus robur* 193
 - quinolizidine 8, 13, 18, 170, 171
 - quinone 2,6-dimethyl-benzoquinone 169
 - quinones 278
 - quorum sensing 151
- r**
- rapamycin 345
 - raphanusamic acid 139
 - rare earth metals 153
 - Ras oncogene 254
 - reactive oxygen and nitrogen species
 - generation and homeostatic control of 261–267
 - reactive oxygen species (ROS) 116–118. *See also* oxidative stress
 - AMPK, stimulated by 347
 - flavonoids reaction with ROS and chelate trace metals 274
 - light/UV irradiation/ozone, generation of 118
 - in plant cells, production of 116
 - reduction of ROS in a redox reaction 273, 274
 - sensors 278
 - receptor proteins 176, 350
 - redox-controlling network 266
 - repair mechanisms 10
 - resistant interaction 132, 148
 - resveratrol 277, 347, 351, 365
 - biological effect of 350
 - and derivatives 225
 - inhibit cyclooxygenase 348
 - target proteins of 349
 - in traditional medicine 347, 348
 - reticuline 18
 - retronecine 18
 - rhamnosyltransferases 113
 - rhizobia 125
 - flavonoids role, as signaling molecules for interaction 125, 126

- inhibit auxin efflux, by flavonoids 127
 - rhizosphere 7, 128, 165
 - ribulose-1,5-bisphosphate carboxylase 121
 - Ricinus communis* 250
 - RNA-induced silencing complex (RISC) 34
 - RNA interference techniques 75
 - RNA polymerase 33
 - rol* genes 72
 - Rosaceae 151
 - rosmarinic acid 19, 122
 - ROS/RNS as signaling molecules for cellular functions 268–271
 - R2R3 Myb family, activate vacuolar acidification 108
 - rutalexin 28
 - rutin 151
- S**
- Saccharomyces cerevisiae* 279
 - SAD gene 57
 - Saintpaulia ionantha* 108
 - Sakuranetin 150
 - salicylic acids 35, 39, 100, 101, 104, 153
 - salicylihamide A 373
 - Salmonella typhimurium* 255
 - salt stress 122
 - zeaxanthine, protect against 122
 - Salvarsan 364
 - Salvia leucophylla* 173
 - sangurinarine 18
 - Saponaria officinalis* 166
 - saponins 138, 139, 161
 - as defense compounds 138
 - saponins oleanolic acid-cellobiose 161
 - triterpenoid 139
 - Sarcococca hookeriana* 334
 - S-cells 25
 - Schistocerca gregaria* 161
 - Schizaphis graminum* 335
 - sclerenchyma 88
 - Sclerotium rolfsii* 164
 - scopolamine 15, 18, 68, 74
 - secondary metabolites 1
 - applications 69
 - biosynthetic pathways 11, 16, 32
 - cellular and molecular targets for 9
 - containing plant compartments/cells 7
 - effect of nutrition and water supply on accumulation of 123
 - major classes, based on chemical structures 4–6
 - mechanisms for adaptation, of specialized insects and microorganisms to 181
 - occurrence, and various functions 2
 - precursors for major classes 11
 - production and optimization of plants for 70
 - selected classes of 3
 - compartmentation 3
 - occurrence 3
 - strong inhibitory effect, on herbivore classes 165
 - transcriptional control 31–39
 - transport of 39–44
 - seed dispersal 112, 113
 - attractive fruits for animals, led to 113
 - seed dormancy 113, 114
 - preserved by abscisic acid 114
 - seed formation 112
 - seed germination 83
 - Sekeetamys calurus* 187, 188
 - Selaginella moellendorffii* 51
 - senecionine 15
 - senescence 48, 82, 95, 348, 350, 362
 - serotonergic neurons 328, 329
 - serotonergic synapses
 - hallucinogenic substances acting at 328
 - serotonin 14, 19, 83, 310, 328, 329
 - biphasic dose–response relationship 329
 - as neurotransmitter 328
 - receptors 329
 - serotonergic neurons 329
 - synthesized in enterochromaffin cells 329
 - serpentine 77
 - sesquiterpenes 29, 104, 195
 - SH-dependent enzymes 149
 - Shiga toxin 252
 - Shigella dysenteria* 252
 - shikimate pathway 12, 18, 44
 - shikonine 68
 - short interfering RNAs (siRNAs) 35
 - signaling pathways, in health and disease 350
 - silent information regulator 1 (SIRT1) 346, 347
 - sinapoylation 25
 - β -sitosterol 99
 - skeletal muscles 312
 - slugs 166
 - damage caused, on plants 166
 - sensitivity to phenols 166
 - snails 166
 - damage caused, on plants 166
 - Solanaceae 48, 138
 - Solanum demissum* 161
 - demissin protect from insect damage 162

- Solanum tuberosum* 151, 161
 somatodendritic autoreceptors 329
Sorghum bicolor 28, 49, 149, 168
 specifier proteins 25, 28
 spirobrassinin 28
Spodoptera exigua 164
Spodoptera litura 179
 S-storage compounds 39
Staphylococcus aureus 252
 sterols 99
 stilbenes 19
 stress factors, evolution by 60
 – abiotic stress 60, 61
 – biotic factors 61
 stress resistance 93, 346, 347
 strictosidine synthase 77
Striga, life cycle 168
 strobilurins 182
Strobilurus tenacellus 182
 structural polymers 87, 88
 structure–activity relationships (SAR) 253
 suberin 87, 88, 143
 sugar-containing trichomes, as a nutritional source 195
 sulforaphane 353
 sulfoxide-derivative 148
 sulfur-containing compounds 166
 sulfur-containing thiophenes 164
 sulfur (S) content 25
 sulfur deficiency 39
 superoxide dismutase 117
 susceptible interaction 132
 swainsonine 18
 symbionts 1
 symbioses 84, 124, 125
 – advantages for plant 128
 – mycorrhiza 125–127
 symbiosomes 126, 127
 sympathetic system 312
 sympathomimetic substances 337–339
 synaptic signaling 312, 316, 332
 synaptic transmission 307
 – biological processes described in 312
 – synaptic transmitters, of nervous system.
 see neurotransmitters
 synthetic MAO inhibitors 338
 syringic 173
- t**
- tabersonine 76, 77
 tannins 6, 44, 173
 tapetum cells 97
 taxanes 93
 terpene indole alkaloids 15, 19, 28
 – pathway 77
 terpenes 10, 29
 – as allelochemicals, and role in ecosystem 173
 – biosynthesis of 29, 31
 – classification into essential and nonessential compounds for plant 30
 – compartmentation of terpene indole alkaloid biosynthesis
 – in *Catharanthus roseus* 17
 – ozonolysis 124
 – precursors for the terpene indole alkaloids 31
 – synthases 31, 51
 – genes, assignment to subgroups 51
 terreulactone B 334
 tetraterpenes 29, 108
Teucrium chamaedrys 231
 THAD gene 52, 57
 thebaine 18
 thermogenesis 100
 thiocyanate 139
 thioglucosidase 182
 β -thioglucosidases 28, 182, 185
 thioredoxin 346
 thylakoid membranes 120, 124
 Ti-plasmid 72
 tobacco 3, 42, 161, 179, 195, 196, 197, 333
 tocopherol. *see* vitamins E
Torthrix viridana 193
 toxic cyanide (HCN) 29
 toxicity 240–242
 – excessive cholinergic signaling 334
 – organophosphates 335
 – phytoalexins for other organisms 358
 – selected natural substances 246
 – amatoxins 250
 – animal poisons 246, 247
 – bacterial toxins 252
 – phallotoxins 250
 – poisons in plants, fungi, and bacteria 247–249
 – ricin 250–252
 – taxus alkaloids 250
 – strategies and difficulties in toxicological evaluations 253, 254
 – cancerogenicity 254–256
 – developmental toxicity 256–259
 – experimental variables, of test systems 256–259
 – limitations of test systems 257–259
 – mutagenicity 254–256

- reprotoxicity 256, 259
 - testing from *in-silico* analysis to *in-vivo* tests with animal models 253
 - traditional Chinese medicine 375
 - transcription 10
 - transcriptional control 31–39
 - of glucosinolate biosynthesis 38
 - of pigment and proanthocyanidin synthesis in *Arabidopsis thaliana* 36
 - transcription factors 38, 39, 108, 120
 - family ORCA 2 and 3, 77
 - FoxO 346
 - involved in regulation of plant secondary 34
 - mutations 20
 - MYB family 36, 39
 - Nrf2, 346, 353
 - SLIM1, 39
 - WRKY 38
 - transgenes 75, 76
 - Triphysaria versicolor* 169, 170
 - triterpenes 29, 164
 - Tropaeolum majus* 26, 128
 - tropane 15, 18, 47
 - tropolone 18, 92
 - tryptamine 19, 77, 120
 - tryptophan 12, 19, 25, 39, 75, 90, 91, 120, 329, 353
 - tryptophan decarboxylase 75, 77
 - tuberous sclerosis complex (TSC) 346
 - tubulin 10, 91, 92
 - effect of secondary metabolites on polymerization 92
 - tumor-inducing DNA (T-DNA) 71
 - Tyria jacobea* 184
 - tyrosinase 23
 - tyrosine 16, 18, 23, 305
- u**
- ubiquinones 30
 - ultraviolet (UV) light 2
 - uridine diphosphate (UDP)-dependent glycosyltransferase 28
 - UV-B absorbers 119
 - UV-B irradiation 118
 - UV-protection 95, 119
- v**
- vacuolar dihydroxy B-ring-flavonoids 117
 - Valerianella locusta* 166
 - vanillic acid 173
 - vascular endothelial growth factor (VEGF) 363
 - vegetarian food 341
 - vegetative growth 85
 - role of secondary metabolites 85, 86
 - vertebrates 187
 - adaptation, and distribute seeds of 188
 - ensures protection against mherbivores 188
 - pitfall of animal behavior for plant 188, 189
 - produces exudates with flavonoids 187
 - provide optimized seed dispersal system 188
 - structural and functional diversity of natural substances 198–201
 - Verticillium longisporum* 141
 - Vigna unguiculata* 161
 - vinblastine 75, 77, 92, 93
 - vincristine 75, 77
 - violaxanthine 120
 - viscotoxin 169
 - Viscum album* 153, 166
 - vitamins C 117
 - vitamins E 29, 30, 117, 120, 264, 266
 - viviparous plants 114
 - volatile compounds
 - in flowers, synthesis 103
 - in maize 28
 - roles as defense compounds 162
 - yield, based on enzymatic modifications 104
 - volatile emission, in ripe citrus fruit 114
 - volatile mixture, in fertilization 100
 - volicitin 160, 161, 179
 - vulpinic acid 132, 165, 166
- w**
- water-soluble vacuolar pigments 106
 - waxes 87
 - witchweed. *see Striga*
 - wound-induced transcription, of nicotine biosynthetic genes 197
 - wounding perception of diverse signals, by plants generated by 177
 - WRKY transcription factors 38, 39
- x**
- xanthine oxidase 230
 - Xanthogaleruca luteola* 193
 - xanthohumol 355
 - xanthophylls 117, 120
 - cycle 108, 120
 - function 120
 - xanthotoxin 334
 - xenobiotics 198, 213, 219, 229, 300, 338, 358, 359

x-ray crystallography 366

xylem vessels 88

xylulose-5-phosphate synthase 31

z

Zea mays 50, 54, 148, 156, 158, 168

zeaxanthine 108, 120, 122

– protect against salt stress 122

zig-zag model 176

zoobiont 125

zoophagous insects 7, 193

– green volatiles emitted by leaves and
recognized by 195

– plants attract 194