

## Index

### a

- ABAQUS model 147
- AC machines 8, 9
- active wheel system 10
- adiabatic water–gas shift reactors 244
- advanced solid-state hydrogen storage systems 149
- AFP. *see* advanced fiber placement (AFP)
- agro-industrial wastes 297
- air mixtures
  - ignition and combustion properties 372, 373
- air pollution 248
- alane (AlH<sub>3</sub>) 157
- alkaline electrolysis, perspectives for 353
- aluminium-based alloys 131
- ambient conditions 12
- American Recovery and Reinvestment Act (ARRA) 260, 340
- aminolysis 149, 157
- ammonia (NH<sub>3</sub>) 23, 24, 25, 28, 149, 151, 155, 157, 160, 277, 279, 297, 300
- animal manure 297
- anion exchange membrane (AEM) electrolyzers 346
- anode-supported cells (ASCs) 249
- APUs. *see* Auxiliary power units; auxiliary power units (APUs)
- ARRA. *see* American Recovery and Reinvestment Act
- ARTEMIS project 14
- ASTM D 6751 specification 188
- automotive battery technologies 7
- automotive fuel cells 111
  - technology 75
- automotive hydrogen storage 81
- automotive industry 332
- automotive OEMs 42
- auto thermal reforming (ATR) 249
- auxiliary power units (APUs) 185, 248
  - diesel fuel 186
  - ASTM D 975 187
  - EN 590 187
  - hydrocarbons 186
  - non-petroleum-based diesel fuels 187–189
  - petroleum-based 186, 187
  - fuel-cell-based aircraft 185
  - fuel cell systems 185
  - jet fuel 189
  - non-petroleum-based jet fuels 190
  - petroleum-based 189, 190
  - liquefied natural gas (LNG) 190–192
  - LPG 230
  - methanol 192–194
  - mobile applications of 252
  - PEFC systems 229
  - with hydrogen 229
  - integration of 229
  - PEFC-technology 231
  - PEM fuel cells in civil aircraft 229
  - polymer electrolyte fuel cell (PEFC) 225
  - premium diesel fuels, properties of 187
  - reforming technologies (*see* reforming technologies, for APUs)
- average pressure ramp rates (APRRs)
  - in non-communication fueling 182

### b

- backup power (BUP) 276
- backup power systems
  - cumulative MW, number of installations for FC-based 264
  - FC BUP 276
  - advantages of 277
  - environmental benefits of 278
  - fuel flexibility 278
  - reduced weight/volume 278
  - scalability of 277
  - fuel cell products in the USA 261

- gaseous hydrogen as fuel for 278
  - specification ranges for 260
  - balance-of-plant (BOP) components 143
  - Ballard Power Systems 335
  - battery electric vehicle (BEV) 3, 5, 6
    - drivetrain topologies in 10
  - battery types used in electric vehicles (BEV/HEV), specifications 7
  - benchmark conversion–operation time 214
  - benzoxazine resin 130
  - binary ionic hydrides 152
  - biodiesel 187
  - bioethanol 298, 362
  - biogas 277, 293, 296, 298, 318
    - yield 297
  - biomass-to-liquid (BTL) fuel 188
  - biomethane 296
  - bipolar plates 353
  - borohydrides 160
  - boundary conditions 253
  - braking system 5
  - bubble column reactors 361
- c**
- calcium borohydride 156
  - California 267
    - installed CHP and electric fuel-cell systems in 267
  - California Air Resources Board (CARB) 30
  - California Self-Generation Incentive Program (SGIP) 262
  - carbon aerogel 158
  - carbon-based macroporous substrate
    - fabrication routes for 122
  - carbon blacks 118, 130
  - carbon-coated 304 SS bipolar plates 133
  - carbon dioxide separation 361
    - emissions 197, 262, 283, 304, 364
    - free energy conversion 205
  - carbon-free process 253
  - carbon monoxide (CO) 23, 25, 28, 210, 235, 249, 298
    - methanation 360
    - poisoning 227
  - carbon overwrapped pressure vessels (COPVs) 149, 163, 168
  - carbon-supported platinum nanoparticles 80
  - car manufacturers
    - production plant 40
    - update on recent activities of 40, 41
  - catalyst 111
    - loading, high 236
    - surface area of 116
  - catalyst–electrolyte characteristics 350
  - catalytic partial oxidation (CPOX) 209, 210, 215, 249
  - catalytic purification 297
  - cathode catalysts 114
  - cell performance
    - selected data 228
  - cell temperature 26
  - Châtelier's principle 150
  - Chevrolet Equinox 76, 78, 81, 82, 83
  - Chevrolet Volt Extended-Range EV
    - concept 76
  - CHP. *see* combined heat and power
  - CHP systems. *see* combined heat and power (CHP) systems
  - city gas 274
    - nitrogen 274
  - Clean Energy Partnership (CEP) 46, 83
  - CO. *see* carbon monoxide (CO)
  - coal-to-liquid (CTL) fuel 188
  - coatings 115, 131, 133, 314
  - cold cycle 13
  - combined cycle gas turbine (CCGT) 287
  - combined heat and power (CHP) systems 262, 310
    - characteristics for MCFC, PAFC 263
    - electrical/thermal efficiency against power output 286
    - incentives per kW in California 268
    - low temperature proton exchange membrane (LT-PEM) 262
    - micro 282
    - molten carbonate fuel cell (MCFC) 262
    - number of installation 289
    - phosphoric acid fuel cell (PAFC) 262
    - planned and installed 265
    - sale prices for fuel cell micro 288
    - specifications of leading fuel cell micro 284
    - total eligible costs per kW in California 267
  - commercial carbon paper
    - vs. carbon cloth 125
  - commercialization 41
    - case of SAIC Motor 67
    - efforts for China's FCEVs 61, 65
  - commercial PFSA membranes, properties of 107
  - complex metal hydrides 154
  - composite data products 42
  - compressed gaseous hydrogen storage (CGH<sub>2</sub>) 162
    - storage system 170
    - validation targets and tests 171
  - compressed natural gas (CNG) 91
    - vehicles 364

- conductive carbon 133
- conductor 306
  - electronic 306
  - ionic 306
- contaminants 25
  - maximum allowable limits of 23
  - species, from hydrogen produced by SMR and purified by PSA 24
- cooling system 5
- Corporate Average Fuel Economy (CAFE) standards 30
- counteractions 314
  - failure mechanisms 314
  - potential degradation 314
- cropping residues 297
- cryo-compressed hydrogen gas (CCH<sub>2</sub>) 162
  - BMW CCH<sub>2</sub> prototype vehicle storage system, specification of 168
  - BMW cryo-compressed hydrogen storage, layout of 167
  - components of 168
  - operating scheme of 169
  - thermodynamic advantages of 165
  - vehicle storage system 167
- cryo-compressed hydrogen storage 162, 163
  - adiabatic expansion energy 172
  - benefits of 163
  - compressed gaseous hydrogen storage (CGH<sub>2</sub>) 162
  - fail-safe passive catalytic conversion system 164
  - gaseous hydrogen storage (CGH<sub>2</sub>) 162
  - heat receptivity 165
  - liquid hydrogen (LH<sub>2</sub>) storage 162
  - pressure–density–temperature 164
  - schematic layout 170
  - system design and operating principles 167–169
  - thermodynamic principles 163–166
  - validation and safety 169–172
  - validation procedure 171
- cryogenic hydrogen 75
- cryopump 163
- CTL kerosene 190
- current density 244
  
- d**
- Daimler's NECAR1 fuel cell vehicle 75
- degree of hybridization 327
- dehydrogenated material 150
- demonstrations in China 65–67
  - “Chang’an” fuel cell cars 65
  - “Chery” fuel cell cars 65
  - programs of FCEVs at national events in China 67
  - “Red Flag” fuel cell cars 65
  - “Shanghai” fuel cell cars 65
  - “Sunwin” fuel cell city buses 65
  - Thousand New Energy Vehicles in Ten Cities 65
- density-dependant vent rate 164
- density functional theory (DFT) calculations 155
- Department of Energy (DOE) 197, 340
- destabilization 159
- desulfurization 300
- diesel steam reforming
  - PEFC system with 210
- diesel vehicle 81
- direct methanol fuel cell (DMFC) 277, 335
  - principle setup of 327
- distribution system operator (DSO) 294
- drive cycles
  - characteristics 14–16
  - characteristics of selected passenger car drive cycles 15
  - mechanical energy 16
  - parameters 14
  - relative negative acceleration (RNA) 15, 16
  - relative positive acceleration (RPA) 15, 16
  - speed–time data points 14
  - speed–time graphs 15
  - time resolution 14
  - urban, extra-urban, or rural and motorway 14
  - for passenger car type approval 13
  - from research projects 14
- durability 7, 25, 27, 50, 85, 107, 113, 131, 199, 286, 315, 353
- dynamic hydrogen electrode (DHE) 227
  
- e**
- ECE (Economic Commission for Europe) drive cycle 13
- e-differential applications 10
- electrical conductivity 136
- electrical efficiencies 249, 294
- electrical propulsion system 81
- electrical system
  - efficiency of 244
  - incentives 268
  - total eligible costs 268
- electrical vehicles 345
- electricity 3

- storage 300
  - electric machines 7, 9, 10
    - operation of 8
    - technical assessment of selected types of 9
  - electric motor 5
  - electric power
    - production of 244
  - electric powertrain systems 80
    - application map for 85
  - electric vehicles
    - benefit 3
  - Electric Vehicle Standardization Committee (EVSC) 64
  - electrification 85
  - electrocatalysts 114, 347
    - anode 116
    - cathode 116
  - electrochemical high temperature cells 7
  - electrochemical nitridation process 132
  - electrolysis 69
  - electrolyte-supported stacks (ESC) 252
  - electrolyzers 346
    - split water 358
    - technologies 346
  - electromagnetic field 9
  - electromagnetic induction 8
  - electromechanical converters 7
  - e-mobility stakeholders 3
  - end plates 136
  - Ene-Farm 271
    - for condominiums 274
    - cost reduction of 272
    - as emergency electric supply system 273
    - market growth of 272
    - for nitrogen rich city gas 274
    - SOFC-type, improvement of performance 272
    - technical development of 272
    - warranties on 286
  - energy consumption 364
    - associated with 33
    - and capital costs 353
    - hydrogen production pathways 32
    - to produce and package hydrogen fuel 30
  - energy conversion pathways
    - motor vehicles with focus on BEVs 3
  - energy crops 297
  - energy demand analyses 5
  - energy density 5, 31, 81, 204, 298, 301
  - energy storage 3, 90, 300, 357, 366
  - engineering fleet, based on the HydroGen4 vehicles 83
    - initiatives 83
  - ePTFE-supported membranes 108
  - equivalent weight (EW) 102
  - ethanol 190, 298, 299, 300
  - European research project 250
    - DESTA 250
    - project targets for 250
    - METSOFC 252
  - exhaust emissions 13
  - expanded PTFE (ePTFE) 107
  - Extended-Range EV technology (EREV) 76
  - Extra Urban Drive Cycle (EUDC) 13
- f**
- fatty acid methyl ester (FAME) 188
  - FC. *see* fuel cell; fuel cell (FC)
  - FCEBs. *see* fuel cell electric buses (FCEBs)
  - FCEV Learning Demonstration 41–44
  - FCEV-related policies 63
  - FCEVs. *see* hydrogen-powered fuel-cell electric vehicles (FCEVs)
  - FCV Demonstration Program 70
    - key data items collected and reported 71
    - 2nd Phase 70, 71
    - results 72
    - specifications of FCVs 72
    - standards and safety codes 71
    - 1st Phase 70
  - Federal Test Procedure (FTP) 13
  - FellowShip project
    - marine applications, fuel cells 205
  - fiber–resin composite 144
  - field data 26, 27
  - Fischer–Tropsch (FT) synthesis 188, 190, 191
  - fixed bed reactors 361
  - flammability limits 372
  - forklifts. *see also* fuel cell forklifts
    - energy supply for 326
    - truck 324
    - classification 324
  - Frankfurt Motor Show 2007 76
  - fuel cell
    - technology 39
  - fuel cell (FC) 80, 276, 323
    - economic aspect of 288
    - hydrocarbons with 204
    - improvement in lifetimes of 287
    - LHV efficiencies, comparison of 285
    - measured emissions of airborne pollutants from 288
    - onboard ships, beneficial use of 206
    - performance 136
    - technical specifications of 79
  - fuel cell auxiliary power units (APUs), application requirements/targets 197

- challenge in reducing cost 198
- DOE technical targets 198
- overview of 197, 198
- R&D projects 198
- status and targets of 198, 199
  - degradation with cycling 200
  - electrical efficiency at rated power 199
  - factory cost 200
  - operating lifetime 200
  - power density 199
  - specific power 199, 200
  - startup time 199, 200
  - system availability 201
  - target justification 198–201
  - transient response 200
- fuel cell catalyst deactivation
  - by sulfur and higher hydrocarbons 233
- fuel cell deployment 337
- fuel cell electric buses (FCEBs) 40, 89
  - agencies, designs operating at 90
  - descriptions 90
  - selected specifications for designs 90
- fuel cell electric propulsion systems 85
- fuel cell electric vehicle (FCEV) 3, 30, 39, 61, 75
  - learning demonstration 41
  - results from 42–44
  - programs 75
- fuel cell electrochemical engine 112
  - key aspects of 112
- fuel cell forklifts 335
  - characteristics 337
  - fuel cell type 337
  - operating temperatures 337
  - power output 337
  - refueling time 337
  - tank capacity 337
  - weight 337
- fuel cell stack 76, 80
- fuel cell vehicle (FCV) 22, 40
  - fuel quality for 26
  - technical data of 47
    - Daimler 47–49
    - Ford 47, 49, 50
    - GM/Opel 50, 51
    - Honda 51, 52
    - Hyundai/Kia 51, 53
    - Mercedes B-Class F-CELL 48
    - Nissan 52–54
    - Toyota 53–56
    - Volkswagen 55–57
- fuel consumption
  - HydroGen4 vs. Chevrolet Equinox ICE 82
- fuel economy 13

- fueling stations 3
- fuel processing 208
  - chemical reactions 209
- fuel quality 27
  - data (ppm) from Senju fueling station 28
  - effects 25
  - for fuel cell vehicles 25
  - verification 27, 28

## g

- gas diffusion layer (GDL) 111, 130
  - characterization of 124–126
  - characterization techniques for 125
  - macroporous substrates (MPSs) 122, 123
    - carbon-based 122
  - microporous layer (MPL) 123, 124
  - overview of 121
  - single-layer 121
- gas diffusion medium (GDM) 136
- gaseous hydrogen (GH<sub>2</sub>) 375
- gas flow channel (GFC) 123
- gasoline 81
- gas permeability 128
- GDL. *see* gas diffusion layer (GDL)
- German Ministry of Transport and Industry 46
- Gillig diesel buses 94
- glass industry 300
- GM Electrovan 75
- GM fuel cell research car 84
- GM HydroGen1 78
- GM HydroGen3
  - electric traction system 80
- GM HydroGen4 75, 76, 78
  - technical specifications of the 78
  - x-ray drawing of 76
- GM initiated the “Technology-Demonstration-Fleet” 82
- GM’s hydrogen technology 76
- GM’s largescale FCEV demonstration project 76
- GM’s “Project Driveway” 76, 83, 85
- GM’s vehicle electrification strategy 76
- government
  - national R&D programs on fuel cell 69
  - policy 63
- gravimetric storage capacity 153

## h

- hazard assessment toolkit, for hydrogen applications 377
- heating system 5
- high temperature polymer electrolyte fuel cells
  - flow sheet of 211

- high temperature polymer electrolyte fuel cells (HT-PEFCs) 235
    - commercially available systems 245
    - solid oxide 277
    - worldwide developed systems, overview of 242
  - Highway Fuel Economy Test (HWFET) 13
  - H<sub>2</sub> Logic 340
  - horizontal order pickers, load profile of 324
  - hot cycle 13
  - HT-PEFCs. *see* high temperature polymer electrolyte fuel cells
  - hybridized systems 327
    - advantages 327
    - fast start up 327
    - fuel cell downsizing 327
    - higher peak load 327
    - improved dynamic 327
    - recovery of braking energy 327
  - hybrid synchronous machines (HSM) 10
  - hydrocarbon flames 372
  - hydrocarbon membranes 350
    - sulfonated polysulfone 350
  - hydrocarbons (HCs) 210, 213
    - as fuels 235
  - hydrocracking 300
  - hydrogen 80, 136, 300, 345
    - fueled electrochemical engines 110
    - oxidation on anode catalyst surface 110
  - HydroGen3 80
  - HydroGen4 76
  - hydrogen–air mixtures
    - flammability of 372
  - hydrogenating. *see* dehydrogenated material
  - hydrogen consumption
    - in FCEVs 32
    - per service unit for various vehicle systems 34
  - hydrogen embrittlement 374
  - hydrogen energy infrastructure 371
  - hydrogen flammability limits 372
  - hydrogen fuel 23, 25, 46, 371
  - hydrogen fueling stations
    - analytical sampling and measurement of contaminants at 29
    - map of, China’s stationary and mobile 65
  - hydrogen fuel quality 22
  - Hydrogenics 340
  - hydrogen ignition energy 372–374
  - hydrogen lower flammability limit 372
  - hydrogen minimum ignition energy 372
  - hydrogen oxidation reaction (HOR) 136
  - hydrogen packaging 31, 32
  - hydrogen-powered fuel-cell electric vehicles (FCEVs)
    - energy-efficiency 149
    - H<sub>2</sub> storage methods 150
    - MH tank 150
    - refueling 150
  - hydrogen-powered motor vehicles 169
  - hydrogen production 31, 376
  - HydroGen3, propulsion system 83
  - HydroGen4, propulsion system 82
  - hydrogen release 156
  - hydrogen safety
    - flammability limits/ignition energy 372
    - hydrogen embrittlement 374, 375
    - hydrogen ignition energy 372–374
    - materials compatibility 374
    - materials suitability, for hydrogen service 375
    - non-metallic materials 376
    - regulations, codes, and standards (RCS) international activities 376
      - CEN and European Commission 376, 377
      - IEA HIA hydrogen safety activities 377
      - International Association for Hydrogen Safety (HySafe) 377
      - ISO/TC 197 hydrogen technologies 376
    - unique hydrogen flammability limits 372
  - HydroGen4 standard version 81
  - hydrogen storage applications
    - cycle-life 151
    - dehydrating/rehydrating, kinetics of 151
    - density of hydrogen 151
    - gas impurities 151
    - metal hydrides for 151
    - thermodynamics of dehydrogenation 151
    - US department of energy (DOE) 151
  - hydrogen storage devices 80
  - hydrogen storage systems 41, 80
  - hydrogen sulfide (H<sub>2</sub>S) 25
  - hydrogen tank 40
  - Hydro-Gen4 variant 83
  - HydroGen4 vehicles 81
  - HyTRAN project 230
  - Hyundai Motor Company (HMC) 70
  - Hyundai Tucson Fuel Cell 40
- i*
- ICE. *see* internal combustion engine
  - ignition energy 372
    - CH<sub>4</sub>, and gasoline in air 374
    - of H<sub>2</sub>, CH<sub>4</sub>, and gasoline 374
    - hydrogen 372

- IMPCA (International Methanol Producers and Consumers Association) reference specifications
- for methanol 193
- induction 8
- industrial gas companies 371
- injection molding, of bipolar plates 130
- innovative steering geometries 10
- inorganic aerogels 158
- insulator plate 137
- interfacial contact resistance (ICR) 131
- internal combustion engines (ICEs) 78, 81, 249
- vehicle 5
- international power-to-gas pilot plants, overview of 365
- in-vehicle durability 79
- iridium 347
- ISO 19884 cylinders and tubes, for stationary storage 376
- ISO/PDTR 15916:2014 372, 375
- ISO standard documents 377
- ISO (International Organization for Standardization) Technical Committee (TC) 376
- j**
- Japan 270
- car manufacturer 41
  - Japan Hydrogen and Fuel Cell Demonstration Project (JHFC) 27, 43
  - – results from 46
  - Tokyo Gas–Panasonic model, units of 274
- k**
- kerosene-based jet fuels 189, 244
- l**
- landfill gas 296
- lanthanum strontium cobaltite (LSC) 306
- lanthanum strontium cobaltite ferrite (LSCF) 306
- Large Scale Stationary Fuel Cell Demonstration Project 270
- purposes of 270
- Li-ion battery technology 5
- liquefied natural gas (LNG) 190, 203
- liquefied petroleum gas (LPG) 277
- liquid crystal polymers 130
- liquid hydrogen (LH<sub>2</sub>) storage 165, 166
- liquid-petroleum gas (LPG) 219
- lithium alanate (LiAlH<sub>4</sub>) 157
- lithium ion batteries 7
- local distribution company (LDC) 294
- low-carbon fuel standard (LCFS) 30
- low temperature proton exchange membrane (LT-PEM) 262
- LPG. *see* liquefied petroleum gas
- LT-PEFC. *see* perfluorosulfonic acid-based fuel cells
- LT-PEM. *see* low temperature proton exchange membrane
- m**
- macroporous substrates (MPSs) 121
- approaches used to 123, 124
  - carbon-based 122
- magnesium 153
- magnesium borohydride 156
- magnetic field 8
- marine applications, fuel cells 202
- former and actual projects 205
  - fuel cell projects 205
  - fuel cell systems for ships 204–205
  - future systems, development goals 206
  - marine power converters, characteristics of 203
  - NO<sub>x</sub>, SO<sub>x</sub>, and noise emissions 202
  - overview of 202
  - ship borne engines, emission limits 203
- marine power converters, characteristics of 203
- mass-produced fuel cell vehicle 40
- mass transport overpotential (MTO) 111
- material handling equipment (MHE) 334
- material handling, fuel cell technologies for 335
- MCFC. *see* molten carbonate fuel cell
- mean time between failure (MTBF) 286
- MEAs. *see* membrane electrode assemblies; membrane electrode assemblies (MEAs)
- meat processing wastes 297
- membrane electrode assemblies (MEAs) 80, 111, 136, 226
- cathodes 116
  - common contaminants affecting performance of 116
  - component of 111
  - cost targets for transportation 112
  - diagram of seven-layer, showing primary functional components 111
  - durability of 112
  - issues for development to meet technical requirements 117
  - major component functionality, summary of 112
  - materials options for 115

- perfluorosulfonic acid based ionomers 114
  - performance of 112
  - polarization curve of 111
  - relevant component performance, cost criteria for 113
  - membrane mechanical properties 107
  - membrane properties 102
    - water uptake and swelling 102, 103
  - mercaptans 294
  - metal borohydrides 156
  - metal hydride center of excellence (MHCoe) 160
  - metal hydride hydrogen storage field 159
  - metal hydride (MH) materials 149
  - metal hydrides 149, 151
    - classes of 152
    - common interstitial 152, 153
    - complex metal hydrides 154–157
    - as hydrogen storage media 149–152
    - interstitial metal hydrides 152, 153
    - magnesium/magnesium-based alloys 153, 154
    - off-board reversible metal hydrides 157
  - metallic bipolar plates 131
  - metal–organic frameworks (MOFs) 158
  - methanation
    - processes 360
    - reactor concepts for 361
  - methane (CH<sub>4</sub>) 28, 287
    - transportation 357
  - methanol 190, 192–194, 244
    - based systems 278
    - selected properties of 193, 194
  - MethAPU project, marine applications, fuel cells 205
  - military turbine fuels
    - JP-4 189
    - JP-8 189
  - Ministry of Economy, Trade and Industry (METI) 45
  - Ministry of Finance (MOF) 63
  - Ministry of Industry and Information Technology (MIIT) 63
  - Ministry of Science and Technology (MOST) 63
  - molten carbonate fuel cell (MCFC) 262, 277, 298
  - metal-supported cells (MSCs) 252
  - MPSs. *see* macroporous substrates (MPSs)
  - MTBF. *see* mean time between failure
- n**
- nafion membrane 136
  - National Automotive Standardization Technical Committee 64
  - National Committee 342 on Fuel Cell and Flow Battery of Standardization Administration of China (SAC/TC342) 64
  - National Development and Reform Commission (NDRC) 63
  - National Fuel Cell Bus Program 2006 89
  - National Hydrogen and Fuel Cell Technology Innovation Programme (NIP) 46
  - National Organization for Hydrogen and Fuel Cell Technology 46
  - national R&D strategy (2011–2015) 62
  - National Renewable Energy Laboratory (NREL) 90, 132
  - natural gas 5, 244, 294
    - appliances 301
    - desulfurized 295
    - odorization 294
    - pipelines damage 301
    - reformed 277
    - safety features 301
    - suppliers 295
    - transmission 294
    - transportation lines 294
  - natural/synthetic graphite powders 130
  - neodymium magnets 9
  - New Energy and Industrial Technology Development Organization (NEDO) 45
  - new energy vehicles (NEVs) 61
    - subsidy program 63
  - nickel-metal-hydride batteries 7, 82
  - nitrogen 274
  - nitrogen ion implantation 131
  - noise emissions 3, 202
  - nominal working pressure (NWP) 143, 177
  - non-petroleum-based diesel fuels 188
  - non-petroleum-based jet fuels 190, 191
  - Nuvera 340
- o**
- off-board chemical regeneration 157
  - off-board regenerable/chemical hydrides 150
  - off-board reversible materials 157
  - on-board reversible hydrides 149
  - on-board safety
    - compressed hydrogen container system 178
    - compressed hydrogen storage system and safety requirements 178
    - fast-fill refueling process 180
    - global technical regulation (GTR) 177



- high pressure fuel container system 179
  - hydrogen refueling requirements 180, 181
  - liquid hydrogen storage systems (LHSSs) 179
  - pressure ramp rates 181
  - safety requirements 179
  - state-of-charge (SOC) 180
  - storage system, safe fueling process 180
  - thermally activated pressure relief device (TPRD) 179
  - U.S. Federal Motor Vehicle Safety Standard (FMVSS) 177
  - vehicle fuel system requirements 180
  - Oorja Protonics 340
  - Opel fleet operation 83
  - Opel/Vauxhall Ampera Extended Range EV 76
  - operating conditions 237
  - organic fraction of municipal solid waste (OFMSW) 297
  - oxygen molecules 75, 190
- p**
- PAFC. *see* phosphoric acid fuel cell
  - particulate matter (PM) 5, 28
  - PaXcell project, marine applications, fuel cells 205
  - PEM. *see* polymer electrolyte membrane
  - PEMFC. *see* proton exchange membrane fuel cell
  - perfluorosulfonated polymers (PFSA)
    - materials 102
    - membranes 80
    - nafion type 136
  - perfluorosulfonic acid (PFSA)
    - membranes 101, 349
    - protonic conductivity 103
    - water uptake and swelling 103
  - perfluorosulfonic membranes 353
  - perfluorovinyl ether 101
  - permanent magnet synchronous machines (PSM) 9
  - permanent operation 8
  - permeability 104–106
  - petro-chemical industries 371
  - petrochemistry 300
  - petroleum-based jet fuels, specifications 189
  - PFSA. *see* perfluorosulfonated polymers (PFSA)
  - PGM. *see* platinum group metal
  - phase-field models 158
  - phosphoric acid doped polymer membranes 235
  - phosphoric acid fuel cell (PAFC) 262
  - photovoltaic technologies 300
  - planar cells 307
    - higher power density 307
    - lower manufacturing costs 307
  - platinum group metal (PGM) 114
    - catalysts 353
  - plug-in hybrid electric vehicle (PHEV) 61
  - polarization curve of stack operated with different fuels 240
  - pollutants 3
  - polybenzimidazole (PBI) 350
  - polyethylene 130
  - polymer electrolyte fuel cell (PEFC) technology 326
    - in APUs 225
    - application concepts 229, 230
    - CO tolerance of Pt anode 237
    - in FCGEN project 231
    - operation with reformat 226–229
    - system design 230, 231
    - system efficiency 232
    - system test 232, 233
  - polymer electrolyte membrane, electrolysis 346
    - anode supports for 349
    - bibliographic analysis of 346
    - membranes for 349
    - Fumapem<sup>®</sup> 350
    - Nafion<sup>®</sup> 350
    - stack cost 351
    - system cost 351
    - vs. competing technologies 352
    - vs. water electrolysis 346
  - polymer electrolyte membrane fuel cell (PEMFC) applications
    - advantages for 102
  - polymer electrolyte membrane (PEM) system 28, 276
    - economic aspect of 280
    - fuel cells 28, 121, 205
    - design 26
    - fuel consumption, variation in 279
    - hydrogen fueled 279
    - hydrogen systems comparison 279
    - lifetime of 286
    - water electrolysis 347
  - polymer electrolytes 101
  - polymer exchange membrane fuel cell (PEMFC)
    - bipolar plate (BP) 128

- graphite 129
  - injection molding of 130
  - metallic materials 131
  - U.S. DOE technical targets 129
  - carbon compounds 130
  - carbon/polymer-based coatings 133
  - cost reduction 128
  - high-speed mass production 128
  - light alloys 131
  - metal-based coatings 132, 133
  - stainless steel bipolar plates 132
  - poly(perfluorosulfonic acid) (PFSA) 80
  - polyphenolsulfone 107
  - poly(phenylene sulfide) 130
  - polypropylene 130
  - polytetrafluoroethylene (PTFE) 101, 122
    - hydrophobic materials 136
  - poly(vinylfluoride) 107, 108
  - poly(vinylidene fluoride) (PVDF) 122, 130
  - porous carbon paper 136
  - PowerCell company 230, 232
    - PEFC stack 232
  - power sockets 3
  - power-to-gas system
    - CO<sub>2</sub> separation, for combustion processes 363
    - CO<sub>2</sub> sources for utilization 362
    - gas infrastructure, to H<sub>2</sub> 364
    - H<sub>2</sub>/CH<sub>4</sub>
      - transport and application 363–365
    - international power-to-gas pilot plants 365, 366
      - main components/process steps 358
      - CH<sub>4</sub> synthesis 360, 361
      - CO<sub>2</sub> separation 361–363
      - water electrolysis 358–360
    - methanation 358
    - pilot plants 358
      - current developments 365, 366
      - installed power of 366
    - process steps 358
    - renewable power sources
      - wind and solar power 357
    - state-of-the art industrial processes
      - chemical and physical absorption 362
      - synthetic CH<sub>4</sub> 363
  - preferential oxidation, catalysts for 214
  - pressurized system
    - balance-of-plant (BOP) components 143
    - compressed hydrogen storage system 145
    - cost analysis 147, 148
    - DOE hydrogen storage system targets 147
    - doilies, use of 147
      - high pressure storage system 144
      - hydrogen fuel cell vehicles 143
      - storage tank, light-weight reinforcement of 143
      - thermally activated pressure relief devices (TPRD) 144
      - T700 S carbon fiber and composite 144, 147
      - weight and volume for 146
  - Project Driveway 83
  - propane 277
  - propulsion systems, cost comparison of 328
  - proton-conducting polymer membranes 76
  - proton exchange membrane electrolysis cells (PEMECs) 358, 360
  - proton exchange membrane (PEM) electrolyzers 346
  - proton exchange membrane fuel cell
    - bipolar plate (BP) 128
  - proton exchange membrane fuel cell (PEMFC) 110, 121, 135, 335
    - single cells 135
      - assembly of 137, 138
      - components and conditions 139
      - main components of 136, 137
      - measurement of performance 138, 139
      - performances 138
      - structure of 136
  - proton exchange membranes 350
  - protonic conductivity 103, 104
  - Pt alloy
    - cathodes 114
    - nanoparticles 114
  - Pt anode, CO tolerance of 237
  - Pt-catalyst 80
  - PTFE-treated carbon paper 126
  - Pt-Ru anode loadings 227
  - public-private partnership 83
  - published technical standards 63, 64
  - pulsed-air bleeding 226
  - pure electric vehicle (PEV) 61
  - purpose-designed vehicles 5
- r**
- rapeseed methyl ester (RME) 188
  - realistic drive cycle 13
  - refinery off-gases 192
  - reformate composition 229
  - reforming processes
    - APU components 216, 217
    - technical development 218
    - catalysts for 212
    - technically oriented publications 215
  - Reforming technologies, for APUs

- catalysts in fuel processing 211–213
  - chemical reactions 208
  - data sets of interest 219
  - definitions 221
  - fuel processing, chemical reactions 209
  - reactor development of fuel processing 213–219
  - system design, aspects of 210, 211
  - re-fuelings 83
  - regulations, codes, and standards (RCS)
    - for hydrogen fueling infrastructure 376
  - renewable power sources
    - wind and solar power 357
  - research projects MODEM and HYZEM 14
  - residential energy sector, key characteristics of 283
  - residential fuel cell systems 271
    - configuration of 272
    - electrical capacity of 283
    - electrical efficiencies of 284
    - expected proliferation of 274
    - learning curves fitted to historic prices of Japanese and Korean 289
    - sales of 271
      - volumes for 290
    - specifications of 273
    - summary of performance criteria for 284
    - technical performance of 284
    - thermal efficiencies of 284
  - residual hydrocarbon concentration 232
  - reverse water–gas shift reaction 226
  - ruthenium dissolution, from Pt-Ru catalysts 227
  - ruthenium oxides 347
- S**
- SAIC Motor passenger FCEV development roadmap 67
  - SchIBZ project 204
    - marine applications, fuel cells 205
  - sealing 307
  - selected drive cycles, graphic representation of 16–20
  - ship borne engines, emission limits for 203
  - ship borne fuel cell systems 204
  - single cell performances, for different fuel cell components 138
  - single cell polarization curves 237
  - single cell tests, for effects of CO 26
  - single phase systems 160
  - six sigma 117
  - small-to-medium scale generation 294
  - SOFCs. *see* solid oxide fuel cells
  - solid oxide fuel cells (SOFCs) 248, 304, 346, 358
    - APU system 249
      - base case flow sheet with diesel fuel 249
      - cost estimate based on results from METSOFC project 254
      - flow sheet developed in METSOFC project 254
      - product requirements for heavy-duty truck application 253
      - stack from Delphi Corporation 250
    - basic functional layers 305
    - cell concepts 305
      - anode supported 306
      - cathode supported 306
      - electrochemical processes 305
      - electrolyte supported 306
      - metal supported 306
      - porous substrate supported 306
    - cell designs 307
      - planar geometry 307
      - tubular geometry 307
    - cell materials 305
    - durability parameters 313
    - flow sheet of 211
    - fuel cell hybrid system 206
    - higher electric efficiency of 273
    - large-scale processing methods 310
      - coating 310
      - extrusion 310
      - screen printing 310
      - sintering 310
      - spraying 310
      - tape casting 310
    - material cost of, reducing 252
    - maximal theoretical efficiency of 252
    - performance and parameters 313
    - stack concepts 310
      - interconnect material 310
      - manifolding 310
      - sealing 310
    - state-of-the-art materials, functions of 307
    - stationary systems 310
  - speed distribution, for complete HydroGen4 fleet 84
  - SpeedE BEV concept car 10
    - innovative steering system in 10
    - minimal turning circle, with electric torque vectoring 11
  - SpeedE vehicle 10
  - stack data, typical 241
  - stack degradation 285
  - stack technology

- metal-supported 252
  - next generation of
    - – development of 252
  - stainless steel (SS) 131, 132
  - standard Chevrolet Equinox 76
  - stationary fuel cell systems 270, 293
    - LHV efficiencies
      - – comparison of 285
      - part-load efficiency of 285
      - pollution emissions from 287
      - residential applications of 282
    - sugar cane ethanol 300
    - sulfonated poly-ether ether ketones (sPEEKs) 350
    - sulfonic acid 102
    - sulfur (S) 28
    - sulphur dioxide (SO<sub>2</sub>) 287
  - SunLine Advanced Technology Fuel Cell
    - Electric Bus 90, 91
      - availability 92
      - fuel economy 91, 92, 94
      - performance results for AT FCEB and CNG baseline buses 91
  - SunLine American Fuel Cell Bus 95
    - availability 97, 98
    - fuel economy 96
    - monthly availability 97
    - monthly fuel economy 96
    - performance results for AFCB and CNG baseline buses 96
  - surface-H<sub>2</sub> highest occupied molecular orbital (HOMO) 155
  - synchronous motors (SMs) 9
  - synthesis gas 249
  - synthetic fuels (XTL) 188
- f**
- TechDemo stack 83
  - TechDemo vehicles 83
  - Technology-Demonstration-Fleet 85
  - technology readiness level (TRL) 244
  - telecommunication systems 260
    - fuel cell backup system 260
  - tetrahydrothiophene (THT) 294
  - thermal failure 7
  - thermally activated pressure relief devices (TPRD) 144
  - thermal management 5, 7
  - thermochemical storage systems 5
  - Ti arrangements, theoretical modeling 154
  - TiN coating 132
  - titanium 153
    - based alloys 131
    - based current collectors 353
  - TOFC stack module, twin boxer configuration 251
  - Tokyo Gas–Panasonic model 274
  - torque 10, 81
    - data points 12
  - total cost of ownership (TCO) 328
  - toxic substances 5
  - transition metal-containing borohydrides 157
  - transportation, CH<sub>4</sub> 357
  - tubular cells 307
    - expensive manufacturing 307
    - lower power density 307
  - Type IV compressed hydrogen storage system 81
  - Type IV 70 MPa compressed gaseous hydrogen vessel 81
- u**
- United States 262
    - annual fuel cell CHP installations 266
    - backup fuel cell products 261
    - California Self-Generation Incentive Program (SGIP) 262
    - CHP installations 262
    - – electric fuel cell systems in California 262
  - Urban Dynamometer Driving Schedule (UDDS) 13
  - urban traffic 5
  - U.S. Department of Energy (DOE) 90, 262
  - U.S. Department of Energy Fuel Cells Technologies Office 114
  - U.S. Department of Transportation (DOT) Federal Transit Administration (FTA) 89
  - US Environmental Protection Agency (US EPA) 83
  - U.S. Federal Motor Vehicle Safety Standard (FMVSS) 83, 177
- v**
- Van Hool diesel buses 93
  - van't Hoff plot 157
  - verification, of fuel quality 22
  - Volkswagen e-Golf 9
  - Vulcan XC-72 123
- w**
- waste water sludge 297
  - wastewater treatment, CHP application in 264
  - water electrolysis 277
    - technical data of 359
  - water–gas shift catalysts (WGS) 213
  - water–gas shift reaction, catalysts for 213

- well-to-wheel efficiency 3
- Worldwide Harmonized Light Duty Test Cycle (WLTC) 13
- x**
- x-ray drawing of, GM HydroGen4 76
- z**
- ZEBRA bus 92, 94, 95
- ZEBRA cell 7
- Zemships project
  - marine applications, fuel cells 205
- zero emission bay area (ZEB) program 92–94
  - availability 94
  - fuel economy 94
  - monthly availability for 95
  - monthly fuel economy for 94
  - reasons for unavailability 95
- zero-emission bus technologies 89
- zero emission vehicle (ZEV) 30

