а

ab-initio quantum mechanical studies 4 abnormal grain growth (AGG) 310 absolute grain boundary mobility, measurements 239-243 absorption contrast tomography 371 activation energy 81 activity coefficients 271, 273 advanced photon source (APS) 370 age-hardenable alloy ZM61 95 ALAMEL model 31-38 Allen-Cahn kinetic formulation 276 Al-Li alloy 390 alloy systems, types 289 aluminum alloys 9, 397 aluminum bicrystals 242 aluminum polycrystals 437 aluminum processing, main texture components 389 aluminum wire 391 anisotropy 91, 162, 400 - affected by aging treatments 96 - energy 162, 163 - inclination-based 174 - mesoscopic simulation approaches 164-179 - mobility 163, 164, 166-170, 179 - plastic anisotropy 19, 27, 33, 49, 98, 447 - reduced 97, 103 - slip-induced 100 - stress and strain 92-103 annealing 8, 10, 91, 166, 192, 238, 247, 249, 250, 255, 259, 285, 310, 368, 388, 399, 420, 422, 426, 478 - annihilation length 73 - fcc metals and allovs 432 - grain growth during 258 - induced boundaries 368 - magnetic 252

- polycrystal by means of magnetic 249

- recrystallization during magnetic 261 - texture dominated by the cube component 166 - tilt grain boundary during 242 - time most appropriate revealed by 250, 378 - undergone spheroidization 285 APT. See atom probe tomography (APT) arc zone melting technique 414 Arrhenius equation 79 as-quenched sample 292 asymmetrical grain boundaries - coupled motion of 216-221 atomic bonds decohesion 269 atomic force micrograph, of surface of AZ31 tensile specimen 99 atomic-scale chemical analysis 292 atom probe tomography (APT) 280-282 - disadvantage of preparing 281 Auger spectra 474 - Si concentration, quantitative analysis 474 austenitic stainless steel - Wilkinson (small strain) method 355 austenitic stainless steel (SUS304L) 424 axisymmetric tension 448, 459

b

basal slip 111 base-centered cubic (bcc) metals 452 BaTiO₃ polycrystals 314, 315 bicrystals, magnetically driven grain boundary motion 237–246

- absolute grain boundary mobility, measurements 239–243
- magnetically induced motion 237-239
- misorientation dependence of 243-245
- temperature dependence 243, 246
- tilt boundary mobility, boundary plane inclination effect 245, 246

Microstructural Design of Advanced Engineering Materials, First Edition. Edited by Dmitri A. Molodov. © 2013 Wiley-VCH Verlag GmbH & Co. KGaA. Published 2013 by Wiley-VCH Verlag GmbH & Co. KGaA.

bismuth bicrystals 240 geometry of 238 Boltzmann factor 165 Boolean' model 131 boundary conditions 25, 26, 42 boundary energy 172 boundary migration process 374 boundary velocity 313 box-counting method 440 Bragg's law simulations 345 brittle-ductile fracture transition 441 brittle-to-ductile transition temperature (BDTT) 450, 468, 475, 476, 489 Brownian regime 214 bulk diffusion 303 Burgers vector 209

С

CA codes 8 Cahn-Hilliard formulation 174 Cahn-Hoffman formalism 301 Cahn's expression 144 capillarity-mediated branching 329-333 - capillary-mediated energy 331-333 - Gibbs-Thomson-Herring interface potential 329, 330 – local equilibrium 329 - tangential gradients and fluxes 330, 331 capillarity vector 163 capillary driving force 307 capillary energy density 332 capillary energy fields 324-328 - capillarity on melting, influence 327, 328 - melting experiments 325 - self-similar melting 326, 327 capillary length 324 capillary-mediated fluxes 331, 333 capillary-mediated interface energy fields - branching 333, 334 - capillarity-mediated branching 329-333 - capillary energy fields 324-328 - dynamic solver results 334-336 zeros of surface Laplacian 333, 334 capillary-mediated interface rotation 335 capillary potential 330 capillary vector 301 carbon atoms 281, 284, 286, 288, 293 - map 284, 287 carbon concentration gradient 283 carbon-enriched austenite layer 293 carbon-enriched ferrite dislocation substructure 285 carbon steels austenite reversion in 278

- modeling grain boundary segregation 278 Cartesian coordinates 329 casting process 489 causal cone notion 124-126 - geometric interpretation 125 CCD chip 347 cellular automata (CA) 3, 9, 169 - modeling of recrystallization 8 Chalmers' technique 414 charge coupled device (CCD) detectors 369 chemically decorated grain boundaries - phase transformation, and nucleation on 288-294 -- at grain boundaries 288-290 -- in martensitic Fe-C steels 290-294 chemical potential 271-273 - gradient 313 classic nucleation model 379 cobalt alloys 480 Co-base superalloys 467 coincidence axial direction (CAD) 428 coincidence boundaries 432 - frequency 431, 432, 436 coincident site lattice (CSL) 204 - boundaries 433 - condition 428 - role of 162 cold-rolled titanium 249, 258 cold-rolled Zr sheet, orientation density 259 columnar polycrystal aggregate 44 commercial purity (CP) 73 compression test 59, 93, 97, 98 - uniaxial 450 computational model 327 computer-assisted SEM-EBSD/OIM technique 411, 419, 427, 434 continuum simulations 42 convergent beam electron diffraction (CBED) 362 copper, grain boundary motion 194 Co-Re-based alloys 482, 483, 489 - creep strength 488 Co-17Re-23Cr alloy - fracture surface 485 - microstructure 484, 486, 487 Co-Re-Cr alloy system 480-489 - creep resistance 486-489 - oxidation 480-483 - strength and ductility at ambient temperatures 483-486 correlated electron microscopy 280-282 CPFE methods, success of 45 CPFE simulations 42

critical resolved shear stress (CRSS) 21, 104-106, 109, 449, 450 critical shear stress for prismatic slip 99 cross-correlation method 345, 348, 360 cross-slip of screw dislocations 71 CRSS. See critical resolved shear stress; critical resolved shear stress (CRSS) crystal deformation models 27 crystal elastoplasticity, modeling 41 crystal lattice 21, 25 crystallographic-geometrical analyses 426 crystallographic lattices of grains 19 crystallographic plane 20, 83, 389 crystallographic textures 7, 19, 51, 167, 399 crystallographic textures and magnifying glass - aluminum alloys -- oriented nucleation, oriented growth and in situ recrystallization 397, 398 -- recrystallization in particle containing Al alloys 399 - casting 389 - deformation mechanisms 389-396 -- stacking fault energy analysis in rolling texture formation 395 -- surface shearing and lubrication effects 395, 396 -- textures revealing 391-395 - information in metal processing -- texture evolution and exploitation 388-399 - to investigate materials 387-400 - recrystallization 397-399 crystal-melt surface energy density 329 crystal orientation 6, 20, 26, 33, 41, 414, 423 crystal plasticity 5, 20, 21, 41 - concepts 7 crystal plasticity modeling 41-45, 49 - boundary value solvers 49 - constitutive models 46, 47 -- dislocation slip 47 -- displacive transformations 47, 48 - decomposition, of deformation gradient 45,46 - effective material properties 55 -- direct transfer of microstructures 55, 56 -- representative volume elements 57-59 -- virtual laboratory 59-61 - homogenization 48 - texture, and anisotrop 49 -- optimization of earing behavior 51-55 -- prediction of earing behavior 50, 51 -- prediction of texture evolution 49, 50 - total deformation gradient, 44, 45 - velocity gradient 46 crystal-scale micromechanics 43

Cu Al alloy 379 Cube component 399 curling 285, 448, 449, 459 curvature-driven grain boundary motion 9 cyclic softening 73 cyclic stress–strain curve 72, 74

d

damage-tolerant steels 267 data analysis 282, 381, 382 3D computer simulation, of microstructures 120 3D/4D techniques 381 Debye frequency 75 de-convolution 75 defectant theory 270 defect densities 20 deformation 11, 93, 94 - behavior of ferritic steels 74 - behavior of recrystallized Zircaloy-4 76 - induced dislocation boundaries 368 - mechanism 395 - modes in magnesium alloys 92 - by shear banding 91 - temperature 97 - texture components -- volume fraction of 260 - twinning 96 deformed state 8, 284, 373, 420 dendritic growth - conventional noise-based theories 324 - kinetics 323 - noise-based theories 323 dendritic morphogenesis 323 deviation angle 433 diffraction contrast tomography (DCT) 370, 371.379 diffraction patterns 370 diffusion-bonding method 413 diffusion coefficient 303 diffusion kinetics 306 diffusion mechanism 306, 307 dislocation-assisted (DA) mechanism 299 dislocation boundaries 83, 211, 374 - analyses 363 - deformation-induced 368, 374 dislocations 20, 21 - arrays 226, 285, 363 - creep mechanisms 489 - densities 6, 47, 70, 71, 74, 76, 79, 80, 82, 114, 356, 359, 378 - discrete 205

- on discrete slip systems 42
- glide 20, 70, 76, 114, 203, 216, 389, 400

– gliding 206 - mobile 37, 47, 73 - related stress 74 - screw 226, 299, 309 displacement gradient tensor 342 double kink formation energy 75 3D polychromatic X-ray microdiffraction technique 375, 381 driving force 302, 309, 315 2D simulation, using interface phase-field method 173 dual-beam focused ion beam (FIB) microscope 281 ductility 95, 97, 100, 101, 270, 407, 441, 485, 486.489 3DXRD method 370, 372 – examples 372 - limitations 381, 382 - mapping mode 376 microscope -- permanent installation 368 -- principal components 369

dynamic recovery processes 79

е

EBSPs - many-beam dynamical simulations 362 EBSP technique 380 ECAP grain refinement treatment 101 edge dislocation 21 effective flux 313 elastic beam theory 473 elastic deformation 197 elastic-plastic deformation 41 elastic-plastic self-consistent (EPSC) models 103 elastic strain measurement 353 electrochemical polishing sequence 282 electro-deposition methods 420 electron backscatter diffraction (EBSD) 252, 281 data analysis 254 - grain microstructures 260 - high angular resolution (See high angular resolution EBSD) – maps 291 - measurements 448 - pattern 343 -- formation 343 - technique 405 electron back-scatter electron (BSE) contrast 448 electron back scattering pattern (EBSP) techniques 380

- simulated 346 electron beam microprobe analysis 447 electron channeling patterns (ECPs) technique 417 electron energy loss spectroscopy (EELS) 411 electron microscopy 279-281, 295, 355, 367, 376, 411, 413, 462, 476 ellipsoidal interface 327 empiricism 104 energy anisotropy 167, 168, 277 energy dispersive spectroscopy (EDS) 280, 291 enthalpy 163, 215, 243, 244, 245, 274 entropy 79-81, 80, 278, 279, 316, 416 equal channel angular pressing (ECAP) 82-86 equilibrium grain boundary segregation theory 271-280 - Gibbs adsorption isotherm 271, 272 - interface complexions at 278-280 - Langmuir-McLean isotherm equations 272-274 - phase-field modeling 274-278 equilibrium segregation phenomena 270 equilibrium shape of a crystal (ECS) 300 European Synchrotron Radiation Facility (ESRF) 368 evolution equation for back stress 75 experimental validation, prediction - cup drawing textures 36, 37 - rolling textures 34-36

f

fabricating processes 400 face centered cubic (FCC) metals 390 fatigue limit 74 fcc metals 162, 167 - rolling texture in 392, 393 FC Taylor model 393, 394 Fe-Al system 453 Fe-based Si alloys 432 Fe-Cr-C sample 294 Fe-Cr steels 267 Fe-C system 275 Fe-Mn steels 267 Fe-Mn systems 289 FEM simulations 11, 13, 352 - of deep drawn cup 13 - of materials processing 5 ferrite nucleation rate 379 ferrite subgrain boundaries 286 field emission gun scanning electron microscope (FEGSEM) 351 field ion microscopy (FIM) 411 finite element method (FEM) 3, 42, 54, 58 floating zone technique 414

flow stress 94 focused ion-beam (FIB) tomography 368, 471 Fokker-Planck equation 83 fourfold anisotropy 329 four-point bending tests 437 fractal analysis 439 fractal-based relationship 440 fracture processes 413, 419 fracture stress 408 Frank-Bilby equation 209 free energy density 275 friction 25, 92, 212, 395, 396 front-tracking algorithms 9 Fuchizaki's model 176

GBE. See grain boundary engineering (GBE) GB microstructure-dependent fracture processes 438 GB phenomena, characteristic features 410 GBs. See grain boundaries (GBs) generalized Schmid law 22, 23, 25, 26 geometrically necessary dislocations (GNDs) 354 Ge single crystal 345 GIA model 393 Gibbs adsorption isotherm 270-272, 288 Gibbs-Duhem equation 271 Gibbs formulation 288 Gibbs free energy 272, 273, 303 Gibbs-Thomson equilibrium 195, 304, 308, 327 Gibbs-Thomson-Herring (GTH) equation 330, 331 Ginzburg-Landau equation 172 GND analyses 361 GND density distribution 356 GND density maps 357 gradient-weighted moving finite element (GWMFE) method 176, 177, 179 grain-averaged activation energies - distribution 377 grain boundaries (GBs) 73 - Al bicrystal 226 -- surface topography 203, 207, 220, 227 - Al, stress-driven migration of 226 - anisotropy (See anisotropy) - atomic mechanisms 209 - beneficial effect 411 - crystal symmetry analysis 217 - Cu-bicrystal, AFM topography measurement 192 - curvature 9 - displacement and shear stress 213

- enrichment factor 274 - experimental migration rate 214 - free surface line tension 192 - gliding dislocations, traces -- MD simulations 206 - groove -- cubicrystal, AFM topography measurement 192 - junctions 189-198 - lattice misorientation angle, time dependence 224 - microstructures 435 - migration (See also grain boundary migration) -- control 235 -- in metals 163 - migration and shear strain -- coupling modes 208 - mobility 8, 260 -- measurements 215 -- in Zn 244 - molecular dynamics 204 - motion (See also grain boundary motion) -- recrystallization 235 - network 9 - particle -- schematic view of 193 - periodic boundary conditions 204 - plastic deformation (See plastic deformation) - plot of population (area) of 173 - polycrystalline materials 216 - properties 278 -- calculation 178 - role 268 - schematic view of 195 - segregation coefficient 273 - segregation phenomenon 268, 271 - shearing 100 - shrinking grain 223 - simulation geometry 204 - sliding 99 - stick-slip process 212, 213 - stress-induced 206 -- migration 215, 221 -- motion 203 - structure and properties 412 - structure-dependent fracture processes 418 - surface tension 192

- energy 9, 191, 258

(GBE))

- engineering (See grain boundary engineering

- three-dimensional 205
- tilt angle, schematic dependence 217
- triple junctions 189

- 500 Index
 - -- line tension 192 - types 424 - velocity 8 grain boundary character distribution (GBCD) 162, 407 grain boundary engineering (GBE) - basic concept 411-413 - beneficial, and detrimental effects 410, 411 – for fracture control through texturing 434-441 -- control of microscale texture, and microstructure 434-436 -- fracture control based on fractal analysis 439-441 --microstructure-dependent brittle fracture in molybdenum 437, 438 -- percolation-controlled and microstructuredependent fracture 438, 439 - historical background 406-410 - long pending materials problem, and dilemma 407-409 microstructures -- change in energy during grain growth 420, 421 -- characteristic features 420-426 -- characterization parameters 419, 420 -- grain size dependence 420 -- relation between character distribution and grain size 421-426 --relation between texture and grain 426-436
 - in textured polycrystals, characteristic features 427–434
 - -- in textured polycrystals, theoretical basis 426, 427
 - origin of heterogeneity 409, 410
 - progress in 405
 - strong and tough structural materials, demand for 406, 407
 - structure-dependent fracture processes in polycrystals 417–419
 - structure-dependent grain boundary properties in bicrystals 413–417
 - grain boundary-free surface 197
 - absolute values of 192
 - grain boundary migration 235, 236
 - AA3103 261
 - aluminum alloy sheet, pole figures $\ 249$
 - control of 235
 - conventional curvature driving force 236
 - driving forces for 236, 237
 - forces acting 255
 - magnetic driving forces 248, 255
 - in magnetic field 237
 - -- opposite directions 240

- ND-TD plane, pole figures 250 - nonferromagnetic materials 248 - Ti sheet sample, pole figures 252 - titanium and zirconium 251 - Young's modulus 236 grain boundary motion - computer simulation methodology 204-206 - coupling effect 202, 203 -- dynamics of 212-216 -- and grain rotation 221-227 - coupling factors, multiplicity of 208-212 - experimental methodology 206-208 - with local migration rate 9 grain boundary triple line - absolute values of 192 - grain growth, driving force 192, 193 grain cluster model GIA 7 grain growth 7, 9 - in BaTiO₃, abnormal 119 - ClaNG model 10 - model 300 - simulation 9 - three-dimensional vertex modeling 9 grain interaction model (GIA) 7, 31, 35, 38, 393 grain microstructure evolution 235 grain refinement 94, 104 - of wrought magnesium alloys 95 grain sizes 113 - effect 420

GTH potential 333, 336

h

Hall-Petch behavior 109, 110, 112, 201, 437 Hall-Petch effect 270, 282, 438 Hall-Petch plots, magnesium alloy AZ31 from compression 94 hardening coefficient 357 hardening rate 94 hcp crystal structures 91 heat flux 326. 328 Henry's law 273 Hertzian attraction load 198 hexagonal closed packed (HCP) 391 hexagonal materials, challenges to constitutive modeling 75 high-angle grain boundaries (HAGBs) 167 high angular resolution EBSD (HR-EBSD) 341, 353, 359 - analyses 346 - applications 351-359 - crystal defects -- and elastic strains 359 -- and lattice misorientations, GND analysis 354-359

- EBSP numerical simulations 345 - elastic strain analysis 360, 361 -- application 361 - evolution, and validation 359-362 - geometry 342-345 - history 341, 342 - lens distortion 346, 347 - low-angle grain boundaries 351 - materials applications 341 - orientation gradients 347-349 - pattern center 349-351 - practical problems 345-351 - pure elastic strains 351-354 - sensitivity 350 High Energy Materials Science beamline (HEMS) 370 high-performance steels 268 - grain and phase boundaries analyais in 267-271 high-temperature processing 270 homogeneous Poisson point process 119, 120 HR-EBSD. See high angular resolution EBSD (HR-EBSD) hydrostatic pressure 79 hypereutectoid pearlitic steel 286 - wires -- 3D carbon atom maps 284 -- TEM images 286 hysteresis loop 72

i

inclination angles 172 incoherent nanoscale Yttria particles 472 in situ neutron diffraction experiments 485, 486 in-situ recrystallization 398 integrated computational materials engineering (ICME) 5 intensity measure 122 interface potential 335 interface reaction 306 interface reaction-controlled crystal growth 303-306 - growth from a re-entrant edge 305, 306 - growth from flat surface atom 303, 304 - growth from screw dislocation 304, 305 interface segregation - in advanced steels studied at atomic scale 267 - atom probe tomography 280-282 - chemically decorated grain boundaries -- phase transformation and nucleation on 288-294

- correlated electron microscopy 280-282

- equilibrium grain boundary segregation theory 271-280 - ferrite phase of pearlitic steel, atomic-scale experimental observation 282-288 - grain and phase boundaries analyais in high-strength steels 267-271 interfacial energy 174, 178, 272, 324, 332 interfacial flux 332 interfacial stiffness 174 interfacial tension 271 intermetallic particles 289 interphase-boundary-related phenomena 406 intrinsic hardness 93 inverse strength-ductility - problem 267 - relationship 269 iron-tin alloy 409 isothermal annealing 376

j

Johnson, Kendall, and Roberts (JKR) model 197, 198 Johnson-Mehl-Avrami-Kolmogorov (JMAK) – analysis 170 – theory 119–121, 126–129

k

Kikuchi band edges 342 kinetic freezing 292 Kocks-Mecking-Estrin (KME) model 6, 71 – coefficients, re-interpreted 81 – dislocation density evolution 79

- modification, predicting deformational behavior 76
- total entropy flux 79
- for UFG titanium 74

I

LAMEL model 7, 35, 48, 50 Langmuir–McLean type approaches 272, 274 Langmuir-McLean-type monolayer adsorption films 279 Laplace heat field 327 Laplace pressure 191 - for 3D-curved grain boundary surfaces 191 Larson-Miller plot 488 lattice orientations 20 lattice rotation 23 304L-austenitic stainless steel 425 lens distortion calibration - schematic presentation 347 "lightening rod" effect 326 linear stability analysis 86 linear stress-velocity relation 214

liquid-gallium-induced fracture 418 liquid matrix 303, 306 local chemical compositions 293 local electrode atom probe (LEAP^{TM}) 282, 291 lost-evidence problem 373 low-angle grain boundaries (LAGBs) 167 low-energy boundaries 439 LSW theory 308, 309

m

macroscopic gradients 333 macroscopic properties 5 magnesium alloy, basal pole for 98 magnetically anisotropic polycrystals, magnetic driving force impact - texture/grain structure development -- grain growth, texture evolution 248-253 -- growth kinetics 253-258 -- microstructure evolution 253-258 magnetic annealing. See annealing magnetic energy density 249 magnetic field, rolling direction (RD) 253 magnetic susceptibilities 237 mark distribution 123 mark space 122 martensite matrix 293 martensite-to-austenite reverse transformation 289 martensitic stainless steel 290 material point method (MPM) 87, 120 materials science, advantages for 341 materials science and engineering (MSE) 406 Matérn cluster process 130, 131 – computer simulation 131 matrix material 288 maximum random boundary connectivity (MRBC) 440 mean densities - associated to a birth-and-growth process 123, 124 mean extended surface density 124 mean extended volume density 124 mean surface density 124 mean surface measure 124 mean Taylor energies 462 mean volume density 123 mechanical alloying (MA) 468 mechanical anisotropy 459-462 mechanical behavior of TRIP steel 75 mechanical characterization 295 metallic systems 467 metal microstructures, characterization 367-382 - applications 372-379

- challenges and suggestions for 379-381 - 4D characterizations by 3DXRD 368-371 - 3D mapping of crystallographic contrast microstructure by synchrotron x-rays 371 - 4D studies 377-381 -- grain growth 378 -- phase transformation 379 -- plastic deformation 377, 378 - 3DXRD microscope 369-371 - recrystallization studies 373-377 -- grain boundary migration 374, 375 -- nucleation 373, 374 -- recrystallization kinetics 376, 377 metal production processes 388 MgO particles 421 microstructural changes - along the process chain of tube fabrication 4 microstructural path concept 120 microstructural path method (MPM) 120 microstructural processes 6 microstructure, and atomistic processes 5 microstructure builder 166 microstructure evolution 5, 387 - continuum approach 5 microstructure-property relationships 5 microstructures, types 315 migration mechanism - of faceted solid-liquid interface 314 Mises criterion 449 misorientation angle 167 misorientation function 428 Mn-rich austenite 290 mobility anisotropy 167 modeling anisotropy - stress and strain 103-113 modeling birth-and-growth processes 121-123 model validation 21 molecular dynamics (MD) simulations 3, 4, 204 - block 222 molybdenum single crystals 428 monochromatic beam 369 Monte Carlo simulations 3, 6, 8, 9, 166 Mo-oxide formation 478 Mo-Si alloys 474 Mo-Si-B alloy 468-480, 469, 470, 475, 476, 479.483 - creep resistance 478-480 - cross-section 476 - isothermal section 469 - manufacturing and microstructure 468-471 - multiphase Mo-Si-B alloys 475, 476

- outer fiber tensile strain vs. temperature 475

oxidation resistance 476–478
single-phase Mo solid solutions 471–475
strength and ductility at ambient temperatures 471–476
TGA results 477
Mo–Si–B phase diagram 471
Mo-9Si-8B-1Zr 478
multiphase field approach 275
multiscale modeling 5
multislip situation in polycrystal 43

n

nanocrystalline material 408 nanoscale impurity-containing intergranular films 279 nanostructured metallic alloys 283 Neyman-Scott processes 130 NGG. See normal grain growth (NGG) NiAl compound - anisotropy 447 - compression 452 - compression texture 457 - deformation 452 - deformation textures 457 – sample 454 - sample, schematic sketch 461 - textures 455, 458, 459 - Young's modulus 462 NiAl flow stress 450 Ni-based superalloy single crystal 351, 352 Ni-base superalloys 467, 480 Ni-P alloy 427 Ni-Re phase diagram 480 Ni single crystal - GND density maps 358 - orientation maps 358 nitial cubic cell – elastic deformation 344 noise-based theories 323 "noise-free" dendrites 335 noisy fluctuations 323 nonzero lattice rotation 25 normal grain growth (NGG) 299, 310, 317 normal growth model 123 normalized recrystallization kinetic curves 378 novel metallic high temperature materials development - Co-Re-Cr alloy system 480-489 - by microstructural design 467-490 - Mo-Si-B alloy system 468-480 nucleation 119, 375 barriers 277

- in clusters 130

-- evaluation of integral 131-133

- -- influence of cluster radius 133-135
- -- influence of number of nuclei per cluster 135, 136
- -- Matérn cluster process 130, 131
- -- numerical examples 133
- frequency 8
- and growth 119
- kinetics 8
- on lower dimensional surfaces 136
- -- bulk nucleation 137, 138-140
- derivation of expressions for surface and bulk nucleation 136
- -- numerical examples 138
- simultaneous bulk and surface nucleation 140, 141
 - surface nucleation 136, 137, 138
 - rates 9, 137
 - sites exhausted 120
 numerical validation tests 360
 Nye's dislocation density tensor 354
 Nye's tensor 356

0

ODF intensity 456
ODFs. *See* orientation distribution functions (ODFs)
OIM technique 434
optical micrograph, of AZ31 after elongation in tension 109
orientation distribution functions (ODFs) 31, 35, 37, 38, 250, 254, 449
– cold-rolled Zr sheet 259
– (0002) pole figures 259
– titanium and zirconium 254
Orientation Gradients 347–349
orientation imaging microscopy (OIM) 406
orthorhombic texture symmetry 460
oxidation resistance 468

р

pancake model 449
parameters used in modeling flow stress and *r*-values 109
partial differential equations (PDEs) 3
particle-matrix interface 487
particle-stimulated nucleation (PSN) 399
Peach-Kohler forces 226
pearlitic steel
ferrite phase, atomic-scale experimental observation 282–288
Peierls-Nabarro stresses 211
Peierls stress 74
percolation-controlled crack propagation 439

phase field crystal (PFC) boundaries, simulations 218 - MD simulations 218, 219 - methodology 205 phase-field modeling 9, 171, 280 advantage 275 phase transformations 10 – energy 325 - process 326 phase transitions 288 pivalic anhydride (PVA) crystallites 325 - progressive melting 326 plane-matching-type boundary 428 plastic anisotropy 27, 41, 42, 460 - of polycrystalline materials 33, 34 - in pure magnesium and the traditional alloys 100 plastic deformation 235 - grain boundaries (GBs) 201 - heterogeneity of 44 - of metallic crystals 20 of polycrystalline materials 19 plastic incompatibilities 75 plastic strain 268 - rates 24 - ratios 103 Plateau's rule 313 Poisson's ratio 107, 197 polar-to-equatorial fluxes 328 polychromatic X-ray microdiffraction technique 371 polycrystal deformation modeling 447 polycrystal deformation software 24 polycrystalline aluminum alloy 242 polycrystalline cold-rolled zinc 236 polycrystalline materials 405, 421, 426, 441 - bulk properties 419 - mechanical properties 407 - properties 413 polycrystalline zinc 258 polycrystal plasticity models, for single-phase materials 27, 28 - grain interaction models 30-33 - relaxed constraints Taylor theory 29, 30 - Sachs model 28 - Taylor theory 28, 29 polycrystals - equilibrium boundary shape 301 - equilibrium crystal shape 300, 301 - fundamentals, equilibrium shape of interface 300, 301 - interface structure-dependent grain growth behavior in 299-318

solid-liquid two-phase systems, grain growth in 302–312
solid-state single-phase systems, grain growth in 312–317
system 175
texture/microstructure evolution
magnetic field influence 258–261
polymer crystallization 119
potential energy 171
Potts algorithms 165
power-law relationship 374
processing-property relationships 4
proportionality constant 314
pseudonormal grain growth (PNGG) 310
pyramidal slip 111

q

Q-state Ising model 164 quasistatic melting 327 quenched systems, types 289

r

Raman spectroscopy 477 Random velocity 145 - cases 147, 148 - computer simulation 148-150 - time-dependent 145-147 rare earth (RE) elements 100 rate insensitive methods 25 rate sensitive methods 25 Read-Shockley model 176 real-space simulations 8 recrystallization 7, 8, 9, 10, 91, 119, 121, 169.261 - mechanism 399 - modeling 8 - nucleation 373 - static/dynamic 92 - stored energy level in 165 - textures 397, 398, 399 -- components 398 - of warm rolled aluminum 1050 166 regions of interest (ROI) 342 ReNuc, nucleation model 8 residual shifts 348 resolved shear stress 20, 21 ribbon-like lamellar structure 285 Rietveld refinement analysis 471 rigid body rotation 352 Robo-Met.3D technique 380 rolled/annealed FCC sheet - orientations in 392 rotated reference technique (RRT) 349, 361 rotation angle, function 348

rotation matrix 280 round-edged polyhedral 307 r-values 98, 99, 107, 108, 111, 112

s

scale factor 329, 344 Schmid factors 93, 98, 108 Schmid's law 103 Schmid tensors 24 Schmidt factors 211 screw dislocation-assisted mechanism 305 secondary ions mass spectrometry (SIMS) 280 segregation coefficient 274 segregation-induced embrittlement 427 selected area channeling pattern (SACP) technique 423 selectively grown grains, relative frequency 247 SEM-EBSD/OIM technique 422, 423 severe plastic deformation (SPD) 69, 70 - numerical simulations of SPD processes 82-86 – one-internal variable models 70–77 - three-internal variable models 81, 82 - two-internal variable models 77-81 SFE stainless steel crystal 363 shadow casting technique 351 shear modulus 488 shear strain 25, 30, 73, 80, 208, 352, 353 - components 353 - through an expression of the Voce type 103 shear stress 27, 78, 79, 91, 98, 103 shear zone 396 shift error distributions 349 shift errors 349 SiGe-Si sample - HR-EBSD analysis 354 silver alloys - vapor-deposited samples 421 simple beam theory 352 simulation approaches 161, 162, 164 - cellular automata 169, 170 - cusps in grain boundary energy 174 - level set 174, 175 - moving finite element 176-179 - particle pinning of boundaries 179 - phase field 170-174 - Potts model 164-169 - vertex 175, 176 single crystal approach 408 site-saturation 121 site-specific joint scanning transmission electron microscopy (STEM)-APT analysis 281

skew-symmetrical velocity gradient tensor 26 slip direction 20 - families 21 slip domination, factors 91 slip plane families 21 slip planes 20, 27 slip rates 23, 25, 26 slip systems 20, 21, 25, 395, 449, 454 - geometry 389 smart cellular automata code CORe 8 Smith-Zener equation 179 smooth particle hydrodynamics (SPH) code 87 softening phenomena 7 solidification 169, 323 solidification process 325, 389 solid-liquid interface 304, 330 solid-liquid two-phase systems 299 - diffusion-controlled crystal growth 302, 303 - grain growth 302-312 -- behavior 307-312 - interface reaction-controlled crystal growth 303-306 - mixed controlled growth of faceted crystal 306, 307 - nonstationary grain growth, in systems with faceted grains 309-312 - single crystal in liquid, growth mechanisms and kinetics 302-307 - stationary grain growth in systems with spherical grains 308, 309 solid oxide fuel cell (SOFC) 353 solid-state single-phase systems - grain boundary, migration mechanisms and kinetics 312-315 - grain growth 312-317 -- behavior 315-317 solid-vapor system 305 solid volume fraction 309 S-orientation 168 SPD. See severe plastic deformation (SPD) spherical system 308 spheroidization 286 spiral growth mechanism 304 stable cyclic deformation. 73 stable hysteresis loop 74 stacking fault energy (SFE) 359, 393 - evaluation 396 stagnant grain growth (SGG) 310 standard electron backscatter diffraction (EBSD) 341 standard optimization techniques 343, 375 static recrystallization 451 Stefan balance 336 strain 26

- components 342 - deformation 453 - errors 348 - free cells 378 - measurement errors 347, 350 - rate tensor 21, 23 - ratio 108 stress-dependent energy 75 stress-strain behavior in pure magnesium and a magnesiumgadolinium alloy 101 stress-strain curves 356, 359, 437, 450, 459 473 - for AZ31 110 - for bars of magnesium alloy WE54 in tension and compression along 102 stress-true strain, behavior evaluation 107 stress vs. strain 110 structure-dependent fracture processes 417 structure-dependent grain boundary properties 415, 416 subpixel registration techniques 345 superposition principle 140 surface nucleation 136, 138 surface tension 165

t

tangential divergence operator 332 tangential gradient operator 331 Taylor energy 450, 460 Taylor theory 7, 23, 26, 27, 73, 461 Taylor-type condition 78 Taylor-type models, applied to magnesium 103, 392 temperature – and degrees of GBS 99 - fluctuations 14 - influencing plastic anisotropy of magnesium alloys 99 - influencing r-values for AZ31 sheets 100 tensile creep testing 478 tensile strength 96, 283 tensile stress-strain curves, for AZ31 alloy 95 tensile test 94, 98, 107 tension tests 94 tension twinning 91 texture development 9 texture/grain structure development - grain growth, texture evolution 248-253 growth kinetics 253–258 microstructure evolution 253–258 texture index (TI) 37 texture ODF intensity 397 thermal stability 416

thermogravimetric analysis (TGA) 476 thermomechanical processing 422, 424, 429, 430, 435, 447 - experimental 447-450 - mechanical anisotropy 459-462 - microstructure and texture development 450-457 - NiAl microstructure and texture design 447-463 texture simulations 457–459 three-dimensional (3D) Hough transformation 342 three-dimensional X-ray diffraction (3DXRD) 368 through-process modeling 10-14 - aluminum sheet fabrication 11 through-process modeling (TPM) 4 Ti-containing alloy 479 TiC-WC-Co system 312 tilt boundary mobility, boundary plane inclination effect 245-246 tilt grain boundaries - in bismuth 246 - bismuth bicrystal, during annealing 240 - images 239 - migration activation 244 - migration of 240 - orientation/inclination 246 time integration 26 torque force 301 total deformation tensor 349 total dislocation density 80, 81 total free energy 171 transformation-induced plasticity (TRIP) 269 transformations 119, 150, 151 - application to recrystallization of IF steel 153-157 - kinetics, cluster radius on 133 - mean volume density transformed as a function of 134 - objectives 150 - sequential transformations 152 - simultaneous transformations 151, 152 transformations, nucleated on random planes - analytical expressions for 141 -- behavior at origin as model for behavior in "unbounded" specimen 142 -- computer simulation results 145 -- nucleation on random parallel planes 143, 144 -- results for nucleation on random planes 141, 142 transition probability 165 triple junction line tension

– AFM topography measurement 191 - crystalline nanoparticles agglomerate 196-198 - on Gibbs-Thompson relation, effect of 195, 196 - Zener force, effect of 193-195 triple line energy 190 - AFM topography measurement 191 - schematic three-dimensional (3D) view 190 triple line tension - on thermodynamics, and kinetics 192 true stress 108 true stress-true plastic strain compression curves 460 turbine engines - temperature capability 467 twinning 93 - reduced in RE-alloys 102 twinning fraction 112 twinning-induced plasticity (TWIP) 269 two-dimensional atomic nucleation (2DN) 299 two-dimensional nucleation and growth (2DNG) 309, 310 two-dimensional nucleus 303 two-phase systems 315

и

uniaxial deformation 390

V

vapor-deposition methods 420
vector function 301
velocity gradient 24

tensor 21, 26

visco-plastic methods 25
viscoplastic self-consistent (VPSC) 103, 106

calculations 110
effect of strengthening by grain refinement on *r*-value 112
fraction of strain accommodated by 111

Voce-type expressions 106

volume fractions 123, 124 – of major texture components 12 von Mises criterion 462 von Mises equivalent strain rate 27 von Mises vield condition 102

w

WC grains 312
WE54 alloy, tension and compression curves 101
weighted essentially nonoscillatory (WENO) approach 172
work hardening model 13
wrought magnesium alloys

mechanical properties 91

Wulff construction 300
wurzite-zincblende phase boundary 314

X

X-ray diffraction 291, 388, 427, 470 X-ray line broadening experiments 377 X-ray texture data 387 X-ray tomography 370 X-ray tomography techniques 368

Y

yield stress 448 Young's modulus 107, 197, 448, 462 yttrium alloy 103

z

Zener force 193 zinc bicrystals – magnetic driving force 241, 243 – specimens – geometry of 238 zinc single crystal 246 – under magnetic driving force 246–248 zirconium 249 – annealing, in magnetic field 258