

Index

a

- accuracy
 - avoiding numerical problems 20
 - checking 19
 - estimation 19
 - high degree 406
 - iterative method 19
 - modify minimization 65
 - predefined 53
 - root-finding process using 23
 - unsatisfactory, of solution 19
- active constraints 371, 409
 - cycling 371
 - zigzagging/jamming 371
- active set methods 441
- ad hoc function approximation 61
- ad hoc models 9
 - for model-based optimization 479
- adequate compiler 62
- Aitken method 6
 - convergence speed 6
 - numerical differentiation 6
 - numerical evaluation 6
- algebraic constraints 478
- algorithms 1
 - ALPF algorithm 432
 - based on Newton's method, features 154
 - Bolzano 3, 7, 8
 - Bulirsch–Stoer 14
 - checks 20
 - Cholesky 246
 - combination, in a general program 60
 - conjugate gradient method 163
 - convergence 427
 - Levenberg–Marquardt 256
 - numerical 240, 261
 - optimization 216
 - RDSBC Algorithm 408
 - regula falsi 11
 - robust 185, 186, 306
 - Simplex 370
 - substitution 3–7
- ALPF. *see* augmented Lagrangian penalty function (ALPF)
- ancillary integer vector ordering 156
- appropriate algorithm 316
- Attic method 356, 358–363
 - advantages 366, 368, 369
 - feasible starting point, easier to obtain 369
 - nonvertex (internal feasible) points, moving of 369
 - several constraints, simultaneous removal 368
 - solving degeneracy problems 369
 - vs. simplex method advantages 369
- Attic vertices 359
- vs. nonvertex feasible points 359, 360
- basic concepts 356–358
- behavior of 376
- devices inserted, strategy proposed for 380
- drawbacks 371
- formulation requirement 365
- vs. standard form requirement 365
- general considerations 387
- important peculiarities 359, 360
- problem formulation, difference in 360
- qualitative example 381
- roof constraints
 - vs. floor constraints 360
- simple application 367, 368
- artificial constraints, search with 367
- attic vertex, degeneration 367
- equality constraints, search with 367
- first constraint 368
- operating matrix 368
- second constraint 368
- solving the system 367
- standard formulation 358

- theoretical viewpoint 357
 - vertex and nonvertex feasible points 359
 - vs. interior point methods 366
 - vs. simplex methods 366, 375, 378
 - vs. traditional approaches 363–367
 - consequences 366, 367
 - generic problems in standard form 363, 364
 - problem formulation 363
 - variables required 364
 - zigzagging problem 381
 - four devices to reduce 381
 - augmented Lagrangian penalty function (ALPF) 430–432, 446
 - advantage 432
 - algorithm 432, 433
 - input 432
 - output 432
 - disadvantage 432
 - exact penalty function 431
 - different viewpoints 431
 - Lagrange function 432
 - augmented 433
 - Hessian of 433
 - quadratic penalty function, linear combination 432
 - stationary point, at solution 433
 - unconstrained minimum 433
 - Lagrange parameter 431
 - exact value 432
 - selection 432
 - modified objective function 431
 - nonnegativity constraint 431
 - penalty function 431
 - application 431
 - slack variables 431
 - auxiliary system, alternatives 282
 - auxiliary vector 88, 255, 282
- b**
- band matrix 163, 169, 170
 - example 170
 - Hessian 180
 - barrier function methods 434–437
 - equality constraints 437
 - example, find function minimum 436
 - results 436
 - function, minimization 434
 - mixed penalty 437
 - function, minimization 437
 - pros and cons 435
 - widely used functions 435
 - BFGS formula 129, 130
 - Bolzano’s interval of uncertainty 8
 - Bolzano’s methods 7, 25
 - Boolean matrix 274
 - bound-constrained problems 407–412
 - gradient projection methods 407, 408
 - important features 408
 - KKT conditions evaluation 410
 - applying new KKT conditions 411
 - simple example 410
 - unbounded solution 410
 - working point 410
 - projection direction search method 407
 - quadratic objective function 407, 412
 - problems 412, 413
 - reduced direction search for bound constraints 408, 409
 - active constraints 409
 - algorithm 408–411
 - input 408
 - output, solution 408–411
 - reduced direction search method 407
 - solving problem
 - BzzQuadraticProgramming class object 411, 412
 - boundary value problem (BVP) 477
 - Broyden formula 130, 258, 273, 470
 - BuildGradientAndHessian 171, 173, 175, 178, 180, 447, 448
 - BulirschStoer Previsions 15, 16, 25
 - BZZ_COMPILER 0 15, 22, 27, 29, 31, 34, 51, 56, 68, 72, 74, 96, 114, 139, 143, 155, 160, 168, 178, 189, 197, 207, 227, 264, 288, 315, 390, 402, 426, 458, 459, 460, 468, 474
 - BzzConstrainedMinimization class 426, 442, 445, 446, 451, 457, 467, 471–473
 - BzzFunctionRoot 21–25, 27, 30, 32, 34–37
 - BzzFunctionRootMP 21, 25, 29, 36, 38
 - BzzFunctionRootRobertsonVariant 31, 32
 - BzzFunctionRootRobust class 21, 225, 226, 232, 233, 429
 - BzzPlot 226
 - directory 226
 - identifier of function 226
 - object initialization 226
 - object z 226
 - roots of the function
 - best solution 231
 - printout 227–229, 231
 - program 227, 228, 230
 - Shacham’s test 232, 233
 - solution 226
 - usages 226

- BzzMath library 11, 12, 13, 14, 16, 26, 37, 56, 60, 62, 154, 165, 169, 171, 390, 422
 - alternatives 394
 - AutoSwap function 159
 - BZZ_COMPILER 0 400, 402, 422, 436
 - BzzConstrainedMinimization class 426
 - BzzFactorizedLQ class 314, 400
 - BzzMath.hpp 395, 396, 400, 402, 422
 - BzzMatrix 398, 400, 402
 - BzzMatrixSymmetric class 390
 - eigenvalues calculation program, symmetric matrix 390, 391
 - BzzMinimizationMultiVeryRobust 426
 - BzzMinimizationQuasiNewton class 425, 428
 - BzzMinimizationRobust class 421, 424, 436
 - BzzPrint 395, 396, 403, 422
 - BzzQuadraticProgramming 406, 413
 - BzzQuadraticProgramming qp, constructor 406
 - initialized possibilities 406
 - Gauss factorization 415
 - medium–large sparse problems 415
 - LQ factorization 415
 - small–medium dense problems 415
 - to solve QP problem 406
 - BzzVector 395, 396, 400, 402, 436
 - classes for function root-finding 21
 - classes implemented for one-dimensional minimization 62
 - handle unconstrained multidimensional minimization 135
 - parallel computations 60
 - robust multidimensional minimization 217
 - solve a constrained minimization problem 441
 - solve a QP problem 406
 - Solve function 165
 - BzzMath.hpp 24, 31, 74, 155
 - BzzMath7.zip file 37
 - BzzMathAdvanced 37
 - BzzMatrixSparseLocked class 449, 450, 451
 - BzzMatrixSparseSymmetricLocked class 154, 155, 164, 165, 169, 171, 446, 447
 - BzzMessage 25, 29, 66
 - BzzMinimizationLargeSparseNewton class 181
 - BzzMinimizationMono 62, 69, 71, 72
 - BzzMinimizationMonoMP 62, 78
 - BzzMinimizationMonoVeryRobust 62, 187, 193, 201, 218, 225
 - BzzMinimizationMonoVeryRobustObject 62, 187, 188, 190, 199, 201, 202
 - BzzMinimizationQuasiNewton class 125
 - BzzMinimizationRobust class 96, 97, 136, 140, 145, 148, 150, 218, 421, 424, 436
 - constructors 140
 - BzzMinimizationTwoVeryRobust Class 206, 207
 - examples and tests 215, 216
 - minimum of two-dimensional function
 - $-F_{\text{HAUPT}}$ function 208, 209
 - $-F_{\text{Michalewicz}}$ function 209, 210
 - Rastrigin function 206, 207
 - problems, characterized
 - by many local minima 211, 212
 - by multimodal functions, noncalculable in 215
 - narrow valleys 213, 214
 - BzzOdeStiff 30, 31, 71, 74
 - BzzPrint 15, 16, 22, 24, 25, 27, 29, 31, 32, 34, 35, 52, 57, 58, 66, 68, 69, 70, 75, 115, 158, 165, 170, 182, 201, 210, 229, 263, 267, 297, 319, 330, 335, 337, 390, 424, 458, 460, 475
 - BzzVector 15, 31, 72, 75, 137, 143, 158, 168, 182, 207, 229, 265, 285, 289, 295, 307, 339, 398, 417, 444, 452, 469, 475
 - BzzVectorInt 154, 155, 164, 170, 172, 182, 449, 450, 453, 475
 - BzzWarning 31, 72, 75, 165, 169, 176, 178
- c**
- Calderbank’s kinetic expression 145
 - case studies 26, 141
 - boundary value problems 302
 - calculation of chemical equilibria 289–293
 - critical size of a nuclear reactor 296, 297
 - heat exchange in a thermal furnace 287–289
 - multiple solutions in a CSTR 294, 295
 - optimal adiabatic bed reactors for sulfur dioxide 144, 145
 - BzzMath library 145–148
 - optimization of a batch reactor 142
 - model 142, 143
 - program 143
 - reaction rates 142
 - residence time and temperature 143
 - results 143
 - optimization of unimodal functions 69, 70
 - stationary conditions
 - for a nonisothermal continuous stirred tank reactor 298, 299
 - vapor-liquid equilibrium 300, 301
 - volume of nonideal gas, calculation of 26
- char operator 23

- Cholesky algorithm 111, 112, 160, 246, 249, 393
- comparison methods 46–51
 - Bolzano method 54
 - BzzFibonacci global functions 51
 - Fibonacci method 50, 54, 55
 - advantages 53
 - function evaluations, considerations 48
 - golden section method 54, 56
 - efficiency 55
 - lateral thinking 47
 - program 51, 52, 56
 - reduction of interval of uncertainty 49
 - reduction ratio 53, 55
 - resolution, delta 51
 - result 52
 - solving problem using “normal” logic 47
 - value of the final interval 51
- computational performance 96
- computational time requirement 11, 111, 310, 388
- computer programs 3, 7
- condition
 - condition number of the Hessian 82
 - first-order necessary condition 81
 - second-order necessary condition 81
- condition number 249
- coefficient matrix 317
- infinite 318
- of Hessian 82, 83, 85, 99
- square systems 249
- conjugate direction methods 100–105
- conjugate gradient (CG) method 163, 393
- constrained minimization 343–354
 - active set methods 439–475
 - classification of 343
 - equality/inequality 344, 346–350
 - active constraint 346
 - features 346
 - passive 346
 - situation of 347
 - KKT conditions 344
 - penalty/barrier functions 419–437
- constrained optimization
 - active set methods 439, 440
 - feasible direction methods 440
 - primal methods 440
 - problems 439
- constraints
 - active (*see* active constraints)
 - algorithms 415, 416
 - input 415
 - output 415, 416
 - artificial 359, 362
 - bound 357, 409, 412–416
 - complementary problem 379
 - equality constraints 409, 412–416
 - anomalies 412
 - feasible starting point 413
 - finding 413
 - floor 372
 - linear programming graphical representation 374
 - generic iteration 413
 - inequality constraints 409, 412–416
 - anomalies 412
 - linear (*see* linear constraints)
 - linearly independent 357
 - equality 357
 - inequality 357
 - nonlinear (*see* nonlinear constraints)
 - nonnegativity 357, 360, 376, 389
 - real 359
 - roof 372, 378–380
 - linear programming graphical representation 374
 - two dimensional 37
 - selection 371–377
 - Attic, in a three-dimensional space 371
 - initial point, worst scenarios 375
 - Klee–Minty problem 372, 373, 375
 - maximum number of iterations
 - evaluation 374
 - required to solve a problem 375
 - maximum number of iterations, evaluation 374
 - nonvertex feasible point 373
 - nonvertex points 374
 - novel problem 375
 - optimization problem 376
 - possible constraints number 374
 - single roof vertex, problem solution 372
 - specific class of Attics 371, 372
 - two-level factorial 372
 - vertex points 374
 - vector projection
 - vs. null space, use of 413
 - wall 378–380
- convergence 17
 - condition number, role in 83
 - conditions, of substitution algorithms 5
 - problems 116–118, 253, 254
 - quadratic 10
 - speed 6, 10, 11, 12, 20, 83, 104, 107
 - test 240–243
- CountElementsInsideLowerBand 155

- cubic interpolation 59
- Cuthill–McKee Ordering 156, 157
 - *BzzMath* library 157
 - MatrixReordering function 157
 - program 157–159
 - symmetric matrix 160, 161

d

- DAE systems 480
- Davidon–Fletcher–Powell (DFP) formula 128, 130
- decisional variables 356
- degeneracy 382–385
 - degenerate attic vertex 385
 - difference between iterations 383
 - iteration, to verify no degeneracy
 - present 382, 383
 - matrix rank 382
 - nonvertex working point 385
 - problem, simplex method 384
 - simple problem 382
 - sparse problem 384
 - Beale problem 384
 - real, large-scale 384
 - ways to overcome, Attic method 382
- determination, of one solution 316–318
 - underdimensioned system 316
 - algorithm 316
 - classical analysis 317
 - defects, underdimensioned systems 317
 - Euclidean norm 316
 - infinite vectors 316
 - matrix condition number 318
 - practical problems 316
 - solve, system 318
 - standard form 317
 - unique system conditioning 318
- differential algebraic equations 235, 420, 435, 477, 480
- distillation column 478
 - Jacobian of 480
 - model 478, 479
 - simulation 302
 - main features of program 302, 303
- divergence, Newton’s method 10, 11
- dogleg method 123, 125, 256
- double tNextMesh 31, 72, 75
- duality 385–387
 - dual problem 386
 - formulation 386, 387
 - primal problem 385, 386
 - superfluous variables 385

e

- efficiency 45
 - Attic method 358
 - computational 305
 - final interval of uncertainty 45, 46
 - linear programming tests 358
 - Murphree 478
 - *N* of function evaluations 45
 - regula falsi method 12
 - search for minimum, measurement
 - 45, 46
 - vapor-phase 478
- enthalpy balance 28, 241, 287
- equality constraints 344–346
 - Lagrange function 344, 345
 - Lagrange multipliers 344
 - correspondence, solution 345
 - objective function 345
 - small variations 345
 - Lagrange parameters 344
 - problem solving 344
 - stationary point 344
- equality-constrained problems 404–406.
 - See also* inequality-constrained problems
- equality-constrained QP 393–404
 - full KKT System, solving 394–396
 - (*See also* Karush, Kuhn, and Tucker (KKT) conditions)
 - linear system, residuals 394
 - methods classification 394
 - minimum of the function 393
 - null space methods 399–404
 - BzzFactorizedGauss class 400
 - BzzFactorizedLQ class 403, 404
 - NProduct function 403
 - NTPProduct function 403
 - BzzMath library 403
 - dependent variables 401
 - selection 402
 - factorizing symmetric matrix, for solving system 403
 - Gauss factorization 404
 - efficiency 404
 - independent variables 401
 - solving problem, using
 - BzzFactorizedGaussAttic class object 402, 403
 - iterative PCG method 404
 - matrix calculation 403
 - matrix, null space 399
 - pros and cons, solving KKT system 404
 - solving problem, factorization 400, 401
 - unconstrained problem 399

- underdimensioned matrix, null space 399, 403
- Shur-complement method 397–399
- application 415
- iterative methods, to solve system 397
- KKT system solving, BzzFactorizedGauss class 398, 399
- original KKT matrix 397
- pros and cons, solving the KKT system 399
- symmetric methods, factorizing 397
- various possibilities, depending upon factors 394
- error
 - between predictions 25
 - criterion to estimate 19
 - estimation 18
 - into system coefficients 317
 - round-off 3, 99
 - test 20
- estimations
 - error of solution 18
 - from secant method 19
 - Hessians 452
 - Jacobian in nV iterations 259
 - Jacobian, nonsingular 248
 - Lagrange parameter 432
 - solution's accuracy 18
- f**
 - feasible point, selection 361
 - flash separator 300, 302
 - Fletcher–Reeves method 153
 - full linear system 393
 - solution methods 393
 - function approximation 8
 - algorithm 8, 9
 - hyperbolic interpolation method 13
 - inverse polynomial interpolation method 13, 14
 - inverse rational interpolation method 14
 - Muller's method/parabolic interpolation 12, 13
 - solution 13
 - Newton's method 9, 10
 - disadvantages 10
 - divergence 11
 - variation between successive iterations 18
 - regula Falsi method 11, 12
 - efficiency 12
 - Secant method 10, 11
 - function root-finding 1, 17
 - FunctionRoot 37
 - functions
 - absolute value 24
 - directions decrease 83, 84
 - Hessian matrix 83
 - evaluations 46
 - GetSolution 267
 - GetTimeInMeshPoint 30, 74
 - GetY1InMeshPoint 74
 - GetYInMeshPoint 30, 74
 - gradient 79
 - minimization 42, 44
 - multimodal 42, 185, 220, 222
 - narrow valley, contour 83
 - quadratic (*see* quadratic functions)
 - Rastrigin 199
 - SetTolAbs 23
 - SetTolRel 23
 - SetTolY 23
 - unimodal 42, 43, 69
 - g**
 - Gauss factorization 250, 251, 253, 260, 305, 318, 321, 322, 324, 415, 461, 463
 - maximum value 318
 - column 318
 - matrix coefficients 318
 - row coefficients 318
 - Gauss-Newton method 248–250
 - generic function 42, 442
 - generic iteration 360
 - feasible point 360
 - vector 360
 - selection results 360, 361
 - generic iteration function 360, 361
 - generic nonlinear system solver 302
 - generic objective function 446
 - generic quasi-Newton method 303
 - generic vector 162
 - GetMinimumF 139
 - GetSolution 138, 139
 - Gill–Murray's method 113, 171, 449
 - Givens transformations 252
 - global Newton's method 305
 - global ODE system 306
 - global optimization 148, 149
 - gradient projection methods 459
 - gradient-based methods 59, 60, 98–100, 125
 - computational effort 60
 - efficiency 60
 - function and gradient values 59
 - internal point 59
 - interval of uncertainty 59
 - Gram–Schmidt method, to orthogonalize vectors 90

- gravity-flow tank, in transient conditions
 - equations 74
 - liquid level in vessel 76
 - maximum level 74–76
 - numerical values 74
 - program 74–76
 - results 76
- gross errors 306

h

- Hessian evaluation 171–173
 - *BzzMath* library 171
 - equation 171
 - gradient 172
- Hessian filling, during factorization 156
- Hessian matrix 80, 106, 163, 181, 240
- Hessian sparsity 153
- Hessian submatrix 153
- Heuristic methods, for optimization 86–88
 - algorithms 86, 87
 - approach for selection function 86
 - function contours 87
 - linearly converge 86
 - minimum search steps across Cartesian axes 87
 - pros and cons 86
 - strategies proposed, to overcome problem 87
 - Hooke–Jeeves method 87, 88
 - Rosenbrock’s method 88
 - variants 86
- homogeneous balance, of variables 154
- Hooke–Jeeves method 88
 - modified 88
 - pros and cons 89
 - Rosenbrock’s function problem 89
- Householder algorithm 90
- hyperbolic interpolation method 13

i

- identity matrix 108
- ill-conditioned 85, 86, 218, 237, 238, 247, 250–255, 307, 317, 318, 324, 325
- inequality constraint, selection 361
- inequality-constrained problems 404–406
 - bound constraints 405, 406
 - problems 406, 407
 - convex QP problems 405
 - degeneration 405
 - forms 405

- equality-constrained problems 404–406
- good program quality 405
- issues 404, 405
- non-negativity constraints 405
- quadratic programming
 - vs. linear programming 405
- scientific problems 406
- seminal idea 405

- inexact Newton methods 173, 174
- inheritance 153
- integration 71
- INTEL C++11 compiler 26
- interfaces 24, 66
- interior point algorithms 370
- advantages 370
- linear programming problems, solving 370
- interior point methods 366
- interpolation
- *BzzInterpolation* 14
- inverse 13, 14, 16, 20
- polynomial 14
- interval of uncertainty 9, 20, 42, 43, 61, 69
- boundaries 21, 25
- reduction 49
- search for 17, 61
- splitting 16
- inverse approximation
- of rational functions 20
- inverse matrix 106, 107, 127, 128, 130, 247, 260
- IterationCounter 24
- iterations 5, 7, 8, 16, 25, 30, 61, 79, 96, 126, 167, 181, 235, 236, 262, 360, 374, 413, 466, 468, 473
- variation of variable 17
- iterative methods 1
- large linear system solution 278
- problems solving 17
- series for 6
- solve multidimensional optimization problems 79

j

- Jacobian matrix 236, 247
 - changes with iterations 242
 - drastically reduced 274
 - nonsingular 247
 - numerically approximated 272
 - QR factorization 252
 - singular/significantly ill-conditioned 250, 255
 - sparsity 272, 273

k

- Karush, Kuhn, and Tucker (KKT)
 - conditions 358, 359, 392, 393, 414
 - BzzMath library 394 (*See also* BzzMath library)
 - alternatives 394, 395
 - direction 461
 - Lagrange function 392
 - equation 392
 - parameters 392
 - linear system residuals 392
 - calculation 392
 - matrix 392
 - QP problem 392
 - system 446, 449
 - system features 393
 - system, solving 394–396
 - BzzFactorizedGauss class, using 396
 - BzzFactorizedSymmetric class, using 395
 - BzzMatrixSparseSymmetric class, using 396
 - techniques, to find KKT direction 413, 414
- kinetic postprocessing (KPP) procedure 303–306
 - Boolean structure 304
 - global solution of network in case of convergence failure 305
 - Jacobian matrix 304
 - kinetic scheme inside CFD code 303, 304
 - mass balance equations 304
 - Newton methods 305
 - simplifications 303
 - time stepping procedure 305
 - typical normalized error sum of squares 305
- Klee-Minty problem 372
 - graphical representation 373
 - three-dimensional 377

l

- Lagrange function 98, 109, 122, 344–347, 350, 392, 431, 432, 433, 446, 449, 452, 455, 464, 465, 467, 470
 - augmented 433
 - for equality constraints 344, 345
 - Hessian of 433, 465, 467
 - parameters 392, 405
 - quadratic penalty function, linear combination 432
 - stationary point, at solution 433
 - unconstrained minimum 433
- Lagrange multipliers 344, 347
 - inequality constraints 347
 - objective function 345
 - problem solving 345
 - small variations 345
- Lagrange parameter 344, 392, 405, 431, 432, 468
- Lagrangian dual problem 350–354
 - optimization 351
 - feasible point 351
 - linear programming 351
 - solution 351
 - primal 350
 - transform 350
- Lagrangian penalty function
 - bound constraints 434
 - bound-constrained
 - formulation 434
 - minimization of 434
- large linear system solution, with iterative methods 278
- large-scale unconstrained minimization, class for 180–182
 - external loop 181, 182
 - Finding minimum of the function 182, 183
 - internal loop 181
- Levenberg–Marquardt method 111, 124
- linear approximation 12, 116
- linear constraints 389
 - equality 389
 - problems 407
 - inequality 389
 - problems 407
- linear programming 355, 405
 - Attic method 405
 - bound constraints 357
 - efficiency tests 358
 - equality constraints 357
 - graphical representation, roof constraints 374
 - importance 355
 - inequality constraints 357
 - literature tests 358
 - non-negativity constraints 357
 - numerical roots 355
 - problem 381, 382
 - illustration 365
 - in daily life 355
 - simplex method 405
- linear programming problem 457
- linear system solution 163, 164
 - algorithm 167
 - BzzMath library 165, 166
 - CG method 164
 - preconditioner matrix 167
 - program 164

- sequence of q^Tq values 165
 - Solve function 166, 167
 - linear systems, underdimensioned 314–338
 - *BzzMath* library 315
 - matrix rows 314
 - null space, of system 315
 - one solution, determination 316–319
 - criteria 316
 - defect of factorization 321
 - evaluating solution of system 322–327
 - matrix condition numbers 317, 318
 - mistakes occurrence 317
 - problems 320, 321
 - program 319
 - projection methods 327–331
 - stable gauss factorization 331–338
 - unique system conditioning 318
 - variables 314, 315
 - LQ factorization 253, 263, 291, 314, 316, 318, 321, 323–327, 400, 413, 458, 461
 - *BzzConstrainedMinimization* class 461
 - *BzzQuadraticProgramming* class 415
 - defect of 321
 - null space obtained with 328
 - solution 318–327
 - sparse matrices 321
- m**
- Maratos effect 426–431, 467, 471
 - algorithm calculation 427
 - appearance 428
 - constrained minimization problem 427
 - devices to reduce, negative effect of 429
 - minimization, example 427
 - penalty functions 427
 - Powell's problem, example 427, 428, 429, 430
 - unconstrained penalty function, minimizing 428, 429
 - mathematical formulation 306, 307, 309, 387, 445, 478
 - matrix
 - condition numbers 317
 - definite 114
 - diagonal 113, 154
 - Gauss factorization 461
 - Hessian 110
 - identity 108, 126
 - inverse 106, 128
 - Jacobian 242
 - KKT matrix 392
 - Newton iteration 465
 - null space 314
 - projection 327
 - symmetry 82, 107, 159, 396
 - MatrixReordering function 157
 - minimization methods 44, 156, 244, 245
 - approximation 44
 - comparison 44
 - parallel computing 44, 45
 - programs, solve problems 69, 70
 - minimum of function 44, 62, 79, 131, 134, 149, 153, 239
 - minimum of Rosenbrock's function 137, 138
 - Mixed-integer linear programming (MILP) 355, 356
 - modified Cholesky method 129
 - modified Newton methods 109
 - convergence problems 116
 - one-dimensional search 118–120
 - singular/nonpositive definite Hessian matrix 110
 - trust region methods 121–124
 - multidimensional optimization programs 41
 - multidimensional robust minimization 216, 217
 - class for 219
 - inner optimizer 218, 219
 - minimum of multimodal function 219–223
 - *F_{MICHALEWICZ}* 220, 221
 - directory 222
 - double Test1 220
 - *F_{HAUPT}* 221
 - *F_{RATRIGIN}* 220
 - narrow valleys 221
 - printout 220–222
 - program 219
 - subdirectories 223
 - outer optimizer 217, 218
 - multidimensional space 199
 - multifaceted problems 390
 - multiprocessor machine 16
 - known interval of uncertainty, use of 16
 - Murphree efficiency 478
 - MyMinimizationMonoObject 68
- n**
- narrow valley effect 131–133
 - Nelder–Mead simplex method 92–95
 - Neville method 14
 - Neville Previsions 15, 16
 - Newton iteration 465. *See also* iterations
 - Newton prevision 465
 - Newton's method 6, 9, 10, 11, 18, 82, 85, 105–109, 173

- efficient optimization program based on 125
 - limits 130
 - methods to support 125
 - solution with CG method 174–177
 - solution with PCG method 177–180
 - nonideal gas
 - Beattie–Bridgeman equation 26
 - calculation of volume 26
 - nonlinear algebraic equations 304
 - nonlinear constraints, advantages 442
 - nonlinear equations 235
 - nonlinear system 235
 - cautionary measures
 - computational time in program selection 310, 311
 - ill-formulated problem 306
 - introducing constraints, useful in 309
 - knowledge of physical problem 306
 - modeling of a CSTR, for a complex sequence of reactions 307, 308
 - new formulation replicate real physical phenomenon 308, 309
 - numerical problems 311
 - results proposed in Excel file 311
 - select reasonable solution 309, 310
 - to reiterate definitions proposed 306
 - variable constraints and bounds 309
 - classes for solution, with dense matrices 262
 - comparing, other iterative problems 236
 - function root-finding 236–238
 - multidimensional optimization 238–240
 - continuation methods 281–284
 - convergence test 240–243
 - Gauss–Newton method 248–250
 - Jacobian evaluation 245
 - Jacobian matrix 236
 - minimization methods 244, 245
 - modified Newton methods 250
 - alternative methods 256
 - convergence problem 253, 254
 - limitation of search zone 255, 256
 - one-dimensional search 254, 255
 - singular/ill-conditioned Jacobian 250–253
 - Newton’s method 245–248
 - parallel computations 256, 257
 - numerical methods for solution of 235
 - quasi-Newton methods 257–260
 - parallel computing 260, 261
 - solution of certain equations, with respect to certain variables 284–287
 - solution with sparse matrices, classes for 279–281
 - substitution methods to solution of 244
 - tests for BzzNonLinearSystem Class 268–272
 - tests to end iterations 261
 - bounds 261
 - constraints 261
 - discontinuities 261
 - underdimensioned (*see* underdimensioned nonlinear systems)
 - nonnegativity constraints 389
 - nonsmooth exact penalty function 423–426
 - constrained optimization 423
 - formulation 423
 - function, find minimum 423, 424
 - printout 424
 - program 424
 - function, minimum of 425, 426
 - nonsmooth exact penalty function 423
 - parameter κ 425
 - selecting κ series 425
 - penalty function 423
 - gradient discontinuity 425
 - unconstrained problem, solving 425
 - uses 426
 - nonzero coefficients 154
 - null coefficients 113
 - null space 314–316, 399–404, 463
 - matrix 314–316
 - property 316
 - variables, dependent and independent 315
 - vector 316
 - number of iterations, explosion 370, 371
 - interior point algorithms 370
 - interior point method 370, 371
 - *vs.* Attic method 371
 - prohibitive computational times 370
 - simplex method, solving problem 370
 - numerical method 4, 7, 235
- o**
- object-oriented programming 67, 88, 96, 153, 217, 335, 451
 - advantages 67, 153
 - objective function 358, 359, 360
 - vector of coefficients 359
 - ODE/DAE systems 30, 71
 - oFindRoot 31, 32
 - one-dimensional case 84
 - comparisons, with multidimensional case 84, 85
 - approximate function with quadratic function 84
 - efficiency gap 84

- Fibonacci's method 84
 - golden section search 84
 - iterations, for precision 84
 - narrow valleys 85
 - new function evaluation 85
 - optimization problem 85
 - region of uncertainty, reduction 84
 - one-dimensional minimization 62, 186
 - assumption 186
 - classes for 62–68
 - deduction 186
 - finding minima of the function 189, 190
 - modification 186
 - robust, classes for 187–189
 - one-dimensional minimum, of Rastrigin function 199
 - bzzFilePrint 201
 - BzzMath7.zip file 202
 - directory 202
 - function plot 200
 - printout 201
 - program 200
 - subdirectories 202
 - tests 202
 - one-dimensional program 41
 - one-dimensional space 190
 - finding minima of function 191–199
 - printout 192, 194, 196, 199
 - program 191, 193, 195, 197, 198
 - openMP parallelization 180
 - operator 22, 23, 206, 262, 406, 407
 - char operator 23
 - overloaded 23, 63
 - z(niter) 23
 - optimization
 - batch reactor 71–73
 - methods 85, 86
 - ad hoc devices 86
 - conjugate directions 85
 - conjugate gradient 85
 - gradient methods 85
 - heuristic methods 85
 - modified Newton 85
 - Newton 85
 - quasi-Newton 85
 - steepest descent 85
 - minimization/maximization problems 42, 79
 - global minimum 79, 80
 - one-dimensional 41, 44
 - stop criteria 61, 62
 - unconstrained 79
 - unimodal functions 69
 - optimize reactor design 146
 - program 146
 - results 148
 - ordinary differential equation 235
 - mass balance 31
 - program 31
 - system 30, 71
 - overdimensioned system 112, 252
- p**
- parabola 409
 - function approximation 409
 - stationary point 409
 - parabolic interpolation 12, 13, 58, 59
 - algorithm, pros and cons 12
 - stationary point 58
 - parallel computations 60
 - parallelization 44
 - automatic 267
 - BuildGradientAndHessian function 180
 - openMP 180
 - partial pressure 28
 - penalty function methods 419, 420
 - function, minimization 419
 - pros and cons 420
 - penalty successive linear programming (PSLP) method 457
 - physical phenomenon 308, 442
 - modeling of 238, 278
 - pivot selection 318, 321, 324, 331, 332
 - Pollack–Ribière method 153
 - polynomial function 13
 - polynomial interpolation method 13, 14
 - polynomial prediction 14
 - Powell orthogonalization method 90
 - practical preconditioners 180
 - precision 3, 4, 24, 166, 177, 311
 - root of a function 44
 - preconditioned conjugate gradient (CG) method 167, 393
 - prediction
 - Bulirsch–Stoer 25
 - error in 16
 - function zeroing 15
 - new 25
 - Newton 107, 118, 124, 253
 - polynomial 14
 - previous system solving
 - using the Solve function and the band matrix 170
 - using three-diagonal matrix 168, 169
 - problem solving 5, 20, 41, 131, 241, 269, 315, 369, 370, 372, 374, 376

- process optimization 479
 - programming languages 264
 - object-oriented 96
 - programming philosophy 217, 413
 - projection direction search method 463
- q**
- QP. *see* quadratic program (QP)
 - QR factorization 112, 250, 252
 - quadratic approximation 121, 122
 - quadratic convergence 6, 10
 - quadratic functions 42, 53, 58, 59, 81–84, 86, 100–102, 105, 134, 161, 162
 - algorithm 163
 - analysis, reasons 81, 82
 - condition number of the Hessian 82
 - conjugate gradient method 163
 - eigenvalues 82
 - minimization, PCG for symmetric system solution 163, 167
 - *BzzMath* library 169
 - narrow valley 83
 - stationary points 82
 - symmetric matrix, conditions 82
 - with finite number of iterations 82
 - quadratic penalty function 421–423
 - advantage 423
 - equality constraints 421
 - example 421
 - first function 421
 - formulation 421
 - inequality constraints 421
 - one-dimensional problem 421
 - program 422
 - problem in dealing with 423
 - quadratic program (QP) 389
 - class 406, 407 (*See also* *BzzMath* library)
 - objective 406
 - problem 390
 - convex 390
 - Karush, Kuhn, and Tucker (KKT) conditions 392, 393
 - nonconvex 390, 391
 - strictly convex 390
 - quadratic termination 82
 - qualitative representation, selected problem 378
 - quasi-Newton methods 82, 108, 126–131, 134, 240, 260, 261, 272
 - advantages 126
 - consequences 127
 - operate on the Hessian 127
 - shortcomings 126
 - symmetric adjustment matrix 128
 - updating the Hessian
 - advantages. 130
 - various applications 126, 127
- r**
- real operating matrix 363
 - reduced direction search for bound constraints (RDSBCs) 463, 464
 - reduced gradient methods 463
 - residuals
 - Euclidean norm of 238
 - of linear system 392, 394
 - overdimensioned system 112
 - resolution 3, 43, 50, 51
 - reverse Cuthill–McKee method 156, 157
 - robust Optnov method, combined with simplex method 95–97
 - roof constraints 378–380
 - procedure iteration 380
 - zigzagging problem 379
 - prevention 379
 - root-finding problem 409
 - Rosenbrock method 89–92
 - algorithm 90
 - fails with very narrow valleys 92
 - pros and cons 91
 - round-off errors 3, 245, 317
- s**
- Schubert’s formula 454, 455
 - search direction
 - artificial constraints 362
 - objective function constant 362
 - passive function constant 362
 - selection 361–363
 - vector 361
 - crucial selection problem 361, 362
 - sequential linear quadratic programming (SLQP) method 457
 - sequential quadratic programming (SQP) 446, 452, 457, 467, 470, 472
 - SetGradientTolerance 138
 - SetMaxNewtonCallsNumber 138
 - SetXAbsoluteTolerance 139
 - SetXRelativeTolerance 139
 - Simplex methods 356, 366, 370, 371, 381, 385, 387
 - drawbacks 371
 - general considerations 387
 - sparse and large-scale systems 272–278
 - sparse symmetric matrix 163
 - collection 154

- SQP methods. *see* sequential quadratic programming (SQP)
 - square linear system 324
 - standard form 364, 365
 - problem 364, 365
 - stationary condition, in a gravity-flow tank 33
 - algebraic equation 34
 - friction factor 34
 - program 34, 35
 - proportional–integral (PI) controller 33
 - results 35
 - scheme of buffer tank 33
 - turbulent flow regime 34
 - variables 34
 - successive linear programming 456
 - sum of least squares 112
 - symmetric adjustment matrix 128
 - symmetric matrix 81, 82, 83, 154, 156, 163, 240, 260, 389, 391, 393, 397, 470
 - symmetric positive definite matrix 102, 406
 - BzzMatrixSparseSymmetricLocked, sparse 406
 - BzzMatrixSymmetric, dense 406
 - symmetric positive semidefinite matrix 406
 - system condition number 318, 336
- t**
- Taylor series 3, 80
 - Taylor series expansion 3, 9, 80, 81, 98, 258
 - first-order 100
 - nonlinear system 245
 - second-order 105
 - tests 77
 - BzzMinimumMonoMP classes 77
 - BzzNonLinearSystem Class 268
 - directory 77
 - for BzzFunctionRoot 35
 - multidimensional unconstrained minimization 150
 - quadratic programming 416
 - results obtained by
 - BzzMinimizationMono class 77, 78
 - BzzMinimizationMonoMP class 78
 - threshold value 362
 - tile effect 377, 378
 - $2n_v$, complementary constraints 377
 - definition 377
 - degeneracy problem 378
 - graph, two-dimensional space 377
 - matrix factorization, attic vertex 378
 - problems classes, difficulties 377
 - TLeft 25, 33
 - tolerances
 - modification 23
 - of object 23, 65
 - transpose matrices 447
 - triangular matrix 252
 - tridiagonal blocks 238, 279, 302
 - TRight 25
 - tSolution 24, 76
 - two-dimensional minimization 202–205
 - robust, classes for 205, 206
- u**
- uncertainty
 - final interval 46
 - maximum interval of 46
 - unconstrained minimization
 - robust 185–223
 - unconstrained multidimensional minimization
 - BzzMath Classes 135–137
 - tests for 150
 - unconstrained optimization 79
 - KKT conditions 415
 - large-scale 153–183
 - minimization methods 244, 245
 - problems 419
 - complementary ways 419
 - program 435
 - unconstrained problem 391, 392, 419
 - unconstrained minimum, of the function 391
 - calculation program 391, 392
 - underdimensioned nonlinear systems
 - class for solution 339–342
 - subproblem, solution 313, 314
 - algebraic equation 313
 - equations, nonlinear 313
 - variables 313
- v**
- vapor–liquid equilibrium 302
 - bubble point, calculation 28
 - problems 28
 - variables
 - dependent 422, 463
 - independent 422
 - variation, variable 17
 - Visual C++ 6 Compiler 27, 29, 34
- w**
- wall constraints 378–380
 - hypercylinder extreme case, infinitesimal bases 379

- procedure iteration 380
- zigzagging problem 379
- prevention 379

Y

- YLeft 25, 30, 33, 35
- YRight 25, 30, 33, 35

- YSolution 24, 25, 27, 33, 35, 38, 57, 58,
188

Z

- zero-crossing problem 26, 30
- zigzagging phenomenon 441
- Zoutendijk method 456