

Index

a

admissibility 21
 AI. *See* artificial intelligence
 algorithmic treatment 17
 alternating turing machine (ATM) 31
 alternative explorations 21
 amalgamating topology, with
 magnitudes 252
 artificial intelligence 17
 – completeness 28
 – consistency 28
 – problems related to 27, 28
 – search and representation problems 27, 28
 – spatial complexity 28
 – temporal complexity 28
 – tractability 28
 associative nets 18
 automatical proof of theorems 17
 automorphism 29, 37, 155, 163, 216, 217, 219

b

backtracking 17
 Bayesian nets 19, 20, 230
 benefit and cost of complexity 58
 bidirectional searching 20
 Birkhoff–von Neumann decomposition 230
 blind search 20
 Boolean function 12, 14, 99, 100, 107–109,
 114, 116, 117, 120, 126, 127, 134, 145, 151
 Boolean networks, of gene regulation 12
 bounds for graphs in general 173
 – clique partitions 173, 174

c

cell's genome 66
 cellular organization 65–66
 CI. *See* conditional independence
 circuit 18, 68, 99–102, 104, 107–112, 115,
 127, 134, 140, 144, 149, 151

climbing search 21
 clustering coefficient 32, 33, 70, 79, 81, 92,
 266, 269, 274
 combinatorial explosion 21, 22
 completely positive trace preserving (CPTP)
 maps 178
 completeness 21, 28, 204
 complexity
 – algorithmic 212
 – classes, comparison with 194, 195
 – computational (*See* computational,
 complexity)
 – diameter 215
 – different facets of 54–56
 – 3D shapes (*See* undirected graphs)
 – early measures of complexity 205
 – box counting dimension 205, 206
 – metric dimension 206
 – effective 212
 – of hierarchical systems 1
 – of human languages (*See* directed graphs)
 – interpretation (*See* metro systems)
 – intrinsic complexity of networks 229
 – Kolmogorov 23, 34–37, 212
 – linear (*See* linear complexities)
 – measure for patterns 1
 – measures for graphs 191
 – measures, work on 204
 – organismal (*See* organismal complexity)
 – phenotypic 57–59
 – polytopal (*See* polytopal complexity)
 – selection 57
 – structural 63, 229
 – thermodynamic depth approach to 230
 complex networks. *See also* Kolmogorov
 complexity
 – defined 192
 – evolution 70
 – Hausdorff dimension 193

- intrinsic quality 68
 - randomness deficiency 194
 - topology 28, 251
 - complex network zeta function 193
 - defined 193, 194
 - Dirichlet series expression for 193
 - linguistic-analysis application 196, 197
 - node-based definition 195, 196
 - statistical mechanics application 198–200
 - Ising model 198
 - shortcut model 198, 199
 - theorem 194
 - complex systems 191
 - computable function 34
 - computation
 - complexity 14, 18, 32, 108
 - of greedy BvN decomposition 232
 - theory 194
 - entropy estimation 246
 - graph invariants 30
 - intelligence 27
 - linear 158, 160, 170, 172
 - linguistics, KR more feasible 18
 - and Reeb graphs 242
 - on sequential machine 30
 - thermodynamic depth for digraphs 230
 - of thermodynamic depth for digraphs 230
 - conditional entropy 213, 223
 - conditional independence 20
 - conditional Kolmogorov complexity 35
 - conflict set 19
 - conservation laws 9
 - control of agendas 19
 - control of reasoning 19
 - cost of complexity 48
 - creation of a loop 10
 - criterion of actuality 19
 - criterion of specificity 19
 - cyclomatic number 213–215, 270, 271
- d**
- Darwinian adaptive neural networks (DANN) 52–54
 - databases 18
 - SHREC 243
 - defuzzification 25
 - depth-2 complexity 126–128
 - bridge 127, 128
 - depth-2 with AND on the top 128
 - biclique 129
 - bipartite graph 129, 130
 - CNF-complexity 128, 129
 - disjointness dimension 128
 - depth-2 with symmetric top gates 131
 - balanced intersection 132
 - bipartite graph, k -isolated 133, 134
 - exhibiting explicit bipartite 132
 - monomials 134
 - Sylvester graph 133
 - depth-2 with XOR on the top 130, 131
 - bipartite graph 131
 - intersection representation of graphs 127
 - weight of symmetric depth-2 representations 134–138
 - depth-3 complexity 138–141
 - with XOR bottom gates 141–145
 - depth searching 20
 - digraph critical paths 30
 - directed graphs 244, 245
 - classical analysis, based on degree distribution 245
 - directed heat kernels 238, 239
 - directional separation 19, 20
 - DNA 66
 - dynamical constraints 5, 9, 14
 - dynamic evolving complexity 63
- e**
- ecosystem network 255–257
 - effective network attributes 253
 - effective phenotypic complexity (EPC) 54
 - electronic document 18
 - entropy 2, 29, 121, 189
 - as descriptor of structure 250, 251
 - electrical circuits and complicity 252
 - relevant to description of ecological networks 251
 - epistatic interaction networks 218
 - Erdős–Rényi random graphs 68, 69, 215
 - Euler (regular) graphs 68
 - evolutionary system biology 41
 - exhaustivity 20
 - exponential time hierarchy 31
- f**
- families of graphs 168
 - complete graphs 169, 170
 - complete k -partite graphs 170, 171
 - hamming graphs 173
 - Johnson graphs 171–173
 - trees 168, 169
 - Feynman integral 177
 - Fisher geometric model 46–48
 - properties 47
 - epistasis 47–48
 - fitness equilibrium 48

- fitness trajectories 48
- mutation effects 47
- single pick 47
- flocking 191
- flow complexity, phase transition,
 - characterization of 233–236
- formal worlds 17
- formula complexity of graphs 116–121
 - magnification lemma 116, 117
 - monotone Boolean functions 117, 118
 - monotone formula 116, 117
 - for bipartite graph 120
 - point-line incidence graph 120
 - saturated star-free graph 120, 121
 - sum-product graph 120
 - triangle-free graph without 4-cycles 118, 119
 - quadratic function 117, 118
- frames 18
- functional complexity, of networks 3, 8, 9
- function values 201
 - discrete regular lattice 201
 - fractal branching tree 202–204
 - random graph 202
 - scale-free network 202–204
- Fuzzification 25
- Fuzzy graph 24, 25
- Fuzzy inference method 26
- Fuzzy logic 24
- Fuzzy modeling methods 25
- Fuzzy neural networks 25
- Fuzzy optimization 26
- Fuzzy sets 25, 26
- Fuzzy systems 27

g

- gene duplications 57
- generalized Farey organized network pyramid (GFONP) 64, 78, 89, 96
 - generalized farey tree network 78
 - clustering coefficient 81, 82
 - construction method 78–80
 - degree-degree correlations 83–85
 - degree distribution 80, 81
 - diameter and small world 82, 83
 - main features 95
 - weighted property 85–87
 - methods 87–89
 - results 90
 - clustering coefficient 92
 - degree-degree correlations 92, 93
 - degree distribution 90, 91
 - deterministic weighted, architecture 95

- edge partitioning 93
- generators 18
- genes efficiency 56
- genetical theory of natural selection 46
- genetic-regulatory interactions 66
- gradient method 21
- Granger causality 222, 223
- Graph Ramsey Triple 31
- graphs 18
 - adjacency function 99
 - automorphisms 29
 - computation 30
 - computational complexity 99, 100
 - connectivity 30
 - digraph critical paths 30
 - entropy 1, 28, 32–34, 121, 123, 216, 230
 - Eulerian 68
 - heat kernels in 230
 - hereditary 30
 - linear complexity 99, 155, 156
 - matrices 156
 - matrix fitting 189
 - network complexity 145–150
 - property 29, 30
 - random 32, 214
 - star complexity (*See* star complexity of graphs)
 - structural complexity 1
 - theoretic measures 213–215
 - for simple graph 214
 - theory 68, 213–215, 229
 - undirected (*See* undirected graphs)

h

- harmonious unification hybrid preferential network model (HUHPM) 68
- heat diffusion 229, 238, 239
- heat flow 238, 239
 - complexity 230–233, 240, 245
 - and thermodynamic depth complexity 239–241
 - causal trajectory 240
 - extension for digraphs 241
 - node history and expansion subgraphs 240
 - TD network depth 241
 - undirected graphs, defined 239
- heuristic evaluation function 21
- heuristic search 20, 21
 - critics 21
- hierarchies 30
 - alternating case 31
 - deterministic case 30

- nondeterministic case 31
 - Hierarchy Theorems 30
 - Hong Kong MTR metro system 262, 263.
 - See also* metro systems
 - adjacency matrix 264
 - average degree, defined 263
 - connection matrix of network 263
 - degree of a vertex, use of 263
 - vertices and edges in graph, calculations 263
 - Hopf link
 - associated with steering level 13
 - Kauffman states 8
 - link with components 7
 - human mobility networks 64
- i**
- inferences
 - in BN 20
 - Fuzzy method 26
 - in SBR 19
 - informational complexity. *See* information-based complexity
 - information-based complexity 44–46, 210–212
 - first-order approximation 210
 - *gzip* or *PKzip* programs 210
 - number of possible linklists 217
 - size of automorphism group 217
 - Stirling approximation 217
 - syntactic and semantic spaces 211
 - of unweighted, unlabeled, and undirected networks 216, 217
 - information processing 2, 25, 66
 - information projection techniques 231
 - interface of usuary (IU) 18, 19
 - intricate metabolic web 66
 - invariance theorem 23, 24
 - irreducible graphs, exploration of 161–163
 - irreducible subgraph, structural characteristics of 164
 - prevalence 163, 164
 - uniqueness 163, 164
 - isomorphism 29, 31
- j**
- joint entropy 213
- k**
- Kauffman states, for link invariants 6–8
 - Kirchhoff’s matrix-tree theorem 177, 178
 - bounds 181–188
 - relative entropy 182
 - theorem 183–188
 - unital quantum channel 182
 - CPTP maps 178, 179
 - quantum relative entropy 179
 - theorem 179–181
 - CPTP defined 179
 - density matrix 181
 - eigenvalue associated with 180
 - graphs not have isolated vertices 180
 - number of spanning trees 179
 - von Neumann entropy 179
 - knowledge base (KB) 19
 - knowledge representation (KR) methods 18
 - Kolmogorov complexity 23, 34–37, 212
 - complex network zeta function and relation to 193, 194
 - conditional 23
 - unconditional 23
 - Kullback–Leibler divergences 231
- l**
- labeled networks 218, 219
 - Laplacian of a directed graph 236–238
 - directed Laplacians 237, 238
 - transition matrix 236, 237
 - large unified hybrid network model (LUHNM) 68
 - LCE-graphs, topological equivalence 3, 4
 - life’s complexity pyramid (LCP) 64–67
 - limits
 - to complexity 253–255
 - genetic drift limit 44
 - scaling regime 73, 86
 - linear complexities 155, 156
 - adjacency matrices 157, 158
 - of graphs 159
 - bounds for direct products of graphs 167, 168
 - bounds on 164, 165
 - naive bounds 165, 166
 - from partitioning edge sets 166, 167
 - of a matrix 158, 159
 - reduced version of a matrix 160, 161
 - logic 18, 19
- m**
- magnitudes 251, 252
 - Mamdani fuzzy models 27
 - Mamdani’s method 25
 - maximum entropy (ME) 230
 - medical diagnosis 18
 - medium articulation 223–225
 - metabolome 66

- meta-rules 19
- metro systems 259, 260
 - centrality indicators 275
 - betweenness centrality 276, 277
 - closeness centrality 275, 276
 - degree centrality 275
 - data, measures and values
 - collected or calculated for metro systems study 265, 266
 - graphically interpretation 271–274
 - interpreting complexity 264, 267
 - methodology 261–264
 - network centrality of metro networks 274, 275, 277
 - betweenness centrality 279–282
 - closeness centrality 278, 279
 - degree centrality 277, 278
 - numerically interpretation 267
 - impacts of complexity 269–271
 - scale-free 267, 268
 - small-world networks 268, 269
- modeling games 17
- modularity function 34
- molecular components 66
- motif entropy 218
- motif expansion 218
- motor of inference (MI) 18, 19
- mutations 56, 65
 - decoupling of 56
 - rate 57
- mutual information 212, 213
- mutual interactions 2, 70
 - among various factors 63
- n**
- Navier–Stokes equations 249
- network complexity of graphs 41, 145–148
 - realizing graphs by circuits 148–150
- network complexity pyramid (NCP) 64
- network model complexity pyramid (NMCP) 64, 68, 96
 - bottom three levels 71, 72
 - hybrid ratios 71
 - hybrid preferential network model 72
 - large unified hybrid network model with various speed growing 73–75
 - Gaussian distribution 74
 - $P(k)$ transition 74–78
 - stretched exponential distribution 73
 - large unifying hybrid network model 72, 73
- network of networks 64
- networks 19
 - empirical results
 - artificially generated network 220
 - real network data 220
 - extension to processes on 220–222
 - labeled 218, 219
 - medium articulation 223
 - motifs 2
 - weighted 219
- networks of information 10
- neural fuzzy systems 25
- neural networks (NNs) 17
 - artificial 52
 - *Caenorhabditis elegans* 218
 - Darwinian adaptive (*See* Darwinian Adaptive Neural Networks (DANN))
 - dynamics 220
 - Fuzzy 25
 - modeling artificial 24
 - resolution patterns of graphs 10
- NMCP. *See* network model complexity pyramid (NMCP)
- nondeterminism 31
- nondeterministic Turing Machine (NTM) 31
- o**
- order–chaos transition 223
- ordering of rules 19
- organismal complexity 42
 - macroscopic quantification 43
- organisms, comparative analysis
 - computer program analogy 42
 - genetic complexity 42
 - geometric model for (*See* Fisher geometric model)
 - macroscopic considerations 42
 - natural selection 42
 - phenotypes 50
 - single-cell organisms 43
- p**
- partial recursive function 34
- percolation threshold 214
- phase transition points (PTPs) 239
- phenotypic complexity 58
 - mechanistic understanding 56
 - selective pressures acting 57
- pleiotropy 56
 - restricted 58
- polynomial time hierarchy 31
- polytopal complexity 233
 - phase transition, characterization of 233–236
- polytopal *vs* heat flow complexity 231–233
 - Birkhoff polytope 231

- heat flow complexity 232, 233
 - maximum entropy (ME) BvN decomposition 231, 232
 - polytopal complexity 232
 - preferential attachment (PA) 34
 - principle of rationality 22
 - prolog 18
 - protein domain networks 67
 - protein modularity 56
 - protein–protein interaction (PPI) networks 66, 229
 - proteome 66
- q**
- quantifying phenotypic complexity 49
 - drift load based method 50
 - mutation-based method 49
 - statistical method 50–52
 - quantum relative entropy 178
 - quantum Stein’s Lemma 189
- r**
- random graphs (RGs) 32, 214
 - randomness complexity 230
 - reasoning 19
 - non-monotonic 19
 - redundancy 223
 - Reeb graphs 230, 231, 242, 243, 246
 - refractoriness mechanism 19
 - resolution of conflicts 19
 - resource bound 30
 - exponential 30
 - logarithmic 30
 - polynomial 30
 - sub-exponential 30
 - “rich gets richer” effect 215
 - RNAs 66
 - Rule-Based Systems (RBS) 18, 19
 - rule sets 18, 19
- s**
- SAT language 31
 - saturated star-free graph 121–125
 - graph entropy 123
 - monotonicity 123
 - nonmonotone formulas 122
 - respecting bicliques 124, 125
 - subadditivity 123, 124
 - scale-free models 69, 70
 - scale-free networks 215
 - scripts 18
 - searching in extent 20
 - searching methods 20
 - adversaries 21, 22
 - selection-based methods of complexity 44
 - selection for complexity 57
 - semantic web 18
 - Shannon entropy 218
 - simply recursive function 34
 - small-world effect 33
 - small world model 214
 - small world networks 69, 70, 215
 - space efficient 30
 - space of states 17
 - spanning trees 213–215
 - spectral graph theory 229
 - star complexity, and affine dimension of graphs 125, 126
 - star complexity of graphs 100–106
 - adjacency function 109
 - and biclique coverings 107
 - Boolean circuits, with fanin-2 AND and OR gates 111
 - Boolean functions 107–109
 - circuit complexity 108, 111
 - conjunctive normal forms (CNFs) 108
 - magnification lemma 111, 112
 - proof of 114–116
 - transposition principle 112, 113
 - in context of rectifier networks 112
 - replacing node (an OR gate) g of fanin d 112
 - statistical complexity 230
 - statistical entropy 251, 257
 - steering dynamics stored, in knots and links 12, 13
 - structural models 32
 - random networks 32
 - regular networks 32
 - scale-free networks 32
 - small-world networks 32
 - supernetworks 64
 - symmetric semidefinite operator 230
 - symmetrization process 230
 - symmetry 6, 9, 28, 29, 50, 113, 156, 218
 - system biology 41
- t**
- Takagi–Sugeno–Kang fuzzy models 27
 - techniques, for solving problems 17
 - telecommunication 64
 - teleporting 230
 - thermodynamic depth 230
 - time efficient 30
 - Topological quantum systems 12, 13
 - total recursive function 34
 - tractability 28
 - transcriptome 66
 - transfer entropy 222, 223

transportation 64
transport networks
– of cargo 10–12
Trefoil knot 7
turing machine (TM) 22, 23

u

unconditional Kolmogorov complexity
(UKC) 35
undirected graphs
– complexity of 3D shapes 241–243
– dataset for various models 243
– extended Reeb graph (ERG) 242
– pipeline of ERG extraction 242
– SHREC complexities 244
– SHREC database, analysis of 243
universal turing machine (UTM) 211

v

variables 7, 20, 25, 26, 72, 102, 104, 110, 111,
114, 120, 127, 145
vertex resolution 9
– patterns 5
volume dimension 192
– volume definition of dimension 192
von Neumann entropy 177

w

weighted digraphs 249, 252, 257
weighted evolution network models
(WENMs) 68, 70
weighted networks 219

x

XML-based knowledge 18

