

## Index

### a

absorbance 41  
 absorption  
 – coefficient 334  
 – cross section 40  
 – excited state 78  
 – photoinduced 75  
 – polaron 78  
 accepting mode 57  
 acceptor 336  
 additive color mixing 356  
 aggregate 240  
 – H aggregate 105, 126, 129  
 – J aggregate 105, 126, 129  
 – Scheibe aggregate 105, 126  
 air mass 1.5 333  
 alkoxy 13  
 alkyl 13  
 Anderson localisation 175  
 anion 27, 155, 168, 177  
 anode 157, 311  
 anthracene 5, 123, 158, 166, 172  
 antibatic photocurrent 336  
 Arrhenius plot 205  
 attempt-to-hop frequency 227  
 auto-ionization 258  
 Azulene anomaly 60, 98

### b

bacteriochlorophyll 126  
 band 116, 164, 165, 172, 175, 176  
 – bending 207, 320, 322  
 – structure 166  
 – transport 166  
 bandwidth 166  
 bathochromic shift 90  
 beta-phase 151  
 bicontinuous network 339  
 bilayer device 337, 345  
 bipolaron 179, 181  
 bipolar transistor 368

Bloch state 116, 165, 171  
 blocking layer 322  
 bond  
 – alternation 146, 154, 177, 178, 180  
 – pi 19  
 – sigma 19  
 Born–Oppenheimer approximation 32, 57  
 brightness 355  
 built-in field 321  
 built-in potential 206, 317  
 bulk heterojunction device 327, 339

### c

C<sub>60</sub> 112  
 candela 355  
 carbazole 107  
 carbon 17  
 – nanotube 14  
 carotenoid 126  
 cathode 157, 315  
 cation 27, 155, 177  
 CELIV measurements 210  
 C-factor 234  
 channel length 211, 369  
 channel width 211, 369  
 charge transfer  
 – incoherent charge transfer 172  
 – state 255, 256, 261  
 Child's law 196  
 chlorophyll 126  
 chromaticity coordinates 359  
 chromophore 87  
 CIE color matching functions 358  
 CIE x,y chromaticity diagram 359  
 CIE xyY color space 357, 359  
 coarsening 339  
 coherence, *see* energy transfer, coherent energy transfer  
 color coordinates 353, 356, 359  
 color matching function 358  
 color mixing 356  
 color rendering index 360, 361, 366

- color space 357
    - CIE xyY color space 357, 359
    - sRGB color space 366
  - Commission Internationale de l'Éclairage (CIE) 353, 357
  - complex 111
    - charge transfer complex 112
    - light harvesting complex, *see* light harvesting complex
    - van-der-Waals complex 88
  - conduction band 117, 145, 158, 162, 166, 171, 172, 176
  - conductivity 159, 202, 208
  - configuration 17, 25
    - coordinate 33
  - conjugation length 137, 141, 144, 177
  - continuity equation 196, 325
  - continuous time random walk model 230
  - copolymer 11
    - alternating 11
    - block 11
    - statistical 11
  - correlated color temperature 360
  - Coulomb capture radius 172, 200, 247, 249
  - current-voltage-characteristics 326
  - current-voltage-luminance characteristics 324
  - cyanine 126, 141
  - cyclovoltammetry 27, 162, 167, 181
- d**
- dangling bond 174
  - Davydov splitting 117, 124
  - Debye–Waller-Factor 95
  - decay curves 73
  - degree of polymerization 10
  - delayed fluorescence 253, 286
    - E-type delayed fluorescence 286, 364
    - P-type delayed fluorescence 286
    - thermally activated delayed fluorescence 364
  - density functional theory 22
  - density of states (DOS) 161, 224
    - distribution 377
    - Gaussian 92
  - dephasing time 119, 135
  - depolarization 284
  - detailed balance limit 350
  - Dexter transfer 118, 119, 253
  - dielectric constant 2, 50, 171, 175, 202
  - dielectric displacement field 50
  - dielectric relaxation time 208, 210
  - dielectric screening 2, 172, 180
  - diffusion 194
    - coefficient 194, 195, 223, 229, 277
    - constant 194, 195, 223, 229, 277
    - current 208, 307, 325
  - diffusivity 194, 223, 229, 277
  - dimer 99, 101
    - chemical 101
    - physical 101
  - dip-coating 315
  - dipole
    - coupling 227
    - interfacial dipole 206
    - moment 6, 50, 89, 90, 135, 141, 161
    - operator 37
    - surface dipole 206
  - disclotic molecule 126
  - disorder 215, 234
    - diagonal disorder 214, 215
    - dynamic disorder 214, 215, 217, 223
    - off-diagonal disorder 214, 215, 233
    - static disorder 214, 215, 223
  - disorder model
    - Bässler model 224
    - correlated disorder model (CDM) 226
    - extended correlated disorder model (ECDM) 238
    - extended Gaussian disorder model (EGDM) 238
    - Gaussian disorder model (GDM) 224
  - disorder parameter 92, 161, 224, 233
  - doctor-blading 315
  - donor 336
  - doping 159, 177, 307
    - n-type doping 159
    - p-type doping 159
  - drift current 208, 308, 325
- e**
- effective conjugation length 270
  - effective mass 166, 172, 215, 270
  - effective medium approach (EMA) 227
  - effective mode 33
  - effective transport energy 228, 231
  - Einstein
    - coefficients 52
    - equation 325
    - relation 52, 196
  - electrical gap 170, 254
  - electroabsorption 135, 256
  - electrode
    - base electrode 368
    - collector electrode 368
    - drain electrode 193, 211, 369
    - emitter electrode 368
    - gate electrode 193, 211, 369
    - ohmic electrode 319
    - source electrode 193, 211, 369
  - electroluminescence 284, 319
  - electromer 113
  - electron affinity 27, 158
  - electron–electron correlation 112, 117, 141, 142, 145, 154, 169–171, 180, 181
  - electron–electron interaction 162, *see also* electron–electron correlation

- electron-only device 198  
 electron–phonon coupling 95, 141, 145, 172, 180, 215  
 electroplex 113  
 emission  
   – spontaneous 52  
   – stimulated 52, 78  
 energy gap law 57, 60, 151, 287  
 energy transfer  
   – coherent energy transfer 118, 127, 135, 137  
   – Dexter-type energy transfer, *see* Dexter transfer  
   – efficiency 122  
   – Förster-type energy transfer, *see* Förster transfer  
   – incoherent energy transfer 118  
 enthalpy of mixing 66  
 equilibrium energy 228  
 E-type delayed fluorescence 252  
 eutectic composition 342  
 eutectic phase diagram 342  
 eutectic point 344  
 eutectic system 344  
 exchange coupling 227  
 exchange energy 29, 174, 175, 180  
 exchange integral 29  
 excimer 99, 103, 239, 240, 364, 367  
   – partial overlap excimer 111  
   – sandwich excimer 111  
   – triplet excimer 107  
 exciplex 111, 112, 255, 261, 367  
 excitation  
   – charged excitation 87  
   – neutral excitation 87  
 excited state absorption 250  
 exciton  
   – band 116–118, 124, 128, 142  
   – binding energy 170, 175, 180, 181, 254  
   – diffusion 274  
   – diffusion length 275, 276, 341  
   – dissociation 254, 348  
   – Frenkel exciton 114, 116, 119, 134, 172  
   – model 141, 143  
   – polaron-exciton 179  
   – recycling 261  
   – size 141  
   – Wannier exciton 134, 173  
   – Wannier–Frenkel-exciton 134  
 external quantum efficiency 331, 362  
 extinction coefficient 40
- f**
- Fermi level 320, 377  
 Fermi's golden rule 37  
 field-effect transistor 368  
 fill factor 332, 347  
 flash photolysis 77  
 flat band condition 317  
 Flory–Huggins interaction parameter 340
- Flory–Huggins theory 339  
 fluorescence 45  
   – delayed 56, 72  
   – excitation spectroscopy 80  
 Förster radius 122  
 Förster transfer 118, 119, 253, 278  
 forward bias 319, 324  
 Fourier transform infrared spectroscopy (FTIR) 35  
 Franck–Condon  
   – factor 41, 44, 57, 58  
   – overlap-integral 41  
   – principle 32  
 Franz–Keldysh–Effekt 173  
 frequency-doubling 78  
 F4-TCNQ 112  
 fullerene 14  
 full width at half maximum (FWHM) 43
- g**
- gas-to-crystal shift 114  
 Gaussian 42, 43  
 Gaussian distribution 92, 161, 224  
 geminate pair 246, 252, 255, 256, 261  
   – creation 254  
   – dissociation 254  
 geminate recombination 348  
 geometric relaxation energy 45, 155, 162, 217  
 geometric reorganization energy 45, 155, 180, 217  
 gerade 30  
 Gibbs free energy 339  
 gradual channel approximation 371  
 Graßmann's law 357  
 ground state bleach 78
- h**
- Hartree–Fock approach 22  
 head-to-head coupling 12  
 head-to-tail coupling 12  
 heavy atom effect 286  
   – external 47  
   – internal 47  
 herringbone arrangement 101  
 heterojunction  
   – type 1 heterojunction 336  
   – type 2 heterojunction 336  
 hexabenzocoronens 126  
 Hildebrand solubility parameter 66  
 hole 319  
 hole-only device 198, 325  
 Holstein's small polaron theory 221  
 HOMO 21  
 Hong–Noolandi model 266

- hopping 172
    - transport 217
  - Huang–Rhys factor 95
  - Huang–Rhys-parameter 42, 44
  - Hückel-approximation 22, 23
  - Hückel–Hamiltonian 142
  - hypsochromic shift 90
- i**
- ideality factor 324
  - image potential 202, 203
  - indium-tin-oxide (ITO) 311
  - infinite sink approximation 263
  - injection
    - barrier 197, 202
    - Fowler–Nordheim (tunneling) type 202
    - layer 322
    - limited current 194
    - Richardson–Schottky (thermionic) type 203
  - ink-jet-printing 315
  - integral
    - Coulomb 19, 20
    - overlap 20
    - resonance 19, 20
  - intensity 37, 354
  - interdigitated-type device structure 311
  - interfacial dipoles 158, 270
  - internal conversion 56
  - internal field 348
  - internal filter effect 336
  - internal quantum efficiency 332
  - intersystem crossing 56, 364
  - intrinsic photogeneration 259
  - ionization potential 27, 158
  - irradiance 331, 354
- j**
- Jablonski-Diagram 98
- k**
- Kasha’s rule 60, 98, 259
  - Kelvin probe force microscopy 211
  - keto-defect 151
  - Kohlrusch–Williams–Watt plot 73
- l**
- ladder-type poly(*p*-phenylene) (LPPP) 150
  - Lambertian emitter 354
  - Langevin capture radius 247, 252
  - Langevin-type recombination 325, 362
  - lasing 286
  - leakage current 324
  - lifetime
    - natural 62
    - non-radiative 62
    - radiative 62
    - testing 361
  - light harvesting complex 124
  - linear-combination of atomic orbitals 22
  - line broadening
    - homogeneous 94
    - inhomogeneous 94
  - lineshape
    - function 42
    - Gaussian 42, 43
    - Lorentzian 42, 43, 51
  - Lorentzian 42, 43, 51
  - lumen 355
  - luminance 355
  - luminescence quantum yield 364
  - luminosity 355
  - luminous efficiency 355, 362
  - luminous efficiency function 353
  - luminous power efficiency 355, 362
  - LUMO 21
  - lutein 127
- m**
- Marcus theory 219, 220
  - Markus inverted regime 221
  - master equation 224
  - maximum power point 332
  - mean free path 172
  - mesopic vision 353
  - metal-insulator-metal structure 317
  - microcavity 366
  - Miller–Abrahams model 227
  - MLCT 39
  - mobility 208, 219, 223, 229
    - edge 175, 228
    - temperature dependence 215, 220, 231
  - molecular anion 254
  - molecular cation 254, 319
  - molecular weight
    - number-average 9
    - weight-average 9
  - monomolecular decay 284
  - Monte Carlo simulation 224, 227
  - Morse potential 33
  - Mott–Gurney equation 196
  - multilayer device 345
- n**
- naphthalene 5, 166, 172
  - non-geminate recombination 348
  - normal mode 32
    - coordinate 32
  - n-type semiconductor 309, 380
  - nucleation and growth 339, 341
- o**
- ohmic electrode, 196, *see* electrode
  - oligoene, *see* poly(ene)
  - oligomer approach 138

- on-off ratio 373
- Onsager model 263
- Onsager–Braun model 265
- open-circuit voltage 326, 345–347
- optical density 41
- optical gap 154, 170, 176, 254
- optical microcavity effects 284
- orbital
  - molecular 19
  - Frontier 24
  - highest occupied molecular 21
  - hybrid 18
  - linear combination of atomic 19
  - lowest unoccupied molecular 21
  - one-electron 25
  - $\pi$  17, 19
  - $\sigma$  17, 19
- organic field-effect transistor (OFET) 193, 211, 369
- organic light-emitting diode (OLED) 193
- organic solar cell (OSC) 193
- orientation factor 121
- oscillator
  - displaced 43, 44
  - distorted 43, 44
  - Lorentz 48
  - strength 40, 54, 105
- outcoupling efficiency 362, 365
- output characteristics 373
- oxidation 155, 169
- oxygen
  - molecular 71
  - triplet 71
- p**
- particle-in-a-box model 138, 141
- PEDOT-PSS 14, 160, 313
- Peierls' distortion 177, 180
- pentacene 5, 158
- percolation 345
- perylene 5, 103
- perylene bisimide 126
- phonon 95, 172
- phonon coupling
  - local phonon coupling 214
  - non-local phonon coupling 213, 217
- phonon wing 94, 95
- phosphorescence 45
  - measurement 72
- photoelectron spectroscopy 206
- photoemission spectroscopy 169, 170, 206
- photoluminescence 284
- photoluminescence efficiency 63
- photometric unit 353
- Photooxidation 71
- photoptic vision 353
- photosynthetic purple bacteria 124
- P3HT 16, 128, 152, 180
- phthalocyanines 126
- pinch-off point 371
- planar heterojunction device 327, 337
- pn-junction 308
- point dipole approximation 90, 107, 121
- Poisson's equation 196, 322
- polarizability 50, 135
- polarization 161, 177
  - anisotropy 284
  - effect 88, 90
  - energy, *see* polarization shift
  - shift 92, 99, 100, 114, 158, 161, 169
- polaron 156, 178, 217
  - binding energy 181, 217
  - Holstein polaron 219
  - small polaron 217
- polaronic effects 214, 215, 227, 234
- polaronic transport 217, 223
- poly(acene) 5
- poly(acetylene) 144, 177, 181
- poly(aniline) 14
- poly(diacetylene) 133, 166, 172, 180
- poly(ene) 127, 141, 144, 181
- poly(fluorene) 150
- poly(germylene) 25
- poly(methine) 126, 141
- poly(p-phenylene) 150
- poly(p-phenylene vinylene) (PPV) 147
- poly(pyrrole) 14
- poly(silane) 25, 153, 180
- poly(silylene), *see* poly(silane)
- Poly(thiophene) 152
- poly(vinylcarbazole) 109
- polydispersity 240
- polydispersity index 10
- polymer
  - homopolymer 11
  - main chain 11
  - side chain 11
- Poole–Frenkel-type field dependence 204, 232
- power conversion efficiency 332
- principle of detailed balance 351, 352
- promoting mode 59
- prompt fluorescence 253, 286
- p-type semiconductor 308, 380
- pump-probe measurements 78
- Purcell-effect 284
- pyrene 5, 103, 107
- q**
- quantum efficiency 356
- quantum yield
  - intersystem crossing 63
  - photoluminescence 63, 69
- Quasi–Fermi level 346

**r**

radiative decay 284  
 radiometric unit 353  
 Raman  
 – measurements 34  
 – scattering 34  
 random walk 194, 223, 274, 276  
 Rayleigh scattering 34  
 recombination  
 – bimolecular recombination 195, 246  
 – bimolecular recombination coefficient 200  
 – geminate pair recombination 252  
 – geminate recombination 246  
 – Langevin-type recombination 201, 246  
 – monomolecular recombination 195, 247, 284  
 – non-geminate recombination 246  
 – Shockley–Read–Hall-like recombination 247  
 reduction 155, 169  
 refractive index 50  
 regiorandom 12, 152  
 regioregular(ity) 12, 152, 240  
 relaxation energy *see* geometric relaxation energy  
 reorganization energy *see* geometric reorganization energy  
 resonance energy 100, 116  
 reverse bias 319, 324  
 roll-off effect 288, 290

**s**

sandwich arrangement 101  
 sandwich-type device structure 311  
 Schottky junction 308, 320  
 Schottky–Mott limit 206  
 scotopic vision 353  
 selection rule 116, 124, 128  
 self-absorption 68  
 self-assembled monolayer 376, 379  
 self-organization 241  
 semiconductor  
 – inorganic 307  
 – organic 307  
 sensitization 253, 259, 275, 287  
 Shockley equation 308, 324, 330, 350  
 Shockley–Queisser limit 350  
 Shockley–Read–Hall-type recombination 325, 362  
 short-circuit condition 317  
 singlet fission 250  
 singlet-singlet annihilation 287, 288  
 singlet-triplet annihilation 291  
 singlet-triplet ratio 362  
 Smoluchowski recombination rate 200, 247, 288, 289  
 soliton 178  
 solute 66, 96  
 solution  
 – frozen 64  
 – liquid 64

– solid 64  
 solvation 96  
 solvent 66, 96, 156  
 space-charge layer 320  
 space-charge-limited current 194, 196, 209, 307  
 spectral diffusion 280  
 spectral responsivity 331  
 spin 28  
 spin-coating 314  
 spin-orbit coupling 46  
 spin-statistics 363  
 spinodal decomposition 339, 341  
 spontaneous emission 284  
 s-shaped IV curve 349  
 standard deviation 92, 161  
 Stark effect 135  
 state 26  
 – filling effect 377  
 – singlet 28  
 – triplet 28  
 stimulated emission 286  
 Stokes' shift 96  
 streak camera 73  
 stretched exponential function 279  
 Strickler–Berg  
 – equation 54  
 – relationship 52  
 subtractive color mixing 356  
 Su–Schrieffer–Heeger model 145, 176  
 switching frequency 373  
 symbatic photocurrent 335

**t**

tandem cell 335, 350, 352  
 terahertz spectroscopy 212, 246  
 tetracene 5, 123, 158  
 tetracyanoquinodimethane (TCNQ) 112  
 tetrathiafulvalene (TTF) 112  
 thermally activated delayed fluorescence 252, 286  
 thermally activated reverse intersystem crossing 252, 286  
 thermodynamic efficiency limit 352  
 threshold voltage 371  
 through-bond interaction 119, 123  
 through-space interaction 119  
 time-correlated single-photon counting (TCSPC) 74  
 time of flight measurement 208, 229  
 time-resolved microwave conductivity 212, 241, 244  
 transfer characteristics 373  
 transistor 368  
 transition  
 – charge transfer 39  
 – dipole-allowed/forbidden 38  
 – isoenergetic 56  
 – metal-to-ligand charge-transfer 39

- $n\text{-}\pi^*$  39
- non-radiative 56
- $\pi\text{-}\pi^*$  38
- radiationless 56
- radiative 37
- rate 37, 55
- spin-allowed/forbidden 45
- transit time 208, 209
- transition dipole 50
- transition dipole moment 105
- transport
  - band transport 215
  - coherent transport 217
  - disorder-controlled transport 215, 223
  - dispersive transport 230
  - energy 205
  - gap 170
  - hopping transport 215
  - Marcus-type transport 215
  - non-coherent transport 217
  - non-equilibrium transport 276
  - polaronic transport 215
  - trap-limited 235, 236
- trap distribution
  - exponential 198
  - Gaussian 198
- triphenylenes 126
- triplet-charge annihilation 288, 290
- triplet harvesting 363
- triplet-polaron annihilation 288
- triplet-triplet annihilation 252, 253, 286, 288
- tristimulus value 358
- trivial transfer 119
- turn-on voltage 319, 322
- two-photon absorption 250, 259

**u**

- ungerade 30
- upconversion 74
- UPS, *see* photoelectron spectroscopy

**v**

- vacuum-deposition 314
- valence band 117, 145, 158, 162, 166, 170–172, 176
- valence-to-conduction-band transition 173, 179
- van-der-Waals interaction energy 99
- vapor-jet-printing 315
- variance 43, 92
- variational principle 22, 115
- vibrational energy 31
- vibron 95, 172
- vibronic coupling 32

**w**

- wavefunction
  - electronic 28
  - spatial 32
  - spin 28
  - vibrational 31
- wavelength 33
- wavenumber 33
- white light 78
- white organic light-emitting diode (WOLED) 366
- workfunction 206

**x**

- XPS, *see* photoelectron spectroscopy

**z**

- zero-field splitting 30
- zero-phonon line 95

