

Index

Page numbers in *italics* refer to figures or tables.

a

- ablation 9
- ablation diameter 138, 139
- absorption 9–13
 - laser radiation 6–8
- 3-acetamido-6-aminoacridine 253, 261
- acetylcholine 389
- acetylcholine esterase (AChE) 393
- acid-induced fragmentation 115
- acoustic time constant 9, 10
- activated carbon 371
- additive color model of light 140, 142
- algae identification 433
- alignment 414, 416
- alkali ion impurities 146
- allele frequencies 179, 215–219
- allele ratios 217, 220, 221
- alternative splicing 176
- Alzheimer's disease 296, 411
- amino acid detection 381
- amino acid residues 126
- amino acid sequencing 108, 112, 114–116, 117
- 2-amino benzamide 266
- 9-aminoacridine (9-AA) 279, 280, 284–286, 288, 289, 292
 - lipid mixtures 293–295
- 2-aminoacridone (2-AMAC) 253
- 5-aminosalicylic acid (5-ASA) 20
- ammonium acetate 171, 187, 188
- ammonium citrate 186
- ammonium ions 17, 170, 171
- ammonium phosphate 29
- anaerobic bacteria 432
- analog-to-digital converter (ADC) 63, 64
- analyte
 - derivatization 379, 380
 - distribution 320
 - incorporation 4–6
 - pre-concentration 380–383
 - quantitation 388–401
- analyte-to-matrix ratio, *see* molar analyte-to-matrix ratio
- Anchor-Chip™ 381
- anchor sample plates 27
- angiotensin 384
- angle of incidence of laser beam 46
- antibiotics 373, 394, 395, 434
 - resistance testing 435, 436
- Aplysia californica* 156, 157
- apolar phospholipids 281–285
- apoptosis 276
- apparent mass resolution 215, 317
- arachidonic acid 274
- arginine 115
- ASCII format 416, 417
- assay formats 190–192
- association disequilibrium 203, 208
- atherosclerosis 274, 286, 297
- atmospheric pressure (AP)-MALDI 19, 151–153, 340, 342
 - small-molecule MALDI 368, 398
- atmospheric pressure (AP)-SMALDI 157, 161, 162
- attenuators 47
- automatic gain control (AGC) 69
- average masses 321, 322, 323, 332
- avidin 6
- axial frequency 88, 89
- axial motion 68, 69
- axial TOF mass spectrometers 42, 53–55, 431–437

- 6-aza-2-thiothymine (ATT) 25, 186–188, 297
- b**
- Bacillus anthracis* 433
- background subtraction 413, 414, 416
- bacterial analysis 156
- Bacteroides* 432, 436
- base modifications 180–186
- base protonation 170
- base-specific cleavage 202, 208–215
- Bayesian inference 415
- beam diameter 44–46
- beam divergence 44
- Beer's law 6
- benzene 321, 322, 323
- beta-elimination 250, 251
- beta-lactams 436
- bimodal mass distribution 328
- biological fluids 393, 394, 395
- BioMap 144, 145
- biomarkers 133, 134, 135, 136, 411
- cancer 180
- lipids as 274
- biotin–streptavidin complex 22, 195
- biotinylated dideoxynucleotides 206, 207
- biotyping of microorganisms
- cost-effectiveness 432, 434
- direct specimen analysis 434, 435
- interlaboratory comparison tests 433, 434
- resistance testing 435, 436
- routine applications/performance 433, 434
- standard identification 432, 433
- subtyping 435
- technique 431, 432
- blood culture analysis 434
- blood plasma 281, 381, 393, 395
- bottom-up strategy 182, 183
- bradykinin 380
- brain lipids 296, 300
- broad-polydispersity polymer 347, 349
- Brucella* 432
- Burkholderia mallei* 432
- c**
- caffeine 383, 384, 385
- calibration constant 54, 66
- calibration curves 350
- calibration equation 54, 66
- Campylobacter* 435
- cancer 29
- biomarkers 180
- gangliosides in treatment 242
- glycan studies 259
- glycosphingolipids 254
- peptide profiling 411, 418, 419, 423
- primer extension studies 216
- cancer tissue/cells 148, 149, 154–157
- microdissection 158
- capillary electrophoresis (CE) 180, 215, 242, 243, 397
- capillary HPLC 399–401
- carbohydrates 384, 385, 387
- chain fragmentation 258
- carbon dioxide lasers 51
- carbon nanotubes (CNTs) 371, 372, 394
- carcinogens 20
- carcinomas, *see* cancer
- cardiolipin 289–291
- cationization reagent 317–320, 338
- cell sorting and capturing 158, 160
- cellular analysis 156, 157
- direct cellular/subcellular imaging 157, 158, 159
- individually isolated cells 156, 157
- centroid 93
- ceramide 241, 242
- cerebrospinal fluid (CSF) 411, 412
- cetyltrimethylammonium bromide (CTAB) 383
- charge-induced fragmentation 114, 116
- charge-remote fragmentation 114
- charge-tagging 197–199
- chemical matrix 3
- chemical noise 64, 69, 70, 76
- chloramines 297, 298
- 4-chloro- α -cyanocinnamic acid (ClCCA) 19, 24, 25, 285, 298
- chlorohydrins 297
- cholesterol 274, 275, 276, 281–284
- cholesterol ester transfer protein (CETP) 220, 221
- cholesteryl esters 275, 281–284
- cinnamic acid 11
- citrate buffer 372
- classifier construction 412, 418
- classifier learning algorithm 425
- cleavage
- base-specific 202, 208–215
- photocleavage 200
- photolytic 387
- proteolytic 108, 109, 112, 263
- clinical applications 124, 125
- Clostridia* 432
- cluster formation 11, 12, 15, 16, 317
- clustering
- algorithm 414
- hierarchical 421, 422, 423
- cobalt nanoparticles 3

- codeine 395
collision cell 58, 59
collisional cooling 48, 49
collisional cross-section 83
collisionally activated dissociation (CAD), *see*
collisionally induced dissociation (CID)
collisionally induced dissociation (CID) 18,
20, 50, 51
– FTICR-MS/MS 71
– peptides 114
– polymers 340
– QIT-MS/MS 78
colloidal gold 375
colloidal silver 373
color look-up tables (CLUT) 140, 141
common exchange data format 144
common peak 416
comparative sequence analysis 205–215
complementary DNAs (cDNAs) 215, 219,
220
compomers 209
composition-based sequencing (CBS)
163
computational analysis 412
computational tools 123, 124
confocal laser scan fluorescence 6
confocal laser scanning microscopy (CLSM)
21, 26
congenital disorder of glycosylation (CDG)
247, 252
continuous extraction mode 316
controlled vocabulary 144
copeptin 153
copolymers 345, 346, 350, 351, 352
copper chloride 319, 320
copper nitrate 317, 318, 319, 320
correction factor 217, 218
covalent adducts 180–186
cross-validation 420, 421, 425
crosslinking reactions 189, 190
cryodetectors 63
crystallization 4, 26, 145–147, 324, 380
curved field reflectrons 56, 58
curved linear ion trap (C-trap) 88, 90
 α -cyano-4-hydroxycinnamic acid (CHCA)
154, 280, 370, 385, 391
 α -cyano-4-hydroxycinnamic acid methyl ester
(CNME) 170
 α -cyano-chloro-cinnamic acid (CCLCA)
280
 α -cyanocinnamic acid (CCA) 5, 16
cyanogen bromide 109
cyclotron motion 68
cysteines 109
cystic fibrosis 303, 432
cytidine analogs 183
- d**
Dalton (Da) 94
Daphnia galeata 296
data acquisition 389, 412
– workflow 416, 417
data analysis workflow 420
data collection protocol 389
data exchange 143, 144, 145
data preprocessing 413–418
data processing
– MALDI-TOF 62–64
– MSI 143, 144, 145
– polymer analysis 315, 341–344
– two stages 412
DataCube Explorer 144, 145
DataExplorer 415, 417
daughter ions 49, 51
de-novo sequencing 117, 152, 163, 175
decay constant 66
deglycosylation 248, 249, 250, 252
– in ^{18}O -containing media 265
deisotoping 415
delayed extraction (DE) 55, 56, 120, 316
– *see also* time-lag focusing (TLF)
desorption 9–13
– lasers 43
desorption electrospray-ionization (DESI)
299
desorption/ionization on silicon (DIOS) 3,
368, 374, 375, 376, 392, 393
– with solid-liquid extraction 381–383
detectors
– cryodetectors 63
– ion detectors 62–64
– saturation 47, 62
DHB, *see* 2,5-dihydroxybenzoic acid
(2,5-DHB)
DHB butylamine (DHBB) 392
DHB-pyridine 392
DHBs, 2,5-dihydroxybenzoic acid plus 5–10%
2-hydroxy-5-methoxysalicylic acid 14, 19,
24, 11, 294
diacylglycerols (DAGs) 275, 281–284
1,5-diaminonaphthalene (1,5-DAN) 20
diammonium citrate (DAC) 29
dideoxynucleotides (ddNTPs) 193, 195,
206, 207
diethanolamine 374
digital storage oscilloscope 53, 63
digitonin 2
dihydrofolate reductase (DHFR) 400, 401

- 2,6-dihydroxyacetophenone (DHAP) 23, 25, 29, 110, 111, 188
- 2,3-dihydroxybenzoic acid (2,3-DHB) 290
- 2,5-dihydroxybenzoic acid (2,5-DHB) 4, 5, 6, 14, 24, 25, 370
- additives 29
 - glycan analysis 244
 - ISD spectra 20
 - lipid analysis 279, 280, 282, 284–288
 - lipid mixtures 293–295
 - peptide analysis 111, 146, 147
 - polymers 317, 318
 - protein analysis 109, 110
 - small-molecule MALDI 385
 - *see also* dihydroxybenzoic acid (DHBs)
- 2,6-dihydroxybenzoic acid (2,6-DHB) 5, 6
- 2,5-dihydroxybenzoic acid plus 5–10% 2-hydroxy-5-methoxysalicylic acid (DHBs) 14, 19, 24, 111, 294
- 3,4-dihydroxyphenylalanine (DOPA) 388, 389
- 1,8-bis(dimethylamino)-naphthalene (DMAN) 280, 292
- dip-pen nanolithography (DPN) 161
- 1,2-dipalmitoyl-*sn*-phosphatidylethanolamine (DPPE) 298
- direct protein identification/localization 160–162
- disease profiling 411, 412
- cancer 411, 418, 419
 - statistical analysis 420
 - unsupervised methods 422, 423
- dithiothriitol (DTT) 248
- DNA 106
- alkylation 192
 - array technology 161
 - complementary DNAs (cDNAs) 215, 219, 220
 - mixtures/pools 215–219
 - negative-ion mode MS 171
- Domon and Costello nomenclature system 258
- dried droplet technique 4, 24, 26, 28
- peptide analysis 111, 146, 147
 - protein analysis 109, 110
 - small-molecule MALDI 377, 380
- drift tube cells 87
- drug analysis 372, 386
- quantitation 389–391
- drug monitoring 154, 155
- Duchenne muscular dystrophy 149
- dynamic range 63, 301, 331–335
- dynodes 62
- e**
- egg tempera paints 299
- electron-capture dissociation (ECD) 49, 51
- QIT-MS/MS 78
- electron detachment dissociation (EDD) 52
- electron-induced dissociation (EID) 52
- electron transfer dissociation (ETD) 49, 51
- QIT-MS/MS 78
 - QIT-TOF 83
- electrospray deposition of matrices 147, 150
- electrospray ionization (ESI) 1, 2, 80, 81
- drug quantitation 390
 - glycoproteins 245
 - ion mobility spectrometry 86
 - lipids 277
 - noncovalent complexes 22
 - nucleic acids 169
 - protein analysis 107, 108
 - small-molecule MALDI 368, 380
- electrospray sample deposition (ESD) 379
- EndoH glycosidase 248
- energy density 7, 8
- *see also* fluence
- environmental applications 394–397
- enzyme inhibitors 382
- enzymes 274
- activity and inhibition 391–393
 - digestion 160, 161, 162
 - reactions 191
 - recombinant 105
 - *see also* restriction enzymes
- epoxidation 348, 350
- Er:YAG laser 9, 10, 11, 43, 94
- ethanol 321, 322, 323
- ethidium bromide 187
- 5-ethyl-2-mercaptothiazole (EMT) 280
- ethylaminylation 251
- ethylene oxide (EO) 345, 346, 351, 352
- excitons 13
- exoglycosidase arrays 258, 260, 262, 263
- expectation-maximization (EM) algorithm 203
- exploratory analysis 412, 421
- external ionization 67, 68
- extraction
- delayed 55, 56, 120, 316
 - lipids 279, 281, 284, 294–296
 - solid–liquid 381–383
 - *see also* solid-phase extraction (SPE)
- f**
- false-positives 76
- fast atom bombardment (FAB) 1, 2, 251, 285, 313

- Fellgett advantage 70
 field desorption (FD) 1
 field free drift region 59
 filtering methods 425
 fingerprinting 432
 first-shot phenomenon 21, 23, 187
 flap endonucleases (FENs) 200, 201
 FlexAnalysis 415, 416
 fluence 6, 8
 – adjustment of 47
 – definition 44
 – threshold 12, 13, 63
 fluorescence microscopy 136, 150
 fluorescence resonance energy transfer (FRET) 21
 fluorine excimer laser 51
 focal diameter 138, 140, 154
 formalin-fixed paraffin-embedded (FFPE) samples 160
 Fourier transform-ion cyclotron resonance (FTICR) MS 42, 64–70
 – MALDI-Q-FTICR-MS 80, 81
 – nucleobase modifications 180, 181
 – polymers 328, 330, 331
 – principle of 65
 – quadrupole FT hybrids 80–82
 – small-molecule MALDI 388
 – tandem MS 70–72
 Fourier transform mass spectrometer (FTMS) 41, 64, 67
 fractions (chromatographic) 348, 349
 fragmentation
 – acid-induced 115
 – carbohydrate chain 258
 – charge-induced 114, 116
 – efficiency 94
 – gas-phase 169, 181–183
 – peptides 49, 50
 – *see also* ion fragmentation
Francisella tularensis 432
 free fatty acids (FFA) 291, 292
 frontal affinity chromatography (FAC) 399–401
 FTICR, *see* Fourier transform-ion cyclotron resonance (FTICR) MS
 fucose 260, 261
 α -fucosidase 263
 full-width at half-maximum (FWHM) 52, 94, 174
- g**
- G-specific cleavage 210, 211
 β -galactosidase 263
 gangliosides 48, 49, 254, 255
 – cancer treatment 242
 – high-performance TLC 398, 399
 – mouse brain 255–257
 gas chromatography-mass spectrometry (GC-MS) 379
 gas-phase basicity 19
 gas-phase fragmentation 169, 181–183
 gas-phase protonation model 14, 16, 17
 Gaussian distribution 332, 333, 414
 gel electrophoresis 107, 112, 119
 gel permeation chromatography (GPC) 321, 347, 348, 349, 350, 397
 gene amplification 215–222
 gene expression 219–222
 genetic markers 175–190
 GenoSNIP assay 199, 200
 genotyping 192–205
 gluconolactone 392
 glucose 372, 373, 378, 392
 glucosone 392
 glycans 239–241
 – MALDI-MS 243–248, 250–253
 – profiling 242
 – quantitative analysis 265, 266
 – *see also* N-glycans
 glycerol 11, 25, 175, 187, 301
 glycerophospholipids 275
 glyco-tandem mass tags (glyco-TMTs) 266
 glycolipids 296
 glycomics 239
 glycopeptides 248, 251
 – characterization 263–265, 387
 – quantitative analysis 266, 267
 glycophorin A 260, 262
 glycoproteins 239–241
 – MALDI-MS 243–248
 glycosidases 118
 N-glycosidic bond 172, 183
 glycosphingolipids (GSLs) 241, 242
 – MALDI-MS 253–255
 – profiling 243
 glycosyl-phosphatidylinositol(GPI) lipid anchors 240
 glycosylation 239, 240
 – N-glycans 255
 – O-glycosylation 260, 262
 – patterns 247, 248
 – *see also* deglycosylation
 GOOD assay 170, 198–200, 204
 gram-negative non-fermenting bacteria 432, 434
 grand-daughter ions 49, 51
 graphite 292, 370, 371

- grayscale values/images 135, 140, 141, 142
green fluorescent protein (GFP) 136
guanidinium derivatives 188
- h**
- hemoglobin 23
half-lives 391
haplotypes/haplotyping 179, 203–205
HapMap 179
“hard” matrix 19
hazardous waste 386
heatmapping 422, 423
HeLa cells 157, 158
Helicobacter pylori 435
helium 73, 74
hen egg yolk 292–294, 295, 301, 302
herceptin, *see* immunoglobulin G (herceptin)
hierarchical clustering 421, 422, 423
high energy quartz/quartz fibers 46
high-field asymmetric ion mobility spectrometry (FAIMS) 87
high-performance anion-exchange chromatography (HPAEC-PAD) 242, 266
high-performance liquid chromatography (HPLC) 113, 122, 180
– capillary 399–401
– glycans 242, 243, 248, 249
– lipids 276
– nano-HPLC 243, 253, 254
– reverse-phase 122, 254
– small-molecules 392, 397
high-performance TLC (HPTLC) 243, 255, 398, 399
high-repetition lasers 389
high-throughput processes 124, 197, 208, 389, 390
– peptide profiling 411–426
high-vacuum conditions 286, 289
higher-energy collision dissociation (HCD) 90
hold-out validation 420
homogeneous assays 197
hot-spot phenomenon 30
human genome 175, 176, 178
– large-scale sequencing 208
Human Genome Project 176, 178
human liver microsomes 390, 391
hybrid mass spectrometers
– ion mobility spectrometry 83–87
– nucleic acids 172, 174
– QIT-TOF 82, 83
– quadrupole FT 80–82
– quadrupole TOF 79, 80
– *see also* Orbitrap
- hydrazinolysis 248, 250
hydrophilic interaction chromatography (HILIC) 109, 110, 116, 118, 266
2-hydroxy-5-methoxybenzoic acid 19, 24, 25, 29, *see also* DHBs
 α -cyano-4-hydroxycinnamic acid (HCCA) 4, 19, 24, 25
– DHB mixtures 29
– peptide analysis 111
– protein analysis 109, 110
– surface preparation 27, 28
hydroxyl radicals 284, 297
2-(4-hydroxyphenyl)benzoic acid (HABA) 315, 316, 317, 329
3-hydroxypicolinic acid (3-HPA) 5, 25, 170, 174
hypochlorous acid (HOCl) 297, 298
- i**
- ifosfamide 154
imatinib 154, 155
immobilized CNTs 372
immobilized metal affinity chromatography (IMAC) 109, 110, 116, 190
immunoglobulin G (herceptin) 244, 245, 249, 253, 264, 265
imzML format 143, 144, 145
in-silico mining of data 179, 213
in-source-decay (ISD) ions 18, 20, 49
– tandem TOF 57
in-vivo metabolic labeling 123
incorporation and complete chemical cleavage assay (ICCC) 202, 203
independent validation 420
index of refraction 11
trans-3-indoleacrylic acid (IAA) 317, 318
infinite conjugation 45, 46
infrared (IR)-MALDI 8, 93
– absorption/desorption 9, 10, 11
– lasers 43
– lipids 301
– noncovalent complexes 23
infrared multiphoton dissociation (IRMPD) 51, 71, 72, 78
inorganic matrices 369, 370–374
insulin 147
intensity correction 343
“intensity fading” 23
internal ionization 67
internal standard (IS) 219, 220, 388, 389, 391, 398
internal validation accuracy 420
Invader assay 200–202, 219

- 5-iodo-dexoyuridine 190
 iodoacetamide 248
 ion cyclotron resonance (ICR) 71, 150
 ion cyclotron resonance (ICR) cell 66–68, 80
 ion detectors 62–64
 ion electron reactions 50
 ion-exchange beads 192
 ion-exchange resin 196, 197
 ion-formation 146
 ion fragmentation 17–21, 48, 170, 172–174
 – at elevated pressure 48, 49
 – FTICR MS 70–72
 – tandem MS 49–52
 ion mobility spectrometry (IMS) 83–87
 ion-transfer optics 61
 ion traps 42, 72–74
 – *see also* linear ion traps (LITs)
 ion yield 14, 15, 169
 ionic liquid matrix (ILM) 23, 30
 ionization 8, 13–17
 – external 67, 68
 – internal 67
 – peptides 15, 17, 113
 Irganox 284, 295
 irradiance 44
 isobaric tags for relative and absolute quantitation (iTRAQ) 267
 isotope-coded affinity tags (ICAT) 266
- k**
k nearest neighbor algorithm 425
- l**
 laser capture microdissection 158, 160
 laser desorption/ionization (LDI) 313
 laser desorption (LD) 282
 laser microprobe mass analyzer (LAMMA) 2, 137
 – ion fragmentation 18
 laser radiation 2, 4
 – absorption 6–8
 laser repetition rate 214
 laser shots 389
 lasers
 – MALDI-MS 42–47
 – wavelength and photon energy 43
 lateral resolution 135–139
 – limitations of 154
 – various 148–154
 leave-one-out cross validation (LOOCV) 420
 lectin affinity columns 264
 lectin arrays 242
 “lift” TOF mass spectrometer 18, 58, 59
 limits of detection 52, 94
 – FTICR-MS 69, 70
 LINAC 80
 linear ion traps (LITs) 73, 76–78
 – Orbitrap 88, 90
 – Thermo LTQ-FT 82
 linear mode-MALDI 246, 247
 linear-TOF 172, 173
 linear-trap quadrupole (LTQ)-FT 69, 82
 linkage criteria 422
 linkage disequilibrium (LD) 203, 208
 lipid analysis 278, 280
 – classes and characteristics 281–292
 – matrix 278, 279
 – mixtures 292–296
 – problems in 276, 277
 – sample preparation, extraction and purification 279, 281
 – TLC/MALDI 301–303
 lipids 273–276
 – brain lipids 296, 300
 – chemical structures 275
 – MALDI-MS imaging 299, 300
 – oxidation products 283, 284, 297–299
 lipodomics 276
 liquid chromatography (LC) 107, 119, 122
 – capillary and frontal affinity 399–401
 – *see also* high-performance liquid chromatography (HPLC)
 liquid matrices 29, 93, 369, 374
Listeria 435
 lithium hydroxide 332
 lithium ions 341
 low-density lipoproteins (LDLs) 274
 low-molecular mass (LMM) compounds, *see* small-molecule MALDI
 LTQ Orbitrap XL 88, 90, 92, 153, 155
 “lucky survivor” model 15–17
 lysophosphatidic acid (LPA) 290
 lysophosphatidylcholine (LPC) 277, 286, 289, 296, 297, 299
 lysophospholipids (LPLs) 286
- m**
m/z range 58, 61, 70
 – data preprocessing 413, 414, 416
 – MALDI-QIT 76
 – RF-only guides 77
 – tissue imaging 151
 magnetic beads 191, 196, 206, 411, 412
 magnetic nanoparticles 372
 magnetron motion 68
 Mann–Whitney *U*-test 424

- MarkerView 415, 416, 417
- Mascot 115, 121, 124
- mass accuracy 52, 95
 - base modifications 181
 - FTICR-MS 64, 69
 - identification and characterization 162, 163
 - orthogonal TOF 61
 - polymers 326–331
 - reflectron TOF 56
 - in tissue imaging 150
- mass analyzers 52–62
 - orthogonal TOF 60, 61
 - tandem mass spectrometry 61, 62
- mass-based classification (MBC) 163
- mass calibration 59
- mass-filtering mode 79
- mass range
 - MCPs 62
 - nucleic acids 172
 - polymers 335–338
 - profile spectra 431
 - QITs 73
- mass resolution 52
 - apparent 215, 317
 - axial TOF 55
 - FTICRMS 64
 - identification and characterization 162, 163
 - polymers 326–331
 - QTOF-IMS 86
 - reflectron TOF 56
 - in tissue imaging 150
 - *see also* resolving power
- mass shift 319
- mass signals 135, 136, 202, 212, 213, 217
- mass spectrometers 41
- mass spectrometry (MS)
 - lipids 277
 - N-glycans 255–260, 261
 - protein analysis 106, 107
- mass spectrometry imaging (MSI)
 - cell sorting and capturing 158, 160
 - data processing and data exchange 143, 144, 145
 - direct protein identification/localization 160–162
 - history 136, 137
 - identification and characterization 162, 163
 - matrix deposition 144–148
 - organisms, organs and tissues 148–154
 - visualization of information 140–143
 - whole-cell and single-cell 154–158
- mass-to-charge ratio, *see* m/z range
- MassEXTEND assay 196–198, 204, 205
- Mathieu stability diagrams 73, 74
- MATLAB 420
- matrix
 - crystallization, *see* crystallization
 - lipid analysis 278, 279
 - optimal choice 24–26
 - polymer analysis 315–317
 - small-molecule MALDI 368, 369, 370–377
- matrix additives 29, 30, 160
- matrix-assisted inlet ionization (MAII) 3
- matrix-assisted laser desorption/ionization (MALDI) 1
 - absorption/desorption process 9–13
 - absorption of laser radiation 6–8
 - analyte incorporation 4–6
 - anchor sample plates 27
 - discovery of principle 2, 3
 - at elevated pressure 48, 49
 - ionization 8, 13–17
 - lateral resolution 148–154
 - matrix optimization 24–26
 - in micro dimensions 137–139
 - noncovalent compounds 21–23
 - surface preparation 27, 28
- matrix-assisted laser desorption/ionization (MALDI) ions
 - fragmentation 17–21, 48
 - Orbitrap 90, 91
 - tandem MS 49–52
- matrix-assisted laser desorption/ionization-MS (MALDI-MS) 133–136
 - base modifications/covalent adducts 180–186
 - clinical applications 124, 125
 - computational tools 123, 124
 - glycans and glycoproteins 243–248, 250–253, 256, 257
 - glycosphingolipids 253–255
 - lasers for 42–47
 - lipids 299, 300
 - nucleic acid analysis 169–175, 190–192, 222, 223
 - polymers 314–352
 - protein analysis 107, 108
 - protein biochemistry 111–119
 - proteomics applications 119–123
 - sample preparation for protein analysis 108–111
 - technical principle scheme 135
 - with TLC 301–303
 - *see also* atmospheric pressure (AP)-MALDI; matrix-assisted laser desorption/ionization TOF (MALDI-TOF)

- matrix-assisted laser desorption/ionization MS/MS (MALDI-MS/MS), *see* tandem mass spectrometry (MS/MS)
- matrix-assisted laser desorption/ionization QIT (MALDI-QIT) 75, 76
- matrix-assisted laser desorption/ionization TOF (MALDI-TOF)
- base modifications 181, 182
 - comparative sequence analysis 205–215
 - exoglycosidases 263
 - haplotyping 203–205
 - high-throughput peptide profiling 411–426
 - ion detectors and data processing 62–64
 - lipid analysis 280, 292–296, *see also* lipid analysis
 - nucleic acid quantitation 215–222
 - nucleic acids 191
 - SNP and mutation analysis 192–203
 - *see also* matrix-assisted laser desorption/ionization-MS (MALDI-MS); time-of-flight mass spectrometry (TOF-MS)
- matrix crystal size 145–147
- matrix deposition 144–148
- matrix-free materials 369, 374–347, 378
- matrix suppression 383, 384, 385
- mellitin 2, 147
- 2-mercaptobenzothiazole (MBT) 280
- meso*-tetrakis(pentafluorophenyl)porphyrin (MTPFPP) 291, 292
- metabolism studies 386
- metal ion adducts 338, 339
- metastable decay 42, 48–50
- FTICR-MS 70
 - tandem TOF 57, 58
- methanol 321, 322, 323
- methicillin-resistant *Staphylococcus aureus* (MRSA) 435
- 2-hydroxy-5-methoxysalicylic acid (MSA) 14
- methyl iodide 251
- methylene blue 187
- microarrays 160, 221, 419
- microbacteria resistance testing 435, 436
- microbacterial subtyping 435
- microchannel plate (MCP) 53, 62, 335, 337
- microdissection 158, 160
- microfocal diameter 154
- microorganisms, *see* bacterial analysis; biotyping of microorganisms
- microsatellites 177, 178, 192
- microscope mode 137, 139
- miniaturized solid-phase extraction 109, 110
- Mirion imaging software 144, 145
- mobile proton 114, 116
- molar absorption coefficient 6–8
- molar analyte-to-matrix ratio 4, 5, 337, 351
- small molecules 370, 383, 384, 385, 397
- molecular dynamics (MD) simulations 12
- molecular haplotyping 204
- molecular mass distribution 313, 342, 343, 390
- molecular modeling, ionization 16
- molecular scanner technique 160
- monoclonal antibody 247, 262
- mouse brain ganglioside (MBG) 255–257
- Mowse score 121
- mucin 262
- multiple excitation collisional activation (MECA) 71
- multiple reaction monitoring (MRM) 396, 397
- multiple testing adjustment 424
- multiplexing 191, 193, 195, 198
- multipole ion optics 68
- multipole storage-assisted dissociation (MSAD) 74
- mutation analysis 192–203
- mutations 178, 208
- Mycobacterium tuberculosis complex* (MTBC) 433
- myelin peptides 162
- myeloperoxidase (MPO) 297
- myoglobin 14
- mzML format 143
- n**
- N*-acetylgalactosamine (GalNAc) 240, 241
- N*-acetylglucosamine (GlcNAc) 240, 241, 248
- β -*N*-acetylhexosaminidase 263
- n*-fold cross-validation 421
- N*-glycans 240, 241, 246, 252
- MS and MS/MS 255–260, 261
 - release 248–250, 251
- N*-hydroxysuccinimide 380
- N* x *P* table 413, 415, 417, 420
- nano-HPLC 243, 253, 254
- nanoparticles 3, 161, 371–373
- nanostructure initiator mass spectrometry (NIMS) 377, 378, 394, 395
- nanosubstrates 372
- narrow-polydispersity polymer 347, 349
- Nd:YAG laser 12, 26, 41, 43, 95
- negative-ion mode 170, 171, 251, 254, 257
- lipids 295
- neurological diseases 411
- neuropeptides 150, 152, 157
- nicotinamide 17
- nicotinic acid 23, 25
- nitrobenzylalcohol 12

- nitrocellulose 2, 282, 380
 - nitrogen gas lasers 43, 45, 301
 - noise 95
 - non-solvent 323, 324
 - non-tuberculosis mycobacteria (NTM) 433
 - noncovalent complexes of nucleic acids 186–190
 - noncovalent compounds 21–23
 - nonphenylethoxylates (NPEs) 394
 - normalization 414, 416
 - nuclear magnetic resonance (NMR) 106, 277
 - nucleic acid analysis 169–175
 - assay formats 190–192
 - future perspectives 222, 223
 - quantitation 215–222
 - nucleic acids
 - base modifications/covalent adducts 180–186
 - ionization 16, 17
 - noncovalent complexes of 186–190
 - *see also* DNA; RNA
 - nucleotide analogs 183
 - null hypothesis 424
 - numerical aperture 46, 95, 138
- o**
- O-glycans 240, 241
 - release 248–250, 251
 - O-glycosylation 260, 262
 - ¹⁸O labeling 184, 185, 265, 266
 - off-line fraction collection 397–400
 - on-line fraction collection 400
 - one-bead-one-compound (OBOC) method 387
 - op1Analyzer 416, 417
 - opaque matrices 160
 - optical fibers 46, 47
 - optical parametric oscillator (OPO) laser 10, 11, 43, 95
 - optimization
 - MALDI quantitation 396, 397
 - matrix 24–26
 - orbital trapping 139, 150, 152
 - Orbitrap 69, 87–92, 153, 155
 - cellular imaging 157
 - organ imaging 148–154
 - organic matrices 368, 369, 370
 - organism imaging 148–154
 - orthogonal TOF mass analyzers 60, 61, 150, 174, 254
 - *see also* quadrupole time-of-flight (QqTOF)
 - ovalbumin 244, 245
 - overfitting 421
 - oversampling 139, 140
 - oxidation products, lipids 283, 284, 297–299
 - oxytocin 153
- p**
- ³¹P NMR 277
 - p*-value 424
 - para*-nitroaniline (PNA) 279, 280, 286, 289
 - para*-toluenesulfonic acid (PTSA) 371
 - pathogens 215
 - Paul-traps 72
 - peak detection 414, 416
 - peak lists 432
 - “peeling” reactions 250
 - penetration depth 7–9, 92
 - peptide analysis 146, 147, 150, 152, 153
 - differential 424
 - matrix-free approach 376, 377
 - sample preparation 108–111
 - small peptides 383, 384, 387
 - peptide arrays 161
 - peptide mass fingerprinting 119, 156, 157
 - peptide mass mapping 107–109, 113
 - protein identification 119–122
 - peptide N-glycosidase (PNGase) 248, 249, 250, 252, 264, 265
 - peptide nucleic acids (PNAs) 186
 - peptide sequencing, *see* amino acid sequencing
 - peptides
 - clustering 421, 412, 423
 - fragmentation 49, 50
 - glycopeptide separation 264
 - high-throughput profiling 411–426
 - identification 417, 418, 419
 - ionization 15, 17, 113
 - MALDI-QITs 76
 - mass resolution 55
 - surface preparation 27
 - tandem TOF 57
 - permethylation 250–253
 - PHASE algorithm 203
 - phenylalanine 381
 - phenylhydrazine (PHN) 248, 249, 259, 260, 262
 - phosphate backbone 169, 170, 171, 192, 197, 198
 - phosphatidic acid (PA) 275, 276, 289–291
 - phosphatidylcholines (PCs) 4, 275, 276, 285–289
 - in hen egg yolk 293, 294
 - isomers 277

- MALDI-TOF 278
- oxidation reactions 297
- phosphatidylethanolamine (PE) 275, 276, 279, 285–289, 294
- oxidation products 297, 298
- TLC 301, 302
- phosphatidylglycerol (PG) 275, 276, 289–291
- phosphatidylinositol (PI) 240, 275, 276, 289–291
- in hen egg yolk 293, 294, 301
- phosphatidylserine (PS) 275, 276, 289–291
- phosphodiesterase 199, 200
- phospholipase A₂ (PLA₂) 289
- phospholipase C (PLC) 288
- phospholipid analysis 148–150, 151–153
- *see also* lipid analysis
- phospholipids 274
- animal cellular 276
- apolar 281–285
- chemical structures 275
- zwitterionic 285–289
- *see also* lipids
- phosphoric acid 29
- phosphorothioate 199, 200
- phosphorylated phosphoinositides 289–291
- photocleavage 200
- photodissociation 50, 51, 71
- QIT-MS/MS 78
- photolytic cleavage 387
- photon energy 43
- photon flux 8
- physical matrix 3
- PinPoint assay 193, 195
- pixels 140–142
- plant metabolites 377
- plasma desorption (PD) 2, 8
- plasmalogens 276, 296
- plasticizers 281, 284, 295
- plume photographs 10, 11, 12
- poly-phosphoinositides (PPIs) 290
- polyamides 325
- polybutadiene 348, 350
- polyclonal antibodies 249
- polydexoythymidine (poly-dT) 190
- poly(dimethylsiloxane) 325, 326
- polydispersity (PD) 321, 323, 342, 347
- poly(ethylene glycol) 314, 325, 328, 329
- MALDI MS 316
- tandem mass spectra 341
- polyethylenes 338, 339, 347
- polyisoprene 317, 318, 319, 320, 337, 350
- polymer analysis 313, 314, 352–354
- attributes/limitations of MALDI-MS 344–352
- data processing 315, 341–344
- instrumentation/measurement 315, 326–341
- sample preparation 314–326
- polymer incorporation 324
- polymer precipitation 324, 325
- polymerase chain reaction (PCR) 177, 183, 184, 192
- comparative sequence analysis 209–211
- competitive 220
- in haplotyping 204, 205
- ICCG 202
- primer extension 193, 194, 195
- real-time 220, 221
- polystyrene 319, 321, 322, 323, 327
- blends 334, 343
- mass accuracy/resolution 330
- mass range 335, 336, 337
- sensitivity 332, 333
- porous silicon (pSi) 292, 374, 375, 377, 382
- porphyrins 370
- positive-ion mode 170, 198, 199, 251, 252, 254, 256
- lipids 283, 287, 291, 293, 298, 300
- post-source-decay (PSD) ions 18, 20, 49, 57, 58
- base modifications 180
- curved field reflectrons 56
- lipid analysis 284, 288
- polymer analysis 338, 339
- PSD scan 58
- small-molecule MALDI 374, 375, 376
- post-transcriptional modifications 222
- post-translational modifications (PTMs) 116, 118, 119, 222
- potassium chloride 319, 320, 378
- potassium salts 170, 171
- precursor ions 56, 57
- prediction model 424
- pressure, elevated 48, 49
- prestructured sample supports 380, 381
- Prevotella* 432
- primer extension 193, 194, 195, 198, 199, 200
- and allele frequencies 215, 216, 218, 220, 221
- principal distribution 319
- principal component analysis (PCA) 421
- PROBE assay 195, 196
- product failure analysis 344–346
- profile spectra 431, 432
- Progenesis MALDI 415, 416
- projection pursuit method 421
- propylene oxide (PO) 345, 346, 351, 352

- protein analysis 106–108
 - computational tools 123, 124
 - ISD spectra 20
 - quantitation 122, 123
 - sample preparation 108–111
- protein biochemistry 111–119
 - peptide mass mapping 113
 - peptide sequencing 114–116, 117
 - post-translational modifications 116, 118, 119
- protein chips 29
- protein profiling 124, 125
- ProteinCenter 123, 124
- proteins
 - DHB as matrix 24
 - direct identification/localization 160–162
 - identification 119–122
 - research 105
 - synthesis 105, 106
- proteolytic digestion/cleavage 108, 109, 112, 263
- proteomics 106
 - analytical strategies 107
 - biomarkers 133, 134
 - MALDI-MS applications 119–123
- proton affinity 17, 19
- “proton sponge” 292
- ProTS 415, 416
- PSD, *see* post-source-decay (PSD) ions
- pseudo-MS/MS technique 49
- pulsed-ion extraction, *see* delayed extraction (DE)
- pulsed lasers 7, 9, 10, 41
- purification
 - formats 191
 - lipids 279
 - methods 244
 - solid-phase 191, 196
- pyranose oxidase 392

- q**
- Q Exactive™ 89, 90–92
- Qcalign 416
- Qpeaks 416
- quadrupole Fourier transform mass spectrometers 80–82
- quadrupole ion trap mass spectrometer (QIT-MS) 41, 72–79
 - QIT-TOF hybrids 82, 83
- quadrupole time-of-flight (QqTOF) 79, 80, 259
 - ion mobility 83–87
 - tandem mass spectrometry 61, 62, 340, 341
- quantitative MALDI-MS 388–401

- r**
- R platform 419
- radical matrix ions 13, 15
- radiofrequency (RF)-only mode 62, 75, 77
 - quadrupole time-of-flight (QTOF) 79
- reactive oxygen species (ROS) 274, 297
- read length 206, 207
- recombinant enzymes 105
- recrystallization 147, 150
- red, green and blue (RGB) 140, 142, 150, 151
- reference sequence 175, 208, 212, 213
- reflectron TOF 55, 56, 172, 173, 174, 328, 338, 339
- reflectron voltage 58
- relative standard deviation (RSD) 370, 389
- resolution 95, 96
- resolving power 52, 96
 - FTICR-MS 69, 70
 - in microscope mode 139
 - Orbitrap 92
 - orthogonal TOF 61
 - *see also* mass resolution
- restriction enzymes 174, 175, 177, 187, 203
- restriction fragment length polymorphisms (RFLPs) 176, 177, 192
- restriction fragment mass polymorphism (RFMP) assay 203
- retinoic acid (RA) 317, 320, 322, 327, 332, 385, 386
- reverse-phase (RP) HPLC 122, 254
- rheumatoid arthritis 297
- Rho-kinase II 382
- riboswitches 222
- RNA
 - 16S rRNA 434
 - processing and maturation 105, 106
 - quantitation of samples 185
 - transcription 210
 - tRNA 188, 189
- RNAse A 211
- RNAse digestion 182, 184, 185
- RNAse T1 210, 211

- s**
- Salmonella* 434
- sample clean-up 393
- sample homogeneity 379
- sample plates
 - anchor 27
 - surface 29, 30
- sample preparation 4, 24–26, 124, 125
 - anchor plates 27
 - glycans 250–253

- glycosphingolipids 253–255
- lipid analysis 279, 281
- matrix additives 29, 30
- matrix deposition 146, 147
- nucleic acids 191
- polymers 314–326, 337
- protein/peptide analysis 108–111
- robots 92, 93
- small-molecule MALDI 377, 379–383, 384
- solvent-free 5, 325, 326
- solventless 5
- sampling rate 63
- Sanger sequencing ladders 205, 206, 207
- scanning electron microscopy (SEM) 137
- scanning laser desorption/ionization-MS (LDI-MS) 138
- scanning microprobe MALDI-MS (SMALDI-MS) 138, 157, 158, 161, 162
- scanning mode 137–139
- scatter plots 217, 218, 221
- Schiff base 250, 252, 253, 267
- SDS–PAGE 113, 119, 122
- secondary distribution 319
- secondary electron multipliers (SEMs) 62
- secondary ion mass spectrometry (SIMS) 1, 8, 137, 139, 251
- lipid analysis 299, 300
- polymers 313
- selected ion accumulation 80
- selected ion monitoring (SIM) 396, 397
- semi-quantitative analysis 216, 217
- sensitivity 52, 96
- polymer analysis 331–335, 337
- serum 411, 418
- short tandem repeats (STRs) 176–178
- shotgun sequencing 179
- shrimp alkaline phosphatase (SAP) 199
- sialic acid 245, 252, 253, 254, 260
- sialylated glycan 246, 252
- α -(2,6)-sialyltransferase 393
- “side-kick” ion-accumulation 68
- signal acquisition speed 214
- signal intensity 141, 142, 155, 350
- signal-to-noise ratio (SNR) 52, 53, 290, 291, 414
- silica gel cation exchanger (SCX) 290
- silicon nanocavities 377
- silicon nanowires (SiNWs) 375, 377, 397, 398
- silver nitrate 317, 318, 319, 322, 332, 378
- silylated pSi 374, 375, 382
- sinapinic acid (SA) 4, 21, 25
- glycan analysis 247
- protein analysis 109, 110
- surface preparation 28
- single-cell analysis 154–158
- single nucleotide polymorphisms (SNPs) 176, 178, 179
- allele frequencies 216, 217, 218, 219
- comparative sequence analysis 208, 211
- in haplotyping 203–205
- MALDI-TOF analysis 192–203
- single-stranded DNA-binding (SSB) protein 189, 190
- size-exclusion chromatography (SEC) 347
- “skewed” allele distribution 217, 218, 221
- SMALDI, *see* scanning microprobe MALDI-MS (SMALDI-MS)
- small interfering RNA (siRNA) 222
- small-molecule MALDI 367, 368
- analyte quantitation 388–401
- matrices 368, 369, 370–377
- qualitative characterization 383–388
- sample preparation 377, 379–383, 384
- summary of approaches 369
- “smart beam” 44
- smoothing 415
- sodium acetate 284
- sodium cholate 281
- sodium dodecyl sulfate (SDS) 108, 244
- sodium ions 244, 245, 283, 316, 329, 342
- sodium salts 170, 171, 378
- “soft” matrix 19, 20
- Solarix 81
- solid–liquid extraction 381–383
- solid matrices 369
- solid-phase extraction (SPE) 371, 391
- miniaturized 109, 110
- solid-phase immunoextraction (SPIE) 395
- solid-phase purification 191, 196
- solvent evaporation 4, 145–147, 323, 324
- solvent-free sample preparation 5, 325, 326
- solvents, polymer analysis 320–325
- Southern blotting 177
- space charge 69, 74, 88
- space focus 55
- SpectViewer 144, 145
- speed of instruments 64, 70
- spermine 187
- sphingomyelin (SM) 275, 276, 285–289
- sphingosine-1-phosphate (S1P) 290
- spin columns 191
- spirolide toxins 395, 397
- splice variants 105, 215, 221
- spot size on the target 45, 47, 380
- spray-deposition 378
- squared invader assay 201, 202
- stable isotope labeling by amino acids in cell culture (SILAC) 123

- stable isotopes 122, 123, 183, 184, 185, 266, 389
- static ion optics 68
- statistical analysis 418–426
- staurosporine 382
- step size 138, 151, 152
- stepwave ion guide 86
- stored waveform inverse Fourier transform (SWIFT) 71, 75, 78
- streptavidin 191, 207
 - biotin–streptavidin 22, 195
- Streptococcus agalactiae* 435
- stress confinement 9, 10
- substance P 146, 147, 384
- subtype analysis 422
- succinic acid 5, 25
- Sulfolobus acidocaldarius* 182
- sulfonic acids 116, 117
- sulfonophenylisothiocyanate (SPITC) 116, 117
- “super DHB”, *see* dihydroxybenzoic acid (DHBs)
- supervised methods 420, 421, 422, 423, 424–426
- support vector machine algorithm 425
- surface-assisted laser desorption/ionization (SALDI) 3, 370, 371
- surface-enhanced laser desorption ionization (SELDI) 29
- surface preparation 27, 28
- surfactants 371, 383, 387, 394
- Surfonic® 387
- Surfynol 340, 342, 386
- sustained off-resonant CAD (SORI-CAD) 71, 75, 78
- sweep pulse “chirp” 65
- “sweet spot” effect 370, 372, 374, 380
- Synapt G2-S mass spectrometer 84, 85, 86, 87
- Synperonic NP9 394

- t**
- T-specific cleavage 210, 212, 213
- t-test 424
- tandem mass spectrometry (MS/MS)
 - FTICR MS 70–72
 - MALDI 49–52, 340, 341, 342
 - MALDI-QIT 76
 - N-glycans 255–260, 261
 - in oTOF mass analyzers 61, 62
 - peptide identification 419
 - peptide sequencing 114–116, 117
 - polymers 338–341, 342
 - post-translational modifications 118
 - in protein analysis 108
 - QIT-MS 77–79
 - small-molecule MALDI 367
- tandem TOF mass spectrometers 56–60
- terminator nucleotides 193, 194, 195, 196
- tetrahydrofuran (THF) 320, 321, 322, 323
- Texas Red fluorescence 6
- The SNP Consortium (TSC) 178, 179
- thermal confinement 9
- Thermo LTQ-FT 82
- Thermo Scientific 88, 89, 90–92
- thin-layer chromatography (TLC) 93, 254, 255, 276, 277, 296, 301–303
 - HPTLC 243, 255, 398, 399
 - MALDI 397–399
 - SALDI 371
- thin-layer preparation 27
- threshold fluence 12, 13, 63
- time-lag focusing (TLF) 55, 316, 326, 328, 329
- time-of-flight mass spectrometry (TOF-MS) 2, 41, 42
 - axial 42, 53–55, 431–437
 - fluence adjustment 47
 - ion detectors and data processing 62–64
 - ion fragmentation 18
 - orthogonal TOF analyzers 60, 61, 150, 174, 254
 - QIT-TOF hybrids 82, 83
 - reflectron 55, 56, 172, 173, 174, 328, 338, 339
 - tandem 56–60
 - *see also* quadrupole time-of-flight (QqTOF)
- time-to-digital converter (TDC) 63, 64
- tissue imaging 142, 148–154
- titania 29, 386
- toluene 321, 322, 323
- top-down mass spectrometry 59
- top-down strategy 183
- top-ranked features 425
- topographic color map 141
- total ion count (TIC) 414
- total ion current (TIC) 142
- toxicity 109, 199, 279
 - spirulide 395, 397
- training set 420
- trans-cis*-photoisomerizations 11, 12
- transcriptomics 422
- transfer cell 86, 87
- transferrins 247

- transmission electron microscopy (TEM) 137
- TransMIT 89, 91, 92
- transverse electric field mode (TEM) 96
- trap cell 86, 87
- traveling wave (T-wave) 84, 85, 87
- trend lines 83, 84
- triacylglycerols (TAGs) 275, 276, 281–285, 288, 294
- trifluoroacetic acid (TFA) 108
- 2,4,6-trihydroxyacetophenone (THAP) 25, 29, 110, 111, 170
- Triton 281
- tRNA 188, 189
- trypsin 2, 109, 119, 121
– digestion 160, 161, 162, 263
- tumors, *see* cancer
- Tween 387
- 2-D gels 122, 242, 252
- two-layer preparation 27
- two-stage reflectrons 56
- u**
- ultra-TLC (UTLC) 399
- ultraviolet (UV)-MALDI 6, 7, 431–437
– absorption/desorption 9, 10, 12
– ionization 13, 14
– lasers 43
– matrices used 25, 279
- ultraviolet (UV) photodissociation 51, 72
- univariate tests 424
- universally unique identifier (UUID) 143
- unsupervised methods 420, 421, 422, 423
- upper mass limit 328, 335, 338
- uracil 210
- uracil DNA glycosylase (UDG) 210
- urinary tract infections 434
- urine analysis 394, 395
- v**
- vaccine quality control 216
- vacuum deposition of matrix 147, 150
- vacuum MALDI 19
- validation set 420
- vancomycin resistant enterococci (VRE) 436
- vapor–liquid–solid (VLS) growth 375
- vasopressin 153
- vegetable oils 285
- very low-energy CAD (VLE-CAD) 71
- volume ratio 337, 352
- Voyager 416
- w**
- water as solvent 322, 323
- wavelength 43, 138
- Western blot 262
- whole-cell analysis 154–158, 296
- workflow 416, 417, 420
- wrapper methods 425
- x**
- X-ray diffraction 106
- Xenopus laevis* 156, 157
- y**
- yeast identification 433, 436
- yeast Tyr-tRNA-synthetase 188, 189
- yohimbine 383, 384, 385
- z**
- zinc complex 290
- zwitterionic phospholipids 285–289

