

Index

a

- absolute configuration (AC)
 - chiroptical spectroscopies 505ff
 - chiroptical techniques 312
 - and conformational analysis 66
 - coupling methodology, ECD 94
 - CSDP 414
 - determination 392, 393
 - ECD simulation 77, 80, 391
 - exciton chirality method 75
 - experimental and theoretically predicted chiroptical responses 70
 - flack parameters 393
 - flexible molecules 86–89
 - ¹H NMR anisotropy method 406
 - homopolypeptides 311
 - Kuchel stretching apparatus device 312
 - MαNP acid method 407
 - molecular chirality 391
 - TDDFT simulation 77
 - VCD spectroscopy 85, 401
 - X-ray Bijvoet method 393, 394
 - X-ray crystallography 414, 430
- absorption-radiation methods 19
- ACA, *see* automated consistency analysis (ACA)
- acetylene alcohols 401, 436
- active pharmaceutical ingredients (API) 128
- acyclic 1,2-glycols 399, 400
- adamantane 500
- ADEQUATE
 - 1,1 513
 - 1,n 498
- Adiabatic Hessian (AH) model 37
- aggregation number 348
- alignment tensor
 - Cartesian components 297
 - condition numbers 298
 - degree of order (GDO) 308
 - dipolar coupling 297, 298
 - molecular orientational distribution 297
 - SVD 298
- allenophanes 74
- α-chiral primary amines 272
- amine coupling 363
- amine polystyrene resins 259
- sec/prim-1,2-amino alcohol 268
- Amsterdam density functional (ADF) 158
- analog-to-digital converter (ADC) 451
- analyte detection 359
- ANN, *see* artificial neural network (ANN)
- anthrylmethoxyacetic acid (9-AMA) 241–243
- antibody s2G12 339
- antibody–antigen interactions 374
- anti-Stokes Raman scattering 155
- apodization 456
- aptamers 375
- artificial neural network (ANN) 510
- asperjinone 513
- automated consistency analysis (ACA) 450
- automatic structure verification (ASV)
 - ACA system 450
 - auto assignments 483
 - Baye's theorem 446
 - binary classification metrics 485
 - bosutinib 443
 - computer tools 450
 - correct vs. incorrect assignments 483
 - deconvolution, *see* deconvolution
 - description 447
 - diastereotopic protons 487
 - digital resolution 451
 - flattening 449
 - Fourier uncertainty principle 451
 - integral transform (IT) 449

- automatic structure verification (ASV) (*contd.*)
 - Mnova 450
 - molecular similarity 485
 - NCS and PCS 485
 - negative threshold (NT) 486
 - NMR automatic verification, *see* NMR automatic verification
 - NMR data sets 474
 - NMR prediction 473
 - NN 481
 - peak labeling 479
 - positive and negative control structures 487
 - prediction bounds metrics 481, 482
 - ^{13}C satellites 480
 - scoring assignment 482
 - scoring system 470, 479, 482
 - spectral synthesis 474
- automatic verification expert system 469
- b**
 - baccatin III, 10-deacetyl 503
 - Bayes' theorem 446, 486
 - benzene ring protons 412
 - β -cyclodextrines 127
 - β -ketophosphonates 428
 - binding affinity and kinetics
 - binding constants 341
 - equilibrium 368
 - functional and screening assays 368
 - ligand immobilization 368
 - ligand valency 368
 - parameters 368
 - proteOn instrument platform 369
 - SPR binding experiment 369
 - steady state analysis 368
 - binding experiment, SPR
 - analyte molecules 365
 - binding and regeneration cycles 366
 - ligand–analyte interaction 365
 - sensorgrams 365
 - Biotin CAPture kit 375
 - biotinylated ligands 364
 - bis-(*R*)-9-AMA ester 270
 - Boltzmann distribution law 11
 - Born–Oppenheimer approximation 29, 149
 - bosutinib 443
 - Brønsted and Lewis acidity 183
 - 2,3-butanediol 400
- c**
 - calibration-free concentration assay (CFCA) 370
 - camphorsultam dichlorophthalic (CSDP) acid
 - acid method 416
 - chiral alcohol 428
 - chiral glycol 74, 428
 - diphenylmethanols 419
 - enantiopure 415
 - ethyl ester 79, 430
 - molecular motor 423
 - sulfonamide group 414
 - CASE, *see* computer-assisted structure elucidation (CASE)
 - ^{13}C CPMAS NMR spectra 192, 199
 - CD exciton chirality rule
 - Cotton effects 398
 - description 396
 - electric transition dipole moment 397
 - rotational strength 396
 - sum rule 397
 - theoretical mechanism 398
 - cephalandole A 494
 - cephalosporolide C 492
 - CHARGE 473
 - chemical accuracy 31
 - chemical ionization (CI) 495
 - chemical shift anisotropy (CSA) 502
 - chemspider 133
 - chiral derivatizing agents (CDAs) 260–261
 - advantages 273
 - barium perchlorate addition 252
 - conformational composition 253
 - conformational *sp/ap* equilibrium 252
 - (*R*)-MPA ester 252
 - secondary alcohol 253, 254
 - chiral solvating agents (CSAs) 260–261
 - α - and β -hydroxy acids 261
 - beta amino alcohols 260
 - 1,1'-binaphthalene-2,2'-diol (BINOL) 261
 - BPG 260
 - and CDA methods 260
 - experimental procedure 261
 - hydroxyl acids 262
 - norephedrine 260
 - trimethyl borate 261
 - chirality
 - definition 65
 - enantiomers 66
 - (*R*)-thalidomide 66
 - chiroptical method
 - AC assignment 70
 - advantages 100
 - circular dichroism 67
 - CPL components 68
 - elliptically polarized light with optical rotation 68

- energy ranges 69
 - ETDM 68, 69
 - MTDM 69
 - absolute configuration 505ff
 - cryptochirality 506
 - neopentane 509
 - cholest-5-ene-3 α , 4 α -diol benzoate 395
 - chromane 86, 88
 - circularly polarized lights (CPL) 66, 67, 68
 - collision induced dissociation (CID) 106, 114, 122, 126
 - combining rotation and multiple pulse sequences (CRAMPS) 180
 - Complete Active Space Self-Consistent Field (CASSCF) methods 71
 - complete relaxation and conformational exchange matrix (CORCEMA) 329
 - complete relaxation and conformational exchange matrix-saturation transfer (CORCEMA-ST)
 - computational docking 339
 - protein-ligand complex 337
 - computational spectroscopy
 - Adiabatic Hessian (AH) model 37
 - advantages 31
 - anharmonic force field 33, 41
 - anharmonic vibrational frequencies 35
 - anharmonic vibrational spectra 34, 45
 - anisole molecular complexes 50, 51, 53
 - B2PLYP/B3LYP approach 36
 - Born–Oppenheimer and harmonic approximations 29, 36
 - CC/B3LYP approach 36
 - centrifugal-distortion constants 34
 - circular dichroism (CD) methods 28
 - CODECS 55
 - conformational sampling 30
 - DFT 32
 - dipolar hyperfine coupling 39
 - dipole moment components 33
 - double-harmonic approximation 35
 - electric and magnetic moments 38
 - electric-field gradient tensors 34
 - electronic spectra 36, 37
 - equilibrium structure 40
 - ESR spectroscopy 39, 53
 - FCTF03F3AH and FCHTTF03F3AH models 47, 48
 - Fermi contact 39
 - force constants 35
 - Fourier transform microwave spectroscopy 28
 - Franck–Condon approximation 36
 - Gaussian basis sets 39
 - glycine 43, 44, 363
 - Herzberg and Teller (HT) 37
 - hybrid CCSD(T)/DFT approaches 36
 - hyperfine parameters 34
 - isotropic hyperfine coupling constants 49
 - linear and nonlinear spectral responses 32
 - nitroxides 38
 - normal modes 37
 - perturbing effects 33
 - PES 29, 30
 - Polarizable Continuum Model 50
 - predictive and interpretative capabilities 27
 - property surfaces 31
 - QM/MM schemes 39
 - quadrupole-coupling constants 43
 - rotational spectroscopy 34, 40
 - solvent-driven equilibria 54
 - Stochastic Liouville equation 54
 - TD-DFT 32
 - vertical gradient (VG) model 37
 - vibronic transitions 38
 - Zeeman interaction 38
 - ZPVE 32
 - computer-assisted structure elucidation (CASE) 512, 513
 - conductor-like screening solvent models (CPCM) 72
 - Cornilescu quality factor (Q) 301
 - Coulomb Attenuated Approximation B3YLP (CAM-B3LYP)
 - covalent immobilization
 - amine coupling 363
 - glycine 363
 - cucurdiol 496
 - cyclooctenone, (Z)-8-methoxy-4 47, 48
 - cytosine 164–168
 - polycrystalline cytosine 167, 168
- d**
- data-dependent acquisition mode (DDA) 115
 - Davidov splitting 75
 - DAVINS 450
 - deconvolution
 - GSD algorithm 476
 - Lorentz–Gauss transformation 478
 - scoring system 480
 - density functional theory (DFT) 32, 184
 - derivatization procedure 264
 - desorption electrospray ionization (DESI) 108
 - diastereotopic groups
 - HMQC/HSQC 305
 - methylene groups 304

- diastereotopic groups (*contd.*)
 - prochiral groups 303
- dibromopalau'amine 313
- diffusion ordered spectroscopy (DOSY) 344
 - diffusion coefficients 344
 - exchange regimes 346, 350
 - host-guest 351
 - spectrum 345
 - titration 349
- dihexanoylphosphatidylcholine (DHCP) 286
- digital resolution 451
- digoxin 463
- diketone 76
- dimers and pseudo-dimers
 - fibrosterol sulfate 309
 - homodimeric alkaloid 309
 - J-coupling and NOE 310
 - NMR signals 308
- dimethylpiperazine 122
- dimyristoyl phosphatidyl-choline (DMPC) 286
- 1,3-diphenylguanidine 134
- dipolar coupling 500
- Doppler effect 17
- double-bond equivalent (DBE) 116
- double-harmonic approximation 35
- double-quantum coherence (DQC) 213
- dynamic nuclear polarization (DNP) 214, 217
- e**
 - 19-OH eburnamonine alkaloid 315
 - ECD, *see* electronic circular dichroism (ECD)
 - edaxadiene 492
 - Einstein's coefficients 10, 11
 - elastic scattering 22
 - electric transition dipole moment (ETDM) 68, 69
 - electromagnetic radiation 2–4, 9
 - electronic impact 495
 - electron spin resonance (ESR)
 - computational and experimental parameters 50
 - nitroxides 38
 - spin relaxation techniques 38
 - theoretical aspects 38
 - electronic circular dichroism (ECD)
 - *ab initio* based 73
 - advantages 73
 - cotton effect 80
 - empirical methods 74, 75
 - exciton chirality method 394
 - exciton coupling 75–77
 - limitations 73
 - and ORD 97
 - simulation via *ab initio* methods 77, 80
 - theory and mechanism 394
 - and VCD 97
 - vibronic coupling 82
 - emission based methods 20
 - epitope mapping
 - indomethacin 338
 - STD intensity 336
 - (+)-erythro-mefloquine molecule 315
 - esterification shifts 254–257
 - absolute configuration, secondary alcohol 257
 - 9-AMA ester derivative 255
 - chiral alcohols 256
 - single derivative method 254
 - 4-ethyl-4-methyloctane 413
 - equilibrium binding constants 342, 349, 351
 - (+)-erythro-mefloquine molecule 315
 - exciton chirality method 394
 - exciton coupling 75
 - even-electron rule 121
- f**
 - fast atom bombardment (FAB) 495
 - Fermi contact 39
 - fibrosterol sulphate A 309
 - field's rule 119
 - floating chirality 306
 - fluorescence spectroscopy 20
 - force constants 35
 - Fourier transformation 16
 - Fourier uncertainty principle 451
 - fragmentation reactions, MS
 - additional strategies and tools 123, 124
 - DBE 116
 - even-electron ions 118, 121, 122
 - odd-electron ions 116, 118
 - protonated amine 118, 119
 - Franck–Condon approximation 36
 - Frank–Condon integrals 82
 - free induction decay (FID) 16, 451
 - full-width at half maximum (FWHM) 109, 165
- g**
 - gauge including atomic orbitals (GIAO) method 191
 - global spectral deconvolution (GSD) 476
 - GLOB model 49
 - glutamic acid 43
 - G protein-coupled receptors (GPCRs) 373

h

- Hanning function 457
- helianane 496
- helium nanodroplet spectroscopies 28
- Herzberg and Teller (HT) 37
- heteronuclear multiple quantum coherence (HMQC) 464
- heteronuclear single quantum coherence (HSQC) 464
 - acquisition parameters 468
 - processing parameters 469
 - pulse sequence 466
- hexacyclinol 511
- high-power decoupling (HPDEC) NMR spectra 191
- high-resolution instrument (HRMS) 109, 111
- high-resolution laser-induced fluorescence (HR-LIF) 28
- HOSE 472

i

- INADEQUATE experiments 203
- indirect competitive method 377
- INPHARMA 333
- interchromophoric interaction 75
- ion-trap CID 114, 126
- ion-trap MSⁿ instrument 114
- IR/Raman principles
 - ADF program 158
 - anti-Stokes RS 155
 - Born–Oppenheimer approximation 149, 169
 - 2-butyne molecule 161
 - constitutional and geometrical isomers 163, 164
 - cytosine 164–168
 - diatomic molecule 150, 152
 - D_{3h} group character table 161
 - dipole moment and polarizability 153–155, 157
 - electric dipole selection rules 160
 - equilibrium polarizability tensor 154
 - FWHM 145
 - improper rotations 162
 - M-1 stretching modes 149
 - molecular axes conventions 163
 - molecular vibrations 145
 - nano-FTIR 148
 - nano-Raman identification 148
 - non-linear molecule 149
 - normal modes 162
 - off resonance Raman spectra 157
 - plasmonic structures 169

- point groups D_{4h} and D_{6h} -the C_2 axes 158, 163
- polarization sensitivity 160
- RAIRS 160
- Raman scattering 147, 507
- Rayleigh scattering 155, 507
- resonance Raman scattering (RRS) 155, 157
- restrictions on quantum transitions 159
- ROA 147
- Stokes RS 155
- StreamlineTM mapping 147
- symmetry operations 160
- VCD 147
- vibrational assignment 163, 164, 166–168
- vibrational transitions 149
- vibrational wavenumbers 159, 164
- isorhamnetin 121
- isothermal titration calorimetry 371

k

- Karplus equation 280
- Kretschmann configuration 361
- Kronig–Kramers relations 453

l

- LAOCOON 449
- ligand–receptor equilibrium 323
- linear prediction (LP)
 - backwards LP 461
 - damped sinusoids 460
 - forward LP 461
- linearly polarized light (LPL) 65, 66, 67, 69
- liquid secondary ion MS (LSIMS) 495

m

- M α NP acid method 409
- Mössbauer spectroscopy 20
- macroscopic magnetization 15
- magic angle spinning (MAS) 174, 175, 503
- magnetic spectroscopies
 - ¹H-NMR and ¹³C-NMR 12
 - electronic spin resonance (ESR) 50
 - Fourier transformation 16
 - free induction decay (FID) 16
 - magnetogyric ratio 13
 - NMR spectroscopy 14, 15
 - nuclear magnetic moment 12
 - spin energy differences 13
- magnetic susceptibility
 - aligning media 286
 - DHCP 286
 - DMPC 286
 - lyotropic phases 286

- magnetic susceptibility (*contd.*)
 - Helfrich phases 287
 - PBLG 287
 - PELG 287
 - quadrupolar splittings 286
 - strain gels 290
 - strychnine magnetic susceptibility tensor 285
 - tensor 284
 - weak-aligning media 286
- magnetic transition dipole moment (MTDM) 69
- magnetogyric ratio 13
- malhamensilipin 496
- mass spectrometry (MS)
 - analytical strategies 128
 - application 106
 - chemical synthesis 105
 - collision induced dissociation 106
 - data acquisition strategies 115
 - ESI 106
 - fragmentation reactions, *see* fragmentation reactions, MS
 - GC-MS 106
 - identification and structure elucidation 126
 - identification of unknowns 131, 132, 134, 135
 - ionization techniques 107–109
 - LC-MS 106
 - library collections 126
 - LSIMS 495, 512
 - mass analyzers 109–111
 - MS-MS experiments 136
 - SRM transitions 126
 - tandem mass spectrometry technologies 111, 112, 114
 - matrix-assisted laser desorption/ionization (MALDI) 108, 111
- McLafferty rearrangement 118, 123
- mefloquine 493
- MELODI-HETCOR spectrum 210
- microwave spectroscopy 19
- Mnova Verify 450
- mono and polyfunctional compounds 243
- monoterpene chromane ester 88f
- MPA ester
 - absolute configuration 246, 251
 - bis-(*R*)-MPA amidoester of (*S*)-2-aminopropan-1-ol 268, 269
 - bis-(*R*)-MPA derivation 266
 - conformational equilibrium 246
 - conformers *sp* 243
 - diacetone-D-glucose 245
 - polyfunctional compounds 247
 - *prim/sec*-1,2-diols 248, 250
 - shielding/deshielding effects 251
- MSpin software 302
- n**
 - negative control structures (NCS) 485
 - negative threshold (NT) 486
 - neopentane 509
 - neural network algorithm 473
 - neutral-loss analysis modes 115, 131
 - NMR automatic verification
 - ADC 451
 - acquisition and processing parameters 464, 465
 - automatic verification expert system 469
 - FID 451
 - Fourier transform (FT) 451
 - linear prediction, *see* linear prediction
 - performance 483
 - relaxation times and delays 462
 - SNR 452
 - window functions, *see* window functions
 - ZF, *see* zero filling (ZF)
 - NMR crystallography 217, 219
 - Nosyberkol 492
 - nuclear magnetic resonance (NMR)
 - acquisition and processing parameters 464, 465
 - aggregation number 348
 - axial-axial relative orientation 281
 - bimolecular association equilibrium 324
 - chemical bonding pattern 279
 - chemical exchange 346
 - chemical shift calculation 510
 - chemical shift correlation 498
 - correlation time 325
 - diffusion and molecular structure 343
 - diffusion coefficients 344
 - dipolar–dipolar coupling 281
 - dipolar Hamiltonian conventions 282
 - DOSY 344
 - energy levels 279
 - equilibrium binding constant 351
 - internuclear vector 282
 - isotropic solution 283
 - Karplus equation 280
 - magnetic susceptibility, *see* magnetic susceptibility
 - molecular orientation 281
 - multiple quantum spectra 498
 - 2H NMR experiments 176
 - NOE 280

- non-covalent transient intermolecular interactions 347
- Pake doublet 283
- paramagnetic systems 288
- PH-gels 290, 291
- pulse field gradients (PFG) 343
- pulse techniques 14
- relative configuration (RC) 279
- residual dipolar coupling 284
- scalar coupling 280
- screening 347
- self-aggregation 349
- spin-echo 344
- stretching apparatus 291
- nuclear overhauser effect (NOE)
 - amide protons 331
 - CORCEMA 329
 - cross-relaxation 325, 333
 - definition 324
 - growth curves 332
 - perturbation 325
 - protein-carbohydrate interactions 330
 - quantitative analysis 332
 - TR-NOE 329
- number of nuclides test (NN) 481
- Nyquist sampling criterion 452

o

- Octant Rule 74
- off-diagonal DQ cross-peaks 206
- oligonucleotides 375
- optical biosensors 384
- optical rotation 65
- optical rotatory dispersion (ORD)
 - advantages 96
 - and ECD 97, 98
 - and VCD 99
- computational chemistry 96
- intrinsic rotation 96
- limitations 96
- measurement 95
- oxirane, dimethyloxirane 48

p

- Pake doublet 501, 283
- paramagnetic alignment 288
- paramagnetic relaxation enhancements 289
- periodic mesoporous organosilica (PMO) systems 188
- Perylenediimide (PDI) 195, 197
- pharmaceuticals
 - amorphous solid dispersions 206

- ^{13}C CPMAS NMR spectrum 199
- ciprofloxacin (CIP) 199
- ^{13}C ssNMR 197
- 2D ^{13}C – ^{13}C INADEQUATE experiments 203
- 2D ^1H – ^{19}F LGCP-HETCOR NMR experiment 203
- 2D ^1H – ^1H DQ MAS NMR experiment 203
- H-bonding network and local structural environments 203
- off-diagonal DQ cross-peaks 206
- XRD methods 197, 199
- phase corrected magic-angle turning (PHORMAT) technique 194
- phenylethyl isocyanide (PENC) 93f
- plasmon waveguide resonance spectroscopy (PWR) 384
- polymorphs 494, 503
- poly- γ -ethyl-L-glutamate (PELG) 287
- potential energy surface (PES) 70, 78, 80, 97, 99
 - definition 29
 - dihydrazine 29
 - electronic energy 29
 - equilibrium geometry 37
 - polynomial approximation 35
 - property surfaces 31
- precursor-ion analysis modes 115, 131
- prim/sec-1,2-diols 248, 250, 251, 270
- propane-1,2-diol, 2-(1-naphthyl) 393
- protein–protein/peptide interactions
 - activity tests 372
 - assay development 372
 - ELISA 372 384
 - GPCRs 373
 - protein-ligand complex 339
 - sensor chips 372
- pyridine, dimethyl 2,5-dicarboxylate 477

q

- quadrupole-based hybrid systems 112
- quantum mechanical (*ab initio*) methods
 - application 72
 - CASSCF 71
 - chiroptical responses 72
 - computer programs 71
 - conductor-like screening solvent models 72
 - Coulomb Attenuated Approximation B3YLP 71
 - DFT method 71
 - hybrid functionals B3LYP and B3PW91 71
 - polarization and diffuse basis 72

r

- radiation scattering 21, 22
- radiations
 - absorption/emission 6, 7
 - Boltzmann distribution law 11
 - Einstein's coefficient 10, 11
 - electromagnetic 1–4, 9
 - Hamiltonian operator 7
 - interaction of light with matter 1
 - Laplacian operator 7
 - line widths 15, 17
 - Planck radiation law 11
 - Schrödinger equation 7, 8
 - selection rules 17, 18
 - spectroscopy 1, 2
 - time-independent function 7
- Raman optical activity (ROA) 147, 507, 508
- Rayleigh limit 448
- Reaxys database 135
- relative configuration (RC)
 - alignment tensor 305
 - conformational flexibility 307
 - Eckart transform 306
 - flexible molecules 305
 - multitensor approaches 307
 - single tensor 306
- relaxation time and delays 462
- residual dipolar couplings (RDCs)
 - ^{13}C ^1H detected experiments 292
 - absolute configuration, *see* absolute configuration
 - Cornilescu quality factor (Q) 301
 - E.COSY and P.E.HSQC experiments 296
 - diastereotopic groups 303
 - F2-coupled experiments 292
 - pulse sequence 295
 - SVD 300
- residue screening 126
- resin bound CDA 257–259
 - advantages 259
 - assignment of absolute configurations 258
 - (S)-butan-2-ol 259
 - CDA 258
 - classical NMR procedures 257
 - microscale level 259
 - mix and shake method
 - hydroxy group 259
 - secondary alcohols and primary amines based CDAs 258
 - sulfonic acid and amine polystyrene resins 259
- polystyrene-bound chiral derivatizing agents 258
- sulfonic acid 259

- resonance enhanced multi-photon ionization (REMPI) spectroscopy 28
- retro-Diels-Alder (RDA) fragmentation 118, 121
- rhamnetin 121
- rigid molecules
 - cyclopentabenzofurane 302
 - MSpin software 302
 - 2-phenylbenzazepine 302
 - vibrational correction 301
- ring double bond (RDB) 116
- ROA, *see* Raman optical activity (ROA)
- rotational strength 396

s

- santonin 480
- saturation transfer difference spectroscopy (STD-NMR)
 - binding constants 342
 - CORCEMA-ST 337
 - epitope mapping 336
 - ligand binding epitope 333
 - ligand screening 335
 - principle 335
 - protein-ligand complex 339
 - saturation response 368
 - saturation time 340
- scanning probe microscopy (SPM) 494
- scattered circular polarization (SCP) 508
- Schrödinger equation 7, 8
- scoring system
 - quality (Q) 471
 - score (s) 471, 479
 - significance 471
- selected-ion monitoring (SIM) mode 109
- selected reaction monitoring (SRM) mode 112
- selective complexation 252–254
- semi-empirical method 74
- sensor surface
 - amine coupling 363
 - covalent immobilization, *see* covalent immobilization
 - flow cells (FCs) 362
 - ligand immobilization 362
 - non-covalent immobilization 364
 - self assembled monolayer (SAM) 362
 - sensor chips 362, 373, 378
- sensorgrams 365
- SEROA, *see* surface-enhanced ROA (SEROA)
- Shigemi tubes 344
- signal-to-noise ratio (SNR) 452
- sildenafil 484
- single derivatization methods 243–257

- singular value decomposition (SVD)
 - methodology 298
- solid-state NMR (ssNMR) spectroscopy
 - ^{13}C – ^{13}C correlations 210
 - 2D ^{13}C – ^{13}C planes extraction 210
 - 2D ^1H – ^{15}N HETCOR experiment 207
 - chemical shift tensor 502
 - CSA 502
 - 2D ^{15}N -detected ^1H – ^{15}N
 - MELODI-HETCOR spectrum 210
 - dipolar coupling 500
 - DQ excitation 213
 - dynamic nuclear polarization (DNP) 214, 217
 - guest molecules adsorption 182
 - ^1H double quantum (DQ) MAS 185
 - histidine 207
 - hydrogen bonding 178, 180
 - in f-MLF-OH 210
 - inter- and intra-molecular interactions 173
 - line-narrowing and sensitivity enhancement
 - methods 174, 175
 - MAS technique 503
 - multidimensional ssNMR spectroscopy 210
 - ^{14}N indirect dimensions 207
 - Pake doublet 501
 - polymorphs 503
 - pharmaceuticals, *see* pharmaceuticals
 - PHORMAT technique 194f
 - probe molecules 183–185
 - probes 175, 176, 178
 - proteins and supramolecular systems 206
 - proton-detection local field NMR 178
 - pulse sequences 174f
 - quadrupolar coupling 500
 - RDC 175
 - retinylidene chromophore 211
 - separated local field NMR 178
 - ^{13}C and ^{29}Si CPMAS NMR spectra 189
 - 2D ^1H – ^{29}Si HETCOR NMR 190, 191
 - ^{29}Si MAS and CPMAS experiments 190
 - symmetry environment parameters 503
 - tensor 502
 - TPP 504
 - xenon 180
- spectroscopic techniques
 - absorption-based methods 19
 - classification 18
 - emission-based methods 20
 - scattering and diffraction methods 21–23
- staurosporine 499
- Stejskal–Tanner equation 344
- Stevenson's rule 118
- Stokes–Einstein equation 343
- StreamlineTM mapping 147
- stretching apparatus 291, 311
- surface plasmon resonance (SPR)
 - antibody–antigen interactions 374
 - binding affinity and kinetics, *see* binding affinity and kinetics
 - binding assay 359
 - binding experiment, *see* binding experiment, SPR
 - biosensors 359
 - capturing methods 375
 - concentration analysis 370
 - general aspects 360
 - imaging 384
 - indirect competitive method 377
 - instruments 361
 - Kretschmann configuration 360
 - mass transport 379
 - matrix effects 380
 - microfluidics 376
 - molecular interaction 367
 - oligonucleotides 375
 - optical biosensors 384
 - photonic crystal sensors 376
 - polymer hydrogels 377
 - protein–protein/peptide interactions, *see* protein–protein/peptide interactions
 - PWR 384
 - refractive index increments 383
 - refractive index jumps and baseline drifting 381
 - sensor surface, *see* sensor surface design and preparation
 - small molecules 378
 - solubility and organic solvents 382
 - steric hindrance effects 379
 - thermodynamics 371
- surface-enhanced Raman scattering (SERS) 509
- surface-enhanced ROA (SEROA) 510
- t**
 - tandem HPLC-NMR
 - (R)- and (S)-9-AMA ester 263
 - tetracyanobutadienes (TCBDs) 80
 - tetralol, *cis*-2-butyl-2-methyl-1 409, 412, 414
 - transferred nuclear overhauser enhancement (TR-NOE)
 - cross relaxation rates 327
 - diagonal peaks 329
 - protein-ligand complex 327
 - off-rate constant 331
 - quantitative analysis 332

- transferred nuclear overhauser enhancement (TR-NOE) (*contd.*)
 - and spin diffusion 328
- transient intermolecular interactions 323, 347
- trimethoprim (TMP) 128, 130
- trimethylphosphine (TMP) 183, 184
- trimethylphosphine oxide (TMPO) 183, 184
- triphenylphosphite (TPP) 504
- truncation 455
- u**
- uracil anion, ESR 48
- v**
- vannusual 511
- vatiparol 314
- Vertical Gradient (VG) model 37
- vibrational circular dichroism (VCD) 82–95
 - AC assignment 86, 88, 89, 94
 - advantages 85
 - Boltzmann-weighted rotational strength 405
 - complexity levels 86
 - and ECD 97
 - electric and magnetic dipole transitions moments 85
 - 4-ethyl-4-methyloctane 403, 404
 - exciton coupling methodology 86, 94, 95
 - H-bonding and van der Waals variety 90
 - IR region 84
 - limitations 86
 - Lorentzian band-shape 84
 - measurement 82
 - and ORD 99
 - polarizable continuum models 91
 - robustness criterion 85
 - solute-solute interactions 93–94
 - solute-solvent interactions 90–93
 - qualitative interpretation 85
 - typical solvents 82
 - ζ -factor 85
- vibrational spectroscopy, *see also* IR/Raman principles
 - chemometrics 147
 - practise 145
 - VPT2 approach 35
- vibrational optical activity (VOA) 507
- vibrational wavenumbers 159
- vibronic coupling 82
- vitamin B12 370, 498
- w**
- Wieland Mischer ketone 433
- window functions
 - apodization 456
 - Fourier domain 455
 - Hanning functions 457
 - Lorentz-to-Gauss transformation 457
 - resolution enhancement 457
 - sensitivity enhancement 456
 - sine-Bell function 458f
 - truncation 455
 - weighting functions and integration 458, 459
 - weighting/windowing 456
- x**
- ¹²⁹Xe NMR applications 180
- X-ray absorption spectroscopy (XAS) 19
- X-ray crystallography
 - acyclic and cyclic aliphatic alcohol 432
 - Bijvoet method 393
 - Bijvoet pairs 394
 - CSDP 414
 - M α NP 430
 - Miller indices 494
- X-ray diffraction
 - powder 494
 - single crystal 494
- z**
- zero filling (ZF)
 - digital resolution 452
 - FID 453
 - pyridine 455
- zero-point vibrational energy (ZPVE) 32