

## Index

### **a**

- AC/DC converter efficiency, PEM electrolyser 330
- activation overpotentials 243
- ADEL project 362
- Al doped graphene, adsorption sites on 293, 294
- alkaline water electrolyzers 15
  - advantages of 383, 384
  - characteristics of 57
  - manufacturers and development status of 387, 389
  - problems in 385
- alkaline water electrolysis 383
  - advantage of 121, 144, 145
  - Avalence Hydrofiller 160, 161
  - bipolar cells, disadvantages of 122
  - characteristics of 387, 388
  - diaphragm/separator, 128 *see* diaphragm/separator
  - disadvantages 144, 145
  - economic advantage of 118
  - efficiency  $\epsilon$  138, 139
  - electrical energy consumption vs. hydrogen capacity 140
  - electrodes and catalysts, 124 *see* electrodes and catalysts
  - electrolyte 123
  - Fick's laws 123
  - filter press cells 121
  - gas diffusion electrodes 159
  - Glomfjord electrolysis plants 118
  - Gramme machine 117
  - hydrogen compressors 143
  - hydrogen-oxygen gas 123
  - industrial synthesis of 117
  - ionic conductivity 142
  - kinetics 142
  - large scale electrolyzers market 148, 151
  - limitation of 123
  - medium scale electrolyzers market 147
  - metallic foams electrode 156, 158
  - Norsk Hydro electrolyser 150, 154, 156
  - Oerlikon electrolyser 150, 153
  - $\text{OH}^-$  ions 121
  - polarization curves 137
  - pressurized electrolyzers 144, 146
  - Schmidt bipolar electrolyser 118, 120
  - small scale electrolyser market 147
  - specifications of 391, 392
  - tank cell 121
  - thermodynamics 140, 141
  - Zdansky/Lonza electrolyser 150, 155
- Alset Technology LLC 5
- anaerobic environments 64
- anodic catalytic layer 69
- apparent tortuosity factor 232
- automotive applications
  - cryo-compressed hydrogen storage tank systems 286
- autonomous applications, 351 *see* off-grid applications
- autothermal reforming 14

### **b**

- biomass feedstock 17
- BMW cryo-compressed storage tank 284, 285
- boil-off rate, of hydrogen 278
- bottleneck phenomenon 229
- Butler-Volmer 52
- Butler-Volmer equation 172
- Butler-Volmer relation 219

**c**

- carbon capture and storage (CCS) 119
- carbon monoxide (CO) 13
- catalytic layers 65
- cell polarization curve, SOEC
  - cell voltage 198, 199
- Chapman-Enskog model 241
- Claude process 278
- Co-electrolysis 261
- Collins process 278
- composite storage cylinders 283
- compressed hydrogen, 281 *see also*
  - cryo-compressed hydrogen
    - adiabatic compression 281, 282
    - cost and performance comparison 305
    - isothermal compression 281, 282
    - storage systems 282, 283
    - volumetric density of 281, 282
- concentration overpotentials 243
- constrictivity parameter 229
- contact resistances at interfaces 200
- coordination frameworks, 295 *see* metal
  - organic frameworks (MOFs)
- coordination network materials, 295 *see* metal
  - organic frameworks (MOFs)
- coordination polymers, 295 *see* metal organic
  - frameworks (MOFs)
- cost effective gaseous hydrogen storage 274
- covalent organic frameworks 297
- Crofer<sup>®</sup> 22 APU 196
- cryo-compressed hydrogen
  - cost and performance comparison 305
- cryo-compressed hydrogen storage tank
  - systems 286
- cyanobacteria* 19
- cyclic voltammetry (CV) measurement 80, 82, 83

**d**

- degradation process 93
- diaphragm/separator
  - anionic membranes 132, 135
  - heterogeneous membranes 133, 134
  - ionic conductor 129
  - ionomer membranes 135
  - IPN 133
  - OH<sup>−</sup> - membranes 132
  - oxide-ceramic materials 130
  - polysulfone network 130
  - s-PEEK separators 131
  - zero-gap assembly 132
- discharging power 326

## distribution networks

- increasing power injection on 315
- durability, of HTSE 249–251

**e**

- electrochemical impedance spectroscopy (EIS)
  - characterization 84–87
- electrochemical reaction rates, microstructural
  - impact on 233, 235
- electrode supported cell
  - schematic representation of 193
- electrodes and catalysts
  - fluorescence-based screening method 125, 126
  - hydrogen evolution reaction 127
  - Ni–MoOx composite coating 128
  - nickel-iron alloy 124
  - oxygen evolution reaction 124
  - Raney nickel electrodes 127, 128
- electrolysers, characteristics of 303
- electrolysis
  - balance of plant 328
  - efficiency 337–341
  - HTSE, 343 *see also* high temperature steam
    - electrolysis (HTSE)
  - hydrogen production
    - – pressure 336
    - – purity 337
    - – safety 337
    - – temperature 335, 336
  - integration with renewable energy
    - – components for 351, 352
    - – grid connected applications, 356 *see* grid
      - connected applications
    - – off-grid applications, 351 *see* off-grid
      - applications
  - intermittency effect 327
  - – battery protection 349
  - – downstream elements 334
  - – dynamic constraints 332, 333
  - – electrolyser protection 349
  - – fuel cell protection 349
  - – hydrogen production 349
  - – maximum efficiency 349
  - – operating strategies 347, 348
  - – power demand satisfaction 349
  - – power electronics and process control
    - 329–332
  - – reliability and durability 341–343
  - – system design 345–347
  - – technology selection 349–351
  - – stack and control system 328
  - techno-economic assessment 362–364, 376–378

electrolyte supported cells (ESCs) 183  
 – schematic representation of 193  
 endothermic operating mode 344  
 enthalpies of adsorption/desorption, storage materials 290  
 enthalpy formation 40  
 entropy formation 40  
 equilibrium constant 171  
 ethylene tetrafluoroethylene (ETFE) 130  
 exothermic operating mode 344

## f

Faraday efficiency 51, 52, 340  
 Faraday law 121  
 Fuel Cell Electric Vehicles, FCEV 9  
*fermentative bacteria* 19  
 ferritic stainless steels 196  
 Fick's law 122  
 Fick's model 217  
 fluid constriction effect 230  
 fluorescence-based screening method 125  
 fossil fuels 11  
 Fuller model 241

## g

galvanic chain 46  
 gas concentration field, by FEM simulation 231  
 gas diffusion layer (GDL) 85, 159, 175, 178  
 gas transfer phenomena, in SOEC electrode 215, 217  
 gaseous hydrogen 41, 72  
 gaseous oxygen 72  
 gasification technology 16  
 Gen-3 cryo-compressed H<sub>2</sub> storage systems 287  
 geometrical tortuosity factor 229, 230  
 German aerospace center 20  
 Gibbs free energy change ( $\Delta G_b$ ) 33, 36, 51, 168, 169  
 glass-ceramic sealants 197  
 Gramme machine 117  
 Grand Canonical Monte Carlo (GCMC) simulation  
 graphene  
 – density functional theory 293, 294  
 – maximum gravimetric density 293  
 – thermally exfoliated graphene 294  
 gravimetric hydrogen density, of hydrides 288, 289  
*green algae* 18, 19  
 grid assisted hydrogen generation 356  
 grid connected applications

– electrolysis for renewable energy storage 357, 358  
 integrated energy system 358–360  
 – renewable hydrogen production 356, 357  
 grid independent hydrogen production 353  
 grid independent integrated renewable source-hydrogen system 354

## h

H<sub>2</sub> oxidation mechanism, on Ni-YSZ cathode 222, 223  
 half cell reaction mechanism  
 – in acidic media 52, 53, 55  
 – in alkaline media 56, 57  
 Hbox solar 346  
 Henry's law 88  
 high cell polarization 236  
 high temperature  
 – cyclability/durability 186  
 – HTSE cell 184  
 – performances and efficiency 186  
 – pressure 187  
 – principles of 182  
 – solid oxide fuel cell 184  
 – structure of 182, 183  
 high temperature steam electrolyser  
 – SRU 191, 192  
 high temperature steam electrolysis (HTSE)  
 – advantage of 191  
 – challenges of 385  
 – Co-electrolysis 261  
 – degradation issues 254  
 – – during cycling operation 256  
 – – microstructural analyses 256  
 – – during steady state operation 254–256  
 – durability of 249–251  
 – integration with renewable source 361, 362  
 – manufacturers and development status of 390  
 – operating temperature range of 191  
 – performances of 244–249  
 – pressurized operation mode 259, 260  
 – reversible operation mode 260, 261  
 – specifications of 392, 393  
 – specificity of 386  
 – stack electrochemical and thermal management of 252–254  
 – system integration and economic considerations 257–259  
 – tests for 244  
 homogenization techniques 230  
 HTSE, 385 *see* High temperature steam electrolysis (HTSE)

- HyCube 304
  - hydride destabilization 290
  - hydrogen
    - application of 2
    - biomass and biomass-derived fuels 16, 18, 19
    - cost reduction 8
    - electrolysis 14–16
    - energy source 1
    - future 6
    - gasification technology 16
    - and methanol 3
    - physical properties of 1
    - primary energy demand 9–11
    - reforming processes 13, 14
    - renewable and non-renewable energy sources 11
    - storage systems 6
    - transport sector 6, 9
    - water splitting processes 18, 20, 21
  - hydrogen compressors 143
  - hydrogen economy 383
  - hydrogen evolution reaction (HER) 52–54, 68, 76, 124, 127, 173
  - hydrogen gas aerostat 2
  - hydrogen insertion reaction (HIR) mechanism 53
  - hydrogen oxidation reaction (HOR) 55
  - hydrogen storage 385
    - for automotive applications 273
    - compressed hydrogen 281–283
    - constraints and challenges of 273
    - covalent organic frameworks, 297 *see* covalent organic frameworks (COFs)
    - cryo-compressed hydrogen 284–287
    - at geological sites 274
    - in graphene 293–295
    - liquid hydrogen, 276 *see* liquid hydrogen
    - metal organic frameworks, 295 *see* metal organic frameworks (MOFs)
    - methods and phenomena of 273
    - performance of 276
    - porous materials
      - absolute and excess storage capacity 291
      - activated carbon 292, 293
      - adsorption process 291
      - binding energy 291
      - Langmuir type 291
      - multi-walled carbon nanotubes 292
      - physisorption mechanism 290
      - at room temperatures 291
      - single-walled carbon nanotubes 292
    - renewable energy sources, 312 *see* renewable energies (RE)
    - solid state, 286 *see* solid state hydrogen storage
    - vehicular systems, status of 275
  - hydroxyl ions ( $\text{OH}^-$ ) 121
- i**
- INGRID 2012-2016 303
  - interconnects 195
  - internal combustion engines (ICE) 11
  - interpenetrating polymer networks (IPN) 133
  - intrinsic Knudsen diffusivity, microstructural impact on 232, 233
  - ionic resistance 177
  - iridium 76
- j**
- Joule-Thomson expansion process 278
  - Joule-Thomson cycle 278
- k**
- Kelvin temperature 140
  - Knudsen number 216
  - Knudsen transport, in SOEC electrode 216
  - Krasil'shchikov mechanism 87
- l**
- light duty vehicles, H<sub>2</sub> storage systems for 288
  - Linde cycle 278
  - Linde hydrogen refueling station 279, 281
  - Linde mobile refueling storage 280
  - Linde mobile refueling unit 280
  - liquefaction process 278
  - liquid hydrogen (LH<sub>2</sub>)
    - cost and performance comparison 305
    - critical parameters of 276
    - hydrogen loss, minimization of 278
    - storage systems 279–281
  - liquid water electrolysis 383
  - low cell polarization 237
  - low density polyethylene (LDPE) 135
  - low temperature PEM URFCs
    - cost issues 181
    - cyclability/durability 181
    - fuel cell mode 177, 178
    - performances and efficiency 181
    - polarization curves of 179
    - pressure 181
    - principles of 174, 175
    - structure of 175
    - water electrolysis mode 176, 177

**m**

- M* factor 229
- magnesium hydride ( $\text{MgH}_2$ ) 301
- magnetocaloric effect (MCE) 278
- McPhy French company
  - high density system 302
  - high energy system 302
  - magnesium hydride disk 302
- membrane – electrodes assembly (MEA) 67, 93, 97, 98, 135
  - catalytic layers, structure of 71
  - coating processes 69
  - electrocatalyst 68, 69
- metal organic frameworks (MOFs) 295, 297
- metal supported cell (MSC) schematic representation of, 193
- metallic interconnects 196
- methanol 13
- minimum ignition energy (MIE) 3
- mixed ionic and electronic conduction (MIEC)
  - advantage of 224
  - elementary reactive pathway 224–226
  - gas transfer in anode porosity 227
  - oxygen atoms and holes transfer 227
  - surface reactions, repartition of 228
- mixed manganese – cobalt oxide compound, benefit of 196
- modern liquid hydrogen storage cylindrical tank 279
- modified Claude cycle, 278 *see* Collins process
- molecular adsorption, of hydrogen 291
- molecular diffusion, in SOEC electrode 215, 216
- multi-component gas transport, in SOEC electrode 217–219

**n**

- Nafion membranes 65, 66
- Nafion-like solid polymer electrolytes 71
- nickel/yttria-stabilized-zirconia (Ni/YSZ) cermet, for hydrogen electrode 195

**o**

- $\text{O}_2$  production mechanism, on LSM-YSZ electrode 220–222
- off-grid applications
  - renewable hydrogen production 352, 353
  - stand-alone power system 353–355
- ohmic losses, SOEC 199, 200
- ohmic polarizations 243
- ohmic resistances 72, 76, 87
- operational expenses (opex) 35, 64
- ortho- and para- form, of hydrogen 276, 277
- oxidative methanol reforming (OMR) 14

- oxygen evolution reaction (OER) 53–55, 124, 173
- oxyhydrogen flame 324

**p**

- partial oxidation 14
- peak production shaving storage function 320, 321
- PEM water electrolyzers
  - manufacturers and development status of 389
- PEM water electrolysis
  - advantages of 384
  - vs. alkaline process 384
  - characteristics of 387, 388
  - problems in 385
  - specifications of 392
- performance, of HTSE 244–249
- photosynthetic bacteria 19
- photovoltaic (PV) production, of 80Wp module 312, 313
- PHS technology, 319 *see* pumped hydro storage (PHS) technology
- Platforma Solar de Almeria 20
- platinum group metals (PGM) 181
- polybenzimidazole (PBI) materials 109
- polymer electrolyte membrane (PEM) cells
  - bipolar plates 74
  - chemical/faradaic efficiency 88
  - current – gas distributors 72, 73
  - EIS characterization 84–87
  - electrode/electrolyte characteristics 78
  - full-cell characterization 82
  - gas cross-permeation model
    - features of 90
    - low current densities 91
    - mole number of hydrogen 91
    - silica/zirconium oxide 92
  - gas permeability 89, 90
  - half-cell characterization 80, 82
  - Henry's law 88
  - MEA, 67 *see* membrane electrodes assembly (MEA)
  - optimal operation 79
  - perfluorosulfonated materials 87
  - polarization curves 76, 77
  - spacers 74, 75
- polymer electrolyte membrane fuel cell (PEMFC) 2
- polymer electrolyte membrane (PEM) water electrolysis 63
  - advantages 64, 105
  - autonomous systems 102
  - challenging issue 106

- polymer electrolyte membrane (PEM) water electrolysis (*contd.*)
  - cost analysis 100, 102
  - current densities 110
  - de-ionized process 100
  - diagnosis tools and maintenance 97, 98
  - homogeneous distribution 96
  - iridium replacement 108
  - limitations 105
  - markets and applications 104, 105
  - monopolar design 94
  - platinum replacement 107
  - polymer-based sealants 96
  - pressures measurement 110, 111
  - process flow-sheet of 100
  - SPE cell 63, 65
  - specifications 106
  - stack performances 96
  - and system characteristics 103
  - temperature operation, polymeric proton conductors for 109
- polynomial efficiency 369
- polypropylene (PP) 130
- poly(tetrafluoroethylene) (PTFE) 89, 92
- porous coordination network (PCN-19) 295
- power to liquids 324
- powerplant cooling system 148
- pressurized operation mode, of HTSE 259, 260
- production guarantee storage function 320, 322
- production shifting storage function 320, 322
- production smoothing storage function 320, 321
- pumped hydro storage (PHS) technology 319
- r**
- RELHY project 362
- renewable energies (RE)
  - hydrogen 323
    - – characteristic factors 326
    - – electricity production 326, 327
    - – electrolysis usage 323, 324
    - – uses of 324–326
  - impacts on electrical networks 312
    - – forecast limitations 312–314
    - – increasing penetration 316–318
    - – intermittency 312–314
    - – non-dispatchable power sources 314–316
  - – production and consumption imbalance 314, 315
  - – structure, schematic illustration of 315, 316
    - – storage on electrical networks
      - – – characteristics 318, 319
      - – – on grids 320, 322, 323
      - – – lead-acid batteries 319
      - – – lithium based batteries 320
      - – – PHS technology 319
      - – – in West Berlin 319
    - – reversible operation mode, of HTSE 260, 261
- s**
- Scandia-stabilized zirconia 194
- simulation
  - component specific information 373, 375
  - components, ageing modelling approach for 370, 371
  - control strategies 371, 372
  - definition of 365
  - economic assessment 365
  - objectives of 365–367
  - optimisation and sensitivity analysis 375, 376
  - performance indicators 373
  - performance modelling levels 368, 369
  - temporal characteristics 372, 373
- Single Repeat Unit (SRU)
  - schematic representation of 191, 192
- software products, for techno-economic assessments 376–378
- solid oxide electrolysis cell (SOEC)
  - anode and cathode polarization 206, 208
    - – activation overpotentials 205–207
    - – concentration overpotentials 204, 205, 208
    - – electrode irreversible overpotential 203, 204
    - – local and resulting electrode potential 200, 201
    - – Ohmic overpotentials 207
    - – reversible potential 201–203
  - cathode supported cell 193
  - cell polarization curve 198
  - ceramic layers and electrodes in 191
  - contact resistances at interfaces 200
  - electrochemical impedance spectroscopy 257
  - electrode microstructure 228
    - – electrical conductivities 228–232
    - – electrochemical reaction rates 233, 235
    - – gas diffusivities 228–232
    - – intrinsic Knudsen diffusivity 232, 233
    - – of ionic conducting phase 228
    - – parameters of LSM-YSZ and LSCF cathodes 235
  - parameters of Ni-YSZ cathodes 234, 235

- electrode slice for local approach 209, 210
  - electronic and ionic conductivity, of electrode 214, 215
  - electronic flow into electrode current collector and functional layer 209
  - gas transfer phenomena 215, 217
  - glass and glass ceramic sealants 197
  - ionic flow into functional layer 211, 212
  - leveled hydrogen vs. electricity cost 259
  - LSM-YSZ anode, O<sub>2</sub> production on 220–222
  - MIEC, 224 *see* mixed ionic and electronic conduction (MIEC)
  - multi-component gas transport 217–219
  - Ni-YSZ cathode, H<sub>2</sub> oxidation on 222, 223
  - Ohmic losses 199
  - overpotential  $\eta$  197
  - reaction mechanisms 219
  - role of temperature
    - – electrolyser temperature 237–239
    - – endothermic and exothermic modes of operation 236, 237
    - – on cell performance 241, 242
    - – on elementary reactions 239, 240
    - – on gas transport 241
    - – on global electrochemical process 240, 241
    - – on 8YSZ electrolyte conductivity 239
  - source terms  $j(z)$  distribution of, 213, 214
  - steam electrolysis 236
  - solid oxide fuel cells (SOFCs) 182, 184, 192
    - anode supported cell 193
    - electrolyte supported cell 193
    - metal supported cell 194
  - solid oxide water electrolysis
    - characteristics of 387, 388
  - manufacturers and development status of 390
  - specifications of 392, 393
  - solid polymer electrolyte (SPE) 174
  - solid polymer electrolyte (SPE) cell 63, 65
    - durability issues 92, 93
    - Henry's law 88
    - monopolar design 94
    - poly(tetrafluoroethylene) 89, 92
    - structure of 89
  - solid state hydrogen storage
    - chemical storage 288, 297–301
    - coupled with electrolyser 301–304
    - merits of 288
    - physical storage 289–297
  - stack electrochemical and thermal management, of HTSE 252–254
  - stacks degradation mechanisms 341–343
  - stand alone power systems (SAPS) 4
  - steam electrolysis, on Ni-YSZ cermet 223
  - steam methane reformers (SMR) 102
  - steam reforming 14
  - Stefan-Maxwell model 218
  - Stoichiometric fraction 1
  - strontium-doped lanthanum manganite, for oxygen electrode 195
  - sulfonated poly-ether-ether-ketone (s-PEEK) 131
  - super grid 317
  - system failure 341–343
- t**
- TEG, 294 *see* thermally exfoliated graphene (TEG)
  - thermally exfoliated graphene (TEG) 294, 295
  - thermo-neutral condition 237
  - thermochemical water splitting cycles 20
  - thermodynamics 140, 141, 168, 169, 171, 172
    - endergonic transformation 36
    - Gibbs free energy change 36
    - operating temperatures 35
    - state function changes 34
    - water dissociation voltage
      - – pH dependence of 37, 38
      - – pressure dependence of 41–44, 46
      - – temperature dependence of 39, 41
  - thermoneutral operating mode 344
  - transistor-based (TrPC) power converters 331
  - transmission system operators (TSO) 316
  - triple phase boundary lengths (TPBLs) 200, 201
- u**
- underground hydrogen storage 274
  - unitized regenerative fuel cell (URFC) 191
    - Butler-Volmer equation 172
    - definition 167
    - high temperature, 182 *see* high temperature
    - low temperature PEM, 174 *see* low temperature PEM URFCs
    - polarization curves 172
    - redox couples 171
    - thermodynamics 168, 169, 171, 172
  - US DOE
    - objectives of 274, 275
- v**
- viscous flow, in SOEC electrode 216
  - volumetric hydrogen density, of hydrides 288, 289

**w**

water electrolysis system, schematic  
representation of 328

water splitting reaction

- energy degradation 48
- energy efficiency of 50, 51
- Faradaic efficiency of 51, 52
- gap cell 47
- half cell reaction mechanism 52, 53, 55–57
- operating pressure 56, 58
- operating temperature 56
- polarization curve measurement 48, 50
- SPE cell 47, 48

- thermodynamics, 33 *see* Thermodynamics
- zero-gap cell 47

**x**

X-ray nano-holotomography 257

**y**

yttria-stabilized zirconia 194

**z**

Zirfon® Perl separators 130