

Index

a

- AA-and BB-type monomers 4, 221, 232, 241, 245, 253, 279, 314–322, 325, 327, 338, 369, 373–374, 391, 396
- AAA···DDD systems 60
- A₂-and B₃-type monomers 219
- AB₂-type co-pillarene 397, 402
- AB₂A-type quasi-triblock copolymer 421
- AB-type diblock copolymers 90–91, 100, 292
- AB-type monomers 4, 9, 14, 128, 130, 164, 219, 231, 232, 241–242, 244–245, 247–248, 259, 279–280, 311–314, 325–327, 338, 369–373, 391, 396, 487–488
- A-frame 127
- acid-initiated polymerization of isocyanides 19
- Adair's two-site binding model 227
- adamantyl derivatives 467
- ADDA-DAAD-type hetero-associate 90, 97
- adenosine triphosphate (ATP) 288, 407–408
- Ag(I)–pyridine bis-complexes 427
- aggregation-caused quenching (ACQ) 331
- aggregation-induced emission (AIE) 247–248, 290, 330–333, 395, 403
- alkane solvents 433
- alkyl-bridged bis-Napy derivative 92
- alkyl-bridged homoditopic guest 404
- alkyl-functionalized pillar[5]arene 487
- A–[M]–A homopolymers 140–141, 147
- ambipolar conductive materials 218
- amide-bridged bis-pyridine 427
- amidinium-carboxylate-bridged ligand 422
- amido-bridged melamine dimers 73
- 3-aminobenzamidines 32
- amino-functionalized pillar[5]arene 401
- 1,1'-(6-amino-1,3,5-triazine-2,4-diyl)diurea unit 85
- amphiphilic donor-acceptor molecule 211
- amphiphilic pillar[5]arene 405–410
- amphiphilic pillar[n]arene-based materials 405
- analytical ultracentrifugation (AUC) 12, 141, 366, 468–471, 476, 489
- anti-cooperative supramolecular polymerization 16–18, 20, 106
- anti-/gauche-conformations 86
- apparent binding constants 231
- arene π -complexation 120–121, 172–173, 176
- aromatic π -electronic surface 195
- aromatic charge-transfer (CT) interactions 209–213
- aromatic cycloheptatrienyl (Ch⁺) cation 216
- aromatic diisocyanide derivatives 130
- aromatic oligocarboxylates 440
- Arrhenius activation energy 474
- artificial chlorophyll 70
- artificial peptide foldamers 437

- aryl-bridged metallopolymers 173
association constants 5–6, 14, 16–18, 30,
34, 60, 76, 240, 252, 303, 315, 388,
454–455, 457–458
associative polymers 67
asymmetric flow field flow fractionation
(AF4) 442, 490–492
atom-transfer radical polymerization
(ATRP) 90, 101
atomic force microscopy (AFM) 41, 45,
49, 51, 72, 75, 92, 104, 143–145,
198, 202, 222, 230–231, 279–280,
283–286, 288, 317, 322, 336, 358,
406, 422, 430, 434, 441, 445–446,
479–482, 484
atomic-scale scanning-tunneling
spectroscopy (STS) 477
Au(I)-containing metallopolymers
131–132, 161
Au(I)-containing monomers 162
- b**
barbituric acid 103
bay-positions 69, 205–206
BB-type bis-imidazolium guest 317, 399
 β -CD dimer 373–374, 442, 468, 487
benzamidine cation 32
benzene-1,3,5-tricarboxamide 436
benzene-perfluorobenzene pairing 428
benzo-18-crown-6 407
benzoic acid 65, 67
bidirectional chain-growth mechanism
120
binding constants 12, 14, 30, 43, 202,
226, 231, 276, 281, 283, 285, 361,
417, 454
biocompatible pillarene-based vesicles
407
biocomponent polymer 477
bio macromolecular building blocks
291–295
biomimetic orthogonal self-assembly
443–447
biomimetic systems 416
biopolymers 291, 376, 442, 486
bio-supramolecular polymerizations 18
biotin-4-fluorescein assay 445
bipyridine-containing cyclophane
derivative 431
4,4'-bipyridine derivatives 65
bis-azobenzene derivative 424
bis-benzylammonium species 431
bis-calix[5]arene 229, 314–315
1,1'-bis(chlorozinc)-functionalized
ferrocene 174
bis-exTTF molecular tweezers 229–231
bis-imidazolium salts 389
2,6-bis(1-methyl-1*H*-benzo[d*l*]imidazol-
2-yl)pyridine (mebip) 149
bis(η^6 -naphthalene)chromium 176
bis-paraquat derivatives 389, 433, 439,
464, 472
bisphosphine and ancillary diisocyanide
ligands 127
bis-pillarene derivative 397
bis-pyridine derivative 225
bis-pyridinium 389
bis-pyridinium BB-type guest molecule
396
bis-pyridyl macroligands 467
1,3-bis(pyrrol-2-yl)-1,3-diketone derivative
215
1,3-bis(pyrrol-2-yl)-1,3-diketone
difluoroboron complexes 215
2,6-bis(pyrrol-2-yl)-4-nitrophenols 215
bis-terpyridine ligands 138, 147, 149,
152–154, 156, 169, 417, 460
bis-UPy derivative 433
bis-UPy-functionalized dithienylethylene
derivative 94
bis-UPy-functionalized poly(ethylene
glycol) (PEG) 88
bis-UPy-functionalized PTHF 89, 92
block copolymers 37–39, 48, 63, 81,
140–141, 145, 252, 292, 356, 359
bolaamphiphiles 82–84, 330
bolaform surfactants 84
bolaphiles 84
boron-centered derivative 208
boron-containing derivatives 165

- boron-dipyrromethene (BODIPY) 165, 396
- bottleneck effect 18
- bovine serum albumin (BSA) 358
- Bragg diffraction 486
- building blocks 1, 29–30, 32, 35, 37–42, 48, 106, 119, 128, 130, 132, 164, 168, 172, 195, 220, 221, 231, 232, 240, 252–253, 261–263, 279, 291–295, 308, 316–317, 350, 364, 421, 423–424, 427–429, 438–440, 443, 476, 492
- small-molecule 42–46, 241–252, 448
- C**
- calix[4]arenes 34–35, 103, 277, 301, 303–304, 307–312, 318–319, 323, 332–334
- calix[n]arenes 35, 52, 228, 301–303, 322–328, 335
- calixarenes 387, 401
- based supramolecular polycaps 302, 304–307, 309
- supramacromolecular chemistry 229
- calixarene-induced aggregation (CIA) 330, 333, 335
- calix[4]pyrrole receptors 226, 322
- carbene-metal complexes 132
- carbon nanotubes (CNTs) 229, 354, 358, 483
- carbon-to-metal bonds 160–162, 165
- carboxylates 30, 33, 36, 130, 168, 267, 325, 408, 423
- Carother's equation 5, 432
- catechol bis-complexes 168
- catenanes 227
- cationic alkynylplatinum(II) terpyridine complexes 220
- CB[n]-based host-guest interactions 427
- [c2]daisy-chain-type pseudorotaxane 397
- α -CD-containing pseudopolyrotaxane 463
- β -CD-containing polypseudorotaxanes 486
- central TPE-type dye 403
- chain-extended polymers 63, 93, 101, 140, 166, 210, 252, 254, 291, 295, 473, 485
- chain-extended supramolecular block copolymers 99
- chain-extended supramolecular polymer 92, 101, 252–253, 291, 473–474
- charge-transfer (CT) complexes 279, 401
- chemical-vapor deposition (CVD) 71
- chiral self-supported polymer catalyst 417
- chiral Rh(I)-MonoPhos catalyst 419
- cholinesterase (ChE) 334
- circular dichroism (CD) 49, 65, 156, 204, 314, 353, 371
- cis*-PtPh₂(DMSO)₂ 422
- classic Stern–Volmer relation 459
- classical polymers 3, 80
- Co(II)-containing metallopolymers 489
- coacervates 50
- coiled fibers 222
- coldspray (CS) ionization 476
- coloration efficiencies 152, 156, 417–418
- columnar triplex helical structure 433
- columnar-type stacking of molecules 195
- commercial polybutadiene 66
- Commission Internationale l'Éclairage (CIE) 155–156, 170
- concentration-dependent FT-IR absorption measurements 67
- concentration-dependent kinetic measurements 18
- concentration-dependent viscometry measurements 418
- conductive/conjugated polymers 353
- conventional polycondensation reactions 4, 19
- cooperative nucleation–elongation mechanism 80, 162
- cooperative supramolecular polymerization 6, 97, 130
- acid-initiated polymerization of isocyanides 19

- cooperative supramolecular polymerization (*contd.*)
 - amphiphilic perylene derivatives 20
 - complex thermodynamics of 17
 - covalent world 20
 - downhill 17, 18
 - (electro)static interactions 18
 - NEP 16
 - nucleated 17
 - oligomer formation features 18
 - powers 18
 - radical polymerization 19
- coordination nanosheet (CONASH) 133, 155
- coordination polymers 118, 124, 126–128, 130, 133–159, 164, 165, 167, 169, 171, 302, 419, 487
- coordinative bonding 120–123, 176
- Cope-type reaction 94
- copillarenes 388
- core-shell micelles 146, 376
- Cotton effect 76
- Coulombic interactions 29, 37, 439
- covalent living polymerizations 20
- covalent polymers 3, 23, 36, 87, 90, 107, 118–119, 248, 280, 309, 465
- covalent-supramolecular polymer (CSP) 248–249
- covalent/ionic bonding 159–172
- critical micellization concentration (cmc) 267, 335
- critical polymerization concentration (cpc) 8, 86, 224, 245, 325, 418, 464
- cross-linked supramolecular polymers 316, 403, 405, 425
- crown ethers 387, 401
 - aspects 239–240
 - based polypseudorotaxane 484
 - dendritic cell 253
 - derivative 472
 - hyperbranched polymer 253–258
 - macromolecular building blocks 252–253
 - poly(pseudo)rotaxanes 263–266
 - pseudorotaxanes to rotaxanes 258–263
 - recognition 425
 - small-molecule building blocks 241–252
 - supramolecular amphiphiles 266–269
- cryogenic transmission electron microscopy (cryo-TEM) 210, 322, 333, 483
- C₃-symmetric diphenylisoxazoles 200
- Cu(I)-catalyzed azide-alkyne cycloaddition reaction (CuAAC) 261, 391, 425
- Cu(II)-containing chain-extended polymers 166
- cucurbit[7]uril 492
- cucurbit[8]uril 22, 210, 239, 472, 482, 489, 492
- cucurbit[8]uril-based supramolecular polymers 489
- cucurbiturils (CB[n]s) 275, 387, 426
 - aspects 275–276
 - CB[n]s with small organic guest molecules 276–277
 - supramolecular polymers 278
 - bio macromolecular building blocks 291–295
 - small organic molecules 278–291
- cucurbiturils supramolecular chemistry 442
- cyanurates 73, 79, 98, 103, 310, 420, 429, 477
- cyclic eight-residue peptide 105, 106
- cyclic mixed-metal nanostructures 478
- cyclic oligomers 67, 224, 241, 245, 250, 282, 301, 307, 317, 319–320, 370, 373, 483
- cyclic peptide scaffolds 104
- cyclodextrin-Tb(III) array 476
- cyclodextrins (CDs) 263, 275, 387, 388, 423
 - based on CD-recognition 368–375
 - defined 343

- host-guest complexation 442
 linear polypseudorotaxanes 345–347
 moieties 309
 polypseudorotaxanes 347–348
 conductive/conjugated polymers 353–355
 inorganic polymers 353
 linear block copolymers 356–359
 poly(ethylene glycol) 347
 polyamides and polyurethanes 350–351
 polyamines 355–356
 polyesters 349–350
 polyethers 348–349
 polymeric architectures 356
 polyolefins 352–353
 polyrotaxanes 353, 362–364
 side-chain polymers 360–362
 star-shaped polymers 359–360
 pre-assembled pseudorotaxanes 364–368
 structures 343
 supramolecular polymerization 368–375
 supramolecular polymers
 AA-and BB-type monomers 373–374
 AA-type monomers 374–375
 diblock copolymers 375–379
 α -cyclodextrin (α -CD) moieties 462
 α -cyclodextrin rings 476
 γ -cyclodextrin (γ -CD) 227, 228
 cyclohexane 197, 433
 cyclometallating binding 163
 cytochrome b_{562} H63C mutant (Cyt^{H63C}) 445
 cytosine 81, 84
- d**
- DADA-type fashion 221, 223
 Dainton–Ivin equation 9
 daisy chains 241–243, 259–261, 370, 397, 399, 462
 D-alanine-based melamine monomer 76
 D–A-type supramolecular polymer 209
 D–A-type interaction 231
 1D cofacial supramolecular polymer 199
 DDAA-type unit tautomerizes 61
 degree-of-polymerization (DP) 40, 126, 221, 243, 278, 347, 396
 delivery of doxorubicin (DOX) 292
 dendrimers 231–232, 255, 257–258, 263, 292, 376, 462
 dendritic poly(amidoamine) 440
 depolymerization process 221, 397
 3D hyperbranched polymer 241, 253
 9,10-dialkoxanthracene 73
 2,7-diamido-1,8-naphthyridine unit (Napy) 62
 α,ω -diaminoalkane 398
 2,7-diamino-1,8-naphthyridine 429
 diaminopyridine unit 429
 diaminopyridines 57, 73, 102, 429, 436
 2,6-diaminopyridines 73, 436
 2,6-diaminotriazine 81
 2,6-diamino-1,3,5-triazine 73, 81
 1,4-diazabicyclo[2.2.2]octane 128, 335, 395
 diazobenzene moiety 94, 442
 diazobenzene tethers 73
 dibenzylammonium salt 256–257, 261, 439
 1,3-dibenzylguanidinium 30
 diblock copolymers 42, 90–91, 100, 292, 375–379, 485
 1,2-dichloroethane 326, 443
 1,4-dicyanobutane 402
 Diels–Alder reaction 221, 364
 diffusion-ordered NMR spectroscopy (DOSY) 45, 169, 202, 279, 316, 419, 429, 471
 diffusion-ordered spectroscopy (DOSY) 87, 221, 282, 284, 288, 292, 371, 400, 428, 472–473, 492
 measurements 87
 difunctional monomer 442
 β -diketonate derivatives 165
 β -diketonate moiety 166
 diketopyrrolopyrroles (DPPs) 71–72, 200–201, 331

- dimerization of carboxylic acids 67
- dimerization process 30
- dimerize via quadruple H-bonding interactions 61–62, 398
- dimerized/(macro)cyclized oligomers 391
- dimethoxypillar[5]arene 427
- dinuclear pincer-type precursor complex 163–164
- α,ω -dinucleobase-functionalized PTHF 84
- 1,5-dioxonaphthalene 432
- diphenylphenanthrene (DPP) 331
- 3,5-diphenylisoxazole moieties 199
- 3,5-diphenylisoxazoles 199
- 2,6-diphenylpyridine spacer 220
- dipole–dipole-type interaction 57
- directly interacting monomers 4
- diselenides 399, 442
- 9,10-distyryl-anthracene dye 395
- 1,4-disubstituted 1,2,3-triazole unit 425
- ditopic bidentate ligands 133–137
- ditopic bis-terpyridine ligands 460
- ditopic molecular tweezers 226
- ditopic monodentate ligands 123
 - bisphosphine and ancillary diisocyanide ligands 127
 - chelate effect 123
 - heterobimetallic polymer 123
 - perylenebisimide 130
 - polymer-analogues to cisplatin 127
 - $[\text{Pt}_3(\mu_3\text{-CO})(\mu\text{-dppm})_3]^{2+}$ precursor 126
 - heterobimetallic polymer 124
 - sonication-induced dissociation 125
 - zig-zag-shaped metallo-supramolecular polymers 130
- 4-pyridyl-substituted porphyrin derivative 131
- Au(I)-containing metallopolymers 132
- metallopolymer 127
- metallopolymers containing ditopic NHC-type ligands 133
- polymer-analogues to cisplatin 128
- porphyrin rings 128
- Shish-Kebab-type metallo-supramolecular polymers 129
- sonication-induced dissociation 124
- zig-zag-shaped metallo-supramolecular polymers 130
- ditopic pyridyl-functionalized cruciform-shaped ligand 164
- ditopic tridentate ligands
 - bis-terpyridines 138, 139
 - bis-tridentate ligands with Ru(II) ions 150, 151
- ABA-type triblock copolymers 147, 149
- chiral Ru(II)-and Fe(II)-containing metallopolymers 157
- core-shell-corona morphologies 147, 148
- diblock copolymer 140, 141
- electrostatic self-assembly processes 153
- hydrophobic PS core and the hydrophilic PEG corona 143, 144
- LCST temperature 142
- macroligands 143, 147
- mixing triangle of 156
- Ru(II)-containing chain-extended polymer 140
- “scorpionate”-type metallopolymer $[\text{Fe}(47)]_n$ 158
- terminal metal-binding site 141, 142
- terpyridine *bis*-complexes 143
- tpy-containing diblock copolymer 145, 148
- transition and rare-earth metal ions 149, 150
- transition metal ions 137, 138
- tridentate 2,6-bis(1*H*-pyrazol-1-yl)pyridine units 156
- Zn(II) ions and π -conjugated bis-terpyridine ligands 153, 154
- diverse factors 196
- diverse pseudorotaxanes 389

- DNA 1, 58, 104, 227, 280, 347, 371, 428, 442, 481, 486
- dodecyltrimethylammonium cations 47
- double-chained/zig-zag-shaped
supramolecular polymers 426, 427
- doubled-stranded supramolecular
polymer 422
- double dynamers 102
- double-dynamic polymer 102–103, 399–400
- double hydrogen-bonding interactions 66–72
- downhill cooperative supramolecular
polymerizations 17, 18
- doxorubicin (DOX) 292–294, 409–410
- doxorubicin hydrochloride (DOX) 329
- 1D protein copolymer 445
- 1D supramolecular polymers 155, 250, 437
- D₅ symmetric pillar[5]arene 387
- dynamic “polynanocage,” 483–484
- dynamic covalent chemistry (DCC) 262–263, 399–400
- dynamic light scattering (DLS) 40, 44–46, 75, 94, 100–101, 210, 280, 286, 292, 294, 312–314, 321, 327–329, 333–334, 361, 374, 377, 397, 402–403, 406–407, 410, 422–423, 432–433, 441, 446, 465, 467
- dynamic polyrotaxane 398–399
- e**
- EDTA (EDTA:ethylenediamine-tetraacetic acid) 46, 145
- effective molarity (EM) 13–14
- electro-spray ionization (ESI) 284, 475–476
- (electro)static interactions 18
- electrochromism 136, 152, 155
- electron microscopy 73, 482–484
- electron paramagnetic resonance (EPR) spectroscopy 286
- electron-rich pillar[5]arene 401
- electrospray ionization (ESI) 475–476
- electrospray ionization mass spectrometry (ESI MS) 35, 284
- electrostatic interactions 20, 30, 40, 42, 49–50, 52, 60, 80, 196, 203, 213, 267, 311, 331, 470, 483
- enantiomerically pure alkyl groups 429–430
- endo-cavity inclusion 401
- enzyme-bridged supramolecular polymer 444
- Ercolani’s ring-chain model 14
- ESI time-of-flight (TOF) MS 475
- Eu(III) ions 149, 166, 169–170, 494
- exo-ditopic macrocyclic ligand 135
- exTTF pincers 231
- f**
- face-to-face-type orientation 195
- Fe(II) bis-complex [Fe(17)₂]²⁺ 427
- “Ferrari” pigment 71, 200
- ferrocene (Fc) 157, 170, 172–175, 404
- ferrocene-containing polymers 173
- fill factors (FF) 200
- flexible [Mb-52-SAv-52-Mb]_n fibers 445
- Flory–Huggins theory 10
- Flory’s “principle of equal reactivity,” 8 19
- 9-fluorenyllithium 19
- fluorescein 407
- fluorescence titration 316, 441, 458
- foldamer approach 211
- Fourier-transform infrared (FT-IR) 67–68, 104–105, 337, 350, 352
- Fourier-transform ion cyclotron resonance (FT-ICR) mass spectrometry 476
- fractal polymer 478
- free association model 10–11
- free-radical polymerization (FRP) 266
of vinylferrocene 172
- Fukuzawa’s bis-calix[5]arenes 229
- fumaramide 431–432
- functionalized β-CD unit 424

g

Gibbs free energy 2–3, 22, 69, 203
 (gradient) tandem mass spectrometry
 (gMS²) 475–476
 green emeraldine salt 389
 grid-like assemblies 470
 Grothuss-type mechanism 170

h

half-oxidized, blue-colored emeraldine
 base 389
 halogen bonding 2, 64, 399, 448
 Hamilton receptor 98–99, 420, 429,
 477
 hard and soft acids and bases (HSAB)
 171
 hard polystyrene 485
¹H double-quantum (DQ) NMR
 spectroscopy 474
 helix-helix diblock copolymer 100
 heme-bis(biotin) conjugate 445–446
 heme-protein recognition 444
 heme-Cyt^{H36C} conjugation 446
 heme-protein 444, 446
 hetero-complementary Hamilton receptor
 420
 heteroatom-containing ligand 171
 heteroatom-containing triangulene 208
 heterobimetallic coordination polymer
 124, 171
 heterobimetallic polymer 123, 428
 heterocomplementary, homoditopic
 AA-and BB-type monomers 391
 heterodifunctional components 442
 heteroditopic AB-type monomers 14,
 231, 241, 391
 heteroditopic building block 231,
 423–424, 438, 476, 483
 heteroditopic macroligands 420
 heteroditopic material 430
 heteroditopic molecule 471
 heteroditopic monomers 12, 44, 218,
 221–222, 225, 229–230, 244,
 259, 314, 374, 395, 425, 432,
 444
 heteroditopic oligo(ethylene glycol)
 derivative 13, 444
 heterogeneous hydrogenation catalyst
 419
 heterogeneous nucleation 18, 23
 heteroleptic Ru(II)-typ bis-complexes
 143
 heterotelechelic polymer 101, 419
 heterotritopic AB₂-type co-pillarene 241,
 397
 hexa-*peri*-substituted HBCs 197–198
 high binding constants 281, 361, 417,
 454
 high-density polyethylene (HDPE) 390
 highly-ordered pyrolytic graphite (HOPG)
 365, 476–478
 Hill coefficients 232
¹H NMR spectroscopy 30, 31, 33, 35,
 43–44, 77, 85, 93, 97–98, 106, 337,
 348, 418, 432, 454
 Hofmeister effect 36
 Hogsteen-type base-pairing interaction
 82
 homo-and heteroditopic bolaamphiphiles
 82
 homo-and heterometallic polydecker
 assemblies 176
 homo-or heterotelechelic monomers via
 H-bonding interactions 63–64
 homoditopic β-cyclodextrin 467
 homoditopic AA-and BB-type monomers
 4, 241, 374, 391
 homoditopic building block 262, 427
 homoditopic components 221
 homoditopic crown-ether 464
 homoditopic cyanurate derivative 420
 homoditopic host 262, 318, 369, 402
 homoditopic macromonomers 93
 homoditopic monomers 4, 218, 223,
 245–246, 285, 314, 373, 395, 433,
 439, 482, 489
 homoditopic polymeric unimers 429
 homogeneous Rh(I)-MonoPhos system
 417
 homolog pillar[6]arene 388

- homotelechelic bis-UPy-functionalized polymers 87–89
- homotelechelic monomers 73, 86–87, 92
- homotritopic guest 402
- homotropic allosteric binding process 227
- honeycomb PBI-melamine network 78
- host-enhanced charge-transfer interactions 482
- host-guest complexation 2, 4, 119, 140, 195, 226, 250, 255, 277, 281, 295, 301, 356, 374, 387, 389–391, 397, 401, 403, 408, 415, 426, 431–432, 438–439, 442, 445, 495
- host-guest interactions
 - AA and BB-type monomers 314, 316, 317, 319–322
 - AB-type monomers 312–314
- host-stabilized charge-transfer (HSCT) interaction 210
- hydrogen-bonding (H-bonding) interactions 4, 428
 - aprotic and non-polar solvents 58
 - classification of 58, 59
 - dimerize via quadruple H-bonding interactions 62
 - heterodimeric assemblies via quadruple H-bonding 62
 - interactions 29
 - N-alkyl-cyanurates *via* sextuple H-bonding 62, 63
 - vs.* non-covalent interactions 57
 - single H-bonding motifs 59
 - supramolecular polymers
 - double hydrogen-bonding interactions 66–72
 - multiple H-bonding interactions 104
 - parameters 64
 - quadruple H-bonding interactions 84
 - sextuple H-bonding interactions 98
 - single H-bonding unit 65
 - triple H-bonding interactions 72
 - triple H-bonding motifs 58, 60, 61
 - two-centered H-bonding motifs 59
 - types of 57, 58
 - UPy-moiety 62
 - hydrogen-evolution reaction (HER) 172
 - hydrophilic pillar[6]arene 408
 - hydrophobic effect 195, 203–204
 - hydroquinone derivative 432
 - hydroxyethylethylene-diaminetriacetic acid (HEEDTA) 418–419
 - hyperbranched and cross-linked assemblies 401–405, 411
 - hyperbranched supramolecular polymer 231, 232, 403

i

 - Ibidapo's classification 37
 - imide-melamine H-bonding interaction 75
 - imidazole-functionalized guests 397
 - inorganic-organic hybrid materials 417
 - interlocked poly(daisy chain) 462
 - interlocked strong donor-acceptor [2]catenane 432
 - intermolecular carboxylate-to-guanidinium binding 32
 - intermolecular non-covalent interactions 2
 - intra-protein H-bonding interactions 446
 - intramolecular heme–Cyt^{H36C} interactions 446
 - intramolecular Zn(II)-imidazolyl interactions 460
 - ion mobility mass spectrometry (IM-MS) 475
 - ionic interactions 2, 4, 21, 29–52, 119, 353, 387, 422, 431, 436, 439, 441
 - ionic self-assembly (ISA) 213, 439
 - ionic/covalent bonding 120, 165, 176
 - ionomers 37, 485
 - isocyanate-terminated (macro)molecules 96
 - isodesmic association 454

- isodesmic supramolecular polymerization
 (IDP) 6, 7, 98, 197, 227
 bifunctional monomer 9
 concentration or temperature of 8
 energy of 8
 intermolecular equilibrium constant
 7, 8
 multi-stage open association
 mechanism 6
 non-covalent linkage 11
 temperature-dependency 10, 11
 transition line 9
- isomeric dipyrindones 69
- isotactic polypropylene (iPP) 91
- isothermal titration calorimetry (ITC)
 30, 34, 63, 169, 227, 276, 284, 290,
 295, 357, 371, 459, 461
- j**
- Jacobson–Stockmayer parameters 67
- l**
- L-alanine-derived melamine 76
- Lambert–Beer’s law 456, 493
- Lamm’s equation 469–470
- latent dyes 72
- LC polymers 65
- LC supramolecular polymers 74,
 82
- Lehn’s concept of double dynamic
 supramolecular polymers
 102
- leucoemeraldine base 389–390
- light scattering 66, 281, 357–358, 374,
 465, 490, 492
- light-emitting diodes (LEDs) 95, 154,
 164
- linear bis(pyridinecarbaldehyde)
 derivative 483
- linear main-chain polypseudorotaxane
 439
- linear metallo-supramolecular
 polymers
 coordinative bonding 159–172
 ditopic bidentate ligands 133–137
 ditopic monodentate ligands
 123–133
 ditopic tridentate ligands 137–159
 pyridine-based ligands 122, 123
 metal-arene interactions 172–176
- linear polymers 1, 4, 6, 63, 67, 85, 138,
 166, 241, 264, 284, 288, 309,
 318–320, 325, 345–356, 371, 399,
 403, 464
 pillarenes and 389–391
- linear polypseudorotaxanes 241–252,
 344–356
- linear rigid-rod metallo-supramolecular
 polymers 161, 490
- linear supramolecular polymers 65, 67,
 75, 98, 99, 253, 391, 403, 483
 π -electronic interactions 219
- linear supramolecular
 polypseudorotaxane 423
- liquid crystalline (LC) 305
 materials 216
 morphology 47
 properties 436
- living crystallization 20
- living supramolecular polymerization
 20, 23
- lower critical solution temperature
 (LCST) 142, 291, 376
- Lu@C82 metallofullerenes 78
- lyotropic LC phase 73
- m**
- macrocyclic bis(paraquat-*p*-phenylene)
 system 432
- macroligand 140–141, 143, 145–147,
 157, 256–257, 419–420, 467,
 485–486
- macromolecules interactions 1
- magic-angle spinning (MAS) 474
- main-chain metallo-supramolecular
 polymers 470
- Mark–Houwens parameters 464
- Mark–Houwink equation 463
- mass spectrometry (MS) 11, 35, 41, 106,
 231, 255, 259, 284, 367, 475

- matrix-assisted laser desorption/
ionization (MALDI) 231, 242,
284, 475
- matrix-assisted laser desorption/
ionization time-of-flight
(MALDI-TOF) 255, 284, 475
- mechanical bonding 462
- melamine-bearing PBIs 79
- memory effect 66, 151
- merocyanines 79, 196, 208
- metal-arene interactions 172–176
- metal-centered chirality 133, 138
- metal-containing polymers 117–121, 177
- metal-metal-to-ligand charge-transfer
(MMLCT) process 218
- metal-organic coordination networks
118
- metal-organic frameworks (MOFs) 118,
487
- metal-to-carbon bonds 159
- metal-to-ligand complexation 295, 387,
442, 493–494
- metal-to-ligand coordination 11, 29, 36,
49, 57, 76, 107, 117, 119, 147, 157,
176, 195, 213, 224, 232, 252, 262,
280–281, 318, 415–428, 495
hydrogen bonding 2–4
- metallo-macrocyclic assemblies 134
- metallophilic interactions 20, 64, 162,
218
- metallopolymers 21, 118–119, 121–139,
151–159, 161–177, 417, 419,
460–461, 468, 479–480, 488–489
- metalloporphyrin-containing polymer
129
- metallo-supramolecular cages 425
- metallo-supramolecular polymers 131,
168, 417, 469
bidirectional chain-growth mechanism
120
definition 118
ligand's binding sites 120
linear 121–176
synthesis of 121
- (metallo-)supramolecular
polymerizations 160
- metathesis reaction 160, 214, 391
- methylcyclohexane 75–76, 199, 204, 227,
325–326
- methylenediphenyl-4,4'-diisocyanate
(MDI) 351, 364
- methylviologen-/pyridinium-type guest
387
- micellar gels 147
- mitoxantrone (MTZ) 408–409
- molar enthalpy (ΔH) 459–460
- molar mass estimation 454
- molecular force probe (MFP) 481
- molecular loop 320
- molecular Sierpiński hexagonal gasket
478
- molecular tweezers 213, 219–221, 224,
228, 229, 315
- molecular tweezers/guest recognition
motifs 212
- monodisperse poly(ferrocenyl-
dimethylsilane)s 488
- monodisperse supramolecular assemblies
486
- monofunctional host-guest conjugate
392
- mono-functionalized pillarenes 392, 393
- monofunctional pillarene monomers
392
- monomer 1, 312–322, 369–375, 433
- monomer anion 19
- monomethyl ethers (MPEGs) 141,
147–148
- Monte Carlo simulations 15, 482
- more defined molecules 486
- MPEG-[Ru]-PS diblock copolymers 143
- multi-angle light scattering (MALS)
detector 462
- multi-stranded biomacromolecules 422
- multifunctional supramolecular gel 425
- multiple H-bonding interactions 58, 62,
64, 98, 104–107, 303, 462, 464,
485

- multiple-stimuli responsive
 - supramolecular polymers 420, 424
- multitopic cyclam-centered
 - bis-terpyridine ligand 489
- myoglobin (Mb) 444–446
- n**
- N*-alkyl-cyanurates *via* sextuple
 - H-bonding 62, 63
- n*-alkyltrimethylammonium surfactants 47
- NAND logic gate 227
- nano-biomaterial 445
- naphthalene bisimide (NBI) derivative 196, 210, 441
- natural anion binding systems 30
- natural biopolymers 442–443
- naturally protein-bound heme 444
- N*-butylthymine 420, 436
- N*-dodecyl cyanuric acid 74, 75
- negatively charged Cu(II)-phthalocyanine 441
- n*-heptane 429
- N*-heterocyclic carbenes (NHCs) 132
- n*-hexane 399–400, 433
- NH₂-functionalized poly(*N*-isopropyl acrylamide) (PNIPAM-NH₂) 39
- Nigishi-type cross-coupling 174
- [Ni(mnt)₂]²⁻ 136
- 20-nm-wide metallo-supramolecular hexagonal grid 479
- nitroaromatics 157, 219
- nitroxide-mediated polymerization (NMP) 252, 353, 419
- N*-methylpyrrolidone (NMP) 252, 353, 419
- N,N'*-bisalkylpyromellitic diimide 401
- 11'-(*N,N,N*-trimethylammonium)-undecanylisobutyrate group 40
- non-covalent interactions 1, 2
 - degree-of-reversibility 5
 - hydrogen-bonding interactions 57
 - intermolecular 2
 - strength and directionality of 3
- supramonomer 20
- non-covalently linked monomers 2
- non-trivial thermo-rheological behavior 87
- nonionic surfactant Igepal CO-520 486
- norbornene monomers 420
- nuclear magnetic resonance (NMR) spectroscopy 11, 30, 63, 162, 243, 276, 389, 470–475
- nucleated supramolecular polymerization 17–18
- nucleation-elongation mechanism 17, 80, 162
- nucleation-elongation polymerization (NEP) model 16
- nucleobase triphosphates 21
- nucleobase-pairing approach 84
- nucleobase-pairing interactions 82
- o**
- O₂-storage hemoprotein 444
- oligo(ethylene glycol) chains 97, 138, 197, 407
- oligofluorene (OF) 94
- oligometallocene 174–175
- oligonuclear metallo-supramolecular block copolymers 147
- oligonucleotide strands 482
- oligo(phenylene-ethynylene) (OPE) 82–83, 434–435
- oligo(phenylene ethynylene)-based Pd(II)-pyridyl complexes 20
- oligo(phenylene-vinylene) (OPV) 94–95, 204–205
- oligosulfonates 440
- oppositely charged porphyrins 440–441
- order-disorder transitions (ODTs) 37–38
- organic field-effect transistors (OFETs) 72
- organic polymers 117, 353, 404, 415, 462
- organometallic polymers 159, 161, 172
- organometallics 220
- organoplatinum(II)-containing molecular tweezers 221

- orthogonal combinations of
 supramolecular interactions
 biomimetic orthogonal self-assembly
 443–447
 involving H-bonding 428–438
 involving metal-to-ligand coordination
 417–428
 miscellaneous 438–443
orthogonality 415–416, 438, 448
outward-pointing pyridine moieties 436
oxazole-annulated pillarene 401
oxidized single-wall carbon nanotubes
 (ox-SWCNTs) 483
- p**
- para*-ethynyl-substituted Pt(II) pincer
 164
para-(*tert*-butoxyamino)cinnamoylamino
 moieties 476
particle-in-a-sphere model 13
pathway selection 6
P-centered triangulenes 208–209
p-diisocyanoarenes 161
Pd(II) ions 244, 247, 422, 425
Pd(II)-and Pt(II)-containing polymers
 132, 460
Pd(II)-containing metallo-supramolecular
 polymers 163
Pd(II)-pincer complexes 164, 467, 482
pentafulvalene dianion 173
pernigraniline base 389
perylene bisimides (PBIs) 69–72, 75–79,
 94–95, 130, 196, 200–208, 327, 441
phenyl C₆₁ butyric acid (PCBA) 231
phenyl-[6,6]-C₆₁-butyric acid methyl ester
 (PCBM) 95
photo-induced energy-/electron-transfer
 processes 227
phenyl 4-(*N*-alkylamino)benzoate 19
photochromic diazobenzene 94
photo-responsive azobenzene moiety
 396
photo-responsive supramolecular
 self-assembly 393
- P3HT-[Zn]-MPEG diblock copolymers
 143
physical cross-linking 87
physical origin classification 2
 π - π -stacked aggregates 196
 π - π -stacking interaction 2, 69–71
 attractive and repulsive 195, 196
 charge-transfer to π -electronic
 ion-pairing interactions 213–218
columnar supramolecular polymers
 amphiphilic HBCs 2 197, 198
 boron-centered derivative
 208, 209
 charge-transfer or cation-anion
 π -interactions 197
 dipole-dipole interactions 199
 discotic amphiphile in aqueous
 medium 199
 DPPs 199, 200
 heteroatom-containing triangulene
 208
 hexa-*peri*-substituted
 hexabenzocoronenes 198
 IDP 197
 LC phase 202
 PBIs dyes 200, 202–206, 208
 P-centered triangulenes 208
 unimers 197
donor-acceptor-type charge-transfer
 interactions 209–213
linear supramolecular polymers
 218–232
 π -conjugated anion receptors and anions
 215
 π -conjugated chromophores 94–95, 154,
 207, 220
 π -conjugated material 197, 405
 π -conjugated metallopolymer 125, 129
 π -conjugated molecules 196, 199, 208
 π -conjugated segments 149, 154
 π -conjugated systems 58, 79, 98,
 195–197, 210, 215, 353
 π -electron anion 216
 receptors and anions 215

- π -electron ion pairs
 - aromatic cycloheptatrienyl (Ch^+) cation 216
 - columnar assemblies 214
 - cycloheptatrienyl (Ch^+) cation 217
 - cyclopentadienyl anions 217
 - metathesis 214
 - self-assembly modes of 214
 - square-planar Pt(II) complexes 218
 - TATA⁺ cation 217
- π -extended analogs (exTTFs) 229
- pillar[5]arene-based ditopic host 397
- pillar[5]arene-based pseudorotaxane 390
- pillar[5]arene macrocycles 396
- pillar[n]arenes 387–388, 405
- pillar[n]arene-guest complexes 388
- pillarene-based host-guest interactions
 - hyperbranched and cross-linked assemblies 401–405
 - and linear polymers 389–391
 - supramolecular assemblies, based on amphiphilic pillar[5]arenes 405–410
 - supramolecular polymers derived from 391–401
- pillarene-based self-assembled amphiphiles (PSAs) 406
- pincers 132, 141, 163–165, 211–212, 220–222, 227, 231
- planar π -conjugated porphyrin entities 394
- planar π -electronic surface 226
- planar metalloporphyrins 127
- point-of-nucleation 17
- poly(acrylic acid) (PAA) 47–48, 378
- poly(butylene succinate) (PBS) 350
- poly(ϵ -caprolactone) (PCL) 349
 - based heteroditopic macromonomers 253
 - monomers 258
- poly(dimethyl-aminoethyl methacrylate) (PDMAEMA) 41, 292
- poly(dimethylsiloxane) (PDMS) 67–68, 90, 337, 353, 429, 464
- poly(D,L-lactide) (PLA) 292–294
- poly(etherketone) (PEK) 80, 81, 99, 485
- poly(ethylene glycol) (PEG) 38, 267, 347, 460, 462
 - bridged ditopic host 404
 - chains 462, 482
- poly(ethylene imine) (PEI) 47, 52, 152–153, 347, 355
- poly(ethylene terephthalate) (PET) 350
- poly(ethylene-*co*-butylene) (PEB) 129, 429
 - soft domains 486
- poly(ethylene-*co*-propylene) (PEP) 91
- poly(3-hydroxypropionate) (P3HP) 350
- poly(isobutylene) (PIB) 38, 80–81, 99, 346, 352, 485
- poly(metal acetylide)s 159–161
- poly(metal arylide)s 159, 161
- poly(methyl acrylate) (PMA) 38, 266
- poly(methyl methacrylate) (PMMA) 100, 253, 257, 316, 460, 461
- poly(methylvinyl ether) (PMVE) 349
- poly(*N*-isopropylacrylamide) (PNIPAM) 291, 294, 376
- poly(*N*-isopropylacrylamide) (tpy-PNIPAM) 142
- poly(*N,N*-dimethylacrylamide) (PDMA) 291
- poly(phenylene-ethynylene) polymers (PPEs) 49, 262
- poly(propylene glycol) (PPG) 487
- poly(propylene imine) (PPI) 255
- poly(propylene oxide) (PPO) 81–82, 349, 357–359, 367–368
- poly(pseudo)rotaxanes 240–241, 263–264, 266, 343, 388
- poly(tetrahydrofuran) (PTHF) segments 82, 84
- poly(trimethylene oxide) (P3MO) 486–487
- poly[(μ - η^6 , η^6 -naphthalene)chromium] 176
- poly(4-vinylbenzyltrimethylammonium chloride) 50
- polyaddition reactions 2, 4, 9, 133

- polyamides 350–351
- polyamines 355–356
- polyaniline (PANI) 353–354, 365, 389–390
- polycaprolactone 166
- polycaps 302–309
- polycationic poly(*N,N*-dimethyl-aminoethyl methacrylate) (PDMAEMA) block 41
- polycondensation reactions 2, 4, 19, 138, 364
- polycyclic aromatic hydrocarbons (PAHs) 196, 220
- polydecker sandwich complexes 174
- polydecker-type architectures 174
- polyelectrolyte complexes (PECs) 49–52
- polyelectrolyte-amphiphile complexes (PACs) 153
- polyelectrolyte-surfactant complexes 36, 46, 47
- polyesters 87, 165–167, 264, 349–350, 357, 364
- polyethers 87, 348–349, 352, 360
- polyisobutylene (PIB) 38, 80–81, 99, 346, 352, 485
- polyisoprene (PI) 37, 292, 352
- polymer networks 37, 39, 64–66, 82, 87, 89, 106, 149, 224–225, 249, 285, 290–291, 307, 315, 391, 402, 404, 422, 426
- polymer-bound 2,6-diaminopyridine 436
- polymeric micelles 2, 332
- polymerization
 pre-assembled pseudorotaxanes 364–368
 techniques 1
 transition line 9
- polymerization-induced phase separation (PIPS) 89
- polymerize techniques 1
- polymetalloenes 174–176
 structures 172
- polymethacrylates 90, 360
- polyolefins 352–353
- polyoxometalates (POMs) 39–42, 202–203, 375–376, 436
- polyplatinynes 159, 160
- polypseudorotaxanes 399, 439, 486
 conductive/conjugated polymers 353–355
 linear block copolymers 356
 poly(ethylene glycol) 347–348
 polyamides and polyurethanes 350–352
 polyamines 355–356
 polyesters 349–350
 polyethers 348–349
 polymeric architectures 356
 polyolefins 352–353
 polyrotaxanes 353, 362–364
 side-chain polymers 360–362
 star-shaped polymers 359–360
- polyrotaxane-like polymer 399
- polyrotaxanes 262, 265–266, 337, 346, 347, 349, 351, 353, 362–368, 375–376, 462, 471
- polystyrenes (PSs) 37, 252, 460, 462
- polyurethanes 264–265, 350, 359, 364
- Porod region 488
- porphyrins 220
 -based molecular tweezers 221, 223
 molecules 221
- power-conversion efficiencies (PCE) 200
- protein recognition 443–448
- proteins 36, 50, 88, 104, 285, 415–416, 443, 446–447, 468, 486, 493
- proton-transfer processes 38
- pseudo[2]rotaxane 427
- pseudo[2]rotaxane dimer 431
- pseudorotaxanes 16, 239–252, 336–337, 343–389
- Pt(II)-containing polymer 460, 471
- [Pt₃(μ₃-CO)(μ-dppm)₃]²⁺ precursor 126
- Puddephatt's synthesis 161
- pyrene guest moiety 221
- pyridine (py) 420, 471
 dicarboxamide spacer 222
 -based ligands 122, 123
- 4-pyridyl moiety 131

- 4-pyridyl-functionalized pillar[5]arene 399
- 4-pyridyl-substituted porphyrin derivative 131
- q**
- quadruple H-bonding interactions
- K_a values 85
 - anti-gauche-conformations 86
 - bis-UPy-functionalized π -conjugated chromophores 95–96
 - bis-UPy-functionalized biocompatible poly(ϵ -caprolactam) 88
 - 1,3,5-triamino-2,4,6-triazine derivatives 96–97
 - AB-type diblock copolymers 90
 - fiber-or mesh-like structures 88
 - heterodifunctional H-bonding array 97
 - heteroditopic H-bonding units 94
 - homoditopic macromonomers 93
 - light-emitting diodes (LEDs) 95
 - non-self-complementary monomers 93
 - PCBM molecules 95
 - photoreversible formation 94–95
 - supramolecular diblock copolymers 92
 - UPy-and Napy-functionalized homopolymers 90–91
 - UPy-containing poly(ϵ -caprolactone) (PCI) 88
 - UPy-functionalized homotelechelic monomers 85–87
 - UPy/1,1'-(6-amino-1,3,5-triazine-2,4-diyl)diurea unit 85
- quadrupole H-bonding interactions 482
- quadrupole-TOF (QTOF) 284
- quasi-star block copolymer architecture 39
- r**
- radius-of-gyration 465, 487
- random-coil polymers 13
- ratio-of-diffusion-coefficients 473
- redox-responsive supramolecular network 404
- reversibility-of-binding 3, 220, 417, 447
- reversible addition-fragmentation chain-transfer (RAFT) 41, 42, 99, 101, 291
- polymerization of styrene 41
- reversible cross-linking *via* H-bonds 64
- reversible supramolecular polymerization 94, 222
- reversible thermoresponsive properties 66
- rhodamine-B 152, 377, 379, 407
- ribonuclease S-peptide 444
- rigid-rod π -conjugated ligands 470
- ring-chain equilibrium polymerization 15, 16, 68, 85, 86
- ring-chain equilibrium supramolecular polymerizations 67
- ring-chain mediated supramolecular polymerization 6, 12–16, 23, 43, 279, 325
- intra-and intermolecular association 13
 - intramolecular reaction 12
 - pseudorotaxanes 16
 - spacer's rigidity 15
 - supramolecular world 16
- ring-opening metathesis polymerization (ROMP) 12, 16, 248, 420, 421, 429, 436
- ring-opening polymerizations (ROPs) 1, 16, 23, 121, 177
- rod-shaped fibers 443, 484
- rotaxanes 227, 239, 258–263, 343–344, 390
- Ru(II)-based metallopolymers 484
- Ru(II)-bipyridine tris-complex 420
- Ru(II)-containing chain-extended polymer 140
- Ru(II)-containing diblock copolymer 485
- Ru(II)-tpy bis-complexes 143
- Ru(II)-terpyridine bis-complexes 481

- $\{[\text{Ru}(2)](\text{PF}_6)_2\}_n$ 470
 rylene dye 441
- S**
- salen 167, 168
 salicylaldimine units 167
 salicylaldimine-type ligands 167
 scanning electron microscopy (SEM) 41, 74, 76, 79, 88, 90, 166, 199, 200, 205, 227, 248, 252, 316, 322, 324, 325, 328, 392–394, 399, 400, 425, 433, 483, 484
 scanning probe microscopy (SPM) 476–482
 scanning-force microscopy (SFM) 310
 scattered intensity 488
 scattering vector 486, 488
 schlieren texture 305, 306
 second virial coefficient 465
 SEDFIT program 469
 sedimentation coefficient 469
 sedimentation equilibrium measurements 469
 self-assembled monolayer (SAM) 78
 self-complementary monomers 4
 self-complementary UPy system 418, 419
 “self-stoppered” effect 93
 sequence-controlled supramolecular copolymers 443
 sextuple H-bonding interactions
 calix[4]arenes 103
 diblock copolymers 104
 double dynamers 102, 103
 Hamilton-receptor 98
 Hamilton-receptor and barbiturates 99, 100
 helix-helix diblock copolymer 100
 heterotelechelic polymer 101, 102
 linear supramolecular polymer 98–99
 pseudo-block copolymers 99
 shape-persistent metallo-supramolecular nanostructures 478
 Shish–Kebab-type metallo-supramolecular polymers 129, 130
 Shish–Kebab-type metallopolymers 126, 130
 Shish–Kebab-type supramolecular polymerization 128
 side-chain functionalized copolymers 436
 side-chain polymers 39, 360–362
 Sierpiński motif 478
 single-chain nanoparticles (SCNPs) 493–495
 single-molecule force spectroscopy (SMFS) 280, 284, 285, 481, 482
 single-walled carbon nanotubes (SWCNTs) 354, 483
 site-selective complexation 356–361
 site-selective polypseudorotaxane 357–361
 size-exclusion chromatography (SEC) 11, 41, 107, 125, 131–132, 164–166, 255, 316, 364, 419, 445–447, 460–463, 488–489, 492–493
 small angle neutron scattering (SANS) 45, 281, 283, 366, 371, 372, 470, 487–490
 small angle X-ray scattering (SAXS) measurements 37, 77, 82, 92, 100, 281, 374, 485–490
 small-molecule heteroditopic building blocks 438
 small/wide angle X-ray scattering 484–486
 soft poly(ethylene glycol) block 485
 solvent effects 58
 solvophobic forces 195
 sonication-induced dissociation 124, 125
 Sonogashira cross-coupling polymerization 262, 405
 S-protein 444
 square-planar coordination geometry 218
 square-planar Pt(II) complexes 218, 422
 star-shaped oligo(propyleneimine) 436
 star-shaped polymers 40, 41, 256, 357, 359–360

- star-shaped tris-porphyrin derivatives 433
- static light scattering (SLS) 317, 375, 465–467
- Stern–Volmer relation 458
- stiff stilbene derivative 393
- stimuli-controlled supramolecular polymerization 21
- stimuli-responsive pillarene-based amphiphilic assemblies 410
- stimuli-responsiveness 213, 227, 267, 418
- Stokes–Einstein equation 472, 494
- streptavidin 445, 446
- structural monomer classification 2, 4
- sulfonamide-containing oligopeptides 437
- sulforhodamine B 152, 220
- superconducting quantum interference device (SQUID) 156
- supramacromolecular pillarene-based materials 389
- supramolecular (AB)_n-type multiblock copolymer chains 37
- supramolecular ABC-type triblock copolymers 421, 429
- supramolecular adhesive 417
- supramolecular amphiphiles 266, 327
- supramolecular assemblies, based on amphiphilic pillar[5]arenes 405–410
- supramolecular assemblies, on ionic interactions 35
 - binding modes and discrete model assemblies 30–35
 - polyelectrolyte complexes 49–52
 - polymers, as building blocks 37–43
 - polymers, in side chain 46–49, 51
 - small molecules, as building blocks 42–46
- supramolecular block copolymers 38, 48, 81, 99, 141, 142, 146, 147, 232, 292, 421
- supramolecular cruciform 164
- supramolecular dendrimers 255, 257, 258, 462
- supramolecular diblock copolymers 90, 92, 104, 253, 268, 292, 375–379, 485
- supramolecular droplets 89
- supramolecular fluorescence titration experiments 458
- supramolecular graft-block copolymers 37
- supramolecular ladder-type polymers 65, 66
- supramolecular polymer featuring [c2]daisy chains 397
- “supramonomer polymerization”
 - approach 399
 - (partially) reversible character 5
 - AA-and BB-type monomers 4
 - AB-type monomers 4, 369–373
 - cooperative 6, 16–20
 - definition 1
 - degree of polymerization 5
 - degree-of-reversibility 5
 - depolymerization 5
 - homoditopic monomers A–A and B–B 4
 - hydrogen-bonding or ionic interactions 4
 - IDP 6, 7
 - kinetic control 21–22
 - ring-chain mediated supramolecular polymerization 6, 12–16
 - self-complementary monomers 4
 - stimuli-controlled 21
 - thermodynamic equilibrium state 6
 - traditional equilibrium state 6
 - types of 5
- supramolecular polymers
 - analytical ultracentrifugation (AUC) 468–470
 - architectures 302
 - aspects 301–302
 - asymmetric flow field-flow fractionation 490–492
 - based on calixarenes 327–337
 - Calix[4]pyrroles 322–327

- calixarene scaffolds 309–311
 calixarene-based 302–309
 cucurbiturils 278
 small organic molecules 278–291
 definition of 2
 electron microscopy 482–484
 host-guest interactions
 AA-and BB-type monomers 314–322
 AB-type monomers 312–314
 light scattering 465–467
 mass spectrometry 475–476
 molar mass estimation 454–460
 NMR spectroscopy 471
 scanning probe microscopy 476–482
 self-assembly process 453
 size-exclusion chromatography 460–463
 small-angle neutron scattering (SANS) 487–490
 small/wide angle X-ray scattering 484–486
 Taylor dispersion analysis 492–494
 unique properties of 453
 vapor pressure osmometry 467–468
 viscometry 463–465
 X-ray crystallography 486–487
 supramolecular quasi-triblock copolymers 472
 supramolecular rubber 39, 40, 106
 supramonomer 20
 Svedberg equation 469
 synthetic macromolecules 468
- t**
- taco complexes 240
 tailor-made metallopolymer 121
 “tailor made” supramolecular polymers 3
 Taylor dispersion analysis (TDA) 492–495
 telechelic poly(dimethylsiloxane)s 67
 terminal larger crown-ethers moieties 439
 terpyridine (tpy) 218, 417, 471
 terpyridine bis-complexes 138, 141, 146, 418, 476, 481, 485
 2,2':6',2''-terpyridine (tpy) ligands 218
 terpyridine mono-complex 461
 1,2,4,5-tetrafluoro-3,6-diiodobenzene 399
 1,2,4,5-tetrakis(diphenylphosphino)benzene 135
 tetra(*n*-butyl)ammonium (TBA) cation 216, 217, 324, 325
 tetra(*n*-butyl)ammonium iodide (TBAI) 324, 325
 7,7,8,8-tetracyanoquinodimethane (TCNQ) 222, 226
 4,5,7-trinitrofluorenone (TNF) 212, 213, 222, 472
 4,8,12-trioxa-4,8,12,12c-tetrahydrodibenzo[*cdli,mn*]]pyrene (TOTA⁺) 216
 tetra-meso-NO₂-substituted porphyrin derivative 131
 tetra-cationic guanidiniocarbonyl pyrrole derivative 441
 7,7,8,8-tetracyanoquinodimethane (TCNQ) 222, 226
 tetrakis(guanidiniumcarbonyl pyrrole) cation 45–46
 tetracarboxylate 46
 tetracationic building block 492
 tetraethylammonium iodide (TEAI) 324, 325
 tetrafluoro-*p*-benzoquinone 226
 tetrafluorobenzene derivatives 436
 tetrahydrofuran (THF) 16, 19, 49, 143, 197, 347, 391, 407
 tetraphenylethene-centered tetra-pillarene 403
 tetraphenylethylene (TPE) 247, 289–291, 330, 403
 tetrathiafulvalenes (TTFs) 220, 226, 229, 288, 323
 tetrathiolate-type ligand 171
 thermodynamic classification 2
 thermodynamically-controlled step-growth polymerizations 14
 thermoreversible gelation process 199

- thin polymer films 177, 417
- thiol-disulfide 442
- thiolate-type ligand systems 171
- threading-followed-by-stoppering
257–259
- three-point-charges 195
- thymine 59, 60, 73, 81–83, 102, 420, 429,
436
- tpy-containing diblock copolymer 145
- tpy-functionalized poly(ethylene glycol)
142, 421
- traditional equilibrium state 6
- traditional polymer chemistry 8
- traditional polymer synthesis 121
- transmission electron microscopy (TEM)
39–42, 45, 76–77, 84, 91–92, 144,
210, 268, 283, 322, 375–379, 402,
406, 410, 423, 482
- transoid-and cisoid-conformer 94
- travelling wave ion-mobility (TWIM)
284
- trialkoxysilyl functionalities 89
- 1,3,5-triamino-2,4,6-triazine derivatives
96, 97, 103
- trifluoroacetic acid (TFA) 473, 474
- 1,3,5-trinitrobenzene (TNB) 219, 226,
227, 323
- 2,4,7-trinitrofluorenone (TNF) 212, 213,
222, 472
- 4,5,7-trinitrofluorenone (TNF) 212, 213,
222, 472
- 2,4,6-trinitrotoluene (TNT) 219
- triorganotin units 170
- 4,8,12-trioxa-4,8,12,12c-tetrahydrodibenzo
[cdli,mn]pyrene (TOTA⁺) 216
- triple H-bonding interactions
- α,ω -dinucleobase-functionalized PTHF
84
 - N-dodecyl cyanuric acid 74–75
 - Ag-layered Si substrate 78
 - chain-extended supramolecular
block-copolymer 81
 - cyanurates or barbiturates 73
 - heterotelechelic PBI 77
 - homotelechelic monomers via 73
 - homotelechelic PPOs 81–82
 - honeycomb network 78
 - imide-melamine 75
 - LC supramolecular polymer 73–74
 - linear tape-like and cyclic rosette-like
shapes 75
 - melamine-bearing PBIs 79
 - melamine/cyanurate 73, 75
 - nucleobase-pairing interactions 82,
84
 - OPE fragments 82, 83
 - ribbon-or rope-like aggregates 79
 - toroids and linear fibrils 80
- tris-bidentate complexes 133, 134
- tris-(crown ether) 439
- tris-guanidinium 30
- tris(8-hydroxyquinolino)aluminum
(Alq₃) 166, 167
- trisphenanthroline ligand 483
- tris(pyrazol-1-yl)borate (Tp) moieties
157
- tris-tridentate coordination geometry
494
- type-A polydecker assemblies 174, 175
- type-B polydecker architectures 174
- type-C polymetallocene 176
- α,ω -type surfactants 84
- u**
- ultrahigh-vacuum low-temperature STM
(UHV-LT-STM) imaging 477–480
- UPy fragments [Fe(3...3)](PF₆)₂]_n 419
- UPy-U-PEB-U-UPy 429
- uracil 57, 73
- uracil derivatives 57
- uradiazoles 66
- urea/urethane H-bonding 429
- ureidoguanosine (UG) 92, 429
- ureidopyrimidinone (UPy) 397, 472
- moieties 397–398
 - and Napy-functionalized polyacrylates
90
 - based homodimers 431
 - bridged strapped metalloporphyrin cleft
431

- containing poly(ϵ -caprolactone) (PCI) 88, 349, 418
- equipped macromolecular components 88, 89
- functionalized amphiphiles 89
- functionalized homotelechelic monomers 85–87
- functionalized peptide recognition sequences 88
- functionalized π -conjugated chromophores 94, 96
- heterodimer 431
- terminated diblock copolymer 92
- 2-ureido-pyrimidinone (UPy) 418
- V**
- van der Schoot's model 10, 11
- van-der-Waals interactions 10, 333, 345, 352, 434
- van't-Hoff data analysis 197, 202
- vapor pressure osmometry (VPO) 69, 202, 264, 369–371, 373, 374, 432, 467–468
- viologen oligomers 389
- virtual molar mass 3, 68, 98, 108
- viscoelastic gels 489
- viscometry 67, 86, 93, 168, 169, 247, 253, 255, 291, 292, 307, 317, 318, 399, 402, 418, 423, 424, 463–465, 470
- W**
- water-soluble π -conjugated polyrotaxanes 470
- water-soluble cucurbituril 388
- water-soluble hexameric metallo-macrocycle 483
- water-soluble pillar[6]arene 408, 410
- water-soluble pillarenes 409
- Watson–Crick-or Hogsteen-type fashion 73
- white-light emitting heterobimetallic supramolecular polymer 170, 171
- Whitesides' concept of peripheral crowding 75
- wide angle X-ray scattering (WAXS) measurements 100, 484–486
- worm-like chain model 13
- X**
- X-ray crystallography 106, 486–487
- X-ray diffraction (XRD) methods 49, 65, 72, 77, 126, 202, 216–219, 227, 286, 290, 336, 345, 347, 351, 361, 370, 393, 399–400, 484, 486–487
- Z**
- zig-zag-shaped metallo-supramolecular coordination polymer 130
- zig-zag-shaped metallo-supramolecular polymers 130
- zig-zag-shaped polymer chains 426
- Zimm-plot representation 465
- Zn(II)-and Fe(II)-containing porphyrins 446
- Zn(II)-containing metalloporphyrins 467
- Zn(II)-containing porphyrin-PBI-porphyrin triad 130
- Zn(II)-containing supramolecular “Kandinsky circles,” 479 480
- Zn(II)-dipyromethane dyes 165
- Zn(II)-porphyrin–protein conjugate 446
- Zn(II)–pyridine interaction 122
- zwitterionic guanidiniocarbonyl pyrrole carboxylate motif 423
- zwitterionic pyrrole derivative 30, 439

