

Contents

Foreword by Steven R. Cope *XI*

Foreword by Lawrence B. Evans *XIII*

Preface *XV*

Acknowledgements *XXI*

About the Authors *XXIII*

1	Characterization, Physical and Thermodynamic Properties of Oil Fractions	1
1.1	Crude Assay	1
1.1.1	Bulk Properties	4
1.1.2	Fractional Properties	6
1.1.3	Interconversion of Distillation Curves	7
1.2	Pseudocomponent Generation Based on Boiling-Point Ranges	8
1.3	Workshop 1.1 – Interconvert Distillation Curves	13
1.4	Workshop 1.2 – Extrapolate an Incomplete Distillation Curve	15
1.5	Workshop 1.3 – Calculate MeABP of a Given Assay	18
1.6	Workshop 1.4 – Duplicate the Oil Fraction in Aspen HYSYS Petroleum Refining	21
1.7	Property Requirements for Refinery Process Models	30
1.8	Physical Properties	31
1.8.1	Estimating Minimal Physical Properties for Pseudocomponents	31
1.8.2	Molecular Weight	32
1.8.3	Critical Properties	34
1.8.4	Liquid Density	36
1.8.5	Ideal Gas Heat Capacity	38
1.8.6	Other Derived Physical Properties	39
1.9	Process Thermodynamics	42
1.9.1	Thermodynamic Models	43

VI | Contents

1.9.2	Mixed or Activity-Coefficient Approach	44
1.9.3	Equation-of-State Approach	46
1.10	Miscellaneous Physical Properties for Refinery Modeling	48
1.10.1	Two Approaches for Estimating Fuel Properties	48
1.10.2	Flash Point	49
1.10.3	Freeze Point	50
1.10.4	PNA Composition	50
1.11	Conclusions	52
1.12	Nomenclature	53
1.13	References	55
2	Atmospheric Distillation Unit	57
2.1	Introduction	57
2.2	Scope of the Chapter	58
2.3	Process Overview	58
2.3.1	Desalting	59
2.3.2	Preheat Train and Heat Recovery	60
2.3.3	Atmospheric Distillation	61
2.4	Model Development	63
2.5	Feed Characterization	66
2.6	Data Requirements and Validation	67
2.7	Representative Atmospheric Distillation Unit	73
2.8	Building the Model in Aspen HYSYS	75
2.8.1	Entering the Crude Information	75
2.8.2	Selection of a Thermodynamic System	81
2.8.3	Crude Charge and Prefractionation Units	81
2.8.4	Atmospheric Distillation Column – Initial	84
2.8.5	Atmospheric Distillation Column – Side Strippers	86
2.8.6	Atmospheric Distillation Column – Pumparounds	88
2.8.7	Atmospheric Distillation Column – Final Column Convergence	89
2.8.8	Post-Convergence	91
2.9	Results	91
2.10	Model Applications to Process Optimization	95
2.10.1	Improve the 5% Distillation Point for an Individual Cut	96
2.10.2	Change Yield of a Given Cut	97
2.11	Workshop 2.1 –Rebuild Model Using “Back-blending” Procedure	98
2.11.1	Import Distillation Data into Aspen HYSYS Oil Manager	100
2.11.2	Import Distillation Data into Aspen HYSYS Oil Manager	102
2.11.3	Reorganize Process Flowsheet	104
2.11.4	Converging Column Model	106
2.11.5	Comparison of Results	109
2.12	Workshop 2.2 – Investigate Changes in Product Profiles with New Product Demands	111
2.12.1	Update Column Specifications	112
2.12.2	Vary Draw Rate of LGO	113

2.13	Conclusions	115
2.14	Nomenclature	116
2.15	References	116
3	Vacuum Distillation Unit	117
3.1	Process Description	117
3.2	Data Reconciliation	119
3.2.1	Required Data	119
3.2.2	Representation of the Atmospheric Residue	120
3.2.3	Makeup of Gas Streams	123
3.3	Model Implementation	124
3.3.1	Before Building the Process Flowsheet	124
3.3.2	Build a Simplified Model	128
3.3.3	Develop the Rigorous Simulation from a Simplified Model	132
3.4	Model Applications to Process Optimization – VDU Deep-Cut Operation	135
3.5	Workshop – Using Aspen HYSYS Petroleum Refining to Implement the Deep-Cut Operation	139
3.6	References	144
4	Predictive Modeling of the Fluid Catalytic Cracking (FCC) Process	145
4.1	Introduction	146
4.2	Process Description	147
4.2.1	Riser-Regenerator Complex	147
4.2.2	Downstream Fractionation	148
4.3	Process Chemistry	151
4.4	Literature Review	153
4.4.1	Kinetic Models	153
4.4.2	Unit-Level Models	158
4.5	Aspen HYSYS Petroleum Refining FCC Model	159
4.5.1	Slip Factor and Average Voidage	161
4.5.2	21-Lump Kinetic Model	162
4.5.3	Catalyst Deactivation	163
4.6	Calibrating the Aspen HYSYS Petroleum Refining FCC Model	164
4.7	Fractionation	165
4.8	Mapping Feed Information to Kinetic Lumps	168
4.8.1	Fitting Distillation Curves	168
4.8.2	Inferring Molecular Composition	170
4.8.3	Convert Kinetic Lumps to Fractionation Lumps	173
4.9	Overall Modeling Strategy	174
4.10	Results	176
4.11	Model Applications to Process Optimization	184
4.11.1	Improving Gasoline Yield	184
4.11.2	Increasing Unit Throughput	187
4.11.3	Sulfur Content in Gasoline	189

VIII | Contents

- 4.12 Model Application to Refinery Production Planning 190
- 4.13 Workshop 4.1: Guide for Modeling FCC Units in Aspen HYSYS Petroleum Refining 195
 - 4.13.1 Introduction 195
 - 4.13.2 Process Overview 196
 - 4.13.3 Process Data 198
 - 4.13.4 Aspen HYSYS and Initial Component and Thermodynamics Setup 200
 - 4.13.5 Workshop 4.1: Basic FCC Model 204
 - 4.13.6 FCC Feed Configuration 208
 - 4.13.7 FCC Catalyst Configuration 211
 - 4.13.8 FCC Operating Variable Configuration 214
 - 4.13.9 Initial Model Solution 217
 - 4.13.10 Viewing Model Results 219
- 4.14 Workshop 4.2: Calibrating Basic FCC Model 222
- 4.15 Workshop 4.3: Build Main Fractionator and Gas Plant System 230
- 4.16 Workshop 4.4: Model Applications to Process Optimization – Perform Case Study to Identify Different Gasoline Production Scenarios 233
- 4.17 Workshop 4.5: Model Application to Production Planning – Generate DELTA-BASE Vectors for Linear-Programming (LP)-Based Production Planning 240
- 4.18 Conclusions 247
- 4.20 Nomenclature 248
- 4.21 References 249

- 5 Predictive Modeling of the Continuous Catalyst Regeneration (CCR) Reforming Process 253**
 - 5.1 Introduction 254
 - 5.2 Process Overview 255
 - 5.3 Process Chemistry 260
 - 5.4 Literature Review 263
 - 5.4.1 Kinetic Models and Networks 263
 - 5.4.2 Unit-Level models 267
 - 5.5 Aspen HYSYS Petroleum Refining Catalytic Reformer Model 270
 - 5.6 Thermophysical Properties 273
 - 5.7 Fractionation System 274
 - 5.8 Feed Characterization 276
 - 5.9 Model Implementation 280
 - 5.9.1 Data Consistency 280
 - 5.9.2 Feed Characterization 282
 - 5.9.3 Calibration 282
 - 5.10 Overall Modeling Strategy 285
 - 5.11 Results 287
 - 5.12 Model Applications to Process Optimization 293

5.12.1	Effect of Reactor Temperature on Process Yield	293
5.12.2	Effect of Feed Rate on Process Yield	296
5.12.3	Combined Effects on Process Yield	298
5.12.4	Effect of Feedstock Quality on Process Yield	300
5.12.5	Chemical Feedstock Production	301
5.12.6	Energy Utilization and Process Performance	303
5.13	Model Applications to Refinery Production Planning	304
5.14	Workshop 5.1: Guide for Modeling CCR Units in Aspen HYSYS Petroleum Refining	309
5.14.1	Introduction	309
5.14.2	Process Overview and Relevant Data	309
5.14.3	Aspen HYSYS and Initial Component and Thermodynamics Setup	312
5.14.4	Basic Reformer Configuration	316
5.14.5	Input Feedstock and Process Variables	319
5.14.6	Solver Parameters and Running Initial Model	324
5.14.7	Viewing Model Results	326
5.14.8	Updating Results with Molecular Composition Information	329
5.15	Workshop 5.2: Model Calibration	332
5.16	Workshop 5.3: Build a Downstream Fractionation	344
5.17	Workshop 5.4: Case Study to Vary RON and Product Distribution Profile	351
5.18	Conclusions	358
5.19	Nomenclature	358
5.20	References	360
6	Predictive Modeling of the Hydroprocessing Units	363
6.1	Introduction	364
6.2	Aspen HYSYS Petroleum Refining HCR Modeling Tool	369
6.3	Process Description	376
6.3.1	MP HCR Process	376
6.3.2	HP HCR Process	377
6.4	Model Development	378
6.4.1	Workflow of Developing an Integrated HCR Process Model	378
6.4.2	Data Acquisition	379
6.4.3	Mass Balance	381
6.4.4	Reactor Model Development	382
6.4.4.1	MP HCR Reactor Model	383
6.4.4.2	HP HCR Reactor Model	388
6.4.4.2.1	Equivalent Reactor	388
6.4.4.2.2	Reconciliation of HP HCR Reactor Model	390
6.4.5	Delumping of the Reactor Model Effluent and Fractionator Model Development	393
6.4.5.1	Applying the Gauss–Legendre Quadrature to Delump the Reactor Model Effluent	396

x | Contents

- 6.4.5.2 Key Issue of the Building Fractionator Model: Overall Stage Efficiency Model 398
- 6.4.5.3 Verification of the Delumping Method: Gaussian–Legendre Quadrature 399
- 6.4.6 Product Property Correlation 402
- 6.5 Modeling Results of MP HCR Process 403
- 6.5.1 Performance of the Reactor and Hydrogen Recycle System 403
- 6.5.2 Performance of Fractionators 405
- 6.5.3 Product Yields 407
- 6.5.4 Distillation Curves of Liquid Products 409
- 6.5.5 Product Property 412
- 6.6 Modeling Results of HP HCR Process 415
- 6.6.1 Performance of the Reactor and Hydrogen Recycle System 415
- 6.6.2 Performance of Fractionators 417
- 6.6.3 Product Yields 419
- 6.6.4 LPG Composition and Distillation Curves of Liquid Products 421
- 6.6.5 Product Property 422
- 6.7 Model Applications to Process Optimization 425
- 6.7.1 H₂-to-Oil Ratio vs. Product Distribution, Remained Catalyst Life, and Hydrogen Consumption 425
- 6.7.2 WART versus Feed Flow Rate versus Product Distribution 427
- 6.8 Model Application – Delta-Base Vector Generation 429
- 6.9 Conclusions 432
- 6.10 Workshop 6.1 – Build Preliminary Reactor Model of HCR Process 433
- 6.11 Workshop 6.2 – Calibrate Preliminary Reactor Model to Match Plant Data 440
- 6.12 Workshop 6.3 – Model Applications to Process Optimization 456
- 6.13 Workshop 6.4 – Connect Reactor Model to Fractionator Simulation 465
- 6.14 Nomenclature 475
- 6.15 References 477

Supporting Materials: List of Computer Files 479

Subject Index 483