

Index

a

activation energy 11
 adjacency list 93
 adjacency matrix 94
 advanced density fitting 44–46
 affinity chromatography 113–114
 aging vertex networks (AGV)
 167
 algorithm 90
 classes of 92–93
 implementation of 91–92
 all pairs docking module 50
 all-pairs shortest path problem 90
 amino acid pairs 72, 78–79
 anabolic pathways 8
 annotation 12, 13, 15, 29, 106, 122,
 132, 164, 165, 207, 214, 216, 217,
 221, 232, 306, 418
 apoptosome 23, 25
 Argonaute–RISC complex 260
 Arp2/3 complex 23, 25, 50, 51
 array 93, 94, 101, 106, 170, 172, 246,
 281, 352, 387
 association method 132
 attractors 234–236, 253, 383, 384
 average path length 3, 148

b

bacterial photosynthesis 385–386,
 388
 bacterial protein complexomes 30–31
 bait 114, 115
 Barabási–Albert (BA) algorithm 135,
 147
 basin of attraction 234

Bayesian network 124–131, 135, 227,
 233
 Bayes' theorem 125
 BeadChip technology 279
 Benjamini–Hochberg method 268
 betweenness 92, 152, 153, 177,
 269
 bifurcation 362
 binding and unbinding kinetics
 387–389
 binding constant 11, 116
 binding free energy models 189
 binomial coefficient 204
 binomial distribution 206, 376
 biochemical oscillations 349, 350
 biochemical pathways 8–10, 21, 115,
 303–305, 339
 BioGrid 131, 171, 174
 biological interface 67, 68, 398
 biological module 156, 169
 bistable control system 362
 bisulfite 279
 blastomeres 292
 Boltzmann distribution 78
 Boltzmann inversion 78
 Boolean network 227, 231, 234–236,
 238, 251–254, 370, 371
 BP-tree 214, 215
 breadth-first-search 94
 Brenda 14, 15, 17–18
 Brownian dynamics simulation
 396–298
 building block 7, 244, 386
 bulge loop 257
 buzzer 359–360

C

- cancer and complex diseases 295–296
- catabolic pathways 8
- cell cycle 7, 12, 28, 31, 115, 116, 164, 165, 221, 222, 231, 232, 236, 250, 251, 255, 268, 273, 292, 349, 365–366, 370, 378, 410, 413, 414
- cell cycle control system 365–366
- cellular component (CC) 5–7, 13, 17, 214, 215, 371
- cellular differentiation and reprogramming
 - developmental gene regulatory networks 293–295
 - stem-cell research 293
- cellular feedback loops by ODEs
 - buzzer 359–360
 - cell cycle control system 365–366
 - homeostasis 362–363
 - hyperbolic response 357–359
 - one-way switch 361–362
 - oscillatory response 364–365
 - protein synthesis and degradation 356–357
 - sniffer 360–361
 - toggle switch 362–363
- cellular metabolic process 214
- cellular modeling methods 16, 17
- cellular pathways
 - biochemical pathways 8–10
 - cell cycle 12
 - enzymatic reactions 11
 - signal transduction 11–12
- central oscillator 350
- checkpoints 12
- ChIP-DNA fragments 281, 285
- ChIP-seq experiments 187, 194, 277, 286
- chromatin immunoprecipitation assays 187
- chromatin regulating enzymes 278–279
- chromatin states
 - elements of an HMM 291–292
 - hidden Markov model 290–291
 - linear models 287–288
 - Markov models 288–290
 - measuring 286–287
- chromatophore vesicle 385, 386, 389, 390, 392
- ChromHMM software 292
- circadian clock
 - Arabidopsis thaliana* 352
 - central oscillator 350
 - LHCB 352
 - post-transcriptional modifications 352–353
- cis*-regulatory module (CRM) 191, 192
- cis*-regulatory motifs 191–192
- cliques 89, 145–146, 174, 175, 177
- clustering coefficient 3, 143–145, 147, 148, 154, 161, 166, 172–173, 410
- cluster-mediated channeling 21
- ClusterONE 162–163
- co-evolution 48, 63, 122–124
- co-evolutionary profiling 121–124
- co-expression networks 232–233
- co-functionality 119
- CombDock 49–52, 92
- combinatorial assembly module 51
- comethylation analysis 283–285
- community 31, 149–151, 153, 169, 175, 176, 306, 368, 428
- community detection 150
- complete graph 51, 145
- complexome
 - bacterial protein 30–31
 - human 31–32
 - S. cerevisiae* 28–30
- composite-FFLs 268, 269
- conditional probability distribution 125, 233
- cone 314, 315, 322–324
- connected component 89, 146, 250, 333
- connected graph 89, 90, 95, 167, 244
- Consurf 81, 82
- continuous Fourier transform 41
- convolution 39, 57
- convolution theorem 41–42, 58
- coreg-FFLs 269
- correlated mutations 83–85

- correlation-based density fitting
 - 38–40
- correlation graph 232
- Coulombic interaction energy 103, 398
- Coulomb law 73
- covalent histone modifications 273, 280
- CpG islands 276–277, 279, 282, 295, 296
- critical assessment of prediction of interactions (CAPRI) 86
- critical gene products 315
- cryo-EM 34–35
- cut set 304, 333, 335, 337
- cycle 89, 90, 102, 116, 168, 199, 279
- cycle attractor 234
- Cytoscape community 428

- d**
- DACO algorithm 163, 164, 166, 192
- Danielson–Lanczos (DL) lemma 43
- data integration methods 409
- data structures for graphs 93–95
- date hubs 148, 150
- DAVID tool 14
- decoy 48, 52
- degree distribution 106–107, 141–143, 147–149, 166, 170–172
- densely overlapping region (DOR) 244, 246–247
- density fitting 38–40, 44–46, 55, 56
- depth-first search 95
- deregulated genes 207, 267, 269, 270, 421
- deregulated miRNAs 269
- DESeq tool 212–214
- detailed balance 290, 377, 378
- developmental gene regulatory networks 293–295
- dialogue on reverse engineering assessment and methods (DREAM)
 - input function 239–240
 - YAYG approach 240–244
- Dicer protein 260
- differential equation models 236–238, 370, 402
- differentially methylated regions (DMRs) 282, 296
- differential methylation analysis 282–283
- differentiation 31, 169, 262, 273, 278, 292–295, 375
- diffusion coefficient 367, 368, 396
- diffusion equation 367, 368, 395
- Dijkstra algorithm 95, 97
 - description 96–99
 - pseudocode 100–101
 - running time 101
- dimensions 142, 309, 312, 314, 320, 321, 386, 396
- directed acyclic graph (DAG) 90, 125, 233
- discrete Fourier transform 41–43
- dispersion 201, 212
- divide and conquer 92
- DNA methylation 273–276
 - co-methylation analysis 283–285
 - data on histone marks 285–286
 - data processing 281–282
 - differential methylation analysis 282–283
- DNA methylation levels 279–281, 283, 295, 296, 373
- DNA methyltransferases 275, 276
- DNase footprinting 183–186
- DNase 1 hypersensitivity sites (DHSs) 286
- DNase I enzyme 286
- double description method 319–324
- double description pair (DD pair) 321
- duplication-mutation-complementation (DMC) algorithm 167, 168
- duplication-random mutations (DMR) algorithm 167
- dynamic Monte Carlo (Gillespie algorithm) 378–380

dynamic phosphorylation of proteins
369–370

dynamic programming 92

e

EcoCyc 30, 305

edge-clustering coefficient 154, 175

edge-independent paths 150, 151

edges 89, 90

 betweenness 153, 177

 relaxation 96

eigenvalue 312

eigenvector 269, 312

electron crystallography/electron
microscopy 34

electron tomography

Mycoplasma pneumoniae 55–56

 reconstruction of phantom cell 55

electrophoretic mobility shift assay
(EMSA) 183–184, 186

elementary flux modes 324, 329–331

ENCODE project 5, 191–193, 292,
427

end vertex 89

enzymatic reactions 8, 11, 14, 17–18,
303

enzyme classification (EC) scheme 11

enzyme DNMT1 276

enzymes 8, 11, 17, 21, 181, 198, 246,
275, 276, 278–279, 296, 305, 306,
335, 356

epigenetic modifications (marks) 273,
274, 287–288, 300, 409, 427

 chromatin regulating enzymes
 278–279

 DNA methylation levels 273–276,
 279–281

 histone marks 277–279

epigenetics

 cancer and complex diseases
 295–296

 cellular differentiation and
 reprogramming 292–295

Ermak–McCammon algorithm 396,
397

Escherichia coli (*E. coli*) 131, 228, 230

enzymes 305

 K-12 strain MG1655 305

Euler's formula 40

European *Elixir* consortium 428

evidence vertex 126

evolutionary trace 81

explicit differential equation 353

extreme pathways 304, 308, 324–333,
338, 341, 343–345

extreme ray enumeration problem 322

extreme rays 320–322, 324

f

FANTOM 5, 427

fast Fourier transformation 39, 42–44

feasible set 314, 315

feedforward loop (FFL) 244–247, 266,
269, 412

FFT protein-protein docking 46–48

Fick's first law 367

Fisher's exact test 203–205, 214,
220–221, 223

fluorescence resonance energy transfer
35–36

flux balance analysis (FBA) 304, 315

 external fluxes 314

 feasible set 314

 MOMA algorithm 316–317

 OptKnock algorithm 318–319

flux-balance equation 314

fold-change 210, 211

force directed layout 102, 104, 107,
108, 177

Förster resonance energy transfer
(FRET) 35

Fourier series 40–42

Fourier transform

 continuous 41

 convolution theorem 41–42

 discrete 41

 fast Fourier transformation 42–44

 Fourier series 40–41

fractional saturation 239

fragility coefficient 338

fragments per kilobase million (FPKM)
212, 252

free energy for protein-protein
interaction 397

g

garden-of-Eden states 234
Gardner–Collins system 381
Gaussian function 39, 202, 367, 368
Gaussian noise 240, 241
gel electrophoresis 112–114
gel shift assay 183
gene body methylation 275
gene cluster method 119
gene coexpression 116, 164–165, 283
gene expression 287, 288
 log transformation 208–209
 microarray analysis 199–200
 quantile normalization 208–209
 real-time polymerase chain reaction
 199
 regulation of gene transcription at
 promoters 197–198
 removal of outlier genes 207–208
 RNA-seq technology 201–212
 SAM analysis 210–211
 statistics primer 201–202
 status 300–301
 volcano plot 210
gene expression omnibus (GEO) 201,
427
gene neighborhood method 119
gene ontology (GO) 13, 214, 428
 cellular metabolic process 214
 gene ontology 214–215
 translation of proteins 217–218
gene order analysis 121
generalized extreme studentized deviate
(GESD) test 207
generating matrix 322
gene regulatory networks (GRNs) 5,
410, 411
 Bayesian networks 233
 Boolean networks 234–235
 co-expression networks 232–233
 differential equations 236–238
 DREAM 238–244
 E. coli 228–230

key-pathway miner algorithm
247–248
minimum connected dominating set
249
minimum dominating set 249–250
regulatory motifs 244–245
reverse engineering Boolean
 networks 235–236
 S.cerevisiae 231
 sets of dominating nodes 248–249
genetic algorithms 52, 93
genetic code 286
geometric hashing 48–49
giant component 89, 147, 148, 167,
168, 341
Gillespie, Daniel 379
Gillespie-type stochastic simulation
381
Girvan–Newman algorithm 153, 154
global transcription factors 228, 230,
245
glucose 10, 314, 316, 318, 319
glycolysis 10, 17, 305, 349
Goldbeter–Koshland function 359,
361
gold-standard protein-complexes 30
G₀ phase 12
G₁ phase 12
G₂ phase 12
graph 89, 90, 93
graph drawing 102–104
graph theoretical models
 Bayesian networks 233
 co-expression networks 232–233
greedy algorithm 92
green fluorescent protein (GFP) 115,
368, 380, 395
green fluorescent protein-labeled
 proteins 368
guanidinium π -electron system 70

h

hairpin loop 257
harmonics 40
heuristic algorithms 93

- hidden Markov models (HMM)
 - 288–292
 - hierarchical clustering 150, 152, 153, 207, 230, 231, 298, 418
 - high-flux backbone 339–342
 - Hill coefficient 239
 - histone acetylases (HATs) 278
 - histone code 278, 286
 - histone deacetylases (HDACs) 278, 296, 352
 - histone marks 273, 277–281, 286, 288, 291, 296
 - histone 3 (H3) protein 278
 - H3K27me3 278, 288, 300
 - homeostasis 266, 362, 363
 - homodimers 67
 - homology 31, 63–66, 87, 306
 - hot spots 69–71, 276
 - hubs 3, 4, 135, 143, 148, 150, 169, 303
 - human 31, 32
 - human growth hormone (hGH) 69–70
 - hyperbolic response 357–359
 - hypergeometric distribution 204, 268, 376
 - hypergeometric test 206, 215, 216, 223
 - hysteresis 349, 350, 362
- i**
- identity matrix 311, 312, 325, 328
 - immuno-electron microscopy 35
 - implicit differential equation 353
 - incidence matrix 94, 95
 - independent paths 89, 152, 341
 - induced pluripotent stem cells (iPS cells) 270, 293
 - information content 217
 - input function 239–241, 246
 - integrated cellular networks
 - gene-regulatory network 410–411
 - nuclear pore complex 416–418
 - particle simulations 421–423
 - putative cancer driver genes 416–421
 - whole-cell model of *Mycoplasma genitalium* 412–415
 - integrator 378, 402, 406
 - InterDom 132
 - interface RMSD (iRMSD) 64, 65
 - intergenic interaction matrix M 235
 - internally vertex-disjoint 89
 - internal vertices 89
 - intersection points 306
 - inverse matrix 312
 - invertible matrix 312
- j**
- joint probability 125, 375
- k**
- Katchalski–Katzir algorithm 40
 - k -clique 145
 - key-pathway miner algorithm 247–248
 - Kolmogorov–Smirnov test 206
 - Kruskal’s algorithm 92, 102, 103
 - Kyoto Encyclopedia of Genes and Genomes (KEGG) 8, 10, 13–15, 222, 306
- l**
- labeled tree 90, 91, 158, 160
 - Laplacian cross-correlation 46
 - Laplacian filter 45–46
 - let-7 261, 262
 - light-harvesting chlorophyll a/b -binding protein genes (LHCB) 352
 - likelihood function 125
 - likelihood ratio 127–129, 132, 136, 137
 - lin-4 261
 - linear algebra primer
 - adding, subtracting and multiplying matrices 310
 - eigenvalues of matrices 312
 - linear transformations, ranks and transpose 311
 - matrices 309–310
 - square matrices and matrix inversion 311–312
 - system of linear equations 313
 - linear cross-correlation 39
 - linear differential equations 355
 - linearly independent matrix 311

- linear models 287–288, 296
- linear preferential attachment (LPA) 167
- linear programming 93, 249, 315, 318, 319, 339
- linear transformations, ranks and transpose 311
- log transformation 208–209
- m**
- macromolecules 7, 53
- mammalian clock 351
- Mann–Whitney–Wilcoxon (MWW)/Wilcoxon rank-sum test 205–206
- Markov models 288–291
- Markov processes 376
- mass conservation 308
- mass spectroscopy 36–38, 114, 218, 314, 369
- master equation 377–378
- mathematical graphs 89–90, 93, 104, 141, 143, 266, 333
- mathematical pendulum 354
- matrix 94, 309
- matrix assisted laser desorption ionization (MALDI) 36
- MCODE algorithm 161
- median absolute deviation (MAD) 207, 208
- Mentha database 131, 132
- messenger RNA (mRNA) 4, 22, 257
- metabolic networks
 - double description method 319–324
 - extreme pathways and elementary modes 324–325
 - flux balance analysis 314
 - high-flux backbone 339–341
 - linear algebra primer 309
 - minimal cut sets 332–334, 336
 - resources 306–307
 - stoichiometric matrix 308–309
- metabolic pathways 7–9, 121, 303, 324, 346, 350, 378, 392
- metabolism 8, 9, 31, 135, 156, 231, 303, 305, 306, 341, 349, 412, 414
- metabolites 7, 228, 303, 304, 308, 314, 325, 331, 341, 345, 386, 387, 392, 409, 423
- MetaCyc database 306
- Michaelis–Menten kinetics 359
- microarray analysis 199–201
- microRNAs (miRNAs) 5, 227, 238, 257, 259–262, 264, 270
- microRNA targets 261, 263, 264
- minimal cut sets 304, 332–338
- minimization of metabolic adjustment (MOMA) 316–317
- minimum connected dominating set (MCDS) 248–250
- minimum dominating set (MDS) 248, 249
- minimum spanning tree 101–102
- minimum weight spanning tree 101
- miRNA-FFLs 269
- miRNA-mediated gene regulation 266
- mixed-integer programming (MIP) 318
- ModEncode project 5, 292, 427
- modular decomposition 155–161
- modularity 148, 156, 157, 230
- module 158
 - parallel module 158
 - prime module 158
 - series module 158
- molecular biology
 - cellular components 5–7
 - organisms 8
 - spatial organization of eukaryotic cells 7–8
 - transcriptional regulation 5
- MOMA algorithm 316–317
- mono- and dinucleotides 262
- morula 292
- 3D-MOSAIC algorithm 52
- most informative common ancestor (MICA) 217
- M phase 12
- mRNA abundance 118, 119, 262
- Multi-LZerD 52
- multiple sequence alignments (MSAs) 80, 81, 83, 85

- multiple testing correction 207
Munich Information Center for Protein Sequences (MIPS) 126
Mycoplasma pneumoniae 30, 55–56
- n**
- naïve Bayesian network 127–129
NANOG gene 273, 274
negative binomial distribution 213–214
neighborhood of vertex 144
neighbours 67, 94, 142, 144, 158, 167, 173, 389
network growth mechanisms 165–168
NetworKIN 370
network motifs 227, 244, 247
NetworkReducer algorithm 331–332
network theory
 random networks 2
 scale-free networks 3–4
 small-world phenomenon 2–3
Nf- κ B transcription factor 51
non-coding RNAs (ncRNAs) 194, 257, 295, 427
nonobligate protein complexes 27, 68
normalization 124, 170, 208, 209, 211, 212
normalizing constant 125
NP-complete 92, 145, 249
nuclear magnetic resonance (NMR) 31, 34, 116
nuclear Overhauser effect (NOE) 34
nuclear pore complex (NPC) 416–418
nucleosomes 265, 275, 277, 286, 292, 296, 352
null hypothesis 202–204, 207, 214, 220
null space 313, 314, 331
- o**
- obligate complex 27, 71, 84
occupancy maps 5, 398, 399
one-dimensional process of diffusion 367
one-way switch 361–362
ontology 12–13, 29, 90, 126, 164, 217
OptKnock algorithm 318–319
- ordinary differential equation (ODE) 73, 227, 353–356, 378
oscillatory response 364–365
- p**
- pairing propensities 75–78
parallel module 158, 160, 161
parameter optimization with genetic algorithm 392–395
partial differential equation (PDE) 73, 353, 366–369
 continuity equation 367
 diffusion coefficient 367
 diffusion equation 367
 Fick's first law 367
 one-dimensional process of diffusion 367
 reaction-diffusion systems 368–369
 spatial gradients 368
particle simulations 421–423
party hubs 148, 150
path 89
pathway length matrix 328, 344, 345
Pearson correlation coefficient (PCC) 223, 232, 284
percolation 147
phenotypic noise strength 380, 381
phylogenetic profiling 121–124
pluripotency 262, 292, 294, 295
point attractor 234, 236
Poisson distribution 106, 143, 147, 170, 212, 286, 376, 377
Poisson process 377
polyhedral cone 321, 322, 324
pools-and-proteins model 386–388, 390, 391
position-specific scoring matrix (PSSM) 187–191, 194
positive, zero, negative rays 323
posterior odds 127–128
posterior probability 125
preferential attachment 3, 135, 147, 148, 167, 171
pre-miRNAs 260
prey 114, 115
prime module 158

- Prim's algorithm 102
- prior and posterior odds 127–128
- prior probability 125
- probabilistic algorithms 93
- proportionality coefficient 75
- protected metabolites 331
- protected reactions 331, 332
- Protein Atlas 427
- protein binding microarrays (PBM) 185–187
- protein complexes
 - apoptosome 23, 25
 - Arp2/3 complex 23, 25
 - categories 27–28
 - cryo-EM 34–35
 - electron crystallography/electron microscopy 34
 - fluorescence resonance energy transfer 35–36
 - immuno-electron microscopy 35
 - mass spectroscopy 36–37
 - NMR 34
 - principles of protein-protein interactions 24–27
 - ribonucleoprotein 23–24
 - RNA polymerase 22
 - spliceosome 22
 - X-ray crystallography 32–33
- protein data bank (PDB) 15, 31, 67, 116
- protein degradation 219, 239
- protein-DNA interactions
 - binding free energy models 189–191
 - cis*-regulatory motifs 191–192
 - gene expression 192–194
 - position-specific scoring matrix 187–189, 194
 - transcription factor binding site (TFBS) 183–187
 - transcription factors 181–183
- protein domain networks 132–135
- protein interaction graph networks
 - cliques 145–146
 - clustering coefficient 143–144
 - ClusterONE algorithm 162–163
 - community detection 149–151
 - DACO algorithm 163–164
 - degree distribution 141–142
 - MCODE algorithm 161–162
 - modular decomposition 155–157
 - network growth mechanisms 165–168
 - random graph 146–147
 - scale-free graphs 147–149
 - target gene coexpression 164–165
- Protein Interfaces, Surfaces and Assemblies (PISA) 67
- protein-protein association 74, 395–396
- protein-protein docking 39, 46–50, 52, 85, 396
- protein-protein interactions
 - affinity chromatography 113–114
 - Bayesian network 125–126
 - Bayes' theorem 125
 - bioinformatic prediction 120–121
 - databases 116–117
 - Escherichia coli* 131
 - fully connected experimental network 129–130
 - gel electrophoresis 112–113
 - gene coexpression 116
 - human 132
 - naïve Bayesian network 128–129
 - overlap of interactions 116–118
 - prior and posterior odds 127
 - protein domain networks 132–134
 - reliability 118–120
 - Saccharomyces cerevisiae* 131
 - synthetic lethality 115
 - two-dimensional electrophoresis 112
 - yeast two-hybrid screening 114–115
- protein-protein interfaces
 - amino acid pairs 78–80
 - binding affinities 72
 - biomolecular association 73–75
 - composition of binding interfaces 68–70
 - conservation 79
 - correlated mutations 83–85
 - hot spots 69
 - pairing propensities 75–77

- protein-protein interfaces (*contd.*)
 - physico-chemical properties 71
 - size and shape 66–69
 - protein-protein pairwise docking
 - CombDock algorithm 49–52
 - Multi-LZerD algorithm 52
 - 3D-MOSAIC algorithm 52–53
 - protein structure initiative (PSI) 33
 - protein synthesis and degradation 356–357, 380
 - pseudocode 86, 91, 100–101
 - purifying selection 79
 - putative cancer driver genes 416–421
 - p*-value 202, 207, 210, 214, 216, 220–223, 241, 268, 282, 285
 - pyruvate dehydrogenase 24, 26, 56
- q**
- quantile normalization 208, 209
 - quotient 158
- r**
- random graph 2, 105, 143, 146–148, 173
 - random growing networks (RDG) 167
 - random networks 2, 106, 174, 244, 269
 - random process 375
 - random static networks (RDS) 167
 - reaction-diffusion systems 368–369
 - reaction participation matrix 329, 344
 - REACTOME database 13–14, 17
 - reads per kilobase million (RPKM) 212
 - real-time polymerase chain reaction 198, 199
 - reconstruction of phantom cell 55
 - redocking 52
 - regulatory motifs
 - densely overlapping region motif 244–246
 - feedforward loop 244, 245
 - SIM motif 244, 245
 - regulatory networks 5, 6, 238, 244, 263
 - reliability measurement 127
 - representation matrix 321
 - representative vertex 158
 - response magnitude 356
 - reverse engineering of Boolean networks 235–238
 - Rhodobacter sphaeroides 385
 - ribonucleoprotein 23, 24
 - ribozyme 257, 258
 - RNA-induced silencing complex (RISC) 259, 260
 - RNA molecules, different types of 259
 - RNA polymerase 22
 - RNA polymerase II 22, 51, 259, 275, 369
 - RNA polymerase III 259
 - RNA revolution 257
 - RNA-seq technology 201, 212
 - robustness 148, 151, 337, 383
 - Rosetta Stone method 120
 - rows 309–311
- s**
- Saccharomyces cerevisiae* 5, 28–30, 32, 119, 126, 131, 148, 182, 242, 306
 - Saccharomyces* genome database (SGD) 13, 231
 - scale-free graphs 147–150
 - scale-free networks 3–4, 135, 143, 148
 - search and enumeration 93
 - series module 158, 161
 - shape complementarity 46, 48, 78
 - shared components 157
 - shortest path problem 90
 - signal strength 356–359, 361, 405
 - signal transduction 5, 11–12, 27, 31, 349, 370, 385
 - significance analysis of microarrays (SAM) 210–211
 - SIM motif 244, 245
 - single gene expression 380–382
 - siRNAs 257, 259–261, 270
 - small nuclear RNA molecules (snRNA) 259
 - small nucleolar RNAs (snoRNAs) 257, 259
 - small-world experiment 2
 - small-world network (SMV) 3, 4, 144, 167

- small-world phenomenon 1–4
 small worlds 147, 148
 SnapDock algorithm 48, 49
 sniffer 360–361, 363
 snoRNAs 257, 259
 solvent-accessible surface area (SASA)
 66, 67, 72, 73, 75
 spanning tree 51, 52, 101–107,
 250
 spatial organization of eukaryotic cells
 7–10
 Spearman correlation coefficient
 232
 S phase 12
 spliceosome 22, 23
 square matrix 311, 312
 stable isotope labelling by amino acids
 in cell culture (SILAC) protocol
 218, 219
 stable/permanent complexes 27
 start vertex 89, 96, 161, 162
 stationary process 376
 statistical fluctuations 130, 375, 390,
 404
 statistics primer
 dispersion 201
 Fisher's exact test 203–205
 Gaussian function 202
 hypergeometric test 206
 Kolmogorov–Smirnov test 206
 Mann–Whitney–Wilcoxon/Wilcoxon
 rank-sum test 205–206
 multiple testing correction 207
 null hypothesis 202
 p-value 202
 t-test 203
 z-score 203
 steady state 308
 steady-state regimes of a vesicle
 389–392
 steady-state solution 357, 359
 stem-cell research 293
 stochastic fluctuation 378, 379
 stochastic process
 bacterial photosynthesis 385–386
 binding and unbinding kinetics
 387
 binomial distribution 376
 Brownian dynamics simulations
 396–397
 dynamic Monte Carlo (Gillespie
 algorithm) 378
 master equation 377–378
 parameter optimization with genetic
 algorithm 392–394
 Poisson process 377
 pools-and-proteins model
 386–388
 pools of the chromatophore vesicle
 389
 protein-protein association 395
 single gene expression 380–382
 stationary process 376
 steady-state regimes of the vesicle
 389–391
 toggle-switch 381–385
 stoichiometric matrix 308–309,
 324, 328, 330, 339, 344, 345,
 401
 Stokes–Einstein relationship 396
 STRING database 370
 structural genomics 33
 subgraph 51, 89, 101, 144–146, 161,
 167, 168, 176, 244
 sum of least squares 39
 synthetic lethality 115
 system of linear equations 312,
 313
 systems biology markup language
 (SBML) 15–17, 428
- t**
- tandem affinity purification (TAP) 28,
 114, 157
 target gene coexpression 164–165
 TCGA project 427
 tertiary structures 257
 TF-FFLs 269
 TF–miRNA–gene FFL 268–269
 Tfmir web service 267–270

- toggle-switch 362, 363, 381, 383, 384
 - total number of paths 151
 - trail 89
 - trajectory 234, 252
 - transcription 4, 5, 93, 114, 181–183
 - transcriptional regulation 5, 192, 270, 305, 375, 400
 - transcription and translation dynamics 218–219
 - transcription factor binding site (TFBS)
 - chromatin immunoprecipitation assays 187
 - DNAse footprinting 184–185
 - electrophoretic mobility shift assay 183–184
 - protein binding microarrays 185–186
 - sequence motifs 183–184
 - transcription factors (TFs) 181, 182, 198, 264
 - Oct4 24, 26
 - transcripts per kilobase million (TPM) 212
 - transform pair 41
 - transient complex 27, 69, 76
 - transient time 234
 - translation of proteins 4, 217–219
 - transpose of matrix 311
 - tree 90
 - tricarboxylic acid (TCA) cycle 305
 - trivial modules 158
 - true biological fluxes 314
 - t*-test 203, 209, 282
 - twilight-zone 63, 64
 - two-dimensional electrophoresis 112
- U**
- ubiquinone/ubiquinol 385
 - ultrasmall worlds 148
 - untranslated regions 197
- V**
- variance-based method 81
 - vertex-independent paths 150
 - vertices 89, 90, 142
 - Vhl/ElonginC/ElonginB complex 51
 - virtual cell initiative 368, 428
 - volcano plot 210, 211
 - vulnerable networks 148
- W**
- walk 89, 168, 401
 - weighted graph 51, 89, 90, 92, 94, 161
 - weighted undirected graph 107
 - whole-cell model of *Mycoplasma genitalium* 412–416
- X**
- X-ray crystallography 31–35, 38, 56, 194
- Y**
- Yamanaka cocktail 293
 - YAYG approach 240–244
 - YEASTRACT database 231
 - yeast two-hybrid screening (Y2H) 114–115, 117–119, 126, 131, 161
- Z**
- Zachary's karate club study 154
 - z-score 203, 269