

A

Absorption, reactive
 process intensification, **2:881**
Accident Ordinance (StörfallV), **2:975**
Accident Release Information Program (ARIP), **2:978**
Acetylene
 fuel, **2:728**
Acute exposure threshold level, **2:937**
Adiabatic reactor
 for nonhomogeneous, gas–liquid systems, **1:185**
 for nonhomogeneous, solid–solid systems, **1:185**, **187**
 heat exchange in, **1:220**
 homogeneous, isothermal, **1:182**
 nonisothermal, **1:183**
 temperature profile in, **1:220**
Adipic acid
 synthesis, **2:805**
Adsorption-distillation process
 process intensification, **2:891**
Adsorption, reactive
 process intensification, **2:884**
Agitator
 hollow blade radial flow, **1:633**
Airlift loop reactor, **1:239**
 downcomer, **1:241**
Airlift reactor
 in biochemical engineering, **1:101**
Algae
 definition, **1:483**
Aluminum
 production in Hall–Héroult cells, **1:477**
Ammonia
 two-stage converter, **1:323**
Annulus reactor, **1:646**
AOD (Argon-Oxygen-Decarburization) converter, **1:454**
Arc furnace, **466**, **1:455**
Archimedes number
 for fluidized beds, **1:385**
Aris' shape-generalized Thiele modulus, **1:80**
Arresters
 for dusts, **2:1008**
 flame, **2:1005**
 for gases, **2:1002**
Arrhenius number
 modified, **1:75**
Aspergillus sojoe
 solid-state fermentation of, **1:405**
ATEX Directive, **2:1007**
ATHEANA, **2:1034**
Attrition
 in fluidized beds, **1:387**
 of catalyst, **1:387**
Autoignition temperature, **2:918**
Axial dispersion
 in metallurgical processes, **1:155**
Axial dispersion model
 application in hydrometallurgy, **1:156**

B

Baker equation, **2:1084**
Baker–Strehlow–Tang method, **2:1077**
Basic process control system, **2:987**
BASIL process, **2:820**
Batch chromatographic reactor (BCR), **1:250**
Batch cultivation, **1:109**
Batch process
 laboratory studies, **1:163**
Batch reactor
 mathematical treatment of, **1:26**
Bath smelting furnace, **1:451**

Baum equation, **2:1084**
Bayesian reliability data evaluation, **2:1027**
Beek and Singer model, **1:207**
Bent coiled tube reactor, **2:866**
Benzene
 dream reaction, **2:808**
Bessemer converter, **1:453**
Biocatalytic membrane reactor, **1:432**
Biochemical engineering, **1:83**
Biodiesel, **2:729**
Biogas, **2:729**
Biomass
 fuel, **2:729**
Bioreactors
 in biochemical engineering, **1:144**
Biotechnology
 applications in fluidized-bed reactors, **1:404**
 chemical reaction engineering in, **1:21**
Biot number, **1:41**
Blackman kinetics, **1:485**
Blast furnace
 equilibrium control, **1:160**
Bodenstein number, **1:204**, **233**
Boiler, **2:738**
Boiling-liquid expanding-vapor explosion (BLEVE), **2:1072**, **2:1079**
Bottom-Blown Oxygen Process (BOP), **1:454**
Boussinesq approximation, **1:209**, **2:1051**
Box–Wilson method, **1:218**
Brode equation, **2:1084**
Bubble anomaly, **1:279**
Bubble behavior
 gas-evolving electrodes, **1:278**
Bubble-cap plate
 in fluidized-bed reactors, **1:379**
Bubble column
 gassing devices for, **1:144**
 microalgae growth in, **1:489**
Bubble columns, **1:227**
 backmixing, **1:233**
 downcomer, **1:240**
 types, **1:229**
Bubble coverage, **1:280**
Bubble curtain, **1:283**
Bubble detachment, **1:280**
Bubble distribution, **1:282**
Bubble flow
 in fluidized beds, **1:380**
Bubble geometry, **1:286**
Bubble growth
 in gas-evolving electrodes, **1:279**
Bubble-growth model, **1:381**
Bubble nucleation
 in gas-evolving electrodes, **1:279**
Bubble rise velocity, **1:232**
Bubble size
 bubble columns, **1:231**
Bubbling bed
 solid recycle system in, **1:386**
Bubbling fluidized bed, **1:393**
Buddy manager program, **2:1113**
Burke–Plummer equation, **1:210**
Burkhardt model, **2:1111**
Burner
 for combustors, **2:731**
Bursting disk, **2:996**
Butane
 fuel, **2:728**
Butanol
 fuel, **2:727**
Bypass
 in flow models, **1:158**

- C**
- Calorimetry
 plant and process safety, 2:946
- Canadian Environmental Protection Act (CEPA), 2:980
- Capillary gap cell, 1:298
- Carbon
 sequestration, 2:743
- Carbon dioxide
 dream reaction, 2:808
- Carbon-in-leach (CIL) process
 equilibrium control, 1:162
 neural network models, 1:167
 process rate limitations, 1:164
- Carbon-in-leach (CIL) reactor cascade
 schematic, 1:168
- Carbon-in-pulp (CIP) process
 equilibrium control, 1:162
 process rate limitations, 1:164
- Carcinogens
 classification, 2:936
- Carman–Kozeny equation, 1:210
- Catalysis
 membranes, 1:429, 434
- Catalyst
 activity profiles, 1:335
 adiabatic operation, 1:317
 anisotropic pellets, 1:52
 bales, 2:862
 ceramic or metal foams, 2:863
 deactivation, 1:345
 egg-shell, 2:858
 fixed-bed reactor, 1:308
 isotropic pellets, 1:52
 laminar flow, 1:314
 mass- and heat-transfer coefficients, 1:315
 non-adiabatic operation, 1:318
 pressure loss, 1:316
 process intensification, 2:806
 random packing, 2:862
 regular arrangement of particles, 2:861
 regular structure, 1:313
 Shell-type, 1:359
 soluble polymer-bound, 2:824
 structured packings, 2:861
 thermoregulated phase-transfer, 2:827
 wall-coated tubes, 1:319
 washcoated monolithic, 2:858
- Catalyst pellet
 one-phase model, 1:201
 two-phase model, 1:200
- Catalyst pellet temperature
 blowout of, 1:77
 hysteresis of, 1:77
 runaway of, 1:77
 stable operating point, 1:76
 unstable operating point, 1:76
- Catalyst recycling, 2:830
 temperature-dependent multicomponent solvent systems, 2:831
- Catalysts, heterogeneous
 molecular design, 2:810
- Catalysts, homogeneous
 molecular design, 2:809
- Catalytic reaction
 degree of occupation, 1:18
 heterogeneous complex reaction schemes for, 1:18
 solids mixing in, 1:389
- Catalytic wall reactor
 characteristic numbers, 2:854
- Catastrophic phase inversion, 1:635
- Caterpillar micromixer, 1:525
- Cavitation
 acoustic, 2:836
 hydrodynamic, 2:838
- CDCMENE process, 1:620
- CD Tech catalyst bales, 1:617
- Cell retention, 1:112
- Centrifugal pump
 in biochemical engineering, 1:148
- Channel furnace, 1:456
- Channel induction furnace, 1:473
- Chemical Emergency Preparedness Program (CEPP), 2:978
- Chemical kinetics
 standard models for metallurgical processes, 1:168
- Chemical reaction engineering, 1:9
- Chemineer CD6, 1:633
- Chemineer HE 3, 1:628
- Chemostat, 1:637
- Chemshear CS2, 1:636
- Chemshear CS4, 1:636
- Chilton–Colburn analogy, 1:74
- Chromatographic reactor, 1:249
 analytical, 1:271
 annular, 2:885
 batch, 1:263
 macroscopic design, 1:261
 microscopic design, 1:262
 preparative, 1:259
 racemization processes, 1:270
 simulated moving bed, 1:263
- Chromatographic separation
 process control, 1:259
- Circulating fluidized bed, 1:382
 elutriation diagram in, 1:385
- Circulating fluidized-bed reactor, 1:408
 flow structureflow structure of, 1:409
- Cleaning
 plant and process safety, 2:963
- Coal
 fuel, 2:725
- Coalescence
 in stirred tanks, 1:635
- Coanda micro mixer, 1:525
- Coke
 fuel, 2:726
- Combustion
 adiabatic flame temperature, 2:723
 air/fuel ratio, 2:722
 chemistry of gases, 2:722
 chemistry of liquids, 2:723
 chemistry of solids, 2:723
 combustor types, 2:730
 energy conversion, 2:730
 flammability limit, 2:722
 flashpoint, 2:723
 heat transfer, 2:724
 ignition, 2:722
 laminar flame speed, 2:722
 pollutant reduction, 2:724
 process, 2:721
 quenching, 2:724
 safety aspects, 2:741
 synthesis, 2:743
- Computational fluid dynamics (CFD), 1:409
 airlift loop reactor, 1:244
 bubble columns, 1:236
 in microreactor simulation, 1:575
 stirred tanks, 1:639
- Configurational-bias Monte Carlo method, 2:814
- Continuous cultivation, 1:111
- Continuous, ideally mixed, stirred-tank reactor
 concentration ratio of different reaction order, 1:191
 kinetics, 1:193
 mathematical treatment of, 1:27
- Continuous, ideally mixed, stirred-tank reactor, 1:190
- Continuous rotating annular chromatograph (CRAC), 1:250
- Continuous stirred tank reactor (CSTR)
 bypass, 1:158
 cascade of, 1:197
 isothermal heterogeneous system, 1:194
 kinetics, 1:192
 nonisothermal, mathematical treatment of, 1:194
 residence-time distribution, 1:192
 schematic, 1:155
- Control of Industrial Major Accident Hazards (CIMA) Regulation, 2:977
- Control of Major Accident Hazards (COMAH) Regulation, 2:977
- Converter, 1:452
- COP micro evaporator, 1:550
- Copper smelter, 1:464
- Cracking, thermal
 of naphtha, 1:400
- Crucible furnace, 1:456
- Crucible induction furnace, 1:470
 compact vacuum, 1:470
 line-frequency, 1:471
 medium-frequency, 1:472
 vacuum chamber, 1:471

- Crude oil
 - fuel, 2:727
- Crystallization-chromatography process
 - process intensification, 2:891
- Crystallization-distillation process
 - process intensification, 2:890
- Crystallization, reactive
 - process intensification, 2:882
- Crystallizer
 - mixed suspension, mixed product removal, 1:637
- Current density
 - in gas-evolving electrodes, 1:287
- Cyclohexanol
 - synthesis, 2:803
- Cyclohexene hydration process, 2:805
- Cyclone
 - in fluidized-bed technology, 1:395
- Cyclone mixer, 1:524
- D**
 - Damköhler number, 1:30
 - process intensification, 2:851
 - Danckwerts penetration model, 1:34
 - see also Penetration theory*
 - Darcy–Oberbeck–Boussinesq model, 1:209
 - Darcy's law, 1:209
 - modified, 1:209–210
 - Davidson model
 - for fluidized beds, 1:380
 - Dead-end polymerization, 1:17
 - Dead-end reactor, 1:637
 - Dead volume
 - in flow models, 1:158
 - Dean number
 - for microreactors, 1:578, 584
 - Dean vortex, 1:488
 - Deflagration-to-detonation transition, 2:928
 - Degree of reactor utilization, 1:60–61
 - Degussa BMA reactor, 1:333
 - DEMiS reactor, 2:854
 - Density functional theory
 - process intensification, 2:811
 - Derived minimal effect level, 2:938
 - DESIGNER
 - for design of reactive distillation processes, 1:614
 - Dextran
 - production in a chromatographic reactor, 1:269
 - 1,3-Dialkylimidazolium chloroaluminate, 2:819
 - Dialysis cultivation, 1:115
 - Diaphragm pump
 - in biochemical engineering, 1:149
 - Diels–Alder reaction
 - of butadiene, 1:667
 - Diesel fuel, 2:726
 - Difasol process, 2:819
 - Differential thermal analysis (DTA)
 - plant and process safety, 2:943
 - Dimensionless distribution coefficient, 1:36
 - Dimensionless pellet temperature, 1:77
 - Dimersol X process, 2:819
 - Dirac delta function, 1:25
 - Direct numerical simulations
 - bubble columns, 1:239
 - Discrete bubble model (Euler–Lagrange model)
 - bubble columns, 1:238
 - Dispersion
 - axial in bubble columns, 1:233
 - hydrodynamic, in microreactors, 1:598
 - Dispersion model, 1:390
 - Distillation
 - catalytic, 1:610
 - Distillation column
 - energy efficiency, 2:698
 - Distillation, reactive
 - applications of, 2:879
 - process intensification, 2:877
 - Double-skeleton electrode, 1:291
 - Down cell, 1:478
 - Drift flux model
 - airlift loop reactor, 1:241
 - Dust explosion, 2:923, 1081
 - Dusty-gas model, 1:33
 - E**
 - Effective diffusion coefficient, 1:46
 - Effectiveness factor, 1:47
 - Electric-arc furnace, 1:455, 467
 - Electrochemical cell
 - design, 1:298
 - Electrochemical reactors, 1:277
 - design, 1:296
 - Electrodes
 - cubic, 1:295
 - horizontal, 1:283
 - three-dimensional, 1:283
 - three-dimensional, bed-current density, 1:294
 - three-dimensional, geometric arrangement, 1:292
 - three-dimensional, kinetics, 1:293
 - three-dimensional, uses, 1:295
 - vertical, 1:283
 - Electrodes, horizontal
 - in electrochemical reactors, 1:289
 - Electrodes, microporous
 - in electrochemical reactors, 1:290
 - Electrode surface
 - bubble behavior, 1:278
 - Electrodes, vertical
 - in electrochemical reactors, 1:288
 - Electromagnetic casting (EMC), 1:469
 - Electron-beam furnace, 476, 1:456
 - Electron-beam melting (EBM), 1:455
 - Electropolishing
 - in biochemical engineering, 1:124
 - Electroslag refining process (ESR), 1:464
 - Electrothermal furnace, 1:455
 - production of metals from raw materials
 - by reduction, 1:456
 - recovery of metals in, 1:457
 - refining of specific metals, 1:456
 - smelting and melting in, 1:458
 - Electrothermal reactor, 1:454
 - Eley–Rideal mechanism, 1:19
 - Emergency Planning and Community Right-to-Know Act (EPCRA), 2:978
 - Endothermic reaction, 1:13
 - Endothermic reaction
 - in metallurgical furnaces, 1:448
 - Energy
 - storage, 2:739
 - Energy management, 2:685
 - Enhancement factor, modified, 1:69
 - Environmental Emergency Plan, 2:980
 - Enzyme membrane reactor, 1:430
 - Eötvös number, 1:239, 655
 - Ergun equation, 1:655
 - Ethanol
 - fuel, 2:727
 - ETHERMAX process, 1:619
 - Ethylene
 - preparation in a chromatographic reactor, 1:266
 - Euler–Euler formulation, 1:606
 - Euler–Euler model
 - see Two-fluid model*
 - Euler–Lagrange model,
 - see Discrete bubble model*
 - European emission trading system, 2:688
 - Event tree analysis, 2:1017
 - Exergy analysis
 - in plant design, 2:691
 - Exothermic reaction, 1:13
 - runaway potential, 2:939
 - safety evaluation, 2:941
 - Explosion, 2:1075
 - cases of, 2:1075
 - classification into groups, 2:1007
 - condensed substances, 2:926
 - definition, 2:926
 - gas, 2:742
 - mechanism, 2:927
 - models, 2:1075
 - Explosion groups, 2:919
 - Explosion limit, 2:907
 - determination, 2:909
 - temperature and pressure Influence, 2:911
 - Explosion protection, 2:1002
 - Explosive substances

- classification, 2:927
- testing, 2:928
- Extraction, reactive
 - process intensification, 2:881
- Extractive distillation
 - process intensification, 2:821, 890
- Extrusion, reactive
 - process intensification, 2:892
- Exxon fluid coking process, 1:399
- F**
- Failure
 - dependent, 2:1029
 - repair, 2:1025
- Failure mode and effects analysis (FMEA), 2:1015
- Failure probability, 2:989, 1024
- Failure rate
 - plant and process safety, 2:1023
- Falling-film reactor, 1:642
 - applications of, 1:645
- Fault tree analysis, 2:1020
 - numerical evaluation, 2:1037
 - reliability data, 2:1040
- Fed-batch cultivation, 1:110
- Federal Antipollution Law (Bundes-Immissionsschutzgesetz)
 - plant and process safety, 2:1142
- Feed-limited growth, 1:20
- Fick's first law, 1:32
- Film theory
 - instantaneous reaction, concentration profiles, 1:66
- Filtration
 - sterile, 1:93, 147
- Filtration, reactive
 - process intensification, 2:893
- Fireballs, 2:1071
- Fire point, 2:921
- Fischer–Tropsch synthesis, 1:398
- Fixed-bed reactor
 - in biochemical engineering, 1:115
- Fixed-bed reactor, autothermal, 2:869
 - combination of exo- and endothermic reactions, 2:873
 - equilibrium-limited reactions, 2:872
 - total oxidation, 2:871
 - types of, 2:870
 - weakly exothermic reactions, 2:870
- Fixed-bed reactor, catalytic
 - adiabatic, 1:306, 320
 - adiabatic, design concepts, 1:318
 - autothermal, 1:306
 - autothermal, with recuperative heat exchange, 1:338
 - catalyst packings, 1:363
 - catalyst types, 1:309
 - cooled, 1:330
 - decocking, 1:345
 - feed cycling, 1:356
 - gas-phase reactions, 1:305
 - heated, 1:331
 - heat-transfer media, 1:327
 - influence of coolant flow, 1:337
 - instabilities, 1:342
 - integrated heat exchange, 1:324
 - interstage heat transfer, 1:321
 - isothermal, 1:306
 - liquid-phase reaction, 1:358
 - liquid upflow, 1:363
 - multitubular, 1:306
 - multitubular, design concepts, 1:325
 - periodic flow reversal, 1:349
 - temperature profiles, 1:353
 - thermal and reaction front, 1:344
 - thermoplate, 1:328
- Flammability
 - gases and vapors, 2:906
 - of gases in the GHS, 2:914
- Flash fire, 2:1070
- Flash point, 2:921
 - test equipment, 2:922
- Flash smelting furnace, 1:452
- Flat-panel airlift reactor, 1:489
- Flat-plate reactor, 1:488
- Flex fuel vehicles, 2:730
- Flexi-coking process, 1:400
- Flooding
 - in stirred tanks, 1:633
- Flow
 - flow distribution in microreactors, 1:575
 - laminar, 1:626
 - in packed-bed reactors, 1:209
 - in thin-film reactors, 1:643
 - turbulent, 1:626
- Flow number
 - for stirred tanks, 1:627
- Flow regime
 - heterogeneous or churn-turbulent, 1:230
 - homogeneous, 1:230
 - slug flow, 1:230
- Flow separation, 1:553
- Fluid dynamics
 - bubble columns, 1:235
- Fluidized bed
 - circulating mass flow rate of solids in, 1:384
 - horizontal gas mixing in, 1:393
 - large-diameter, 1:391
 - plant-scale, 1:391
 - pressure gradient in, 1:384
 - residence time of solids in, 1:392
 - solids concentration in, 1:384
- Fluidized-bed combustor, 2:733
- Fluidized-bed drying, 1:392
- Fluidized-bed electrode, 1:295
- Fluidized-bed fermenter, 1:405
- Fluidized-bed furnace
 - high-pressure combustion in, 1:400
 - incineration of sewage sludge in, 1:402
- Fluidized-bed reactor, 1:371
 - bed forms for, 1:373
 - in biochemical engineering, 1:114
 - biogas production in, 1:404
 - biotechnology applications in, 1:404
 - bubbling, 1:407
 - catalytic reaction in, 1:389
 - elutriation in, 1:382
 - estimation of transport disengaging height, 1:382
 - fluid-mechanical principles, 1:374
 - gas distribution in, 1:380
 - gas mixing in, 1:392
 - gas–solid reaction systems, 1:375
 - Geldart diagram for, 1:376
 - heterogeneous catalytic gas-phase reaction in, 1:396
 - mathematical modeling, 1:406–407
 - multiscale CFD modeling of, 1:410
 - noncatalytic gas–solid reaction in, 1:389
 - polymerization of olefins in, 1:399
 - pressure profile in, 1:382
 - Scale-up, 1:411
 - synthesis of acrylonitrile in, 1:397
 - two-phase model, 1:408
 - Wirth state diagram for, 1:380
- Fluidized-bed roaster, 1:378
- Fluidized-bed systems, 1:410
- Forced-flow membrane reactor, 1:431
- Forchheimer model, 1:209
- Frank–Kamenetzki
 - approximation, 1:79
 - temperature profile, 2:939
- Frequency distribution, 1:23
- Froude number, 1:235
 - for fluidized beds, 1:383
 - for gas-evolving electrodes, 1:285
 - low fuel vapor, 2:1063
 - for stirred tanks, 1:626
- Fuel
 - characterization, 2:725
- Furnace, 2:731
- Fused-salt electrolysis cell, 1:477
 - sodium recovery in, 1:478
- G**
- Galileo number, 1:243
 - modified, 1:655
 - for trickle-bed reactors, 1:655
- Gas
 - chemically unstable, 2:917
 - combustion systems, 2:735
 - flammability, 2:914
 - oxidizing potential, 2:915

Gas chromatographic reactor, 1:266
 Gas distribution
 bubble columns, 1:229
 Gas distributor
 for fluidized beds, 1:379
 horizontal gas jets, 1:380
 vertical gas jets, 1:380
 Gas engine, 2:735
 Gas evolution efficiency, 1:282
 Gas-evolving electrodes, 1:277
 backflow, 1:284
 charge-transfer overpotential, 1:287
 diffusion overpotential, 1:287
 mass transfer, 1:285
 Gas-heated reformer, 1:333
 Gas-lift systems
 in electrochemical reactors, 1:291
 Gas-liquid systems
 in stirred tanks, 1:632
 Gas-solid Fluidized-bed reactor
 mathematical modeling, 1:407
 Gas-sparged reactor, 1:633
 Gasification, 2:733
 Gas–liquid hydrodynamic models, 1:236
 Gasoline, 2:726
 GASP, 2:1043
 Gas sparger, dynamic, 1:229
 ejector jet nozzle, 1:229
 momentum-transfer tube, 1:229
 two-phase jet nozzle alone, 1:229
 Venturi tube, 1:229
 Gas sparger, static, 1:229
 dip tube, 1:229
 perforated plates and ring, 1:229
 porous plates, 1:229
 Gas tungsten arc welding (GTAW)
 in biotechnology, 1:117
 Gas turbine, 2:735
 Glass
 in biochemical engineering, 1:125
 Globally harmonized system (GHS), 2:972
 for the classification and labelling of
 chemicals, 2:906
 Glucose
 isomerization of, in a chromatographic reactor, 1:268
 Graphite furnace, 1:465
 Greenhouse gas emission
 energy management, 2:688

H

Haldor Topsoe HTCR reformer, 1:333
 Hardware fault tolerance, 2:989
 Hashimoto chromatographic reactor, 1:254
 Hatta number, 1:62–64
 modified, 1:69
 Hazard
 characteristics of exothermic processes, 2:942
 Hazard and operability study (HAZOP)
 guide words, 2:1018
 plant and process safety, 2:1015
 Hazard assessment, 2:958
 Hazard classes, 2:907
 Hazardous materials
 handling, 2:961
 Hazardous substances
 carcinogenic properties, 2:934
 classification, 2:929
 exposure control, 2:935
 plant and process safety, 2:906
 regulations, 2:930
 short-term exposure limits, 2:937
 toxic effect, 2:931
 Health and Safety at Work (HASAW) Act, 2:977
 Heat and power (CHP) plant, 2:686
 Heat exchanger
 counterflow, 1:540
 cross-flow, 1:539
 electrically powdered, 1:542
 energy efficiency, 2:698
 heat pipe, 1:544
 induction heating, 1:542
 microwave, 1:542
 optimum heat recovery, pinch technology, 2:712

 pinch technology, 2:713
 process intensification, 2:849
 without heat recovery, pinch technology, 2:711
 Heat exchanger network (HEN), 2:710
 Heat-exchanger reactor, 1:604
 countercurrent, 1:604
 2D finite-volume simulation, 1:605
 3D finite-volume simulations, 1:605
 Heat-integrated distillation column (HIDIC), 2:695
 Heat-transfer coefficient, 1:74
 Heating
 types of, in metallurgical furnaces, 1:456
 with laser, 1:456
 Heat transfer
 airlift loop reactor, 1:244
 bubble columns, 1:235
 in gas-evolving electrodes, 1:287
 in microreactors, 1:581
 process-to-process, 2:708
 with reaction in series, 1:74
 with simultaneous reaction, 1:79
 in thin-film reactors, 1:643
 in trickle-bed reactors, 1:658
 Heaviside step function, 1:25
 HEN *see* Heat exchanger network
 Herringbone mixer, 1:526
 H-Statements, 2:933
 Higbie penetration model
 for simultaneous reactions, 1:54
 High-temperature Winkler (HTW) process, 1:403
 Hinterland ratio, 1:60
 Holdup gas
 airlift loop reactor, 1:242
 bubble columns, 1:233
 Holdup, liquid
 dynamic, 1:655
 external, 1:655
 internal, 1:655
 residual, 1:655
 Honeycombs, 2:857
 Human error
 plant and process safety, 2:1030
 Hybrid membrane process, 2:891
 Hydroformylation
 catalysts for, 2:809
 Hydrogen
 fuel, 2:728
 release from gas-evolving electrodes, 1:281
 Hydrogen peroxide propylene oxide (HPPO)
 process, 2:802
 Hydrophilic polyalkene oxide (PAO), 2:827
 Hyflon membrane, 1:436

I

Impeller
 for stirred tanks, 1:627
 marine-type, 1:191
 Incident Ordinance (StörfallV)
 plant and process safety, 2:1144
 Induction furnace, 469, 1:456
 channel induction, 1:469
 crucible induction, 1:469
 special, 1:474
 Inoculation, 1:109
 Interelectrode gap
 flow in, 1:283
 Ohmic resistance of, 1:282
 Interfacial area, specific
 bubble columns, 1:234
 Internal combustion engine, 2:734
 Ionic liquids
 process intensification, 2:818
 Iron blast furnace, 1:450
 Isasmelt process, 1:452

J

Jet fire, 2:1072
 Joule effect
 in furnaces, 1:468
 Joule–Thomson microcooler, 1:541
 Joule's law
 application of, in electrothermal furnaces, 1:458

K

KATAMAX, 2:862
 KataMax technology, 1:617
 KATAPAK-S, 2:862
 KataPak technology, 1:617
 Kellogg-Orthoflow system, 1:397
 Kerosene, 2:726
 Key performance indicator (KPI), 2:700
 Kinetic model
 for first-order reactions, 1:56
 Kinetics
 of continuous, ideally mixed stirred tank reactors, 1:193
 of continuous stirred-tank reactors, 1:193
 of gases in liquids with reactants from both, 1:65
 in microreactors, 1:600
 Kivcet furnace, 1:464
 Knudsen diffusion coefficient, 1:46
 Kunii–Kunugi process, 1:400

L

Lagrangian particle tracking, 1:592–593
 Laminar flow
 in metallurgical processing, 1:155
 in stirred tanks, 1:626
 in straight microchannels, 1:575
 Langmuir kinetics, 1:50
 Arrhenius curve for, 1:18
 Langmuir–Hinshelwood theory, 1:19
 in bimolecular reactions, 1:51
 oxidation rate of NO, 1:217
 Large Eddy Simulation (LES), 1:639 2:1047
 Laser heating, 1:456
 Layer of protection analysis (LOPA), 2:1036
 Lenz's law
 for furnaces, 1:470
 Lewis number, 1:74
 Life-cycle analysis
 micro process technology, 1:497
 Lightnin' A 315, 1:628
 Lightnin' KT-3, 1:632
 Limiting oxygen concentration, 2:925
 Linde's isothermal reactor, 1:326
 Linz–Donawitz Arbed Centre process (LDAC), 1:454
 Linz–Donawitz process (LD), 1:454
 Liquefied petroleum gas
 fuel, 2:728
 Liquid chromatographic reactor, 1:268
 Liquid fuel
 characterization, 2:725
 combustion systems, 2:734
 types, 2:726
 Liquid–liquid biphasic catalysis, 2:820
 Liquid–liquid systems
 in stirred tanks, 1:634
 Liquids
 combustibility, 2:921
 Liquid-solid fluidized-bed reactor
 mathematical modeling, 1:406
 Ljungström heat-exchanger, 1:351
 Lockhart–Martinelli parameter, 1:656
 Log-normal distribution, 2:1028
 Loss control concept, 2:1104
 Lower explosion limit, 2:925
 Lower flammability concentration, 2:1055
 Lower flammability distance, 2:1053
 Lubricants
 in biochemical engineering, 1:125
 Lummus SRT-I furnace, 1:669
 Lurgi fixed-bed gasifier, 1:398
 Lurgi Sand-cracker, 1:400

M

Macroconvection
 in gas-evolving electrodes, 1:278
 Macrofluid, 1:22
 Macrokinetics, 1:21
 heat transfer, 1:74
 mass transfer without reaction, 1:32
 mass transfer with reaction, 1:36
 Macromixing, 1:22, 630
 residence-time distribution in, 1:22
 Magnetizing roasting, 1:443

Major accident hazards, 2:972
 Major accident prevention policy (MAPP), 2:971
 Major Industrial Accidents Council of Canada (MIACC), 2:979
 Maleic anhydride
 from benzene and butane, 2:798
 Management
 business continuity, 2:1124
 of change process, 2:1126
 crisis, 2:1124
 emergency response, 2:1124
 work procedure, 2:1127
 Management system
 audits and reviews, 2:1129
 contractors process, 2:1119
 design and principle, 2:1116
 holistic, 2:1135
 integrated, 2:1131
 process safety process, 2:1120
 success factors, 2:1132
 training process, 2:1118
 Marangoni effect
 in gas-evolving electrodes, 1:279
 Mass-expansion coefficient, 1:210
 Mass transfer
 airlift loop reactor, 1:242
 bubble columns, 1:234
 effectiveness factor, 1:72
 enhancement factor, 72, 1:70, 1:72
 gas side, in trickle-bed reactors, 1:657
 in a nonporous particle, 1:37
 in a porous particle, 1:46
 in gas-evolving electrodes, 1:285
 in microreactors, 1:589
 in thin-film reactors, 1:644
 liquid side, in trickle-bed reactors, 1:657
 macrokinetics in, 1:32
 microconvective, 1:286
 single-phase convection, 1:286
 two-phase convective, 1:286
 with reaction in series, 1:36
 with simultaneous reaction, 1:45
 Mass-transfer coefficient, 74, 1:35
 of film theory, 1:56
 of Higbie penetration model, 1:54
 of surface renewal model, 1:55
 Maximum experimental safe gap, 2:918, 1007
 Maximum explosion pressure
 gas, 2:920
 powder, 2:925
 Maximum oxidizing gas concentration, 2:914
 Maximum permissible flammable gas concentration, 2:914
 Maximum rate of pressure rise, 2:920
 Maximum temperature of synthesis reaction, 2:950
 Maximum temperature of technical reason, 2:950
 Mazzoni multitube reactor, 1:648
 Membrane bioreactor
 integrated or submerged, 1:433
 recirculated or external, 1:433
 Membrane contactor, 1:422
 Membrane distributor, 1:422
 Membrane extractor, 1:421
 Membrane filter
 in biochemical engineering, 1:147
 Membrane preparation, 1:435
 Membrane reactor, 1:419
 catalytically active membranes, 1:434
 catalytically inert or passive membrane, 1:434
 classification, 1:419
 inorganic membranes, 1:423
 membrane-assisted catalysis, 1:434
 organic membranes, 1:426
 process intensification, 2:887
 Membranes
 catalytic, 1:429
 catalytically active, 1:434
 catalytically inert or passive, 1:434
 photoreactor, 1:428
 Mesomixing, 1:631
 Metallurgical furnace, 1:439
 Metallurgical processes
 equilibria control, 1:160
 kinetic process, 1:160
 modeling, 1:164

- rate equations via artificial intelligence, 1:166
- real, 1:159
- residence time distribution, 1:159
- Metallurgical processing
 - reaction engineering, 1:153
- Methane
 - combustion, 2:722
 - dream reaction, 2:807
- Methanol
 - fuel, 2:727
- L-Methionine
 - production in chromatographic reactor, 1:270
- MFI (silicalite) membrane, 1:424
- Michaelis–Menten kinetics, 1:20
- Microalgae
 - aeration, 1:487
 - carbon dioxide supply, 1:487
 - light attenuation, 1:485
 - light fluctuation, 1:486
 - light saturation and dilution, 1:484
- Microalgae reactor, 1:483
 - computational fluid dynamics, 1:487
 - surface-to-volume ratio, 1:485
 - types, 1:488
- Microcalorimetry
 - plant and process safety, 2:946
- Microchannel
 - converging–diverging, flow in, 1:577
 - curved, flow in, 1:576
 - curved, heat transfer in, 1:582
 - straight, flow in, 1:575
 - straight, heat transfer in, 1:582
- Micro chromatography, 1:558
- Microcombustion, 2:744
- Microconvection
 - in gas-evolving electrodes, 1:278
- Micro distillator, 1:556
- Microemulsion
 - process intensification, 2:829
- Microevaporators, 1:550
- Micro extractor, 1:554
- Microfluid, 1:22
- Micro heat exchanger, 1:537, 587
 - classification, 1:539
 - fouling, 1:548
 - heat exchange fundamentals, 1:537
 - heat transfer in microchannels, 1:545
 - scale-out, 1:548
- Microkinetics, 1:11
- Micro membrane reactor, 1:559
- Micromixer, 1:590
 - chaotic, 1:592
 - cross-channel, 1:594
 - multilamination, 1:594–595
 - process intensification, 2:847
- Micromixers
 - banded, 1:527
 - chaotic advection, 1:526
 - classification, 1:518
 - design development, 1:528
 - diffusion-based, 1:521
 - hydrodynamics, 1:531
 - lamellae flow, 1:522
 - microfabrication, 1:528
 - mixing characterization by PIV, 1:530
 - mixing principles, 1:518
 - modeling, 1:528
 - multilamination mixing, 1:522
 - split and recombine, 1:524
 - T-type, 1:521
 - turbulent, 1:527
 - Y-type, 1:521
- Micromixing, 1:590, 630
 - in a stirred vessel, 1:28
- Microorganism
 - growth and bioreaction, 1:87
 - growth rates and Michaelis–Menten constant, 1:88
 - suitable equipment for specific processes and products of, 1:118, 120, 122
- Micro process technology, introduction
 - concepts, 1:496
 - constraints, 1:495
 - green chemistry, 1:498
- Microreactors
 - 3D solution to flow distribution problems, 1:579
 - micro process technology, 1:500
 - multichannel flow domains, 1:578
 - multichannel, heat transfer, 1:584
 - process intensification, 2:850
 - reduced-order flow model, 1:579
- Microreactors, modeling and simulation
 - CFD simulations, 1:579
 - chemical kinetics, 1:600
 - flow distribution, 1:575
 - heat transfer, 1:581
 - mass transfer, 1:589
- Micro rectification, 1:557
- Microseparator
 - process intensification, 2:855
- Microwave dielectric heating, 2:833
- Microwave-assisted organic synthesis, 2:836
- Minimum ignition energy, 2:923
- Minimum ignition temperature, 2:923
- Minimum required amount of inert gas, 2:914
- Miniplant, 2:765
 - automation stages, 2:767
 - construction, 2:766
 - disadvantages, 2:768
 - miniaturization limits, 2:767
- Mixing
 - in biochemical engineering, 1:96
 - in fluidized beds, 1:389
 - horizontal, of solids, 1:391
 - hydraulic, 1:98
 - of gas in bubbling fluidized beds, 1:393
 - of gas in circulating fluidized beds, 1:393
 - macromixing, 1:22
 - micromixing, 1:28
 - pneumatic, 1:98
 - in stirred tank reactors, 1:628
 - time to blend, 1:629
 - vertical, of solids, 1:390
- Mixing principles, 2:849
- Model reactor, 1:179
- Molecular design
 - process intensification on phase level, 2:817
- Molecular diffusion, 1:32
- Molecular dynamics simulation
 - process intensification, 2:812
- Monod equation, 1:20
- Monod model, 1:88
- Monte Carlo simulation
 - process intensification, 2:812
- Moving bed, 1:378
- MRF-Z radial flow reactor, 1:327
- MultiPak technology, 1:617
- Multiphase reactor
 - concepts, 2:860
- Multiple-hearth furnace, 1:445
 - roasting of sulfide ores in, 1:447
 - tungsten slag oxidation in, 1:448
 - vanadium production in, 1:448
- Multiple Reference Frame model (MRF), 1:639
- Multiple stage flash (MSF), 2:697
- Multiplicity
 - of steady states, 1:76
- Multitubular reactor
 - characteristic numbers, 2:854
- MUSIG model
 - bubble columns, 1:238
- N
- Nafion membrane, 1:429
- Nanofibers
 - process intensification, 2:864
- Natural gas
 - fuel, 2:728
- Nernst's law, 1:36
- Net present value (NPV)
 - energy management, 2:689
- Neural network models
 - in metallurgical processing, 1:166
- Newtonian fluid
 - stirred tanks, 1:626
- Newton–Raphson method, 1:215
- Newton number (power number)
 - for stirred tanks, 1:626

- Non-Newtonian fluid
 - stirred tanks, 1:626
- Noranda furnace, 1:452
- Notification of Installations Handling Hazardous Substances (NIHSS)
 - Regulation, 2:977
- Nozzle plate
 - in fluidized-bed reactors, 1:379
- Nusselt correlations, 1:546
- Nusselt number
 - for gas-evolving electrodes, 1:287
- O**
- Occupational exposure limits (OEL), 2:935
 - application of, in electrothermal furnaces, 1:458
 - for three-dimensional electrodes, 1:294
- Organized structures radiation model, 2:1067
- Overpotential
 - in gas-evolving electrodes, 1:287
- Oxygen uptake rate, 1:90
- P**
- Packed-bed reactor, 1:198
 - bed porosity of, 1:203, 1:656
 - energy balance, mathematical treatment of, 1:199
 - mass balance, mathematical treatment of, 1:199
 - mass transport in, 1:204
 - mathematical treatment of, 1:205
- Palladium membranes, 1:423
- Parallel-plate cell, 1:298
- Particle-pellet model
 - in metallurgical processes, 1:170
- Particle size distribution
 - of bed solids, 1:392
- Péclet number, 1:204
- Peat
 - fuel, 2:726
- Penetration theory, 1:33
 - see also Higbie penetration model; Danckwerts penetration model; Surface renewal model; Film theory; Stagnant film model*
- Penetration time, 1:34
- Perfluoroalkanes
 - process intensification, 2:821
- Peristaltic pump
 - in biochemical engineering, 1:148
- Personal protective equipment, 2:959
- Pervaporation
 - in membrane reactor, 1:424
- Phase inversion temperature, 1:635
- PHAST, 2:1046
- Phenol
 - cumene process vs. direct oxidation with nitrous oxide, 2:800
- Photocatalysis
 - process intensification, 2:832
- Photocatalytic membrane reactor, 1:429
- Photocatalytic reactor, 2:832
- Photosynthesis–irradiance
 - microalgae, 1:484
- Pinch analysis, 2:706
- Pinch principle, 2:709
- Pinch technology, 2:705
 - cold composite curve, 2:707
 - energy–capital trade-off, 2:710
 - grand composite curve, 2:709
 - hot composite curve, 2:707
- Pipe
 - in biochemical engineering, 1:142
- Piston pump
 - in biochemical engineering, 1:148
- Pitched blade turbine, 1:626
 - Plant and process safety, introduction, 2:901
- Plant and process safety, risk communication
 - informal procedures, 2:1145
 - normative procedures, 2:1142
- Plant design
 - energy efficiency, 2:691
- Plant information system, 2:700
- Plant operation
 - control design, 2:700
 - energy efficiency, 2:700
- Plasma furnace, 475, 1:456
- Plug flow, 1:154
 - deviations from, 1:158
- Plug flow model
 - in microreactors, 1:602
- Plug-flow reactor (PFR)
 - mathematical treatment of, 1:26–27
 - schematic, 1:154
- Poincaré map
 - for microreactors, 1:593
- Poiseuille flow
 - in microreactors, 1:599
- Polydimethylsiloxane (PDMS) membrane, 1:426
- Polyimide membrane, 1:427
- Poly(*N*-isopropylacrylamide), 2:824
- Polymerization
 - complex reaction scheme for, 1:16
- Polymers
 - in biochemical engineering, 1:124
- Pool fire, 2:1057
 - bounding materials, 2:1059
 - large, 2:1062
 - modeling, 2:1064
- Population balance methodology
 - in metallurgical processes, 1:171
- Porous-media model, 1:580
- Power law
 - equation, 1:15
- Power number, 1:626
 - see also Newton number*
- Power plant
 - cogeneration, 2:737
 - combined cycle, 2:738
 - distributed and centralized, 2:738
 - pulverized coal, 2:736
 - thermal, 2:735
 - trigeneration, 2:737
- Prandtl number, 1:235
 - for gas-evolving electrodes, 1:287
 - for microreactors, 1:582
- Pressure-relief device, 2:997
- Process control engineering
 - control system, 2:987
 - equipment, 2:988
 - initiation of safety devices, 2:993
 - monitoring system, 2:987
 - operation of safety systems, 2:991
 - principles of safety systems, 2:990
 - safety instrumented system, 2:987–988
 - safety techniques, 2:985
 - systems, classification of, 2:986
- Process design
 - coupled distillation, 2:715
 - energy efficient, 2:712
 - feed-effluent heaters, 2:715
 - fluid–fluid heat transfer, 2:715
 - multi-stage designs, 2:714
 - in reactive distillation, 1:613
 - steam generation, 2:713
- Process development
 - basic flow diagram, 2:774
 - chemical plant structure, 2:754
 - costs, 2:759
 - criteria for reducing variant numbers, 2:760
 - cyclic pattern, 2:758
 - data banks, 2:760
 - depreciation, 2:782
 - economic risk, 2:788
 - energy costs, 2:778
 - energy management in, 2:689
 - evaluation, 2:773
 - expert system, 2:762
 - feedstock costs, 2:778
 - fundamentals, 2:749
 - improving technical reliability, 2:783
 - integrated trial plants, 2:765
 - investment, 2:775
 - ISBL investment costs, 2:776
 - laboratory experiments, 2:763
 - microplant, 2:765
 - miniplant, 2:765
 - OSBL investment costs, 2:777
 - pilot plant, 2:768
 - plant construction, 2:768
 - process flow diagram, 2:775
 - production costs, 2:778

- project execution, 2:769
- in reactive distillation, 1:615
- return on investment, 2:786
- simulation program, 2:760
- small-scale tests, 2:764
- staff costs, 2:781
- stages, 2:756
- study report, 2:773
- tasks, 2:755
- waste-disposal costs, 2:780
- waste-disposal flow diagram, 2:775
- Process hazard assessment and safety evaluation (PHASE), 2:941
- Process intensification
 - classification, 2:796
 - comparison of conventional and microplant process, 2:846
 - constituents of, 2:795
 - definition, 2:794
 - micro process technology, 1:499
 - miniaturization of equipment, 2:845
 - molecular descriptors, 2:799
 - at molecular level, 2:797
 - phase level, 2:821
- Process optimization, 2:716
- Process Safety Management (PSM), 2:978
- Process simulators, 2:716
- Production site management
 - energy efficiency, 2:701
- Propane
 - fuel, 2:728
- Propylene oxide
 - reaction routes, 2:801
- Pseudohomogeneous model
 - in trickle-bed reactors, 1:660
- Pseudo-steady state, 1:14
- Pseudo-steady-state approximation
 - in metallurgical processes, 1:170
- Public Safety and Emergency Preparedness Canada (PSEPC), 2:979
- Pullman–Kellogg Millisecond furnace, 1:670
- Pump cell, 1:298
- Pyrox process, 1:403

Q

- Quantum chemical calculation
 - process intensification, 2:811

R

- Rachette furnace, 1:449
- RADFRAC
 - for simulation of reactive distillation processes, 1:615
- Rate-controlling step
 - in trickle-bed reactors, 1:660
- Reaction, chemical
 - influence of concentration, 1:12
 - influence of temperature, 1:11
 - principles of reaction engineering, 1:9
 - selectivity of reactions in series, 1:42
 - selectivity of simultaneous reactions, 1:62
- Reaction engineering potential
 - chemical intensification, 1:510
 - transport intensification, 1:508
- Reaction, equilibrium, 1:13
- Reaction kinetics
 - chemical rates, 1:10
- Reactive chromatography
 - continuous, 2:885
 - discontinuous, 2:884
- Reactive distillation, 1:609
- Reactor
 - degree of reactor utilization, 1:60–61
 - design equations for model reactors, 1:179
 - desorptive cooling, 2:875
 - monolithic, 2:859
 - optimization of, 1:214
 - production of biogas, 1:405
 - sorption-enhanced, 2:886
 - with three-dimensional electrodes, 1:292
- Reason model, 2:1106
- Reduction resistance furnace, 1:460
 - production of carbides in, 1:462
 - production of ferroalloys in, 1:462
 - production of lead from sulfide ores in, 1:464
 - production of matte in, 1:463

- slag cleaning in, 1:464
- Refining resistance furnace, 1:464
- Reporting of Injuries, and Dangerous Occurrences Regulations (RIDDOR), 2:977
- Residence time
 - stirred tanks, 1:637
- Residence time distribution
 - continuous stirred-tank reactor, 1:155
 - micromixer, 1:531
 - plug flow reactor, 1:154
 - of solids in fluidized beds, 1:392
 - in thin-film reactors, 1:643
- Resistance furnace, 1:458
 - indirect heating, 1:455
 - production of nickel/ferro-nickel in, 1:458, 463
 - with direct resistance, 1:455
- Return on investment (ROI)
 - energy management, 2:689
- Reversed-flow reactor (RFR), 1:254
- Reynolds Average Navier–Stokes (RANS), 1:639
 - approach, 2:1047
- Reynolds number, 1:235
 - in curved channels, 1:576
 - for fluidized beds, 1:377
 - for gas-evolving electrodes, 1:285–286
 - for microreactors, 1:583
 - in multichannel reactors, 1:580
 - SAR mixer, 1:598
 - for stirred tanks, 1:625
 - for trickle-bed reactors, 1:655
- Rhodes and Geldart model
 - for fluidized beds, 1:382
- R-Phrases, 2:933
- Riser cracker, 1:396
- Rising-film reactor, 1:642
- Risk
 - acceptance criteria, 2:1096
 - analysis, 2:1095
 - communication, 2:1141
 - individual, 2:1097
 - limit values, 2:1099
 - perception, 2:1139
 - permit-to-work systems, 2:964
 - plant life cycle, 2:1143
 - requirements SIL1 and SIL2, 2:989
 - requirements SIL3, 2:990
 - societal or collective risk, 2:1099
- Risk Management Plan (RMP), 2:979
- Risk management process, 2:1130
- Root cause analysis, 2:1107
 - incident reporting, 2:1109
- Rotary kiln
 - design of, 1:439
 - ore reduction in, 1:442
 - production of cement clinker in, 1:442
 - roasting and calcining in, 1:441
- Rotating cylinder, 1:298
- Rotating packed bed
 - process intensification, 2:839
- Rushton impeller, 1:97
- Rushton turbine, 1:624

S

- Saccharomyces cerevisiae
 - production of ethanol with, 1:405
- Safe failure fraction, 2:989
- Safety
 - characteristics derived from explosion diagram, 2:913
 - handling of chemicals, 2:960
 - inherent, 2:1104
 - maintenance and inspection, 2:1125
 - plant and process safety, 2:956
 - production process operation, 2:1122
- Safety concept, 2:1008
 - process control engineering, 2:985
- Safety devices, 2:993
- Safety integrity level, 2:989
- Safety Management System (SMS), 2:972
- Safety regulation
 - Accident Ordinance, 2:976
 - Canada, 2:979
 - European Union, 2:969
 - Germany, 2:975

- USA, 2:978
 - Safety Report, 2:972
 - Safety tasks
 - plant and process safety, 2:1103
 - Safety valves, 2:993
 - properties, 2:995
 - Sampling
 - plant and process safety, 2:961
 - Sauter diameter
 - bubble columns, 1:231
 - Scaba 6SRGT, 1:633
 - Scale-up
 - of fluidized-bed reactors, 1:411
 - Schmidt number
 - for gas-evolving electrodes, 1:286
 - for trickle-bed reactors, 1:658
 - Segregation
 - complete segregated fluid, 1:30
 - Selectivity, 1:11
 - of reactions in series, 1:42
 - of simultaneous reactions, 1:62
 - Self-accelerating electron gun
 - Pierce type, 1:476
 - Semenov temperature profile, 2:939
 - Semiquantitative fault tree analysis (SQUAFTA), 2:1037
 - Separation, reactive
 - process intensification, 2:877
 - Seveso Directive, 2:970
 - legal requirements, 2:1115
 - management systems, 2:1115
 - Seveso II Directive, 2:970
 - structure, 2:972
 - Shaft furnace, 1:378, 449
 - Shell-and-tube heat exchanger, 1:642
 - Shell HDS process, 1:661
 - Sherwood number, 1:243
 - for gas-evolving electrodes, 1:286
 - for thin-film reactors, 1:644
 - for trickle-bed reactors, 1:658
 - Shrinking core model, 1:40
 - limitations, 1:170
 - in metallurgical processes, 1:168
 - variants, 1:170
 - Silgrain process, 1:172
 - Silicon carbide furnace, 1:466
 - Simulated moving bed chromatographic reactor (SMBR)
 - process intensification, 2:885
 - Simulated moving bed chromatographic reactor (SMBRCR), 1:251
 - Single-phase fluid
 - mixing, 1:629
 - Slag–matte furnace, 1:461
 - Sliding Mesh model, 1:639
 - SL/RN process
 - for sponge iron production, 1:444
 - SMART process
 - reactor, 1:324
 - Sohio process, 1:397
 - Solid fuel
 - characterization, 2:725
 - combustion systems, 2:732
 - types, 2:725
 - process intensification, 2:822
 - Solid–liquid systems
 - in stirred tanks, 1:631
 - Solid-phase synthesis
 - Solid polymer electrolyte cell, 1:298
 - Solids
 - in stirred tanks, 1:631
 - Solid-state resistance furnaces, 1:465
 - Solix reactor, 1:489
 - Solvent-resistant nanofiltration (SRNF) membranes, 1:427
 - Solvent system
 - temperature-dependent multicomponent, 2:830
 - Söderberg electrode, 1:460
 - SPAR-H, 2:1034
 - Specific target organ toxicity, 2:934
 - Spill fire, 2:1057
 - fuel effect, 2:1060
 - Spinning disk reactor
 - process intensification, 2:840
 - Split-and-recombine (SAR) micromixer, 1:524
 - Split-and-recombine (SAR) mixer, 1:597
 - Staggered herringbone mixer (SHM), 1:593
 - Stagnant film model, 1:34
 - see also Penetration theory*
 - Standard airlift reactor
 - in biochemical engineering, 1:130
 - Stanton number, 1:235
 - StarLam interdigital multilamellae mixer, 1:524
 - State diagram
 - Geldart, for fluidized-beds, 1:377
 - Reh, for fluidized-beds, 1:377
 - Static helical mixer, 1:488
 - Static mixer
 - process intensification, 2:862
 - Steel
 - vessel material in biochemical engineering, 1:117
 - Sterilization
 - in autoclave, 1:92
 - in biochemical engineering, 1:91
 - continuous water/steam, 1:93
 - “empty” sterilization in place (SIP), 1:93
 - “full” sterilization in place (SIP), 1:93
 - steam, 1:92
 - Stirred tank reactor ((high relevance)), 1:624
 - baffled, 1:624
 - batch, 1:637
 - in biochemical engineering, 129, 1:97
 - cascade of, 1:638
 - continuous, 1:637
 - mixing, mathematical treatment, 1:27
 - semi-batch, 1:637
 - Stirrer
 - co-axial, 1:630
 - high shear, 1:628
 - radial flow, 1:633
 - Stoichiometric coefficient, 1:10
 - Stone & Webster USC furnace, 1:670
 - Stripping, reactive
 - process intensification, 2:879
 - Strouhal–Froude number relationship, 2:1060
 - Strouhal number, 2:1060
 - Submerged-arc furnace, 1:460
 - Sucrose
 - inversion of, in a chromatographic reactor, 1:268
 - Sulfonation
 - in Mazzoni multitube reactor, 1:648
 - in multitube reactors, 1:648
 - in single-tube reactors, 1:648
 - Sundaram and Froment kinetic model, 1:678
 - Supercritical fluid
 - physical properties, 2:827
 - process intensification, 2:824
 - SuperFocus interdigital micromixer, 1:523
 - Supersonic flows, 2:838
 - Supported ionic liquid phase catalysis (SLIP), 2:820
 - Surface renewal model, 1:34
 - see also Penetration theory*
 - Swiss-roll cell, 1:298
 - SYNTHESIZER
 - for design of reactive distillation processes, 1:614
 - Synthol reactor, 1:398
- T**
- TAME process, 1:620
 - Tanks-in-series model, 1:159
 - Taylor–Aris analysis
 - microreactors, 1:599
 - Taylor–Aris dispersion, 1:599
 - Taylor flow, 2:866
 - Taylor number
 - for thin-film reactors, 1:644
 - Taylor vortex, 1:488
 - Taylor vortice, 1:112
 - Technique for human error rate prediction (THERP), 2:1030
 - Thermal-expansion coefficient, 1:210
 - Thiele modulus, 1:47
 - Aris shape-generalized, 1:49
 - shape-generalized, 1:48
 - Thin-film reactor
 - back-mixing in, 1:643
 - falling film, 1:642
 - fluid dynamics in, 1:643
 - mass transfer in, 1:642
 - rising film, 1:642

- sulfonation in, 1:647
- temperature profile in, 1:644
- wiped film, 1:642
- Three-electrode arc furnace, 1:467
- Three-phase trickle-bed reactor, 1:651
 - flow regimes in, 1:653
 - liquid holdup in, 1:655
- TNT equivalency method, 2:1076
- Transport disengaging height (TDH), 1:382
- Trickle tower cell, 1:298
- 1,3,5-Trimethylbenzene
 - hydrogenation of, in a chromatographic reactor, 1:267
- True moving bed chromatographic reactor (TMBCR), 1:251
 - process intensification, 2:885
- Tubular reactor, 1:665
 - coking and carbon formation, 1:677
 - for gas-phase chlorocarbon cracking reactions, 1:673
 - for gas-phase halogenation processes, 1:675
 - microalgae growth in, 1:491
 - for olefin production, 1:666, 668
 - for perhalogenation, 1:677
 - reactor design, 1:668
 - for substitutive bromination, 1:677
 - for substitutive chlorination, 1:675
 - temperature control, 1:671
 - turbine, 1:191
- Turbulence promoters, 1:298
- Turbulent flow
 - in stirred tanks, 1:626
- Two-effect distillation, 2:695
- Two-fluid model (Euler–Euler model)
 - bubble columns, 1:236

U

- Ultrahigh power furnace (UHP), 1:468

Ultrasound

- process intensification, 2:837

Uninhibited growth, 1:20

- Unipol–Shell fluidized-bed process, 1:399
- Unipol process, 1:399
- Unit step function, 1:25

V

- Vacuum arc refining (VAR) furnace, 1:468
- Vacuum induction furnace, 1:456
- Vacuum melting, 1:455
- Valve
 - in biochemical engineering, 1:137
 - electrode, 1:290
- Van Krevelen–Hofstijzer approximation, 1:68
- Vapor cloud explosion, 2:1076
- Vibromixer, 1:98
- Vortex formation, 1:626

W

- Waelz process, 1:444
- Wall heat-transfer coefficient
 - for packed-bed reactors, 1:205
- Waste
 - fuel, 2:726
 - waste-to-energy, 2:734
- Water electrolysis, high-temperature, 1:277
- Water-bed reactor, 1:488
- Weber number
 - bubble columns, 1:231
- Wetting
 - of large catalyst zones, 1:659
 - of a particle, 1:659
- Winkler gasification, 1:403
- Wirbelfliess process, 1:400
- Wood
 - fuel, 2:725

Z

- Zeolite membranes, 1:424
- Zero-gap cell, 1:298

