

Index

a

- abacavir (Ziagen®) 213, 217, 218, 230
- acetazolamide (Diamox®) 171
- acetanide-based glucocorticoids 291
 - history 293–297
 - mode of action 304–306
 - – asthma 306–307
 - – skin inflammation 307–308
 - structure–activity relationship 308–310
 - synthesis 297–304
- aciclovir triphosphate (ACV-TP) 227
- acyclovir (ACV) 207, 208, 217, 218, 219, 223, 228, 231
- adefovir 203, 209, 212
- adefovir dipivoxil 203
- adenine arabinoside (Ara-A, vidaribine) 205, 206
- adenine-based reverse transcriptase inhibitors, as anti-HIV agents 203
 - antiretroviral drugs 204, 213
 - history 203–209
 - mode of action 212
 - structure–activity relationship 212–214
 - synthesis 209–211
- adenosine 203, 204, 205–206
- airway epithelial cells 306
- α -amino-3-hydroxy-5-methyl-4-isoxazolepropionic acid (AMPA) receptor 61, 173
- amdoxovir 213, 217, 218
- aminoglutethimide 275
- 6-aminopenicillanic acid 239
- aminopyrimidines 258, 266
- amitriptyline 129
- amlodipine 137, 147, 149
- amobarbital 54, 59
- amoxicillin 250
- amrinone 4
- anastrozole (Arimidex®) 275, 276, 278, 279, 280, 282, 283
- angina pectoris treatment. See dihydropyridine-based calcium channel blockers
- angiotensin II. See tetrazole-based
- angiotensin II type 1 (AT1) antagonists
- anhydrohexitol guanine 218, 219
- aniline disulfonyl chlorides 174
- antiepileptic drugs (AEDs) 115, 128
- antipsychotics 65, 66, 67, 68–69, 70, 73, 76, 82, 95, 100, 105, 106, 109–112
- anxiety treatment. See arylpiperazine
- aripiprazole (Abilify®) 75, 85, 89, 92
- aromatase inhibitors. See benzyl triazole-based aromatase inhibitors
- aromatic heterocycles. See pyrimidine-based kinase inhibitors, in cancer chemotherapy
- arterial hypercholesterolemia treatment. See tetrahydropyranone-based HMG-CoA reductase inhibitors
- arylpiiperazine 81
 - antipsychotics 95
 - history 81–85
 - mode of action 88–89
 - structure–activity relationship 89, 91–95
 - synthesis 85–88
- arylpiiperidines 99
 - history 99–106
 - mode of action 109–111
 - structure–activity relationship 111–113
 - synthesis 106–109
- Aspergillus niger* 330, 331
- Aspergillus terreus* 186
- asthma treatment 306–307. See also acetanide-based glucocorticoids; tropane-based alkaloids
- Atacand® 156

atopic dermatitis (AD) 307
 atorvastatin (Lipitor®) 187, 188, 189, 190, 196, 197
Atropa belladonna 23, 24
 atropine 24–25, 27, 29, 32
 autism treatment. See arylpiperazine;
 arylperidines
 Avapro® 156
 azapirones 91, 93
 azidothymidine 208–209
 azimsulfuron 9
 azomethine 9

b

bafetinib 257, 259, 260, 261, 262, 263, 266, 269
 balaglitazone 337, 342
 barbituric acid-based GABA(A) receptor
 modulators 51
 – history 52–54
 – – as anesthetics 56–57
 – – in epilepsy treatment 55–56
 – – in sleep disorder treatment 55
 – mode of action 60–61
 – structure–activity relationship 62
 – – 5,5-disubstitution 62–63
 – – substitution at nitrogens 63
 – synthesis 57–60
 barnidipine 137
 Bcr-Abl kinase 257, 268
 bendroflumethiazide (Naturetin®) 172
 Benicar® 156
 benperidol 105
 benzimidazole-based H⁺/K⁺-ATPase
 Inhibitors 313–316
 – mode of action 319–320
 – structure–activity relationships 320–324
 – synthesis 316–319
 benzimidazoles 162
 benzofuran 161
 benzoic acid 26, 27
 benzothiadiazine derivative 7
 benzothiadiazine dioxides 169
 benzothiazoline 323
 benzyl triazole-based aromatase
 inhibitors 275
 – history 275–277
 – mode of action 281–282
 – structure–activity relationship 282–286
 – synthesis 277–280
 β-lactam 237, 238, 240, 241, 244, 248–249
 bicyclic alkaloids 23
 bioisosteres 3, 9, 11, 13, 26

bipolar disorder. See arylpiperidines
 black box warning 100
 bosentan 258, 261
 breast cancer treatment. See benzyl
 triazole-based aromatase inhibitors
 buclovir 217, 218, 220, 228
 budesonide 301, 309
 buspirone 84, 89, 92, 258, 261
 busulfan 260
 buthiazide (Saltucin®) 172
 butyraphenones 112

c

calcium channel blockers 173. See also
 dihydropyridine-based calcium channel
 blockers
 cAMP 44
 cancer chemotherapy. See pyrimidine-based
 kinase inhibitors
 carbamazepine 115–117, 119, 127
 carbenicillin 250
 carbocyclic nucleoside analogs 232
 carbovir 212, 213, 217, 218, 228
 cefaclor 250
 cefaloridine 250
 cefalotin 250
 cefdinir 250
 cefipim 250
 cefmetazole 250
 cefoxitin 250
 cephalosporin. See penicillin and
 cephalosporin antibiotics
 cephalothin 242
 cerivastatin 187, 188, 196
m-chloroperoxybenzoic acid 316
 chlorothiazide (Diuril®) 169, 170, 171, 172, 174, 175
 chlorpromazine (Largactil®, Thorazine®)
 65, 67–68, 69, 71, 72, 73, 82
 chlorthalidone 169, 170, 173
 cholesterol 184–185, 191
 chronic granulocytic leukemia 264
 chronic myeloid leukemia (CML) 257, 258, 260
 ciclesonide 301, 303, 309
 ciglitazone 332, 334–335, 338, 344
 cilnidipine 137, 147
 cladribine 206, 207, 209
 clevidipine 145
 clofibrate 334
 clozapine 110
 cocaine 24, 25, 27
 codeine 39, 41, 42, 46

college on problems of drug
dependence 45
cortisol 292, 294, 295, 296, 301, 308
cortisone 292, 294, 295, 308
Corynebacterium simplex 301
Cozaar® 156
Cryptotethia crypta 205, 219
cyanothiocarbamate 329
cyclohexenyl guanine 218, 219
cyclopenthiiazide (Navidrix®) 172
cyclopropavir 218, 219
cyclothiazide 173–174
cyromazine 14
CYT387 257, 259
cytosine arabinoside (Ara-C, cytarabine)
205, 206

d

dabrafenib 257, 259
darglitazone 335, 341, 344
dasatinib 257, 259, 260
Datura stramonium 23
dazomet 5
2'-deoxynucleosides 210
depression treatment. See arylpiperazine;
arylperidines
dexamethasone 309
dexlansoprazole 314
diabetes treatment. See
thiazolidinedione-based insulin sensitizers
dibenzazepine-based sodium channel
blockers 115
– history 115–119
– mode of action 124–128
– structure–activity relationships 128–130
– synthesis 119–124
dibudipine 137
dicyclanil 15
didanosine 209
dideoxyadenosine 209
dihydroimidazol-4-one 162
dihydroindane 163
dihydroindole 163
dihydropyridine-based calcium channel
blockers 137–139
– history 139–141
– mode of action 144–148
– structure–activity relationship 148–149
– synthesis 141–144
diketone 189, 190
diltiazem 145
dimethenamid 11
Diovan® 156, 162
dioxolane 291, 292, 293

dopamine 69, 75, 76
– receptors 74
droperidol 100

e

ecgogine 26, 27
eczema. See atopic dermatitis (AD)
efonidipine 147
emtricitabine (Emtriva®) 213
englitazone 334, 337, 338, 339
ENMD-2076 257, 259
epilepsy treatment, barbituric acid-based
GABA(A) receptor modulators for 55–56
Erythroxylon coca 25
eslicarbazepine 118, 122, 123
esomeprazole 314, 318, 319
estrogens 281
ethaboxam 5, 6
etravirine 258, 261
extrapyramidal side effects (EPS) 70, 77,
109, 110
eye treatment. See acetone-based
glucocorticoids

f

fadrazole 276
famciclovir (Famvir®) 217, 218, 220, 224,
225, 229
fenpropidin 15, 126
flordipine 137
fluazifop-butyl 6, 7
flumatinib 257, 259, 263, 266, 269
flumetsulam 5, 6, 51, 53, 56
flunisolid 301, 303, 306
9 α -fluorination 296
fluphenazine 71, 74, 77
fluridone 14
fluthiacet-methyl 7, 8
fluvastatin 187, 188, 196
fostatinib 257, 259
Fowler's solution 258
free fatty acids (FFAs) 343
furnidipine 137, 142–143, 143
fused tricycles 115

g

GABA (γ -aminobutyric acid). See barbituric
acid-based GABA(A) receptor
modulators 51
gaboxadol 9, 11
ganciclovir (Cymevene®, Cytovene®) 217,
218, 219–220, 227
gastric-acid-associated disorders 313,
316, 324

gastroesophageal reflux disease treatment.
 See benzimidazole-based H^+/K^+ -ATPase
 Inhibitors
 genitourinary disorder treatment. See
 thiazide-based diuretics
 glitazone 329, 337, 343, 344
 glucocorticoids. See acetanide-based
 glucocorticoids
 G-protein-coupled receptor (GPCRs) 29, 43
 GS-9131 213, 214
 GS-9148 213, 214
 guanine-based nucleoside analogs, as
 antiviral agents 217
 – history 219–221
 – mode of action 227–229
 – regioselectivity 221–222, 224
 – structure–activity relationship 229,
 231–232
 – synthesis 221–226

h
 haloperidol 100, 105, 106, 107, 109–110,
 112
 halopropionate 337, 338
 heart failure treatment. See tetrazole-based
 angiotensin II type 1 (AT1) antagonists
 hematopoietic stem cell transplantation
 (HCT) 260
 herpes simplex virus (HSV) 217, 219, 220,
 221, 231
 heterocycles 3–4
 – fine-tuning of physicochemical properties
 with 6
 – as framework of biologically active
 compounds 4–6
 – as isosteric replacement
 – – of alicyclic rings 11–13
 – – of functional groups 8–11
 – – of heterocyclic rings 13–16
 – as peptidomimetics 7–8
 – as prodrugs 6–7
 high-density lipoprotein (HDL) 185, 186
 HPLC 318
 human herpes viruses 227
 human immunodeficiency virus (HIV) 203,
 208, 209, 212
 Hydralazine® 172
 hydrochlorothiazide (HCT) (Esidrix®,
 Hydrodiuril®, Oretic®) 169, 170,
 171–172, 173, 175
 hydrocodone (Dicodid®) 38, 39, 46
 hydrocortisone 275
 hydroflumethiazide (Saluron®, Diucardin®,
 Rontyl®) 169, 170, 172

hydromorphone (Dilaudid®) 38, 39, 46, 47
 hydrothiazides 169, 174, 175, 176, 180
 4-hydroxyandrostenedione 275
 hydroxycodone 42, 46
 6-hydroxy-2-naphthaldehyde 340
p-hydroxyphenylpyruvate dioxygenase
 (HPPD) 7
 9-hydroxyrisperidone 105
 hydroxyurea (Hydrea®) 260
Hyoscyamus 24
Hyoscyamus niger 25
 hypertension treatment 159. See also
 dihydropyridine-based calcium channel
 blockers; tetrazole-based angiotensin II
 type 1 (AT1) antagonists; thiazide-based
 diuretics
 hypokalemia 171
 Hyzaar® 156

i

idoxuridine 219
 iloperidone 106, 112
 imatinib 257, 259, 260, 261, 262, 263, 264,
 266, 267, 268, 269
 imidacloprid 15, 211, 213, 217
 imidazole 156, 161, 162
 imidazole derivative 7
 imidazopyridines 162, 163
 imine 246
 imipramine 12, 82, 83, 118
 immunocompromised patients 217,
 219, 227
 indole 9, 161, 163
 inhaled corticosteroids (ICSs) 306, 307
 interferon- α (IFN α) 260
 ipratropium (Atrovent®) 25, 26, 29, 31, 33
 irbesartan (Avalide®, CoAprovel®) 173
 isocyanide 244
 isoguvacine 9
 isonipecotic acid 108
 isopenicillin 238
 isoxaflutole 7, 8, 64

k

KRP-297 336
 kyanethine 258

l

labeledipinedilol-A 137, 149
 lacidipine 146, 147
 lamivudine ((Epivir®) 213
 lansoprazole 314
 leflunomide 7, 8
 lercanidipine 146, 147

letrozole (Femara®) 275, 276, 279, 280, 282, 283
 levamlodipine 137
 ligand-binding functionalities 153
 lobeglitazone 336, 340
 lobucavir 218, 219
 losartan 9, 11, 156, 161, 173
 lovastatin (Mevacor®) 183, 186, 188, 193
 low-density lipoprotein (LDL) 185, 186, 191
 lurasidone 92

m

Mandragora officinarum 23
 maprotiline 12
 mebudipine 137
 meloxicam 5, 6
 menidipine 137
 methobarbital (Prominal®) 56
 2-mercaptobenzimidazole 316
 mesoridazine 71
 methyclothiazide (Enduron®) 172
 methylene blue 66, 67
 methylphenobarbital 59
 meticillin 250
 metolachlor 11
 metopon 48
 mevalonate 185, 191
 mevastatin 183, 184, 185, 188, 193, 195
 mianserin 84, 87, 89
 mirtazapine 84, 87, 88, 89, 91
 mitoglitazone 337
 morphine 39, 41, 42, 43
 morphinone-based opioid receptor agonist
 analgesics 37
 – history 37–40
 – mode of action 43–44
 – structure–activity relationships 44–48
 – synthesis 40–43
 morpholine 162
 motion sickness. See tropane-based alkaloids
 moxonidine 258, 261
 muscarinic acetylcholine receptor. See
 tropane-based alkaloids

n

naphthalene 196, 197
 naphthyridine 162
 nefazodone 84, 89
 nephron 177, 178
 netoglitazone 336, 337, 340, 344
 neuroleptics 65
 neuropathic pain treatment. See
 dibenzazepine-based sodium channel
 blockers

nicardipine 137, 145, 147
 nifedipine 137, 138, 140, 141, 145, 147, 148
 nilotinib 257, 259, 260, 261, 262, 263, 266, 268
 nimodipine 137
 nisoldipine 137, 147
 nitrendipine 137, 141, 147
 nitriles 158
 nizatidine 6, 7
Nocardia corallina 301
 nongenomic (nontranscriptional) effects
 306
 noroxymorphone 45, 46
 nucleoside reverse transcriptase inhibitor
 (NRTI) 209, 212–214
 nucleoside substructures 212
 NVP-BKM120 257, 259

o

obstructive pulmonary disease. See
 tropane-based alkaloids
 olanzapine (Zyprexa®) 76
 olmesartan (Benicar HCT®) 173
 omeprazole 314, 315, 316, 317, 318, 320, 323
 opium. See morphinone-based opioid
 receptor agonist analgesics
 oxacillin 250
 oxadiazoles 9
 oxazofurin 14
 oxazoles 9
 oxcarbazepine 117–118, 119–120, 120
 oxetanocin 220
 oxitropium (Oxivent®) 25, 26, 33
 oxycodone 38, 39–40, 45
 oxymorphone 38, 40, 46

p

paliperidone (Invega®) 105–106, 111
 palladium catalysis 222
 pantoprazole 314
Papaver somniferum 37
 paraquat 4
paroxysmal supraventricular tachycardia 205
 pempidine 4, 5
 penciclovir (Denavir®, Vectavir®) 217, 218, 220, 224, 226, 228, 229
 penicillin and cephalosporin antibiotics 237
 – history 237–239
 – mode of action 248–250
 – structure–activity relationships 250–251
 – synthesis
 – – core modifications 243–248
 – – total 239–243

- Penicillium brevicompactum* 185
 - Penicillium citrinum* 185
 - Penicillium notatum* 184
 - pentobarbital 54, 55
 - phenobarbital 58, 59
 - phenothiazine-based dopamine D₂
 - antagonists 65
 - history 65–70
 - mode of action 72–76
 - structure–activity relationships 76–77
 - synthesis 70–72
 - phenylalanine 339
 - phenylpiperazines 81
 - 4-phenylpiperidine 99–100, 109
 - phenytoin 128
 - phosphonate esters (Viread®) 212
 - picoprazole 315
 - pilocarpine 14
 - pimozide 105
 - pioglitazone 335, 337, 343, 344
 - piperacillin 250
 - piperazine 69, 77
 - piperidine 108
 - piperidinone 162
 - piribedil 258, 261
 - piroxicam 11
 - pitavastatin 187, 188
 - Plasmodium berghei* 331
 - polythiazide (Renese®) 172
 - PPAR-γ agonists. See thiazolidinedione-based insulin sensitizers
 - pravastatin (Pravachol®) 183, 188
 - primidone 56
 - prochlorperazine 71
 - promethazine (Fenergan®) 67
 - prothipendyl 11
 - proton pump inhibitors (PPIs) 313, 316, 321, 324
 - psoriasis 307
 - psychosis treatment. See arylpiperazine
 - purines 210, 222
 - pyrazoles 4, 5, 162
 - pyrazolidine-3,5-dione 162
 - pyridazine 13
 - pyridine 162, 163, 336, 338
 - pyridinone 162
 - pyridinylsulfinylbenzimidazoles 314
 - pyrimethamine 258, 261
 - pyrimidine 162
 - pyrimidine-based kinase inhibitors 257
 - history 257–261
 - mode of action 264–266
 - structure–activity relationship 266–269
 - synthesis 261–264
 - pyrimidinone 162
 - pyrimidinopiperazines 84
 - pyrrole 162
 - pyrrolidin-2-one 162
 - pyrrolidine 337
 - pyrrolidinone peptidomimetic 8
 - pyrrolinone 7
- q**
- quinazolinone 162
 - quinoline 162, 163
 - quinoxaline 162
 - quipazine 81
- r**
- rabeprazole 314
 - racemic 220, 232, 241
 - racivir 213
 - receptor–substrate interaction 153
 - renin–angiotensin system 160
 - revaprazan 258, 261
 - Rhizopus arrhizus* 295
 - risperidone (Risperdal®) 76, 105, 106, 108, 111, 112
 - rivoglitazone 336–337, 341, 342
 - rosiglitazone 335–336, 343, 344
 - rosuvastatin 187, 188, 196, 258, 261
- s**
- salutaridine 41
 - salutaridinol 41
 - saquinavir 7, 9
 - schizophrenia treatment. See arylpiperazine; arylpiperidines; phenothiazine-based dopamine D₂ antagonists
 - scopolamine 24, 25, 26, 29, 32
 - secobarbital 54
 - selenazofurin 14
 - serotonin modulator antidepressants
 - inhibiting serotonin reuptake 94
 - sertindole 105, 111, 113
 - sildenafil 14
 - simvastatin (Zocor®) 183, 188, 193–194, 194
 - skin inflammation treatment 307–308. See also acetone-based glucocorticoids
 - sleep disorder treatment, barbituric acid-based GABA(A) receptor modulators for 55
 - sodium salts 56–57
 - method, product distribution 210, 211
 - solvent-exposed cysteines 320, 321
 - Somnifen® 55
 - Sorbus aucuparia* 184

- spongothymidine
 (3- β -d-arabofuranosylthymine) 205
- spongouridine (3- β -d-arabofuranosyluracil) 205
- statin 183, 186–187, 187, 192
 – SAR of natural 192–195
 – SAR of synthetic 195–197
- stereochemistry 183, 184, 192, 193, 195
- sufentanil 11
- sulfanilamide (Prontalbin®) 170, 171
- sulfinylbenzimidazoles 313, 315, 316, 319, 324
- sulfonamides 162
- superstatins 195
- synguanol 218, 219, 232
- t**
- Tagamet® 316
- talipexole 5, 6
- telinavir 7, 9
- telmisartan (Micardis HCT®) 173
- temocillin 250
- tenofovir 203, 212, 213
- tenofovir disoproxil 211
- tenoxicam 11
- tetrabutylammonium fluoride (TBAF) 189
- tetracyclic antidepressants 89, 92
- tetrahydrofuran 291, 292, 338
- tetrahydroimidazothiazole levamisole 5
- tetrahydropyranone-based HMG-CoA reductase inhibitors 183
 – history 183–188
 – mode of action 191
 – structure–activity relationship
 – – hydrophilic dihydroxypentanoic acid portion 192
 – – liver-selective HMGCoA inhibitors 197
 – – of natural statins 192–195
 – – of synthetic statins 195–197
 – – X-ray crystal structures 197–198
 – synthesis 188–191
- tetrazole 9
- tetrazole-based angiotensin II type 1 (AT1) antagonists 153–154
 – history 154–157
 – mode of action 159–160
 – structure–activity relationship 161–163
 – synthesis 157–159
- tetrodotoxin 126
- thebaine 40, 41, 42
- thiadiazole 162
- thiazide-based diuretics 169
 – history 169–174
 – mode of action 177–179
 – structure–activity relationship 179–180
 – synthesis 174–177
- thiazole 162
- thiazolidinedione-based insulin sensitizers 329–337
 – condensation 329, 337, 340, 342
 – mode of action 343–344
 – synthesis 337–342
- thiobarbiturates 57, 60
- thiocyclam 4, 5
- thiopental 54
- thiophenes 11, 13, 163
- thioridazine 71
- thioxanthenes 65
- thorazine 68
- thymidine kinase (TK) 219
- timoprazole 315
- tiotropium (HandiHaler®, Spiriva®, Tiova®) 25, 26, 33
- tirilazad 258, 261
- topical glucocorticoids (TGs) 307
- tosyl triazole 279
- trazodone 83, 84, 89
- triamcinolone acetonide 297, 299, 302, 306, 309
- triazole 162. See also benzyl triazole-based aromatase inhibitors
- triazolone 162
- trichlormethiazide (Esmarin®, Naqua®) 172, 180
- tricyclic antidepressants 115, 118–119, 119, 128–129
- triethyl orthoformate 175
- trifluoperazine 71
- trifluoperidol 100
- triflupromazine 71, 72, 76
- trigeminal neuralgia 116
- troglitazone 334, 338
- tropane-based alkaloids 23
 – history 23–25
 – mode of action 29–32
 – structure–activity relationships 32–34
 – synthesis 25–29
- tropic acid 26, 27
- tropine 23, 25
- tropinic acid 27
- tropinone 23, 28
- trospium (Sanctura®, Trosec®) 25, 26, 33
- μ -opioid receptors 38, 45
- μ -receptors 43–44, 46
- u**
- uveitis 307

v

valacyclovir (Valtrex[®], Zelitrex[®]) 207, 208,
217, 218, 219, 220, 228
valganciclovir (Valcyte[®]) 217, 218
valsartan (Diovan HCT[®]) 173
vardenafil 14
varicella zoster virus (VZV) 217, 219
vasodilation 147
verapamil 140, 145
veronal 53

voltage-gated calcium channels 144

voltage-gated sodium channels 115,
124–126

Vorbrüggen glycosylation 209

vorozole (Rivizor[®]) 275

z

zidovudine 220

ziprasidone (Geodon[®]) 76, 84, 85, 89, 92