

Index

a

- abamectin 197, 198, 199, 202, 203
- Abutilon theophrasti* 96
- ACCase enzymes 74
- acetamiprid 210, 212, 213, 218
- acetoxyhydroxyacid synthase (AHAS) 83, 86, 88
 - inhibiting triazolopyrimidine 51
 - – biological activity 56–57
 - – history 51–53
 - – mode of action 55–56
 - – structure–activity relationship 57–58
 - – synthesis 53–55
- acetyl-CoA-carboxylase (ACCCase). See tetronic acid insecticides and acaricides, inhibiting acetyl-CoA-carboxylase (ACCCase)
- adenosine triphosphate (ATP) 229
- Aegilops cylindrical* 83
- Agriotes* species 216
- albaconazole 133
- albendazole 115
- aldimorph 119, 120, 123
- Alternaria* 113, 188
- Alternaria alternata* 151
- Alternaria solani* 151, 160, 186, 187
- Amaranthus hybridus* 96–7
- Amaranthus palmeri* 96
- Ambrosia trifida* 96
- aminopyrazole 242
- amino triazines, dialkyl 32
- amorolfine 126
- amrinone 4
- andoprim 147, 148, 151
- anilinopyrimidine fungicides 147
 - biological activity 151
 - history 147–148
 - mode of action 150
 - structure–activity relationship 151–153
 - synthesis 148–150
- anthranilic diamide 251, 252, 254–255, 256, 257, 258, 259, 260, 261
- Aphis gossypii* 216, 217, 218, 220, 258, 276
- Aplysia californica* 215
- aryloxyphenoxypionate herbicides 76
- aryloxyphenoxypionic acids (APPs) 266, 270
- Ascochyta* sp. 151
- ascomycetes 116
- Aspergillus nidulans* 111, 114
- Aspergillus* sp. 133, 159
- atrazine 27, 32, 35
- auxin 75
- Avena fatua* 84
- avermectin insecticides and acaricides 197
 - biological activity 202–204
 - history 197, 199
 - mode of action 201–202
 - structure–activity relationship 204–206
 - synthesis 199–201
- azimsulfuron 9
- azomethine 9
- azoxystrobin 163, 164, 165, 166, 168, 170, 172, 183
- Bemisia argentifolii* 217
- Bemisia* spp. 265
- Bemisia tabaci* 217, 220, 259, 268, 271, 275

b

- benzfendizone 96
- benzimidazole fungicides 105
 - biological activity 112–114
 - history 105–107
 - mode of action 110–112
 - resistance 105, 107, 111–114

benzimidazole fungicides (*contd.*)
 – structure–activity relationship 114–116
 – synthesis 108–110
 benzobicyclon 64
 benzodioxolane 96
 benzothiadiazine derivative 7
 benzoylpyrazole herbicides 61
 – biological activity 66
 – chemical structures of 62
 – history 61
 – mode of action 64–66
 – one-pot synthesis 63
 – structure–activity relationship 66–67
 – synthesis 62–64
 β -ketoester 177, 178, 179
 β -methoxyacrylate strobilurin 169, 170
 bicyclopyrone 64
 bioisosteres 3, 9, 11, 13, 26
 bitertanol (Baycor[®], Proclaim[®]) 129
 bixafen 176, 181, 182, 185, 186
Blatta germanica 217
Blumeria graminis 123, 125, 140, 151, 152, 168, 170
Bontima[™] 186
 boscalid 181, 183, 185, 186
Botryotinia fuckeliana 151
Botrytis cinerea 107, 111, 113, 114, 155, 158, 159, 170, 186, 187
Botrytis species 151, 159, 185, 188
Brassica kaber 96
Brevicoryne 217
 broad spectrum activity 129, 130, 131, 133, 140
 bromoxynil 66
 bromuconazole (Condor[®], Granit[®]) 132
 bupirimate 152
 4-*tert*-butylbenzaldehyde 121
 4-*tert*-butyliodobenzene 121

c

C4''hydroxy group 199, 201
 C14 demethylase 139, 141
Caenorhabditis elegans 201
Candida sp. 133
 carbendazim 7, 107, 108, 111, 116
 carbon–nitrogen double bonds and carbonyl group, relationship between 53
 carboxin 175
 carboxyl transferase 73
Cercospora 113
 chemical structure variation 239, 246
Chenopodium album 96
 chlorantraniliprole. See Rynaxypyr[®]
 chlosulfuron (Glean[®]) 39, 40

clodinafop 75
 cloransulam-methyl 51, 54, 57
 clothianidin 209, 210, 212, 214, 215, 217
 complex I inhibitors 225, 226, 229, 230, 231, 236
Convolvulus arvensis 96
Convolvulus spp. 84
Conyza Canadensis 96
 crop insecticide market 239, 245
Ctenocephalides canis 217
Ctenocephalides felis 201, 217
 cyano group 253, 258, 259, 261
 cyantraniliprole. See Cyazypyr[®]
 cyanuric chloride 23
 Cyazypyr[®] 251, 252, 254, 255–256, 258–262
cycloeucalenol–*obtusifoliol isomerase* 122
 cyclohexandiones (CHDs) 266, 270
Cydia pomonella 216, 256
 cypendazole (Folcidin[®]) 114
Cyperus spp. 66, 84
 cyproconazole (Alto[®]) 130
 cyprodinil 148, 149
 cyromazine 14
cystathionine- β -lyase 150
cystathionine- γ -synthase 150

d

Daphnia magna 204, 205
 dazomet 5
 demethylase inhibitors (DMIs) 139
 diazotation 243, 244
 2,3-dichlorobenzaldehyde 156
 diclobutrazol (Vigil[®]) 129
 diclofop 69, 73
 diclosulam 51, 54, 56
 dicyclanil 15
 diethofencarb 113
 difenoconazole 134 135
 difluorobenzodioxole 157
Digitaria sanguinalis 96
 diketonitrile 64
 dimethenamid 11
 dimethirimol 152
 dims 73
 diniconazole (Spotless[®]) 131
 diphenoxybenzene 164
 dodemorph 119, 120, 123, 124
Drosophila melanogaster 201, 254
Dysdercus cingulatus 246

e

Echinochloa spp. 57, 66
 ectoparasiticides 239, 240, 245

electron-withdrawing group (EWG) 44
 emamectin 199, 200, 203
 – benzoate 197, 198, 199, 203, 204
Eotetranychus spp. 230
 epoxiconazole (Opal, Opus) 132, 138, 140, 143, 186
 ergosterol 122, 138
Eriophyidae 230
 etaconazole (Sonax®, Vanguard®) 131, 134
 ethaboxam 5, 6
 ethiprole (Curbix®, Kirappu®) 240, 242, 245
 ethirimol 152

f

famoxadone 167
 fecosterol 122
 fenamidone 167
 fenarimol (Rubigan®) 143
 fenazaquin 226, 227, 228, 230, 234
 fenbuconazole (Enable®, Indar®) 132, 137
 fenpiclonil 156, 157, 158, 160
 fenpropidin 15, 126
 fenpropimorph 119, 121, 122, 123, 124
 fenpyroximate 225, 226, 227, 229, 230
 ferimzone 152
 fiprole insecticides,
 phenylpyrazole-containing 239
 – biological activity 244–245
 – history 239–241
 – mode of action 244
 – structure–activity relationship 246–247
 – synthesis 241–244
 fipronil (FRONTLINE®) 4, 5, 239, 240, 242, 244–245
 fipronilsulfide 242
 five-membered ring system 211, 212, 217–218, 219
 florasulam 51, 53, 54, 57
 fluacrypyrim 170
 fluazifop 71, 72, 75, 77
 fluazifop-butyl 6, 7
 flubendiamide 252
 fluconazole (Diflucan®) 133, 138
 fludioxonil 157, 158, 159–160, 161
 flufenimer 229
 flumetsulam 5, 6, 51, 53, 56
 fluopyram 189
 fluotrimazole 141
 fluoxastrobin 163, 164, 165, 167, 168
 fluquinconazole (Galmano®, Jockey®) 132, 140
 fluridone 14
 flusilazole 131, 133, 137

fluthiacet-methyl 7, 8
 flutriafol (Impact®) 129
 fluxapyroxad 186
 fops 69, 74, 75
Frankliniella occidentalis 204, 205
 fuberidazole 106, 109, 112
Fungi imperfecti 116
 furametpyr 175
Fusarium acuminatum 111
Fusarium culmorum 158
Fusarium oxysporum 160
Fusarium species 106, 112, 140, 186
 Fusilade® 71

g

gaboxadol 9, 11
Gaeumannomyces graminis 140
 γ-aminobutyric acid (GABA) 201, 239, 244
 gibberellic acid 83
 glyphosate, N-(phosphonomethyl)glycine 94

h

halopropionates 71
 haloxyfop 71, 73, 75, 78
Helicoverpa zea 201
Heliothis virescens 254
 Hemipteran pests 251, 258–259, 261
 heterocycles 3–4
 – fine-tuning of physicochemical properties with 6
 – as framework of biologically active compounds 4–6
 – as isosteric replacement
 – of alicyclic rings 11–13
 – of functional groups 8–11
 – of heterocyclic rings 13–16
 – as peptidomimetics 7–8
 – as prodrugs 6–7
 hexaconazole (Anvil®, Planete®) 130
 Hoelon® 69
 hydroquinone 71
p-hydroxyphenylpyruvate dioxygenase (HPPD) 7
 hydroxypyrazole 62, 63

i

imazalil (Fungazil®) 141
 imazamethabenz methyl 88
 imazamox 86
 imazapyr 86
 imazethapyr 85
 imibenconazole (Manage®) 132
 imidacloprid 15, 211, 213, 217

Imidaclothiz 221
 imidazole derivative 7
 imidazolinone herbicides 83
 – biological activity 86–87
 – history 83–85
 – mode of action 86
 – structure–activity relationship 88
 – synthesis 85–86
 imipramine 12
 indole moiety 9
 insecticidal phenylpyrazoles 239
 Insecticide Resistance Action Committee (IRAC) 229, 254
 iodosulfuron-methyl sodium 40
 ipconazole (Techlead®) 131
Ipomea hederacea 96
 isavuconazole 133
 isocyanates 42
 isoguvacine 9
 isopropylamine 27
 isopyrazam 176, 181, 183, 185, 186
 isoxaflutole 7, 8, 64
 isoxapyrifop 76
 itraconazole (Sporanox®) 133

k

ketoenols 266, 277
Kochia scoparia 96

l

Lactuca serriola 96
 leaf-spotting activity 140
 leflunomide 7, 8
Lema oryzae 216
 lepidopteran pests 251, 254–258, 259, 261
Leptinotarsa decemlineata 216
Leptosphaeria nodorum 168
 ligand-gated chloride channels 201
Linognathus setosus 217
Lissorhoptrus oryzophilus 216
Lolium rigidum 34
 losartan 9, 11
Lucilia caesar 229
Lygus hesperous 217
Lygus lineolaris 217
Lymnaea stagnalis 215

m

Macrophomina 186
Macrosiphum species 217
Magnaporthe grisea 152, 155, 168, 170
 maprotiline 12
 Maxforce Prime® 217
 mebendazole 115

mecarbinzide 114
 mecoprop 69
 meloxicam 5, 6
 mepanipyrim 149–150, 150, 151
 mepronil 175
 mesityl acetic acid 268, 270
 mesosulfuron-methyl 40
 metamifop 76
 metazosulfuron 40, 41
 metconazole (Caramba®) 131
 methionine biosynthesis See
 anilinopyrimidine fungicides
 metolachlor 11
 metosulam 54, 56
 metsulfuron-methyl 40, 46
Microdochium nivale 168, 186
 microtubule assembly inhibitors 111, 112
 microtubule poisons 112
 milbemycins 201, 202
 mitochondrial electron transport. See
 pyrazole and pyrimidine acaricides and
 insecticides
Monilinia fructicola 151, 159
Monilinia spp. 159
Monographella nivale 158
 morpholine fungicides 119
 – biological activity 123–124
 – history 119
 – mode of action 122–123
 – structure–activity relationship 124–126
 – synthesis 120–121
Musca domestica 210, 217, 246
 myclobutanil (Laredo®, Systhane®) 131, 137
Mycosphaerella fijiensis 129, 140, 186
Mycosphaerella sp. 151
Myzus persicae 215, 216, 217, 219, 220, 233, 258, 274, 275, 276

n

neonicotinoids 209, 211, 214–219, 272
Nephotettix cincticeps 211, 216, 217, 219, 220, 233
Neurospora crassa 106, 111
N-hydroxyfludioxonil 159
 nicosulfuron 40
 nicotinic acetylcholine receptor. See pyridine
 and thiazole-containing insecticides
Nilaparvata lugens 216, 217, 218, 220, 221, 233
 nitenpyram (Capstar®) 213, 217
 nithiazine 210, 211
 nitromethylene 209, 211, 218, 220
 nizatidine 6, 7

nocodazole 115
 noncompetitive antagonists (NCAs) 244
 N-phenyl-pyrazole carboxamides 225
 nuarimol (Trimidal®) 143
Oligonychus 230
 O-methoxy herbicides 27, 32

o

Onecide® 69
 Optigard™ 217
Oryza sativa 83
Oudemansiella mucida 163
 oxadiazoles 9
 oxazofurin 14
 oxazoles 9

p

Panonychus 230
Panonychus citri 202
Panonychus ulmi 113, 266
 paraquat 4
 parbendazole 114
 pefurazoate (Healseed®) 141
 pempidine 4, 5
 penconazole (Topas®) 131
 penflufen 186, 187
Penicillium 113, 159
 penoxsulam 51, 53, 57
 penthiopyrad 186
Periplaneta americana 254
Phaeosphaeria nodorum 151, 152, 158, 170
Phakopsora pachyrhizi 140
 phenoxyacetic acid herbicides 25
 phenylpyrazole. See fiprole insecticides,
 phenylpyrazole-containing
 phenylpyrrole fungicides 155
 – biological activity 158–160
 – history 155–156
 – mode of action 158
 – structure–activity relationship 160–161
 – synthesis 156–158
 pheophytin 33
Phorodon humuli 216, 276
 phthalide 165
Phyllocnistis citrella 216
Physalospora piricola 160
Phytophthora infestans 152, 170, 187
Phytophthora species, 151
 pilocarpine 14
 pinoxaden 73
 piroxicam 11
 plant systemicity 245
Plasmopara halstedii 151
Plasmopara viticola 168, 187

plastoquinone 64
Plutella xylostella 230, 233, 258
Podosphaera leucotricha 140, 186
 posaconazole (Noxafil®) 133
 postemergence 6, 39, 46, 56–57, 61, 64, 66,
 69, 75, 94, 96
 powdery mildew. See morpholine fungicides;
 triazole fungicides
 prochloraz (Sportak®) 141
 propiconazole (Tilt®) 129, 131, 134
 propyrisulfuron 40, 41, 42
 prothioconazole (Proline, Redigo) 133, 136,
 140, 141
 prothipendyl 11
 protoporphyrinogen-IX-oxidase-inhibiting
 uracil herbicides 91
 – biological activity 94–7
 – mode of action 94
 – structure–activity relationship 97–100
 – synthesis 92–94
 protox herbicides 92, 93, 97
Pseudocercospora herpotrichoides 112, 151
Pseudomonas pyrocinia 155
Pseudoperonospora cubensis 152, 170
p-tolylsulfonfylmethyl isocyanide (TosMIC)
 156
Puccinia 140
Puccinia hordei 125
Puccinia recondita 168, 170, 185, 187
 pyraclostrobin 183, 186
 pyrazosulfotole 66
 pyrazole and pyrimidine acaricides and
 insecticides 225
 – biological activity 230
 – history 225–226
 – mode of action 229–230
 – structure–activity relationship 230–236
 – synthesis 227–229
 pyrazole carboxamide fungicides. See su-
 ccinate dehydrogenase inhibitors (SDHI)
 pyrazole derivatives 4, 5
 pyrazolate 61
 pyrazoxyfen 61
Pyrenophora graminea 158
Pyrenophora teres 140, 151, 168, 185
 pyridaben (Sanmite®, Pyramite®) 229
 pyridazine 13
 pyridine and thiazole-containing insecticides
 209
 – biological activity 215–217
 – history 209–211
 – mode of action 214–215
 – structure–activity relationship 217–221
 – synthesis 211–214

- pyridyloxyphenoxypropionate herbicides 69
- biological activity 75–76
 - history 69–71
 - mode of action 73–75
 - structure–activity relationships 76–79
 - synthesis 71–73
- PyrifenoX (Dorado®) 141
- pyrimethanil 151
- pyrimidifen 226, 228, 229, 230
- pyrimidine acaricides. See pyrazole and pyrimidine acaricides and insecticides
- pyrimidinyl and triazinylsulfonyleurea herbicides 39
- biological activity 46–47
 - history 39–40
 - – metazosulfuron 41
 - – propyrisulfuron 41
 - mode of action 45–46
 - structure–activity relationship 47
 - synthesis 41–44
- pyrimidinylldioxy strobilurins 163
- biological activity 168
 - history 163–165
 - mode of action 165–168
 - structure–activity relationship 169–173
 - synthesis 165
- pyriprole 240, 245
- pyroxsulam 51, 53, 55, 57
- pyrrolidinone peptidomimetic 8
- pyrrolinone 7
- pyrrolnitrin 155, 156, 158
- q**
- quinazoline 170, 234, 236
- r**
- ravuconazole 133
- Reticulitermes* species 217
- Rhizoctonia* 113, 186
- Rhizoctonia solani* 106, 168, 186
- Rhopalosiphum padi* 216
- Rhynchosporium secalis* 123, 140, 151
- Rooting Power™ 186
- rotenone 225, 226
- Ryania speciosa* 251, 252
- ryanodine receptor, pyrazolylpyridine activators of 251
- biological activity 255–256
 - history 251–253
 - mode of action 254–255
 - structure–activity relationships
 - – Cyazypyr™ 258–262
 - – R¹ (6-substituent of the anthranilic ring) 257
 - – R² (4-substituent of the anthranilic ring) 257
 - – R³ (3-pyrazole substituent) 258
 - – R³ (amide residue) 257
 - – R⁵ and A (N-substituted aryl and heteroaryl group) 258
 - – Rynaxypyr® 256–257
 - synthesis 253–254
- Rynaxypyr® 251, 252, 253, 254–257, 259
- s**
- Saccharomyces pastorianus* 114
- saflufenacil 96, 98
- saquinavir 7, 9
- Sclerotinia sclerotiorum* 159, 185
- Sclerotinia* spp. 159, 186
- sedaxane 181, 184, 186
- seed treatment 245
- selenazofurin 14
- Septoria* 140, 188
- Septoria tritici* 132, 140, 168, 185, 187, 189
- Setaria viridis* 96
- sildenafil 14
- silicon-containing compounds 131, 133, 137
- simeconazole (Mongarit®, Sanlit®) 133
- Sitophilus granarius* 246
- S-methyl triazines 27, 32
- Solanum americanum* 96
- Solanum* spp. 56, 57
- Sorghum bicolor* 96
- Sorghum halepense* 96
- spirodiclofen (Envidor®) 265, 266, 267, 269, 271, 272–273, 274
- spiromesifen (Oberon®) 265, 266, 267, 268, 271, 272–273, 274
- spirotetramat (Movento®) 276
- Spodoptera eridania* 203
- Spodoptera frugiperda* 201, 254, 258
- Spodoptera littoralis* 204, 205
- Spodoptera litura* 233
- Spodoptera* spp. 202
- Stellaria media* 96
- sterol biosynthesis inhibitor. See morpholine fungicides
- Streptomyces avermitilis* 197
- S-triazine herbicides 36
- strobilurin 152, 153
- Strobilurus tenacellus* 163
- succinate dehydrogenase inhibitors (SDHI) 175
- biological activity
 - – pyrazole carboxamides 185–187
 - history 175–177
 - mode of action 183, 185

- structure–activity relationships 187–191
- synthesis 177–183
- sufentanil 11
- sulfometuron-methyl (Oust®) 39, 40
- sulfonamide 43–44
- sulfonylurea herbicides 147, 148. See also
pyrimidinyl and triazinylsulfonylurea
herbicides
- sulfoxaflor 213, 217, 220

t

- talipexole 5, 6
- Tapesia* spp. 113
- Tarsonemidae* 230
- tebuconazole (Folicur, Horizon) 130, 135,
136, 140
- tebufenpyrad 225, 227, 228, 230
- tefuryltrione 64
- telinavir 7, 9
- tembotrione 64
- tenoxicam 11
- Tenuipalpidae* 230
- tetraconazole (Eminent®) 132
- tetrahydroimidazothiazole levamisole 5
- tetramic acids 265, 266, 274, 275, 276
- Tetranychidae* 230
- Tetranychus* 230
- Tetranychus urticae* (TETRUR) 113, 204,
205, 229, 230, 231, 232, 234, 235, 266, 270,
271, 272
- tetrazole 9
- tetronic acid insecticides and acaricides,
inhibiting acetyl-CoA-carboxylase
(ACCase) 265
- biological activity 271–273
- history 265–268
- mode of action 269–271
- structure–activity relationship 274–277
- synthesis 268–269
- thiabendazole 109, 112, 113
- thiamethoxam 15, 209, 210, 212, 214, 215,
217
- thifensulfuron-methyl 46
- thifluzamide 189
- thiocyclam 4, 5
- thiophanate 107, 113
- thiophanate-methyl 110
- thiophenes 11, 13
- Thrips tabaci* 216
- Tilletia* 113
- Tilletia caries* 158, 168, 186
- tolfenpyrad 227, 228, 230, 234, 236
- topramezone 66

- triadimefon (Bayleton®) 129, 134, 135, 140
- triadimenol (Bayfidan®, Baytan®) 129,
134, 135
- Trialeurodes* spp. 265
- triarimol 139
- triazine herbicides 23, 28–31
- history 23–27
- mode of action 31–3
- – biological activity 34
- – glutathione conjugation 33
- – metabolic resistance 34
- – point mutation in psbA gene 33
- – structure–activity relationships 34–37
- synthesis 27–31
- triazinobenzimidazole 116
- triazole fungicides 119
- biological activity 140–141
- history 129–134
- mode of action 138–139
- structure–activity relationship 141–143
- synthesis 134–138
- triazolopyrimidine. See acetohydroxyacid
synthase (AHAS), inhibiting
- triazolopyrimidine
- tricarboxylic acid (TCA) 183
- Trichodectes canis* 217
- Trichothecium* 159
- tridemorph 120, 123, 124
- triflumizole (Trifmine®) 141
- trifluoromethylation 242
- 6-trifluoromethyluracil 92, 96
- trimethylsilyliodide (TMS) 178
- triticonazole (Real®) 131

u

- ubiquinol 165–166, 167, 183
- Uncinula necator* 168
- uracil. See protoporphyrinogen-IX-oxidase-
inhibiting uracil herbicides
- Ustilago nuda* 140, 186

v

- van Leusen pyrrole synthesis 156
- vardenafil 14
- Venturia inaequalis* 129, 140, 151, 186
- Vibrance™ 186
- Vibrance Integral™ 186
- voriconazole (Vfend®) 133
- Voronit® 106

w

- Willgerodt–Kindler reaction 86

