

Index

a

- abyssomicins 4–5, 37, 39–41
- acremodiol synthesis 255–256
- acutiphycin synthesis 247, 249
- 3-acyl tetronic acids 2
- Aggarwal total synthesis 214
- agglomerins 2, 11–14
- aigialomycins A–E 276, 303–309
- alantolactone 149
- aldol-type reactions, asymmetric 68–69
- alkylations, asymmetric 72–73
- α -alkylidene- γ - and δ -lactams 187–188
 - and lactones 153–154
 - α -alkylidene- γ -lactones and γ -lactams and β -elimination reaction 184–186
 - α -dialkoxyposphoryl lactones and lactams 172–184
 - 3-alkylidenetetrahydrofuranones 186–187
 - intramolecular Morita–Baylis–Hillman reaction 168, 170–172
 - occurrence, biosynthesis, and biological activities 153
- α -alkylidene- δ -lactones 152–153
- α -alkylidene- γ -lactones 147–152
- 2-alkylidene-4-(5-) hydroxyalkanoates and 2-alkylidene-4-(5-) aminoalkanoates cyclization 154–168
- 2-alkylidene-4-hydroxyalkanoates and epoxides ring-opening 167–168
- 2-alkylidene-4-nitroalkanoates 161–164
- 2-alkylidene-5-oxoalkanoates 164–166
- 3-alkylidenetetrahydrofuranones in α -alkylidene- γ -lactones synthesis 186–187
- alkynes–nitrones cycloaddition, *see* Kinugasa reaction
- allelochemicals 235
- allylations, asymmetric 69–72
- allylboronates 156–161
- altholactone 72
- ambrettolide 231, 232
- amino acids cyclization 115
- amphidinolide X synthesis 257–258
- amphotericin B 232, 233
- anatin 153
- Andrus formal total synthesis 208–209
- annularins 21, 23–24
- ansamycin macrolides 233–234
- antillatoxin 336–337
- antiplasmodial β -lactams 120
- aplyolides 235
- apratoxin A 349, 351–352
- archazolid A synthesis 250–251
- arglabin 149, 152
- arisostatins 4
- artemisitenone 152
- arthrobacin A 229
- aryl hydroxyquinones 6
- α -arylidene- γ -lactones and lactams 168–169
- arylpuruvates 2
- ascorbic acid 1, 2
- asparagamine A 13
- aspergillides 234
- aspulvinones 10–11
- asymmetric (enantioselective) reactions 64, 75–78
 - asymmetric aldol-type reactions 68–69
 - asymmetric alkylations 72–73
 - asymmetric allylations 69–72
 - asymmetric cycloadditions 74–75
 - asymmetric epoxide hydrolysis 73
 - Sharpless asymmetric epoxidations (SAEs) and dihydroxylations 64–68
- atromentin 6
- aurantricholides 9

aureothin 81
 azamacrolides 235, 247
 aztreonam 101, 103

b

Baeyer-Villiger reaction 55
 bafilomycin 233
 balticolide synthesis 242–243
 Barrett's synthesis 309
 batatoside L synthesis 252
 Baylis–Hillman alcohol derivatives 161–167
 biomimetic inspired syntheses 284
 benzylacyloins 9
 biphenomycin B 333–336
 bisorbibutenolide 26, 28–29
 boronolide 63, 64
 Brassard-type dienes 74
 2-bromomethylacrylic acid 155
 Brønsted acid 172, 183
 Buszek total synthesis 204–206
 – alternative synthesis of octalactin A 210

c

carabranolides 149
 carabrol 149
 carbapen-2-em-3-carboxylic acid 133
 carbapenems 133–134
 – biological activity 136
 – synthetic approaches to carbapenem skeleton 134–136
 carbohydrate and related precursors 56–58
 carlic acid 20
 carlosic acid 19–20
 carolic acid 19–20
 carolinic acid 19–20
 cembranolides 150, 151
 cephalosporin 102–104, 124–125
 – biological activity 128–130
 – synthetic approaches to cephalosporin skeleton 125–128
 cephalosporolide D 203–205
 Chakraborty synthesis 222
 chartelline 101
 chiral epoxides 60–62
 chiral hydroxy acids 58–60
 chirons 62–64
 chloptosin 357–360
 chlorothricin 4–5
 chlorothricolide 31, 33, 34
 chondramide C 344, 346
 ciclopiroxolamine 119

ciprofloxacin 119
 Clardy total synthesis 206–207
 clavulanic acid 101, 130–131
 – biological activity 132–133
 – synthetic approaches to clavam skeleton 131–132
 cleistenolide 57
 cochliomycin A 276, 310, 311, 313
 Corey–Nicolaou *S*-pyridyl ester lactonization method 195
 Corey–Winter reaction 15
 Cossy synthesis 211
 crassumolide 150
 cruentaran A 276
 cryptocarya diacetate 61
 curvularin 234
 cyclic peptides 321–332
 cyclocinamide A 332–334
 cyclocitropsides 346–348
 cyclodepsipeptides 321
 cyclopropane 275
 cycloproparadicol 287
 cytochalasans 234
 cytotoxicity 120

d

D-arabinose 57
 Datta synthesis
 – formal 218–219
 – of lactone moiety 214–215
 dendroamide A 342–344, 346
 α -dialkoxyphosphoryl lactones and lactams
 – cyclic α,β -unsaturated precursors 172–174
 – α -diethoxyphosphoryl- δ -lactones, in synthesis of 3-methylene-3,4-dihydrocoumarins 182–183
 – 2-dialkoxyphosphoryl 4-(5-)-hydroxyl and 4-(5-)-aminoalkanoates 174–182
 – lactone frameworks annulations via carbon–carbon bond-forming reactions 184
 5-dialkyl tetronic natural products 25–29
 Dieckmann reaction 42
 Diels–Alder reaction 5, 15, 31, 34, 39, 287, 292, 303
 dienes 74
 5,6-dihydropyran-2-ones 51–52
 – natural dihydropyran-2-ones syntheses 91
 – pyrones
 – – biosynthetic formation 79–81, 90–91
 – – pharmacological properties 78
 – stereogenic centers formation 55–56
 – – asymmetric (enantioselective) reactions 64–78

- – chiral precursors 56–64
- synthetic methodologies 52
- – miscellaneous methods 54–55
- – ring-closing metathesis 54
- – substituted δ -hydroxy acid derivatives
lactonization 52–53
- – substituted dihydropyran derivatives
oxidation 53–54
- dihydrokawain-5-ol 68
- dilactones 6–7
- dilution principle 236
- 4-dimethylaminopyridine (DMAP)
237, 238
- dioxolane phosphorane 8
- diterpene lactones 150–151
- dodoneine 70
- double-activation method 236

e

- β -elimination reaction and
 α -alkylidene- γ -lactones and γ -lactams
184–186
- 2-epibotcinolide 219–222
- epothilone B synthesis 251–252
- epothilones 230
- epoxide hydrolysis, asymmetric 73
- erythromycin 231, 232
- ester-enolate cycloaddition 110–112
- eudesmanolides 149
- exaltolide 231, 232
- ezetimibe 101, 119

f

- fluconazole 119
- fostriecin 66–68

g

- Garcia synthesis 210
- germacranolides 149, 151
- gelegamine 153
- gerberin 80
- gomphidic acid 11
- goniothalamine 61, 62, 73, 74
- goniotriol 75
- Greene protocol 186
- grevillins 2, 8
- griseoviridin 219
- guaianolides 149

h

- halicolactone 215–219
- halipeptins 338–340
- Hatakeyama synthesis 209
- helenalin 149

- heterodienophiles 75
- heterodynes 75
- Holmes total synthesis 207
- Horner–Wadsworth–Emmons (HWE)
reaction 8, 172–183
- howiionol A 56, 57
- Hulme partial synthesis 211–212
- hydroxamates cyclization 116
- 7-hydroxy-4-methylcoumarin 123–124
- hypothemycin 275–277, 298

i

- ionophoric macrolides 233
- ircinianin 5, 35–36
- isoalcholactone 58
- isoanatin 153
- isocoumarin 287
- isodidehydrostemofoline 13
- isomaistemomamine 39
- isostemofoline 13

k

- kapakahines 356–357, 359
- Keck–Steglich DCC/DMAP-HCl activation
method 199–200
- kijanimicin 4–5
- kijanolid 33
- Kinugasa reaction 112–113
- Kitahara total synthesis 216–217

l

- L-783 277 298–302, 304
- L-783 290 304
- L-glutamic acid 63
- β -lactams 101–102, 105–106
 - carbapenems 133–136
 - – biological activity 136
 - cephalosporins 124–128
 - – biological activity 128–130
 - clavulanic acid 130–133
 - – biological activity 132–133
 - monocyclic β -lactams 103–104
 - – cyclization reactions 105–118
 - – cycloaddition reactions 105–115
 - – monocyclic 2-azetidinones biological
activity 119–121
 - – nocardicin A biosynthesis 104–105
 - penicillins 121
 - – and cephalosporin synthesis 102–104
 - – biological activity 122–124
 - – synthetic approaches to penam skeleton
121–122
 - spiro-fused β -lactams 137
 - – biological activity 139–140

β -lactams (*contd.*)

- – chartelline C total synthesis 137
- – chartellines occurrence and structure 137

lactonization methods 194–203

lagunamide A 353–355

Langer's chemistry 11–12

largazole 340–342

lasiodiplodin 276

Le Gall's chemistry 9–11, 13

leptomycins 79

LL-Z1640-2 275, 295–299, 301, 303, 305, 309

lobophorins 4

lovastatin 79

m

macrocyclization and intramolecular Stille coupling 282

macrodiolides synthesis 229, 252

– acremodiol synthesis 255–256

– amphidinolide X synthesis 257–258

– marinomycin A synthesis 258–260

– verbalactone synthesis 254–255

macrolactones, *see* macrolides

macrolactonization protocols 279

macrolides 229–231

– as chemical signals (semiochemicals) 235

– as musks 236

– classification 231–235

– general methods for synthesis 236–241

– macrodiolides synthesis 252

– – acremodiol synthesis 255–256

– – amphidinolide X synthesis 257–258

– – marinomycin A synthesis 258–260

– – verbalactone synthesis 254–255

– macrotriolides synthesis 260–261

– – macrospinelides A, C, E F, G, I, and M syntheses 261–267

– synthesis

– – acutiphycin synthesis 247, 249

– – archazolid A synthesis 250–251

– – azamacrolides synthesis 247

– – balticolide synthesis 242–243

– – batatoside L synthesis 252

– – epothilone B synthesis 251–252

– – oximidine II synthesis 243–245

– – patulolide C synthesis 241–242

– – ripostatin B synthesis 245–246

macrospinelides

– A and E synthesis 261–262

– C and F synthesis 262–263

– G and I synthesis 263–265

– M synthesis 266–267

macrotetrolides 229

macrotriolides synthesis 229, 260–261, *see also* macrospinelides

maistemonamine 39

malic derivatives 20

marinomycin A synthesis 258–260

Martin total synthesis of solandelactone E 212–213

Masamune thioester activation method 197

massarilactone B 21, 23

massoialactone 66, 67, 69, 71

medium-sized lactones 197

– eight-membered lactones

– – cephalosporolide D 203–205

– – octalactins A and B 205–212

– lactonization methods 194–203

– natural eight- and nine-membered lactones 193, 194

– nine-membered lactones total synthesis

– – 2-epibotcinolide 219

– – griseoviridin 219

– – halicolactone 215–219

– solandelactones A–H 212–215

Meldrum acids 122

methylene-3,4-dihydrocoumarins 182–183

α -methylene- γ -lactones 148, 151, 170, 176

methylenolactocin 186

Meyers total synthesis 219

Michael-type Friedel–Crafts reaction 182, 183

Mitsunobu alcohol activation method 199

Mitsunobu inversion 56

modular synthesis, of radicicol and pochonin C 291

Mohapatra synthesis 215

monobactams 103–104

monocyclic β -lactams 103–104

– cyclization reactions 115–118

– cycloaddition reactions 105–115

– monocyclic 2-azetidinones biological activity 119–121

– nocardicin A biosynthesis 104–105

monosaccharides 56

5-monosubstituted tetronic natural products 19–25

Moore's protocol 6–7

Morita–Baylis–Hillman reaction 168, 170–172

Mukaiyama onium salt method 195, 197

multicolanic acid 8

mycalolide 230

n

N-tosylaziridines 168

natural lactones and lactams

- antillatoxin 336–337
- apratoxin A 349, 351–352
- biphenomycin B 333–336
- chloptosin 357–360
- chondramide C 344, 346
- cyclocinamide A 332–333
- cyclocitropsides 346–348
- dendroamide A 342–344, 346
- halipeptins 338–340
- kapakahines 356–357, 359
- lagunamide A 353–355
- largazole 340–342
- sanguinamide B 349–350
- thiocillin I 351, 353
- Nickel-catalyzed ynal 310
- nocardicine 101
- nocardicins 103
- nonactin 229, 233
- noncardicins 101
- nonterpenoid γ -lactones 150–151
- norbadione A 1–2, 11
- Nozaki–Hiyama–Kishi coupling 305

o

- octalactins A and B 205–212
- olivanic acids 133
- oxazepinone ring intermediate 115
- oximidine II synthesis 243–245

p

- p*-nitrobenzoyl-CoA 90
- paecilomycin E 276, 309–312
- palinurin 23–24
- papyracillic acid B 26, 28
- paraconic acids 186
- parasorboside 80
- parthenolide 149
- patulolides 234
- C synthesis 241–242
- PD 113 271 antibiotic 59, 60
- penams, *see* penicillins
- penicillins 102–104, 121
 - biological activity 122–124
 - penicillin acid 1, 2
 - penicillin G 119
 - synthetic approaches to penam skeleton 121–122
- pestalotiopsin A 185
- pesthetoxin 24–25
- pheromones 235
- phomopsolide B 59
- phoslactomycins 79
- picromycin 231, 232
- Pietruszka total synthesis 213–214, 218

- pochonins 276, 292–295
- pochoximes A–C 276
- polyene macrolides 232–233
- polyketide synthases (PKSs) 79–81, 277
- polyoxo macrolides 232–233
- polyporic acid 6
- protolichesterinic acid 186
- pulvinic acids and pulvinones 1–3, 6–11
- Pummerer reaction 63
- pyrenophorin 229
- pyrone 64–66, 75
 - biosynthetic formation 79–81, 90–91
 - pharmacological properties 78

q

- quartromicins 4–5
- quinolidomicins 229

r

- radicol 273, 275, 277, 285–292
- Ramberg–Bäcklund-RCM strategy 308
- Rao total synthesis 204–205
- Rauhut–Currier reaction 172
- RCM 283
- resorcylic acid 234
- resorcylic acid lactones (RALs) 273, 309–315
 - biosynthesis 277
 - chemical synthesis 277–279
 - – aigialomycin D 303–309
 - – historical perspective 273–277
 - – pochonins 292–295
 - – radicol 285–292
 - – RALs with cis-enone groups 295–301
 - – zearalenone 279–286
- ripostatin B synthesis 245–246
- RK-682 20–22
- rotundifolides 24–25
- roxaticine 230
- rugulactone 63

s

- Sabitha total synthesis 205
- sanguinamide B 349–350
- sclerocitrin 1
- seco acids 236, 237, 259
- sesquiterpene lactones 148, 151
- sesterterpenes 5
- Sharpless asymmetric dihydroxylation (SADH) 66, 68, 177
- Sharpless asymmetric epoxidations (SAEs) and dihydroxylations 64–68
- Shiina benzoic anhydride method 200–203
- Shiina total synthesis 203–204, 207–208, 220–221

- solandelactones A–H 212–215
 Spinosad 230
 spinosyn A and D 230
 spiro-fused β -lactams 137
 – biological activity 139–140
 – chartelline C total synthesis 137
 – chartellines occurrence and structure 137
 spirohexenolides 4
 spirotetronates 5
 spirotetronic antibiotics 29–35
 5-spirotetronic natural products 29–41
 Staudinger's ketene-imine reactions 106–110
 stemofoline alkaloids 13–16
 stemonamine alkaloids 35–38
 Still–Gennari olefination 62, 65
 subamolide 150
 supersilyl group 65, 66
 swinholide 229
- t**
 tabtoxin 103, 104
 Takemoto–Tanaka total synthesis 216
 Tang total synthesis 217
 terphenylquinones 2
 tetrocarcin A (TCA) 2, 4–5
 tetrodecamycin 17–19
 tetronasin 2, 41–42
 tetronic acids 1
 – 5-dialkyl tetronic natural products 25–29
 – 5-monosubstituted tetronic natural products 19–25
 – 5-spirotetronic natural products 29–41
 – 5-unsubstituted tetronic natural products 41–42
 – 5-ylidene tetronic natural products 6–18
 – natural occurrence, biological activities, and biosynthesis 1–5
 tetronolide 32, 34, 35
 tetronomycin 5, 13, 15, 41
 thienamycin 133
 thiocillin I 351, 353
 three-component coupling approach 315
- Torii's cyclocarbonylation of allyl halides, with imines 114–115
 6-triazolylpenicillanic acids 123
- u**
 Ugi multicomponent reactions 115
 5-unsubstituted tetronic natural products 41–42
- v**
 variabilin 17
 variegatic acid 2
 verbalactone synthesis 254–255
 vermiculin 229
 versipelostatin 4–5
 vertinolide 25–27
 viridicatic acid 19–20
 vulpinic acid 2, 6, 7
- w**
 wailupemycins 81
 White total synthesis 213
 Wills total synthesis 216
 wistarin 5, 35–36
 Wittig reaction 184
 Wolff rearrangement 106
- x**
 xanthanolides 149
 xerocomic acid 1, 2
 xylene 236
- y**
 Yamaguchi macrolactonization 311
 Yamaguchi mixed-anhydride method 198
 5-ylidene tetronic natural products 6–18
 Ynolide strategies 290, 306
- z**
 (Z) cryptomoscatone 70, 71
 Z-enone 301
 zeaenol 311, 313
 zearalenol 311, 313, 314
 zearalenone 234, 275, 277, 279–286, 311
 zwitterionic intermediate 106