

Index

1G ARLBs 203–205

2G ARLBs 205

3G ARLBs 205–206

a

absorption charge 105

AC//MnO₂ 347–350

accumulators 7, 21

acetylene black 51, 285

Ackermann 1

Actinide 302–303

activated batteries 170

activation principles 170

activities 47, 75

adiabatic mode 8

AEM 299–301

AFC 273

Ageing 37

Agglomeration 34

Ah-efficiency 54

aircraft 9, 170

alcohol 282

alcohol crossover 282

alcohol oxidation reaction 282

Alessandro Volta 1

alkaline fuel cells 261, 272–274

all liquid metal accumulator 254–255

all-copper system 307

all-molten metal accumulator 255

all-organic RFB 303

all-vanadium redox flow battery 294

all-vanadium system 300–301

aluminum-air battery 172

ambient temperature fuel cells

272–273

analytical model 123

Anderson 2

anion exchange membrane 299

anode 23, 73

APOLLO space program 380

aqueous rechargeable lithium

batteries 202–206

aqueous rechargeable sodium

batteries 206–208

available reserves 52

b

backplates 295

backup systems 170

Bacon 260

Bacon-type 273

battery charger 103

battery charging 100–107

battery efficiency 30

battery pack 122

battery tester 87–88

Baur 260

BDM-model 72

Berl-reaction 262

beta alumina 344, 247

BET-measurements 121

BET-method 74

Bi₂O₃ 181

bilayered electrode 270

bioelectrochemical fuel cells 283–284

bipolar membrane 84

- bipolar plate 276, 295
 biporous structure 270
 blackstart capability 8
 Bode plot 115
 Bosch 4
 bridged adsorption mode 264
 bromine 300, 304
 bromine/polysulfide system 300
 Bunsen 260
 Butler–Volmer equation 60–62, 295
- C**
- cadmium 1
cadmium/lead dioxide system 307
cadmium/organic system 305–306
 CAES 8
 capacitors 7
 capacity fading 125
 capillary action 270
 carbon dioxide 4
 carbon oxidation 285
carbon//RuO₂ 346–347
 Carbonyl nickel 270
 Carnot cycle 68, 258
 cathode 73
 CC-CV 104
 cell container 51
 cell impedance 117
 cell performance 66
 cell stack 294
 cell voltage 258
 CEM 84, 276, 300, 301
 cementation 83
 central-sodium 249
 cerium 304
 CERN 8
 Chapman 71
 charge counting device 87
 charge/discharge measurements 92–100
 charger 102
charge transfer 89
 charge transfer current density 60
 charge transfer reaction 56
 charging at constant current 103
 charging at constant voltage 106
- chemical reaction kinetics 55
 chemical reaction 55
 chloranil 305
 circulation pump 296
classification of fuel cells 272
CNTs 321
 Co(OH)_2 363–365
 Co_3O_4 363
 coils 7
 cold combustion 260
 compressed air storage power plants 6
 concentration gradient 56–59
 concentration profile 57, 58
 constant phase element 114
 constant voltage charging experiments 107
 consumer-type primary batteries 27
 convection 57
 conventional capacitors 9
 conversion reaction 49, 77
 corrosion of magnesium 171
corrosion 36, 176, 246, 285
 Coulombic capacity 49, 50
 Coulombic efficiency 259
cracking 34
 cross-over 300, 306
crystal growth 33–34
 cuprous chloride 172
 current density vs. electrode potential curve 88
 current sink 94
 current/potential measurements 88
 current/voltage data 88
 current-potential curve 88
 current-potential relationship 64
 CV 104
- d**
- DAFC 281–283
 daily load leveling 8
 Daniell element 1, 22
 Davenport, Thomas 2
 Davidson, Robert 2
Deactivation 35
 dendritic 76

density functional theory 124
 desalination 84
device deterioration 32
 DFT 124
 diabatic mode 8
 Diesel, Rudolf 4
 differential scanning calorimetry 122
 diffusion coefficient 118
 diffusion layer 57
 diffusion overpotential 65
diffusion 62
direct alcohol fuel cell 281–283
 direct electron transfer 283
 direct methanol fuel cell 281
dissolution 33
 double skeleton electrode 270
 double-layer charging 25
 DSC 122
 dunk type 171
 dynamoelectric principle 2

e

EASA 122
 EDLC 120
 electric current density 55
 electric railways 9
 electric torpedoes 171
 electrical model 123
 electrocatalytic effects 60
 electrochemical capacitor 313
 electrochemical double layer capacitor 120
 electrochemical flow capacitor 310
 electrochemical performance 225
electrochemical processes 21–38
 electrochemical quartz crystal microbalance 121
 electrochemically active surface areas 122
 electrochemically active surface 109
 electro-dialysis 84
 electrolyzers 7
 electrolytic water splitting 262
 electromotive force 44

electroneutrality 21
 emeraldine 336
 emergency lighting 192
 EMF 44
 EMITSFI 338
 end-of-life 85
 end-of-lifetime 37
 end-on interaction 265
 energy densities of selected energy storage materials 15
 enthalpy 39
 entropy 44, 258
 enzyme 283
 EoL 85
 Epsom salt 37, 183
 EQCM 121
 equivalent circuit of a battery 116
 equivalent circuit 114
 equivalent series resistance 96
 escape lights 170
 ESR 96, 116, 321
 European Community 53
 evaporation 7
 expanders in lead-acid batteries 34
 extraction 85

f

fading mechanisms 125
 Faradaic current 120
 Faradaic efficiency 259
 Faradaic reaction 21
 Faradays law 55
 flat cell 287
 float charging 105
 flooding 279
 flow batteries 7, 293–311
 flow distributor 295
 flow field 295
 flywheel 6, 8
 forced flow 295
 fossil fuel xi
 fouling 303
 Franklin, Benjamin 23, 128
 free energy 39

- free enthalpy 39–41
 fuel cell-powered locomotive 288
 fuel cells 21, 75, 257, 260, 268
fuel cells in energy storage systems
 289–291
 fuel flexibility 286
 functional group 25
- g**
 galvanostat 94
 galvanostatic intermittent titration technique 117–119
 gas adsorption measurements 121–122
gel polymer electrolyte 225, 238, 317, 373
 Gemini spacecraft 275
 Gibbs energy 39, 43, 257, 259
 Gibbs equation 39
 GITT 117–119
 Gouy 71
 Grahame 71
graphene 322–326
 graphite intercalation compound 73
graphitic carbon 217–220
 graphitization 285
 gravimetric charge density 48
 grid-related storage 10
 grid-supporting storage 85
 Grove, W.R. 260
 Guggenheim scheme 44, 46
 gyrobus 8
- h**
 half cell 63
 hard crystals 33
 heat sink 258
 heat source 258
 heating purpose 288
 Helmholtz 71
 HER 267
 heterogeneous rate constant 55, 294
 heterogeneous reactions 55
 Heyrovsky reaction 267
 high power activated batteries 173
- high temperature solid oxide fuel cell**
 286–287
high-temperature systems 175, 247–255
 hole-conductor 71
 HOMO 124
 HOR 267
 hospitals 9
 host materials 77
 hybrid batteries 26
hybrid capacitors 314–316, 351–377
 hybrid device 25
 hydrate isomerism 293
 hydrogen economy 16
 hydrogen electrode 47, 267–268
 hydrogen evolution 267
 hydrogen oxidation 267
 hydrogen peroxide 262, 265
 hydrogen sulfide 284
 hydrogen/oxygen cell 258
 hydrogen/oxygen fuel cell 22
 hydrophilic material 269
 hydropower 4
- i**
 ICP 326, 335–336
 IEC norm 60086-1 27
 impedance measurements 87, 111
 impedance of a battery 114
 indirect methanol fuel cell 281
 inner-sphere 59
inorganic solid electrolytes 239–240
 integrated electrolyser and fuel cell 289
intercalation compound 25, 370
 intercalation/deintercalation 49
 interface 55–57
intermediate temperature fuel cell
 284
 internal combustion engine 4, 288
intrinsically conducting polymers
 326, 335–336
 ion-conducting glass 83
 iron/cadmium system 299
 iron/chromium system 289–299

iron/vanadium system 299
IU-charging 104

j

Jenatzy 2
Joule heating 45, 274
Jungner, Waldmar 1

k

Kettering 4
kinetic data 61
kinetics 55
Krüger 3

l

laminar flow 303
 LaNi_5 1, 195
lead dioxide-carbon ultracapacitor 25
Lead/acid batteries 30
lead/lead dioxide system 306–307
lead-acid accumulator 51, 306
lead-acid battery 23, 30, 36, 38, 58, 63,
 72, 162, 176, 178, 179, 184–187,
 193, 199, 228, 362, 389–391, 401,
 402

Li//air batteries 242–244

Li//S batteries 230–232

Li//Se batteries 234

$\text{Li}[\text{Ni}_x\text{Co}_y\text{Mn}_{1-x-y}] \text{O}_2$ 367

Li_3VO_4 147

$\text{Li}_4\text{Ti}_5\text{O}_{12}$ 217, 219–220, 358

life vests 170

LiFePO_4 214

life-rafts 170

LiMn_2O_4 213, 369

linear scan and cyclic voltammetry
 107–110

linear sweep voltammetry 107

$\text{LiNi}_{0.5}\text{Mn}_{1.5}\text{O}_4$ 369

LiNiO_2 210

lithiation 23

lithium intercalation (insertion)
 compounds 202

lithium ion batteries 208

lithium superoxide 43

lithium/LiFePO₄-system 308

lithium carbonate 53

Lohner-Porsche 2

lower heating value 258

LSV 107

LUMO 124

m

main line railcars 4
Maxwell relations 443
MCFC 272, 285–286
MEA 270, 275–277, 309
measurement of electrode kinetics 64
mechanism of self-discharge 31
mediated electron transfer 283
membrane 35
membrane-electrode assembly 270,
 275–277

MET 283

metal-air batteries 261

metal-to-ceramic seal 250

methanol 282

Mg batteries 235

microscopies 122

migration 57

MnO_2 39, 40, 49–51, 74–76, 127–133,
 135, 140, 141, 143–145, 150,
 157, 163–165, 175, 191, 206,
 207, 210, 264, 265, 308, 326,
 330–335, 339, 348, 350–352,
 371–373, 377

modeling 111, 123–126

module 122

molten carbonate electrolyte 260

molten carbonate fuel cells 285–286,
 288

MoO_3 354, 360

multicycle cyclic voltammetry 108

n

Na//air batteries 244–245

Na//S batteries 233–234

NASICON 239, 247

n-conductor 71

NDE 171

- n-doped** 71
negative difference effect 171
negative electrode 73
neptunium 302
Nernst diffusion impedance 113
Nernst diffusion layer 57, 113
Nernst element 113
Nernst equation 58, 258, 264
Nernst impedance 113
Nernstian diffusion layer thickness
 63
Neumann 1
Ni(OH)₂ 365–367
Ni–Cd battery 189–193, 196
 nickel chloride cell 254
 nickel foam electrode 109
 nickel/chrome alloy anode 285
 nickel-cadmium accumulators 33
 NiMH-accumulator 84
 NMR 121
Nonaqueous metal-air batteries
 168–170
 Nonaqueous RFB 303
 Nonaqueous secondary battery systems
 208
 non-spinning 12
 Nyquist-plot 111, 115
- o**
OER 246, 261
 ohmic overvoltage 64
 operating reserve 9
 order of the reaction 55
organic liquid electrolyte solutions
 220–223
ORR 245, 261
 Ostwald, Wilhelm 259
 Ostwald ripening 33, 306
 Otto, Nikolaus 4
 outer-sphere 59
 overall efficiency 288
overpotential 56, 59–62
oxygen electrode 261–267
 oxygen evolution reaction 246, 261
 oxygen reduction reaction 246, 261
- p**
PAFC 284–285, 288
PANI 324, 335
 paper-based cells 80
Parasitic reactions 30
 partial pressure 47
 partial reactions 40
 passivated electrode 100
 passivating layer 176
passivation 35
 Pauling, L. 265
p-conductor 71
p-doped 71
 peak oil 4
 peak shaving 4–5
PEMFC 261, 273–281
 perfect gas equation 46
 permselectivity 303
 pernigraniline 337
 peroxide decomposition catalysts 265
 peroxide pathway 265
 peroxide 263
 Peukert coefficient 123
 Peukert equation 65, 94, 123
 Peukert numbers 66, 67
 phase diagram 248
phosphoric acid fuel cell 261, 284–285
 photovoltaic xi
PITT 117–120
Planté 1
 platinum agglomeration 285
 platinum-ruthenium alloy 283
 poisoning 280–282
polyaniline 324, 335
polymer electrolyte membrane fuel
 cells 261, 273–281
 polymer-bonded graphite material 294
 polyparaphenylene 335
 polypyrrole 324, 335
 polysulfide 247, 250, 300
 polytetrafluoroethylene 274, 299
 polythiophene 335, 342
 polyvinylferrocene 335
 porous nickel cathode 285
 Porsche 2

- positive mass 73
 potential electrolyte 71
 potentiostat 90, 107
potentiostatic intermittent titration technique 117–120
 Pourbaix-plot 47
 power capacitor 313
 power outages 6
 power quality 5
 PPP 335
 PPy 341, 353
 PQ 382
 primary metal-air cells 51
 primary operating reserve 12
 primary systems 21, 127–173
 PS 296
pseudocapacitors 326–351
 PTFE 299
 PTFE-bonded platinum-carbon electrode 270
 PTFE-membrane 303
 PTh 342
 pulsed current charging 104
 pump storage power plants 6
 PVF 335
 pyrotechnic devices 170
- r**
 radar plots 69
 Ragonne plots 66, 68, 69
 RAM 24
 Randles circuit 111, 112
 Randles equivalent circuit 112
 Raney nickel 269, 270
 RAPS 9
 Rasmussen 2
 reactant 22
 reaction enthalpy 44
 reaction kinetics 40
 rechargeable metal-air system 51
reconditioning 36–37
 recuperation 9
redox couples 343–346
 redox flow battery 75, 125, 298
 redox fuel cell 293
 redox shuttle 283
 reference electrode potential 88
 regenerative fuel cells 7, 310
rejuvenating 36–37
 remote area power supply 9
 rescue lights 170
 reserve batteries 32, 170
restoring 36–37
 reversible fuel cell 289
 RFCS 289
 Ruben-Mallory-cell 80
RuO₂ 315, 326–329, 346, 347, 349, 350, 373
- s**
 salinity 171
 scanning electron microscopy 122
 Schlecht 1
 Schmid 260, 270
 Schönbein 260
seawater-activated batteries 171–173
 second Wien effect 84
 secondary operating reserve 11
 secondary system 21, 175
 SEI 31, 125
 selectivity 83
 self-discharge 30, 31, 69, 122, 170, 175, 246, 250
 SEM 122
 semicharged state 337
 semiconductor 71
 separation technology 303
 separator 184, 223, 270, 303
separator damage 35
 shelf time 30
 short-circuiting 45
 side-on dioxygen interaction 264
 single cycle cyclic voltammetry 108
 size-exclusion membrane 305
 size-exclusion 303
 Slaby 2
 SLI 9, 188
smart grids 382
SmCo₅ 1
 SOC 87

- sodium pentasulfide 248
 sodium tetrachloroaluminate 252
 sodium-nickel chloride battery 250
 sodium-sulfur battery 247–250
SOFC 286, 288
solid electrolyte 238, 260
 solid electrolyte interface 125
 solid electrolyte interphase 31
 solid ion conductor 71
solid lithium ion batteries 238–240
 solid oxide fuel cells 261, 272
 solid polymer electrolyte membrane fuel cells 272
 solid-state nuclear magnetic resonance 121
 SOMO 124
 SPECS 119–121
 spider plots 69
 spinning reserve 12
 SSCAES 8
 stack 295
 standard cell voltage 41
 standard conditions 39
 standard state 41
 starter battery 23
 state of charge 87
 steam engine 260
step potential electrochemical spectroscopy 119–121
 Stern 71
 stockholm convention 46
 Stratingh 2
structural changes 35–36
 substrate 349
 subway systems 9
 supercapacitors 9, 21–26, 342
 superoxide 263
 surface tension 270
 sustainability profile 13
 symmetry factor 60
- t**
 Tafel-equation 62
 Tafel-plot 62
 Tafel step 267
- taxonomy 298
 TEM 122
 tertiary operating reserve 11
 tetrabasic lead oxide 180
 tetrabasic modification 179
 tetrachlorohydroquinone 346
 tetrachloro-*p*-benzoquinone 305
 tetracyanoethylene 250
 Thales of Milet 1
 theoretical efficiency 258
 thermal conversion processes 41
 thermal measurements 122
 thermal runaway 125
 thermocompression bonding 250
 thermodynamics of electrochemical systems 39
 thermoneutral cell 257
 Thevenin equivalent circuit model 123
 thionyl chloride 51, 153
 three phase boundary 269
TiO₂ 356
 torpedos 171
 traffic supervision and control 9
 transfer coefficient 60
 transfer function 116
 transition metal chlorides 251
 transmission electron microscopy 122
 tribromide anion 300
 trickle charge 104, 105
 Trouvé 2
 true electrolyte 71
 tubular cell 287
 turbulent flow 295
- u**
 UltraBattery 25
 ultracap 1
 uninterruptible power supplies 9
 upper heating value 258
 utilization of active masses 53
- v**
V₂O₅ 351–364
 van't Hoff's reaction isotherm 47
 vanadium/bromine system 301–302

vanadium-dioxygen system 308–310
vanadium solid-salt battery 308
volatile sources 5
Volmer reaction 267, 268
voltage delay 97, 140
voltage drop 97
Volta-pile 1
volume change 34, 77
volumetric charge density 48
VSSB 308

W

Warburg diffusion impedance 113
Warburg element 113
water electrolyser 12
water splitting 261
water treatment 84
Werner (von) Siemens 2

wettability 75
Wh-efficiency 54
wind xi
working electrode 88

Z

Zebra battery 250
Zeolite Battery Research Africa
250
Zero Emission Battery Research Activity
250
zinc air battery 260
zinc/bromine system 304–305
zinc/cerium system 304
zinc/nickel system 307–308
zinc/organic system 305
zinc/PbO₂-battery 2
Zn//air batteries 245

