

Subject Index

a

acepentalene 387
 acetophenone 372
 acetylene-extended cross-conjugated systems
 – radiaannulene frameworks 329, 331–333
 – radialenes 328–329
 – tetrathiafulvalenes 326–328
 acyclic [3]dendralenes 417–422
 acyclic [3]-1-oxadendralene 44, 46
 alkylidene cyclopentenes 262
 all-*E*-7,8,9,10,11,12-hexabromo[6]radialene
 79, 100, 109
 all-*(E)*-7,8,9,10,11,12-hexamethyl[6]radialene
 98, 99
 allenyl alkenyl ketones 67, 68
 allenyl vinyl ketones
 – interrupted Nazarov cyclization 76, 77
 – Nazarov cyclization 64
 amino acid-derived carbotriene, DTHDA
 cycloaddition of 55
 amino-migration reaction 195
 amphilectene 22, 435
 annulenoid TTFs 324
 anthraquinone-extended tetrathiafulvalenes
 339–340
 [2-arylamino-4(*1H*)-pyridinylidene]
 propanedinitrile synthesis 295
 [3]-1-azadendralene 50, 51
 [3]-3-azadendralene 47, 48, 50
 azadiene Diels–Alder
 cycloaddition 257, 258
 azafulvenes 147, 222–223
 azaheptafulvenes 234–235
 azapolycycles 265
 azulene 146, 228–230, 385
 azuleneindoles 278, 279
 azulenol synthesis 277, 278

b

Barton's double extrusion diazo–thione
 coupling method 180, 182
 Beckmann rearrangement 157
 benzannulated Chichibabin hydrocarbon 183
 benzannulation 145
 benzene-extended TTFs 352, 353
 benzofulvalenes
 – asymmetric 182–183
 – symmetric 178–181
 benzotriafulvenes
 – reactions of 149–150
 – synthesis 149
 benzoxathiins 255, 256
 Bergman and Myers–Saito cyclizations 166
 bicyclo[2.2.2]octanediones 254, 255
 2,2'-bi[5-(1,3-dithiol-2-ylidene)-1,3,4,6
 tetrathiapentanylidene] (BDT-TTPY) 313
 biferrocenylene 381
 1,2-bis(cyanoimine)croconate 129
 1,2-bis(dicyanomethylene)croconate 129
 1,3-bis(cyanoimine) croconate 129
 bis(trimethylsilyl)cyclopropabenzene 149
 bis(dialkylamino)cyclopropenyliidene 161
o,o'-bis(aryl-carbonyl)diphenylacetylenes
 191
 bis(pentemethylcyclopentadienyl)(η^3 -
 trimethylenemethane)zirconium 370
 bond length alternation (BLA) indexes 329,
 331
 boron dipyrromethanes (BODIPYs) 148, 227
 branched aminosugars 55–56

c

calicene 149
 carbaporphyrinoids 190, 201–202
 carbonyl compounds, olefination of 149
 carbopalladation cascade reaction 195

- carbosquarate 129
 - cascade reaction 306–307
 - C2–C3 alkenylation reactions 17–25
 - charge-transfer (CT) absorptions 349
 - chiral phosphine-catalyzed enantioselective
 - DTHDA cycloaddition 50
 - chiral [3]substituted [3]dendralene 418
 - [*n*]circulenes
 - bond lengths 108
 - synthesis 106–107
 - cis*-bis(dicyanomethylene)squarate 135, 136
 - corannulene 148
 - coronene 107
 - Coulomb repulsion 301
 - croconate oxocarbons
 - chemical representation 118
 - coordination modes 124–126
 - crystal engineering 128
 - electronic spectra 119
 - infrared vibrational techniques 120
 - Raman vibrational techniques 120
 - croconate violet 131, 132
 - cross-conjugated π systems
 - acepentalene complexes 387–389
 - azulene complexes 385–386
 - fulvalene complexes 380–385
 - fulvene complexes 372–380
 - pentalene complexes 387–389
 - trimethylenemethane complexes 365–372
 - cyclic bicalicene 149, 151–152
 - cyclic cross-conjugated systems 109, 346, 410
 - cyclic [3]dendralenes 422–427
 - Peterson-type olefination reaction 25, 26
 - rhodium(I)-catalyzed synthesis 18
 - Vilsmeier salt 30
 - cyclic [3]-1-oxadendralene 44, 45
 - cyclic voltammetry (CV)
 - dendralenes 303
 - extended TTFs 343, 344
 - fulvenes 185
 - organometallic iron complexes 345
 - radialenes 97
 - cycloaddition reactions
 - pentafulvenes
 - – [2+2] 250–251
 - – [2+3] 251–253
 - – [2+4] 253–258
 - – [2+8] 258, 259
 - – [4+3] 266–267
 - – [6+2] 267–269
 - – [6+3] 269–277
 - – [6+4] 277–279
 - radialene, [4+2] addition of 103
 - [2+2] cycloaddition–retroelectrocyclization (CA–REC) reaction 185
 - 1,2-cyclo[3]dendralene
 - DTDA sequence 425
 - intramolecular DA reaction 425, 426
 - 1,3-cyclo[3]dendralene 426, 427
 - 2,3-cyclo[3]dendralene
 - DTDA sequences 423
 - intra/intermolecular DTDA sequence 424
 - 2,5-cyclo[4]dendralene 431
 - 1,1-cyclo[3]dendralenes 421, 422
 - 1,4-cyclo[3]dendralenes
 - DTDA sequence 423
 - *in situ* generation 423
 - 3,3-cyclo[3]dendralenes 422
 - 2*H*-cyclohepta[*b*]furan-2-one 230
 - cyclopenta[*b*][1,4]benzodioxins 254, 255
 - cyclopenta[*b*]chromenes
 - 1,3-diketones 255, 256
 - cyclopenta[*c*]chromenes 271, 272
 - cyclopenta[*c*]pyran derivative 175, 199, 200
 - cyclopenta[*c*]quinolines 271, 272
 - cyclopentadienone (CPDN) 205–207
 - decarbonylation reaction 210–211
 - synthesis by [2+2+1] reactions 212–215
 - synthesis by [3+2] reactions 215–216
 - synthesis by [4+1] reactions 211–212
 - synthesis by ring closure reactions 216–219
 - synthesis with acetylenic bonds 209–210
 - tetracyclone derivatives 146, 147, 207–209
 - cyclopentadienone acetals (CPDNAs) 155–156
 - cyclopentadienylcobalt complex 390–391
 - cyclopenta[*d*]pyridazines 178, 277
 - 5-cyclopentylidene-cyclopenta-1,3-diene 254, 255
 - cyclopropenium activation approach 157
 - cyclopropenone acetals (CPNA) 152
 - cyclopropenone imides 159
 - cyclopropenones (CPNs)
 - structures 146, 147
 - synthesis 152–154
- d**
- DA chemistry *see* Diels–Alder (DA) chemistry
 - decalin 414
 - decamethyl[5]radialene 97
 - dehalogenative cyclotrimerization 86
 - dehydro-Diels–Alder reactions 218

- delatate oxocarbons 118, 119, 129
- dendralenes 28, 328–329, 414
 - alternating DA reactivity 414, 415
 - DTDA cascade 428, 429, 432
 - first synthesis 31
 - longest-wavelength absorption maxima 349
 - lowest energy conformations 415
 - organocatalyzed DTDA sequence 430
 - prototypical DTDA chemistry 428
- [*n*]dendralenes 302–305
- dendralene synthesis
 - C1-C2 alkenation reactions 15–17
 - C3-C3' alkenation reactions 25–28
 - C2-C3 alkenylation reactions 17–25
 - C-H activations 23, 24
 - cross-coupling syntheses 21
 - cycloaddition/ring-opening reactions 9
 - from dendralenes 28–31
 - double addition/elimination reactions 10, 11
 - double alkenylation approach 2
 - double cross-coupling approaches 2–5
 - double Wittig olefinations 10, 11
 - enyne metathesis reaction 4–6
 - fourfold Stille cross-coupling approach 3–4
 - functional group interconversion reactions 31
 - Knoevenagel condensation 27
 - Ma group multibond forming processes 12, 13
 - metal-catalyzed enyne metathesis 7
 - methylenation/olefination reactions 9–10
 - Pd-catalyzed cascade reactions 10–12
 - Peterson-type olefination reaction 26–28
 - Rh(III)-catalyzed allene alkenylation 24
 - Rh(I)-catalyzed hydrovinylation 24–25
 - ruthenium-catalyzed cascade transformations 14
 - sp²-sp² bond-forming reactions 22
 - Suzuki-Miyaura cross-coupling reaction 19, 21
 - thermal isomerization synthesis 23
 - titanium-mediated cascade transformations 14, 15
 - transition-metal-catalyzed cycloisomerization reactions 18
 - transition-metal-catalyzed reactions 13
 - uncatalyzed metathesis reactions 7–9
- dendralene-type TTF analogs
 - DT [*n*]dendralenes analogs 305–307
 - [*n*]dendralenes with DT units 302–305
 - thienylene-inserted DT[*n*]dendralene 307–312
 - tris-fused TTF analogs 313–314
- density functional theory (DFT) 110, 208, 235, 313, 371, 385, 389
- dialkoxy trimethylenemethane 155
- diaminotetrol 55, 56
- diazocyclopentadiene 147
- dibenzo-annulated radiaannulene compounds 329
- dibenzoisobenzofuran (DPIBF) 150
- dibenzopentalenes 191–196
- dichlorodicyano-*p*-benzoquinone (DDQ) 165
- 6,6-dicyanofulvenes 183–186
- dicyanomethylene-substituted oxocarbons 138
- Diels–Alder (DA) chemistry 253
 - 6-arenyl fulvene 253
 - fulvene exchange 262, 263
 - intramolecular reaction 420
 - radialenes 435–440
- diene-transmissive Diels–Alder (DTDA) reactions
 - acyclic [3]dendralenes 417–422
 - cyclic [3]dendralenes 422–427
 - enantioselective sequence 419
 - monocyclic [3]dendralenes 416
 - prototypical sequence 414
 - target-orientated synthesis 433–435, 441
- diene-transmissive hetero-Diels–Alder (DTHDA) reactions
 - azatrienes 46–51
 - dioxatrienes 51–52
 - heterodienophiles 52–56
 - merit and potential of 40
 - oxatrienes 42–46
 - quassinoid frameworks 45
 - skeletal diversity-oriented cycloaddition 55, 56
 - thiatrienes 41–42
- diethynylethene (DEE) 326
- differential conductance 401
- differential pulse voltammetry (DPV) 321
- dihydroacepentalene complexes 390
- dihydroazulene/vinylheptafulvene (DHA/VHF) system 226
- 1,5-dihydropentalene, DTDA sequence of 427
- 1,2-dihydropentalenes 267–269
- syn*-diiodoindenofluorenedione 196
- dilithium acepentalenediide 389
- di(β-styryl)methanimines 46, 47

- 6-dimethylamino-6-(2-thienyl)fulvene 166
N,N-dimethyl chlorocarbamate (CICONMe₂) 164
N,N-dimethylformamide (DMF) 164
 [3]-1,5-dioxadendralenes 51, 52
 distorted tetrathiafulvalene vinylogs (TTFVs) 303
 1,3-di-*tert*-butyl-6-chloropentafulvene 196
 1,3-dithiafulvalenes 186–187
 dithiafulvene (DTF) 338–341
 dithiafulvene-dendralenes
 – cascade reaction synthesis 353–354
 – longest-wavelength absorption maxima 352–353
 dithienylethene photoswitch 357
 1,3-dithiole (DT) 301
 – acetylene-extended radialenes with 328–329
 – [4]- and [6]radialenes with 315–317
 – annulenoid TTF 324
 – DEE 326
 – dendralenetype polymer with 301–302
 – [*n*]dendralenes analogs 305–307
 – [*n*]dendralenes with 302–305
 – radialene-type TTF analogs 314–315
 – [5]radialene with 317–320
 – thienylene-inserted [*n*] dendralenes 307–312
 – tris-fused TTF analogs 313–314
 1,3-dithiol-2-ylidene compounds 301–302
 1,2-dithiosquarate 129
 1,2-dithiocroconate 129
 1,1-divinylallene
 – DTDA cascade 419
 – synthesis 17
 divinyl ketones 62
 donor–acceptor system 351–352, 354–355
 DTDA reactions *see* diene-transmissive Diels–Alder (DTDA) reactions
 DTHDA reactions *see* diene-transmissive hetero-Diels–Alder (DTHDA) reactions
 DT [*n*]dendralenes analogs 305–307
- e**
 electrocyclization reactions 8, 59
 – bicyclic bridgehead ketones 75
 – [4]dendralenes 8
 – dithienylethene photoswitch 357
 – torquoselectivity 65
 electron-withdrawing/electron-donating substituents 409–410
 1*E*-substituted [3]dendralenes 30
- ethynylated 2*H*-cyclohepta[*b*]furan-2-ones 231
 expanded cross-conjugated systems
 – charge-transfer (CT) absorptions 349–350
 – dithiafulvene-dendralene oligomer synthesis 353–354
 – dithienylethene photoswitch 357
 – donor–acceptor systems 351–352
 – electron transport 355–356
 – extended tetrathiafulvalenes and dithiafulvene-dendralenes 352–353
 – hydroquinone–quinone redox switch 357–358
 – *meta*-versus *para*-anchoring 356
 – nitrophenolates 350–351
 – OPE5-TTF cruciform redox switch 358–359
 – photoinduced charge separation 354–355
 – redox centers, communication
 – – expanded radiaannulenes and radialenes 346–348
 – – with identical electron-donating groups 341–342
 – – mixed valence (MV) species 341–342
 – – organic redox centers 342–344
 – – organometallic redox centers 344–346
 – TTF and DTFs
 – – anthraquinone-extended 339–340
 – – dithiafulvene oxidation 339
 – – oxidation 338–339
 extended tetrathiafulvalenes 352–353
- f**
 femtosecond pump–probe experiments 226
 flash vacuum pyrolysis (FVP) 150, 203–207, 221
 fluorenone 147, 216, 218
 Friedel–Crafts reaction
 – alkylation 77
 – biarylcarboxylic acids, ring closures of 216, 217
 – trichlorocyclopropenium cation, arylation of 154
 fullerene fragments 190–191, 202–205
 fulvalenes 145
 – biruthenocene, oxidation reactions of 383, 384
 – cyclovoltammetry 383
 – diiron system 385
 – dimolybdenum complex 384, 385
 – metallocene-derived complexes 381
 – molybdenum complexes 382
 – titanium complexes 382

- fulvenes 145, 338
- cycloaddition reactions 249, 377–378
(*see also* cycloaddition reactions)
 - electrochemical reduction 378
 - heptafulvene complexes 379–380
 - heptafulvenes (*see* heptafulvenes)
 - isobenzofulvene complexes 379
 - pentafulvalenes (*see* pentafulvalenes)
 - pentafulvenes (*see* pentafulvenes)
 - titanium complexes 375, 376
 - triafulvenes 148–149
 - benzotriafulvene 149–150
 - heterotriafulvenes (*see* heterotriafulvenes)
 - triafulvalene 150–152
 - tricarbonylchromium complex 373
 - tricarbonyliron complex 374
 - Ziegler–Hafner azulene synthesis 145–146
- fused ring cyclooctanoids 274, 275
- h**
- Hafner azulene approach 164
- halodendralenes 30
- haptotropic rearrangements 380
- heptafulvenes
- azulene synthesis 228–230
 - 8-cyano-8-(methoxycarbonyl)heptafulvene reaction 284, 285
 - [8+2]cycloaddition reactions 280–282
 - dihydroazulene/vinylheptafulvene (DHA/VHF) system 226–228
 - electron-deficient 8-cyanoheptafulvenes reaction 284, 286
 - heptafulvalene reaction 280, 282
 - heptapentafulvalene reaction 280, 282
 - nucleophilic addition 284
 - reaction with electrophiles 230–233
 - sodium cyclopentadienide reaction 284
 - synthesis of 146, 226–228
 - tetrahydroazulene 283
 - tetrahydrocyclohepta[*g*]quinazoline 283
- [3]heterodendralenes
- DTHDA reaction 40
 - and [4]heterodendralene structures 39–40
- hetero-Diels–Alder reaction 257, 258
- heterodienophiles 52–56
- heterofulvenes 147
- azafulvenes 222–223
 - phosphafulvene 224–225
 - silafulvene 223–224
- heteroheptafulvenes 233–235
- azaheptafulvenes 234–235
 - thiatropone 233–234
- heterotriafulvenes
- CPNs (*see* cyclopropenones (CPNs))
 - cyclopropenone imides 159
 - phosphatriafulvenes 160–161
 - silatriafulvenes 161–162
- hexacyano[3]radialene 83
- hexadecyano-Diels–Alder (HDA) reaction 41, 43–44, 50, 219
- hexaethyl[6]radialene 99
- hexakis(1-butyl-1,4-dihydropyridin-4-ylidene)cyclohexane 104
- hexakis(trimethylsilylethynyl)[3]radialene 84, 85
- hexamethyl[3]radialene 86, 88
- hexamethyl [6]radialene 439
- hexa-*peri*-hexabenzocoronene (HBC) 148
- hexaphenyl[3]radialene 84, 85
- hexa(2-pyridyl)[3]radialene 89
- hexa(methoxycarbonyl)[3]radialene 83
- hexathiorhodizonate 129
- highest occupied molecular orbital (HOMO) 60, 208, 349–352, 402–403
- hybrid radiaannulene 332
- hydroquinone–quinone redox switch 357–358
- i**
- indacene 146, 196–198
- indanones 273, 274
- indenes 273, 274
- indenone 147, 216
- interrupted Nazarov reactions
- cascade cyclizations 73–74
 - [3+2]cycloaddition 74–75
 - [4+3]cycloaddition 75, 76
 - intermolecular trapping 75–78
- intramolecular Diels–Alder (IMDA) cycloadditions 260, 261, 289, 291
- intramolecular Pd-catalyzed C–C coupling reaction 87
- inverse electron-demand HDA reaction 48–49
- iridium phosphine complexes, [IrCl(CO)₂(PPh₃)₂] 214
- (–)-isoclavukerin A 371, 372
- isothiocyanates affords iminocyclopentadienes (ICPDs) 211, 213–215
- k**
- kempene 260, 261
- Knoevenagel condensation 27, 184, 255

I

- Lawesson's reagent 41, 179–180
- lithium naphthalenide (Li-Naph) 165, 191
- lithium tetramethylpiperidine (LiTMP) 165
- loganigenin 250, 251
- lowest unoccupied molecular orbital (LUMO) 208, 349–351, 402–403, 407–408

m

- merrilactone A 71–72
- metal-catalyzed cycloisomerizations 17–18
- metallocene-derived bis(fulvalene)dimetal complex 381
- methylenecyclopropene *see* triafulvenes
- mixed valence (MV) species 341, 345, 346
- Mizoroki–Heck/DA reactions 422
- molecular electronics
 - dithienylethene photoswitch 357
 - electron transport 355–356
 - hydroquinone–quinone redox switch 357–358
 - *meta-versus para*-anchoring 356
 - OPE5-TTF cruciform redox switch 358–359
- 2,4-monocyclic[4]dendralene 431
- monocyclic [3]dendralenes 416
- monocyclic [4]dendralenes 430
- mono(dicyanomethylene)squarate 135

n

- naphtharadialene 105
- Nazarov cyclization reactions
 - interrupted reactions (*see* interrupted Nazarov reactions)
 - mechanism 59–60
 - substituent effects
 - – electron-donating substituents 61–62, 65
 - – electron-withdrawing substituents 62–63
 - – steric hindrance 60–61, 63–65
 - torquoselectivity
 - – allenyl alkenyl ketones 67, 68
 - – chiral catalysts 69–72
 - – chirality transfer 68–69
 - – silyl substituents 66–67
- nitrophenolates 350–351
- N*-methylmaleimide (NMM) 414, 421, 425, 428, 429, 432, 433, 440

o

- octamethyl[4]radialene 96, 109, 437
- octaphenyl[4]radialene 87, 90, 94

- oligo(phenyleneethynylene)-tetraathiafulvalene (OPE5-TTF) cruciform redox switch 325, 358–359
- orbital splitting diagram 405–406, 417
- organic field effect transistors (OFETs) 188
- organic redox centers 342–344
- organometallic redox centers 344–346
- oxafulvenes 146
- oxapentafulvene *see* cyclopentadienone (CPDN)
- 6-oxatricyclo[6.4.0.0^{2,10}]dodeca-2,11-diene ring system 258, 259
- oxidative dimerization 255, 305, 340–341
- oxidative species 308–309, 319, 322
- 3-oxidopyridinium betaines 176
- 3-oxidopyrylium 176
- oxocarbons
 - ¹³C NMR spectra 119
 - and coordination chemistry 121–128
 - delocalized structures 117
 - electronic spectra 119
 - general formula 117
 - infrared vibrational techniques 117, 120
 - Raman measurements 118, 120
 - single crystal X-ray analysis 119–120
 - synthetic procedures 127
 - uses of 120–121
- 2-oxyallyl cations 176

p

- pentafulvalenes 380
- pentafulvenes
 - azulene and heteroazulene, synthesis of 178
 - cycloaddition reactions 175–178
 - [2+2]cycloadditions 250–251
 - [2+3]cycloadditions 251–253
 - [2+4]cycloadditions 253–258
 - [2+8]cycloadditions 258
 - [4+2]cycloadditions 258–266
 - [4+3]cycloadditions 266–267
 - [6+2]cycloadditions 267–269
 - [6+3]cycloadditions 269–277
 - [6+4]cycloadditions 277–279
 - as functional dyes 183
 - polycyclic compounds synthesis 250
 - synthesis of 162–174
 - tricyclo[5.3.0.*n*^{2,5}]alkane ring systems 280
- pentalene 146, 191–196, 387
 - Hafner unsubstituted complex 388
 - heterobimetallic complex 387
 - uranium complex 388
- permethyl[6]radialene 91, 92
- Peterson olefination 182

- phenol 372
- phenylene-inserted radialene 306
- phosphafulvene 224–225
- phosphafulvenes 147
- phosphatriafulvene 160–161
- photoinduced charge separation 354–355
- m*-phthalaldehyde 201
- polycyclic aromatic hydrocarbons (PAHs) 190
- polycyclic aromatic π -systems, of radialenes 105–107
- polyene hydrocarbons, classes of 413, 414
- polysquaraines 134
- porphyrin 148
- power conversion efficiency (PCE) 182
- pseudoazulenes 190
- pseudoheteroazulenes 279
- pseudo-oxocarbons
- applications 130, 132
 - coordination modes 131
 - crystal structures 130
 - synthesis 128–129
- push–pull chromophores 185
- pyranocoumarins 255, 256
- q**
- quantum interference
- donor–bridge–acceptor systems 398, 399
 - Fermi energy 409
 - HOMO and LUMO energy 407, 408
 - molecular electronics 398–401
 - molecular subunits 410, 411
 - orbital splitting diagram 405–406
 - transport properties 401–405
- quassinoids 44, 45
- o*-quinodimethane (*o*-QDM) 197
- quinone 357, 365, 410, 418, 434
- r**
- radiaannulene (RA) 301, 329, 331–333, 346–348, 365
- [*n*]radialenes
- [3] 81–89
 - [4] 89–96
 - [5] 97–98
 - [6] 98–105
 - bond lengths 110
 - DT-substituted 315–317
 - higher radialenes 105–107
 - molecular energies 110
 - prototypical DA reaction 435, 436, 438
 - structural properties 107–111
 - triple DA cascade/aromatization sequence 439
- radialene-type TTF analogs 314–315
- [4]- and [6]radialenes with DT rings 315–317
 - [5]radialene with DT rings 317–320
- redox centers, communication 340–342
- expanded radiaannulenes and radialenes 346–348
 - organic redox centers 342–344
 - organometallic redox centers 344–346
- redox potentials
- [3]- and [4]-dendralenes 303–304
 - DT[4]- and DT[6]-radialenes 316–317
 - DT[5] radialenes 318, 320–321
 - thienylene-inserted DT[3]dendralenes 307–308
- reductive Nazarov cyclization 64
- regioselective palladium-catalyzed [3+2] cycloaddition reactions 150
- retro-Diels–Alder reaction
- [4+2]Cycloadditions, pentafulvenes 264
- retro-Nazarov process 65
- rhodium(III)-catalyzed annulation 216
- rhodizonate dianions 118, 119
- ring-closing metathesis (RCM) 29
- ring-closure reactions 166–174, 191
- ring-enlargement reactions 174
- roseophilin 68, 70
- ruthenated [3]dendralene 7
- s**
- sarracenin 250, 251
- Schmitt cyclization 163, 166–167
- self-assembled monolayers (SAMs) 325
- seven-membered heterocycle-containing [3]dendralenes 18
- silafulvenes 147, 223–224
- silatriafulvenes, related compounds 161–162
- Singly complexed
- tricarbonyliron-[4]dendralene 29
- skeletal diversity-oriented DTHDA cycloaddition 55, 56
- Sonogashira and Suzuki couplings 191–192
- spiro-pyrazolines 252
- squaraines
- applications 134
 - donor–acceptor–donor (D–A–D) intramolecular charge transfer 133
 - modified anilino 134
 - molecular structures 135
 - preparation 132, 133
- squarate oxocarbons
- chemical representation 118

- squarate oxocarbons (*contd.*)
- coordination modes 122–123
 - crystal engineering 128
 - electronic spectra 119
 - infrared vibrational techniques 120
 - Raman vibrational techniques 120
- squaric acid 118, 121, 128, 132, 134
- stereoselective Nazarov reaction 63
- Suzuki–Miyaura cross-coupling reactions
- dendralene synthesis 4, 5
- t**
- (fulvalene)tetracarbonyliruthenium 385
- tetracyanoethylene (TCNE) 7, 41, 103, 185, 231, 346, 427
- tetracyanoquinodimethane 129, 148
- tetracyanoquinodimethane (TCNQ) 129, 148
- tetracyclone 147, 205, 208, 222
- tetraethynylethylene (TEE) 342, 344, 346–347
- tetrakis(aryl, trifluoromethyl)[4]radialenes 94
- tetra(amine)-*p*-benzoquinone 129
- tetraphenylcyclopentadienone 146
- tetraquis(dicyanomethylene)squarate 135
- tetra(cyanoimine)squarate 129
- tetrathiafulvalene (TTF) 148, 301–302, 326, 338–341
- acetylene-extended systems 326–328
 - dendralene-type analogs
 - – DT [*n*]dendralenes analogs 305–307
 - – [*n*]dendralenes with DT units 302–305
 - – thienylene-inserted DT[*n*]dendralene 307–312
 - – tris-fused TTF analogs 313–314
 - radialene-type analogs 314–315
 - – [4]- and [6]radialenes with DT rings 315–317
 - – [5]radialene with DT rings 317–320
- tetrathiosquarate 129
- tetravinylethylene (TVE) 3–4
- [3]-3-thiadendralene
- DTHDA cycloaddition 41
 - Intramolecular–intermolecular cycloaddition 42
- thiafulvenes 147
- thiatropone (tropothione) 233–234
- thienylene-inserted DT[*n*]dendralene 307–312
- thiophene–cyclopentadienone cooligomers 213
- third-harmonic generation (THG) 326
- 3-substituted [3]dendralene
- DA site selectivity 417
 - diversity-oriented synthesis 418
 - DTDA reaction sequence 417
 - intra/intermolecular DTDA cascade 421
- trans* bis(dicyanomethylene)squarate 135–137
- transition-metal catalysts, ring-closure reactions 169–174
- triafulvalenes
- benzotriafulvalenes 150–151
- triafulvenes
- [2-arylamino-4(1*H*)-pyridinylidene] propanedinitrile synthesis 295
 - benzotriafulvene 149–150
 - cyanotriafulvenes with cyclic imines 290, 293
 - with cyclic enamines 290, 292
 - [3+2]cycloaddition 286, 288
 - cyclopentabenzothiazine 294, 295
 - 3*a*,11*a*-dihydro-5*aH*-furo[3',2':2,3]pyrido[6,1-*b*]-benzothiazole derivatives 287, 289
 - 6,6*a*-dihydro-5*H*-cyclopenta[*b*]furan 290, 292
 - with 1,3-dipoles reaction 286
 - with enamines 289, 292
 - heptafulvenes synthesis 290, 293
 - heterotriafulvenes 152–160
 - IMDA cycloaddition reactions 289, 291
 - with methyl (triphenylphosphoranylidene)acetate 286, 287
 - phosphatriafulvenes 160–161
 - pyridinium *N*-methylidene to methylenecyclopropene double cycloaddition 287, 289, 291
 - silatriafulvenes 161–162
 - 6,8-thiazapentacyclo[6.3.1.0^{1,10}.0^{5,12}.0^{7,11}]dodecenes 287, 290
 - triafulvalene 150–152
 - with ynamine reaction 292, 294
- tricarbonyl(6,6-dimethylfulvene)chromium(0) 377
- tricarbonyl(6,6-diphenylfulvene)chromium(0) 374
- tricyclic [4]radialene
- DA reaction of 437
- tricyclopentanoids 267, 268
- triisopropylsilyl (TIPS) 72, 209
- trimethylenemethane
- dehalogenative formation 366
 - Hückel molecular orbital (MO) scheme 365

- 3-methylenepyrrolidine 371
- nucleophilic addition reaction 371, 372
- palladium-catalyzed cycloadditions 370
- rhodium-catalyzed [3+2+1]
 carbocyclization 371, 372
- ruthenium complex 371–372
- trimethylsilyl chloride (TMSCl) 180, 371
- triptolide 3, 434, 441
- tri(adamantan-2-ylidene)[3]radialene 86, 87
- 1,2,3-tris(dicyanomethylene) croconate 129
- tris(cyanoimino)deltate 129
- tris(dicyanomethylene)deltate 129
- tris-fused TTF analogs 313–314
- trisquinoid [3]radialenes 82
- tris(dicyanomethylene)squarate 135
- 1,2,5-trisubstituted [3]dendralenes 10
- 2,4,6-tri-*t*-butylphenyl group 224
- tritiodeltate 129
- tropone 146, 147, 225, 234
- TTF *see* tetrathiafulvalene (TTF)
- TVE *see* Tetravinylethylene (TVE)

u

unsymmetrical [4]dendralene 22, 23

v

valence-averaged species 341
vinigrol 433, 434, 440
vinyl-group-bearing azatrienes 48
vinylogous benzofulvenes 253, 254

w

Weitz-type redox system 332
Wittig or Horner–Wadsworth–Emmons
 reactions 326

x

X-ray diffraction analysis 101, 121, 151, 303

z

Ziegler–Hafner azulene synthesis 145, 146
zirconacyclopentadienes 214

