

Index

a

acoustical microscopy 341, 346
 acrylates 27, 218
 acrylonitrile liquid rubber 79
 activation energy 132, 202, 209
 addition–fragmentation chain transfer 27, 189, 233
 addition polymerization 224
 aerospace applications, of self-healing composites
 – curing cycles 406
 – general considerations for 401–405
 – healing efficiency at low temperatures 408–410
 – stability and reactivity of catalysts 405–407
 – self-healing system, design of 404
 – structural applications 403
 amine-epoxy healing system 225–227
 amino silane 222
 amphiphilic comb copolymers 101
 amphiphilic polymers 84
 anionic polymerization 44, 206, 207
 anionic reactions 235, 236, 237
 anisotropy 199
 annealing 78, 80, 401
 anthracenes 26, 27, 45, 48, 176, 232, 233
 anticorrosive coatings 383–386
 antioxidants 235
 apolar liquid 248
Aristolochia macrophylla 62, 69–72, 75, 81
 artificial leukocytes, designing of 101–103
 – methodology for 103–105
 – “repair-and-go” scenario 108
 – steady shear flow, effect of 105–108
 – utility of applying a pulsatile flow 108–110

aspartic imide 79
 association constant 34, 35, 130, 279, 280, 283, 285
 atomic force microscopy (AFM) 201, 254, 350, 351
 atom transfer radical polymerization (ATRP) 160, 295
 attenuated total reflectance Fourier transform infrared (ATR-FTIR) spectroscopy 347
 attenuated total reflection (ATR) 65
 axial compression 166
 azide–alkyne cycloadditions 22, 225
 azide–alkyne healing system 225
 azobenzene 48, 176

b

ballistic damage in ionomers, healing of 346, 347
 ballistic impact 35, 323, 328, 346
 barbituric acid 34, 50, 51, 131, 277, 292, 294, 295
 Belousov–Zhabotinsky reaction 305
 bending tests, for multilayer films 344
 benzotriazole (BTA) 256, 260–262, 384, 385, 388, 389
 Bergman cyclization 205
 – swelling activation of 206
 binding energy 277, 279
 biochemical healing 8
 bio-inspired healing agents 67
 bio-inspired self-healing elastomers
 – ionomeric elastomers 78, 79
 – micro-encapsulation 77, 78
 – nitrile butadiene rubber (NBR) blends 80
 – supramolecular co-networks 79, 80

- bio-inspired self-sealing membranes,
 - concept generators
 - latex plants 63–69
 - lianas 69–72
 - succulent plants 72–75
- biomimetics 49, 62, 72, 75–77, 85, 101, 178, 277, 396
- bio-inspired physical transfer 82–84
- foam coating 81
- self-repairing elastomers 64, 68
- biosensors 302
- bio-synthesis 63
- biradical transition 163
- blow films 322
- Boltzmann constant 94
- bond lifetime 280–282, 288
- boundary conditions 103, 105, 303
- “bricks and mortar” morphology 155
- Brownian motion 11, 104, 117
- bulk materials 36, 176, 189, 284–297
- butadiene 157
- C**
- callus formation 63, 73
- Campanulaceae 63
- Campanula glomerata* 63, 67
- Campanula latifolia* 63, 67
- capsule-based self-healing epoxies 362
 - self-healing epoxies
 - – capsule/catalyst healing system 363, 364
 - – dual-capsule healing system 364, 365
 - – single capsule healing system 365
 - self-healing fiber-reinforced epoxies 365, 366
 - – barrier properties, recovery of 368
 - – impact damage, recovery from 366
 - – macroscale properties and interfacial bond strength, recovery of 367, 368
 - – mode I fracture toughness, recovery of 366
- carbene catalyst 10
- carbon–carbon bonds 38, 95, 156, 157
- carbon fibers 164, 218, 220, 226, 229, 366, 370, 374, 401
- carbon nanotubes (CNTs) 227, 256, 257, 259, 348, 371, *see also* halloysite nanotubes; multi-walled carbon nanotubes (MWCNT)
- catalytic species, activation of 204–207
- catechol-iron complex 36, 329
- cationic curing 20
- cationic ring-opening polymerization 223
- cells, *see* plant cells
- center-of-mass diffusion 124
- chain mobility 12, 13, 27, 188, 209, 233, 276, 281, 284, 288, 293, 294, 326, 344, 345, 365, 382
- charge transfer 292, 348
- chemical
 - coagulation 65
 - degradation 1, 7, 337
 - equilibrium 202, 207–210
 - healing 9, 315
 - oxidation 263
- chiral magnets 302
- chitosan polyurethane networks 347
- cinnamoyl groups 45, 232
- cis–trans* isomerisation 48
- click chemistry 10, 16, 21, 22, 139, 251
- click reactions 21, 22, 51, 225
- coatings, *see also* self-healing coatings
 - acrylic 224
 - extrusion 322
 - foam 81, 82, 85
 - fracture response of 348
 - healing of 370, 371
 - organic-based 386
 - powder 160
 - self-sealing 81, 82
 - sol–gel 256, 261, 263, 393, 395
 - surface gloss properties of 347
- coaxial electrospinning 250
- cold-curing 227, *see also* heat-curing
- compact tension (CT) 167, 371
- composites
 - fiber-reinforced 346, 366, 370, 373–375
 - healing of impact damage of 346
 - self-sensing, self-healing vascularized 371
- compression after impact (CAI) 366
- compression molding 321
- compression test 80, 159, 160, 200, 201, 387
- computed (X-ray) tomography (X-ray CT) 341–343, 346
- computerized vibro-thermography 402
- condensation polymerization 180, 254, 304
- conformational entropy 13, 92, 155
- constrained geometries simulate external force (COGEF) 202
- constraint release (CR) 127, 134
- contour length fluctuations (CLF) 127–129, 134
- copolymerization 159, 160, 233, 236
- copper(I) catalyzed alkyne-azide cycloaddition (CuAAC) 21, 51, 53
- core–sheath nanofibers 255, 264

- core-shell nanofibers 84, 85, 250, 255, 257
- corrosion 228, 395
 - inhibitors 255, 256, 260–263, 351, 352, 383–388, 392, 393, 395
 - methods for healing of protection against 351
 - – electrochemical impedance spectroscopy 352
 - – potentiostatic measurements 352
 - – scanning electrochemical microscopy 353–356
 - – scanning vibrating electrode technique 352, 353
 - resistance 215, 361, 383–386, 395
- coumarin 45, 47, 48, 177–188, 234
 - photodimerization of 186
- covalent chemistry 10, 236, 401
- covalent network formation
 - irreversible 16–22
 - reversible 22–28
- crack formation 7, 139, 346, 383
- crack healing 12, 13, 153, 154, 168, 186, 188, 189, 257, 383
 - in glassy polymers 13
 - light-induced 232
- crack propagation 167, 178, 186, 345, 374, 383
- crockmeter test 347
- crosslinked polymers, *see* thermosets
- crosslinking 9, 160
 - autocatalytic behavior 21
 - bonds 193
 - chemical 2, 10
 - density 36
 - photochemical 2
 - reversible 2
 - stress-induced 164
- crystallization effects 285
- curing agents 20, 364, 407
- current density 352, 393
- current density–voltage (J – V) measurements 348
- current–voltage (I – V) measurements 348
- cyclic dienes 157, 232
- cyclic monomers 26, 232
- cyclic oligomers 208, 236
- cycloaddition reaction 21, 22, 27, 45, 139, 157, 158, 173, 209, 210, 225, 232
- cyclooctene 44
- cyclopentadiene dimer 157
- cyclopentadienyl trimer 162
- cycloreversion reaction 22, 164
- d**
 - damage-healing cycles 229
 - damage-induced cracking 215
 - Debye function 120, 121
 - deformation of polymers 194–196
 - degree of crystallinity 195
 - delamination 247, 339–341, 350, 366, 370, 374, 401, 411
 - Delosperma cooperi* 62, 72–75
 - dendritic macromonomers 48, 176, 329
 - dendritic polymer 84, 233
 - density functional theory (DFT) 91
 - diblock copolymers, melt morphology of 304, 305
 - diacyldiaminopyridine 34
 - 2,7-diamido-1,8-naphthyridine 34, 277
 - 2,6-diaminotriazine (DAT) 277, 285, 287
 - dicyclopentadiene (DCPD) 16, 26, 44, 139, 218–221, 237, 251, 363
 - encapsulation of 253
 - self-healing behavior of 232
 - dicyclopentadienyl monomer 157
 - dielectric constant 316, 317, 320, 329
 - dielectric spectroscopy (DR) 116, 117, 123
 - Diels–Alder (DA) bonds 372
 - Diels–Alder (DA) reactions 10, 16, 22, 141, 156–161, 173, 204, 231, 232
 - dienophile 22, 27, 156, 157, 159, 161, 164, 189, 204
 - differential scanning calorimetry (DSC) 139, 220, 288, 317
 - temperature-modulated 165
 - diffuse neutron scattering (DNS) 134
 - diffusion 9, 11–13, 104, 117, 124, 134, 135, 148, 153, 154, 186, 229, 233, 350, 368, 393
 - dihydrodicyclopentadiene 16
 - dimerization constant 279
 - dimethylnorbornene ester (DNE) 364
 - direct current (DC) technique, for study of healing capabilities 352
 - dissolved healing agents 373
 - disulfide bridges 27, 234
 - dithioester 157
 - DNA base-pairing 34
 - double cantilever drilled compression (DCDC) test 369
 - double cleavage drilled compression (DCDC) 166, 167
 - drought layer of dead cells 62
 - dual-capsule healing system 364, 365
 - dual cross-linked nanogels, designing of 92, 93
 - methodology for 94–97

- optimization of mechanical response for 101
- results on application of tensile deformation at
 - – constant force 97
 - – constant velocity 97–101
- ductility 97–99, 101
- dynamers 277
- dynamic coordination bonds 35
- dynamic electric permittivity 117
- dynamic light scattering 389
- dynamic mechanical analysis (DMA) 53, 116, 139, 165, 220, 344

e

- E. characias* 63
- Eisenberg–Hird–Moore (EHM) model 317
- elastic deformation 320, 324
- electrical conducting functionality, healing of 348–350
- electrochemical impedance spectroscopy (EIS) 344, 345, 352
- electrocyclic ring-opening reaction 44, 45
- electromagnetic irradiation 384
- electron density 157, 319
- electron spin resonance (ESR) spectroscopy 167, 194
- electrospinning technique 250, 251, 257
- electrostatic interactions 195, 301, 304, 305, 317, 329
- elongational flow 198, 201
- emulsification 223, 250
- emulsion polymerization 248, 251, 383
- E. myrsinites* 63
- endothermic enthalpy of reaction 161
- energy dispersive X-ray spectroscopy 257
- energy dissipation 195, 196
- enthalpic interactions 14, 103
- environmental scanning electron (E-SEM) microscopy 340, 341
- EPIKURE 3274 20
- epiphytic growth habits in plants 61
- EPON 815C 20
- EPON 828 21, 22, 405
- epoxide chemistry 10
- epoxides 16, 20, 222, 224, 227, 372
- epoxy-amine resin 20
- epoxy-based healing system 227, 228, 361, 401
 - capsule-based healing 362
 - – self-healing epoxies 363–365
 - – self-healing fiber-reinforced epoxies 365–368
 - design for reversibility 371–373
 - intrinsic healing systems
 - – dissolved healing agents 373
 - – phase separated healing agents 373
 - – resin design for reversibility 371–373
 - – solid-phase healing agents 373, 374
 - vascular-based healing 368, 369
 - – fracture damage, recovery of 369, 370
 - – healing of coatings 370, 371
 - – impact damage, recovery of 370
 - – self-sensing, self-healing vascularized composites 371
- epoxy curing 20
- epoxy + latent hardener/catalyst healing system 222–224, *see also* epoxy-based healing system
- epoxy resins, *see* epoxy-based healing system
- esthetic damage, healing of 347, 348
- 2,4- bis (2-ethylhexyl-ureido)toluene (e, EHUT) 277
- 5-ethylidene-2-norbornene (ENB) 16, 220, 221, 404, 408
- Euler scheme 104
- Euphorbia amygdaloides* 63
- Euphorbia* plant species 63, 65, 67, 75
- extrinsic self-healing materials 10, 215–218, *see also* intrinsic self-healing materials
 - catalytic systems
 - – azide-alkyne healing system 225
 - – DCPD/5-ethylidene-2-norbornene (ENB) + Grubbs' catalyst healing system 220, 221
 - – dicyclopentadiene (DCPD) + Grubbs' catalyst healing system 218–220
 - – epoxy + latent hardener/catalyst healing system 222–224
 - – siloxane-based healing system 221, 222
 - – thiol-ene healing system 224, 225
 - – thiol-epoxy healing system 224
 - – thiol-maleimide healing system 225
 - non-catalytic systems
 - – amine-epoxy healing system 225–227
 - – epoxy-based healing system 227, 228
 - – isocyanates-based healing system 228
 - – molecular interdiffusion 228, 229
 - – vinyl ester healing system 228
 - novel approaches and perspectives for 264, 265
 - self-healing systems 216, 217
- extrusion coatings 322

f

- fatigue crack propagation 345
- fatigue damage 224
- healing after 345, 346

fatigue loading 222, 346, 363, 374
 fatigue testing 374
 fiber formation 282, 285
 fiber-reinforced composites 164, 346, 366,
 370, 373–375
 Fickian diffusion 124, 126
Ficus benjamina 62, 63–69, 75
 field emission gun SEM (FEG-SEM) 340
 finite modulus of elasticity 147
 Flory–Fox equation 13
 Flory–Huggins approximation 143
 fluorescence microscopy 338
 fluorescence polarization 199
 fluoroalkenes 163, 165
 foam coating 72, 81–85
 Fourier transformation 122, 127
 Fourier transform infrared (FTIR)
 spectroscopy 344, 406
 fracture damage, recovery of 369, 370
 fracture load 345, 410
 fracture toughness 166, 167, 215, 223, 227,
 251, 343, 363, 364, 370, 374
 free energy 10, 13, 142, 277
 free energy density 143
 freely jointed chain (FJC) 117–119
 free radical polymerization 160, 161, 249,
 295
 free radicals 161, 167, 168
 friction coefficient 351
 friction recovery, for lubricant healing
 systems 351
 Friedel–Crafts alkylation 159
 functional integrity, healing of
 – electrical conduction recovery 348–350
 – esthetic damage 347, 348
 – friction recovery 351
 – hydrophobicity 350, 351
 – protection against corrosion 351
 – – electrochemical impedance spectroscopy
 352
 – – potentiostatic measurements 352
 – – scanning electrochemical microscopy
 353–356
 – – scanning vibrating electrode technique
 352, 353
 – thermal conduction recovery 350
 furan 26, 157, 159, 160, 165, 167, 232
 furan-maleimide-based polymers 22
 furfurylglycidyl ether (FGE) 372

g

Gaussian distribution 120, 198
 gelation 140
 – micro-phase order–disorder transition
 147

– phase separation and 147–149
 – states of 144
 – thermodynamics of 141–143
 gel point 140, 142–147, 281
 gel-to-sol transition 165, 176
 gel transition 143
 glass fiber-reinforced composites 219,
 372–374
 glass fibers 164, 225, 228, 256, 368, 370,
 372
 glass transition temperature 11, 13, 139,
 153, 159, 183, 184, 195, 220, 254, 263, 306
 glycidyl methacrylate (GMA) 227
 graft-polymers 279, 281
 Grubbs' catalyst 16, 17, 49, 139, 208,
 218–221, 237, 259, 363, 364, 403, 404

h

halloysite nanotubes 256, 261, 385, *see also*
 carbon nanotubes (CNTs); multi-walled
 carbon nanotubes (MWCNT)
 Hamilton Wedge 34, 50, 51, 277
 healing agents 218, 223
 – dissolved 373
 – phase separated 373
 – polyurethane-based 228
 – solid-phase 373, 374
 healing performance, efficiency and
 assessment of 165–168
 heat-curing 20, 227, *see also* cold-curing
 heat flux 350
 heteroatom–carbon bonds 157
 heterolytic bond cleavage 197
Hevea brasiliensis 63–69, 316
 Hevein dimers 64, 78
 hierarchical Bell model (HBM) 92, 95
¹H-NMR spectroscopy 406
 hollow glass fibers (HGFs) 218, 225, 226,
 228, 256, 368, 370
 homoditopic heterocomplementary
 monomers 130
 homolytic bond cleavage 196, 197
 homolytic photolysis 27, 233
 homopolymerization 159, 225
 homopolymers 131, 178, 198, 321
 Hoveyda–Grubbs' second generation catalyst
 (HG2) 219, 364, 403, 404, 406
 hybrid nanocapsules 251
 hydrogels 27, 148, 149, 283, 329, 384
 hydrogen-bonded polymers 28
 hydrogen-bonding brush copolymer (HBP)
 294–296
 hydrogen bonds 28, 33, 34, 37, 76, 115,
 130, 131, 186, 195, 229, 277, 301
 – activation energy 132

- dynamics of 279, 280
 - re-formation of 361
 - sextuple 34
 - hydrophilic monomers 251, 253
 - hydrophobe 248
 - hydrophobic
 - cracks 102, 103, 105
 - interactions 301
 - nanoparticles 101–103, 105
 - hydrophobicity, healing of 350, 351
 - hydroxy end-functionalized
 - polydimethylsiloxane (HOPDMS) 221
 - hydroxyl radicals 71, 203
- i**
- impact damage, healing of
 - ballistic damage in ionomers 346, 347
 - composites 346, 370
 - imprinted polymers 48
 - infrared (IR) spectroscopy 65, 165, 196, 406
 - infrared thermography 402
 - inorganic nanocapsules 251
 - inorganic–organic composite 164, 165
 - in situ* polymerization 218
 - in situ* scanning vibrating electrode 256
 - intelligent materials 85, 173, 189
 - interfacial polycondensation 251
 - interfacial polymerization 218, 228, 263, 387
 - interfacial shear strength 220, 368, 371, 373
 - interfacial step-growth polymerizations 248
 - interfacial thermal transport 350
 - intermolecular forces 11
 - intermolecular interactions 186
 - internal reflection IR imaging (IRIRI) 347
 - interpenetrating polymer networks (IPN) 154, 155
 - intra-chain monomers 120
 - intrinsic healing systems
 - dissolved healing agents 373
 - phase separated healing agents 373
 - resin design for reversibility 371–373
 - solid-phase healing agents 373, 374
 - intrinsic self-healing materials 10
 - molecular interdiffusion of 229–231
 - other systems 236
 - reversible bond formation
 - anionic reactions 235, 236
 - Diels–Alder/Retro–Diels–Alder reaction 231, 232
 - disulfide bridges 234
 - photochemical trigger 232–234
 - pH-responsive systems 236
 - radical fission/recombination 234, 235
 - self-healing systems 230
 - ionic bond 76
 - ionomeric elastomers 68, 78, 79
 - ionomers 28, 35
 - applications and availability of 320–322
 - basic principles of 315–319
 - definition of 315
 - Eisenberg–Hird–Moore (EHM) model 317
 - healing of ballistic damage in 346, 347
 - methacrylate-based 317
 - order–disorder transition 317, 326
 - properties of 319, 320
 - in self-healing systems 322, 323
 - actual developments and future trends 327–331
 - general mechanism 323–326
 - healing mechanism 325
 - thermally reversible crosslinked system 319
 - thermal properties of 326
 - thermoplasts 324
 - isocyanate chemistry 10
 - isocyanates-based healing system 228
 - isotopic substitution 117
- I**
- laticifers 63, 64
 - lap shear test 343, 344
 - laser light scattering 194
 - latex-based self-sealing 63–69
 - latex coagulation 64, 65, 67, 68, 75, 78
 - laticifers 63, 64
 - lattice Boltzmann model (LBM) 103, 104
 - lattice-gas 143
 - lattice spring model (LSM) 92, 94, 103
 - layered double hydroxides (LDHs) 263
 - leaching 80
 - leukocytes 91, 92
 - artificial leukocytes, designing of 101–110
 - Lewis acid 157, 223
 - lianas, self-sealing and self-healing in 69–72
 - ligand–metal bond 205
 - light-responsive capsules 258–260
 - lignifications 63
 - linear metallosupramolecular polymers 36
 - lipophobe 248
 - liquid crystals 176
 - phase structure of 177
 - polymers 178

- living polymerizations 51, 161, 207
- lower critical solution temperatures (LCSTs) 148, 263
- lutoids 64, 65, 68
- m**
- macromonomers 17, 20, 48, 132, 176
- maleimides 20, 22, 26, 44, 156, 157, 159, 160, 167, 225, 231
- mechanical decomposition 163, 164, *see also* thermal decomposition
- mechanical deformations, of plant organs and cells, 62
- mechanically induced self-healing 44
 - nanocapsules 251–255
 - nanofibers and nanotubes 255–258
- mechanical properties, healing of
 - after fatigue damage 345, 346
 - after impact damage, *see* impact damage, healing of
 - after static damage 343–345
- mechanical stress in materials 164, 208
- development of 194
- dissipation of 194
- effect of 193
- mechanochemical activation, of catalysts 44
- mechanochemical damage
 - deformation 194–196
 - heterolytic bond cleavage 197
 - homolytic bond cleavage 196, 197
- mechanochemical network formation
 - mechanochemical activation of catalysts 44
 - reactive species, generation of 38–44
- mechanochemical reactions 10, 45, 194, 198, 200–203, 205
- mechanochemistry 2, 38, 193, 194, 201, 210, 211
- mechanophore activation 200, 201
- mechanophores
 - activation of
 - – compression 200, 201
 - – other methods for 201, 202
 - – tensile testing 198–200
 - – torsional shear testing 200
 - – ultrasound 198
 - concept of 194
 - mechanical force, effect of 196
 - mechanochemical damage
 - – deformation 194–196
 - – heterolytic bond cleavage 197
 - – homolytic bond cleavage 196, 197
 - mechanochemical self-healing strategies
 - – activation of catalytic species 204–207
 - – disruption of equilibrium 207–210
 - – production of reactive species 202–204
 - positioning of 194
- melt viscosity 126, 127, 320
- merocyanin (MC) 197, 199
- metal bonding 28, 50
- metallic nanoparticles 265
- metal–ligand complex 305, 311
- metal–ligand interactions 35, 36, 301–303, 307–309, 311, 327, 329, 330
- metallopolymers 301, 302, *see also* organometallic polymers
 - binding constants for 303
 - boundary conditions 303
 - complexation of 304
 - gels 306
 - hydrophilic properties of 305
 - metal incorporation in 304
 - metal–ligand interactions 302, 307, 309
 - self-healing 307–309
 - stimuli-responsive 305–307
 - thermodynamic property of 302
- metallo-proteins 301
- metallo-supramolecular gels 281, 329
- metallo-supramolecular polymers 36, 176, 329
- metal–metal complexes 2, 287
- metal oxidation 305
- methyl barbiturate 79
- Michael addition reaction 22, 225
- micro-cracks 77, 80
- microencapsulation 16, 49, 77, 78, 80, 237
 - of liquid healing agents 352
- microphase separation 148, 184, 282, 285, 286, 305, 316, 320, 329
 - theory of 50, 131, 132
- micro- (computed) tomography 341–343
- micro-laminate 85
- micro-optic-mechanical-system 75
- mini-emulsions 248, 249, 254
 - radical polymerization 251
- mixed silane 222
- molar feed ratios 180
- molecular diffusion 8, 9, 11, 50, 117, 229, 402
 - across crack interface 153, 154
- molecular dynamics 34, 91, 139, 140, 197, 202, 257
- molecular interdiffusion 11, 13, 38
 - of intrinsic self-healing materials 229–231
 - of thermoplastics 228, 229

molecular orbitals 157, 163
 molecular selfassembly 10
 molecular “switching” 44, 48
 molecular toolbox 36
 mono-functional contaminants 130
 Monte Carlo simulations 91
 Morse potential 104, 196
 multiple time healing 50, 51
 multivalent metal–ligand interactions 35, 36
 multi-walled carbon nanotubes (MWCNT) 227, *see also* carbon nanotubes (CNTs); halloysite nanotubes

n

nanocapsules 251–255
 – characteristics of 252
 nanocomposite materials 164
 nanocontainers, types of 386–389
 nanofibers 255–258
 – characteristics of 256
 nanoparticles 9, 11, 91
 – chemisorbtion of 104
 – diffusion of 104
 – self-healing 14
 nanoporous magnets 302
 nanotubes 255–258, *see also*, carbon nanotubes (CNTs); halloysite nanotubes; multi-walled carbon nanotubes (MWCNT)
 naphthalene-diimide 277, 291, 297
 Navier–Stokes equation 103
 near-field scanning optical microscopy 338
 neutron scattering 115, 117, 119, 123, 133–135
 neutron spin echo (NSE) spectroscopy 121, 128, 135
 Newtonian liquid-like behavior 149
 Newton’s equations of motion 103
N-heterocyclic carbene (NHC) 44
 nitrile butadiene rubber (NBR) blends 78, 80
 NO–C bonds healing mechanism 161–163
 non-covalent forces 195
 norbornene 16, 44, 221
 nuclear magnetic resonance (NMR) 117, 165, 344
 nucleation 198
 nucleobases 34, 131, 285

o

odd random phase multisine electrochemical impedance spectroscopy (ORP-EIS) 352
 oil-in-water (o/w) emulsion 218, 228, 248, 387

olefin metathesis 10
 oligomers 84, 131, 207, 208, 236, 284, 345
 open circuit potential (OCP) 352
 optically healable metallosupramolecular polymers 176
 optical microscopy 338–340, 342, 366
 organic monomers 304
 organic radicals 161
 organometallic polymers 197, 205, 303, 304
 Ostwald ripening 248, 251
 oxidative burst 62
 oxygen radicals 71

p

palladated pincer complexes 36
 patching 9, 14, 402
 perfluorocyclobutanes 163, 164, 165, 209
 pericyclic reaction 48
 phase decay 147
 phase segregation 285
 phase separation 250, 306, 320
 – and gelation 147–149
 – healing agents 373
 – rate of 148
 photochemical healing 45, 173, 176, 177
 photochemical modulation 176
 photochemical trigger 232–234
 photocrosslinking 48, 183, 184
 photocycloaddition 173, 174, 177, 232
 photodegradable polymers 259
 photodimerization reactions 173, 177, 178, 180, 183, 184, 186, 188, 234
 photoinduced cyclodimerization 173
 photoinitiators 189, 224, 233
 photoirradiation 47, 209, 259
 photo-remendable polyurethane 176
 – molecular design of
 – – dihydroxy coumarin derivatives 179–182
 – – monohydroxy coumarin derivatives 178, 179
 – photo-remendability, evaluation of 185–188
 – reversible photo-crosslinking behaviors of 182–185
 photoreversible reactions 173
 pH-responsive systems 236, 260–263
 – characteristics of 261
 pH-value 44, 48
 physical crosslinking points 35
 π -dissociation energy 163
 π -electron-poor moieties 37, 291

- π -electron-rich moieties 37, 291
- π - π stacking interactions 28, 37, 276, 291, 292, 297, 301
- pincer complexes 36, 329
- plant cells
 - division 63, 71–73
 - turgor 75, 80
 - wall 62, 71, 72
- plasma etching 350, 351
- plastic deformation 71, 199–201, 310, 324, 345
- plasticization of the cell wall 62
- platinated pincer complexes 36
- plateau modulus 128, 132, 281, 288, 293
- poly(acrylate) 21, 60, 61
- poly(acrylate amide) 34
- polyaddition reaction 26, 247
- polyanions 263
- poly(butadiene)s (PBDs) 286
- polybutylacrylate (PBA) 84
- poly(*n*-butyl acrylate) (PnBA) 288
- poly(ϵ -caprolactone) (PCL) 373
- polycations 263
- polycondensation 16, 17, 27, 28, 130, 180, 221, 247, 251
- polydiethoxysiloxane (PDES) 221
- poly(dimethyl siloxane) (PDMS) 102, 222
- polyelectrolytes 249, 260–262, 315, 384–386, 388
 - fabrication of 387
- poly(ethylacrylate) (PEA) 282
- poly(ethylene glycol) (PEG) 38, 283
- polyethyleneimine (PEI) 78, 80
- polyethylene-co-methacrylic acid (PEMAA) 35, 228, 229
- polyglycerol 176, 233
- polyimide copolymer 291, 292, 297
- poly(isobutylene) (PIB) 21, 34, 50, 132, 225, 285, 292
- polyisoprene 63
- polymer block copolymers 131
- polymer chains
 - application to self-healing 130–133
 - diffusion of 139, 153
 - dynamics of 120–123
 - Kratky representation of 120, 121
 - log–log representation of 120, 121
 - Rouse model for 123, 124
 - structures of 117–120
 - tube model for 124–130
- polymer characterization, techniques for
 - dielectric spectroscopy (DR) 117
 - dynamic mechanical analysis (DMA) 116, 117
 - nuclear magnetic resonance (NMR) 117
- polymer fibers 256
- polymer/glass interface 164
- polymeric microcapsules 92, 105, 384
- polymer nanocapsules 251, 263
- polymer nanofibers 257
- polymethylmethacrylate (PMMA) 231
- poly(*N*-acetyleneimine)s 26
- poly(*N*-isopropyl acrylamide) (PNIPAM) 148, 149, 263
- polyol stearate 81, 84
- poly(perfluorocyclobutane) (PPFCB) 163
- poly(phenylene ether) (PPE) 38
- polysaccharides 62, 71
- poly(styrene) 34, 294, 296
- poly(styrene-maleic anhydride)-*block*-polystyrene (PSMA-*b*-PS) 251
- poly(THF) polymers 285
- poly(urea-formaldehyde) (PUF) nanocapsules 218, 251
- polyurethane 234
 - crosslinked 185, 188
 - foam system 83, 84
 - healing agents 228
 - heterogeneous network 173
 - molecular design containing
 - dihydroxy coumarin derivatives 179–182
 - monohydroxy coumarin derivatives 178, 179
 - reversible photochemical reaction 177
 - self-healing additives for 84
 - self-repairing capacity of 85
- polyvinyl chloride (PVC) 84
- poly(vinylpyrrolidone) 38
- potentiostatic measurements, for study of healing capabilities 352
- powder coating 160
- protection against corrosion, methods for healing of 351
 - electrochemical impedance spectroscopy 352
 - potentiostatic measurements 352
 - scanning electrochemical microscopy 353–356
 - scanning vibrating electrode technique 352, 353
- protein bonds 65
- proton NMR 218
- pulsed field gradient nuclear magnetic resonance (PFG-NMR) 117
- pultrusion 85
- pyrenyl endgroups 37

q

quasi-elastic dynamic scattering 121
 quasi-elastic NSE spectroscopy 128
 quasi-static fracture tests 348
 quenching 193

r

radical chain growth 161
 radical exchange reaction 27, 161
 radical fission/recombination 234, 235
 radical photoinitiator 224
 radius of gyration 91, 118
 Raman spectroscopy 344
 redox-responsive systems 263, 264
 repair efficiency 82–85
 retro-Diels–Alder (rDA) reaction 16, 22, 156, 231, 232, 237
 reversible addition fragmentation chain transfer (RAFT) copolymerization 176, 208, 233
 reversible bond 2, 27, 140, 156, 229, 231, 281, 361
 – formation of
 – – anionic reactions 235, 236
 – – Diels–Alder/retro-Diels–Alder reaction 231, 232
 – – disulfide bridges 234
 – – photochemical trigger 232–234
 – – pH-responsive systems 236
 – – radical fission/recombination 234, 235
 reversible photodimerizable chromophores 233
 reversible photodimerization 234
 reversible polymerization 168, 382
 reversible terminators 161
 rheology analysis, for study of chain mobility 344
 ring-closing metathesis (RCM) 44
 ring-opening metathesis polymerization (ROMP) 16, 17, 44, 139, 218–221, 237, 251, 403, 404, 406–409, 411
 ring-opening reactions 10, 44, 45
 Rouse model, for short polymer chains 123, 124, 126, 134, 135
 Rouse-rate 124
 Rouse-type segment diffusion 128
 rubber 39, 51, 67, 77, 79, 80, 84, 131, 132, 184, 232, 289
 – crosslinked 27, 64
 – self-healing supramolecular 50
 – self-sealing process 64
 – supramolecular 132, 290
 – synthetic 38
 – thermal expansion 80

– thermoreversible 33, 34
 – vulcanized 202, 203
 rubber elasticity 155
 Runge–Kutta algorithm 94

s

sacrificial bonds 91, 92
 sacrificial fibers 369
 scanning acoustical microscope 341
 scanning electrochemical microscopy (SECM) 353–356
 scanning electron microscopy (SEM) 224, 254, 340, 341, 387, 388
 scanning laser confocal microscopy (SLCM) 340
 scanning vibrating electrode technique (SVET) 261, 352, 353, 392–395
 sclerenchyma fibers 70
 scratch resistance 347, 348
 sealing cell 71, 72
 self-consistent-field (SCF) 91
 self-healing bulk materials 284–297
 self-healing coatings
 – adhesion to metal substrate 395
 – anti-corrosion performance of 395
 – barrier properties 386, 395
 – current trends 395, 396
 – design of 383
 – healing of esthetic damage in 347, 348
 – industrial application 385
 – micro- and nanocontainer-based 382–386
 – nanocontainer-based
 – – characterization of 389–395
 – – schematic representation of 382
 – – types of 386–389
 – overview of 381, 382
 – surface gloss properties of 347
 self-healing elastomers
 – bio-inspired 63–69, 77, 78
 – development of 67
 self-healing fiber-reinforced epoxies 365, 366
 self-healing materials
 – bio-inspired 85
 – challenges and limits for 265
 – chemical healing processes 9
 – classification of 381
 – concept for design and classification of 8–11
 – development of 338
 – extrinsic, *see* extrinsic self-healing materials
 – healing efficiencies of 166
 – hydrolysis of 235

- intrinsic, *see* intrinsic self-healing materials
- mechanically induced self-healing in, *see* mechanically induced self-healing
- methods for encapsulation of
 - electrospinning 250, 251
 - emulsion droplets as templates 247–250
- pH responsive nanocontainers for 260–263
- responsiveness to environmental stimuli 36
- stimuli-responsive, *see* stimuli-responsive self-healing materials
- supramolecular bonds in 28
- self-healing mechanism
 - application of polymer chains in 130–133
 - chemical principles of 15–48
 - categories of 15
 - covalent network formation 16–28
 - mechanochemical network formation 38–44
 - supramolecular network formation 28–37
 - “switchable” network formation 44–48
 - for functional integrity, *see* functional integrity, healing of
 - irreversible covalent network formation concepts for 18, 19
 - mechanically induced, *see* mechanically induced self-healing
 - for mechanical properties, *see* mechanical properties, healing of
 - mechanochemical induced 38–44
 - multiple *versus* one-time self-healing 49–53
 - nanoparticle-based 11, 14
 - physical principles of 11–14
 - reversible covalent network formation concepts for 23–26
 - stages of 12
 - visualization techniques
 - acoustical microscopy 341
 - computed tomography and micro-(computed) tomography 341–343
 - environmental scanning electron (E-SEM) microscopy 340, 341
 - optical microscopy 338–340
 - scanning electron microscope (SEM) 340, 341
- self-healing metallopolymers 307–309
- self-heal, triggered 10, 297
- self-lubricating coatings 383
- self-repairing materials and structures, development of 75–85
 - bio-inspired self-healing elastomers
 - ionomeric elastomers 78, 79
 - micro-encapsulation 77, 78
 - nitrile butadiene rubber (NBR) blends 80
 - supramolecular co-networks 79, 80
 - self-sealing foam coatings 81, 82
 - bio-inspired chemical transfer 84, 85
 - bio-inspired physical transfer 82–84
- self-sealing and self-healing in plants
 - and infection by bacteria and fungi spores 62
 - latex plants 63–69
 - lianas 69–72
 - multiple evolution of self-repair processes 62
 - overview of 62, 63
 - phases of 62
 - succulent plants 72–75
- self-sealing foam coatings 81, 82
 - bio-inspired chemical transfer 84, 85
 - bio-inspired physical transfer 82–84
 - repair efficiency of 84
- semi-interpenetrating polymer network (SIPN) 155
- shape-memory alloy (SMA) 219, 363, 365
- shape memory assisted self-healing 155
- shape-memory polymer (SMP) matrix 116, 229
- silica (SiO₂) nanoparticles 261, 389, 393
- siloxane-based healing system 221, 222
- single capsule healing system 365
- single edge notched bending (SENB) 373
- single edge notched tension (SENT) 374
- single molecule force spectroscopy measurements (SMES) 201
- size-exclusion chromatography (SEC) 165
- small-angle neutron scattering (SANS) 119–121, 133
- small-angle X-ray scattering (SAXS) 131, 132, 286–288, 319
- soft matter 115, 116
- sol-gels 148, 393
 - anticorrosion coating 261
 - coatings 256, 263, 385, 386, 393, 395
 - transition
 - healing efficiencies 231
 - viscoelastic properties of 143–147
- solid-phase healing agents 373, 374
- solid state materials 200, 306
- solvodynamic shear 198

- sonication of polymer 196, 198, 203–205, 210
 - soxhlet extraction 154
 - spectrophotometers 194, 262
 - spectroscopic analysis, for monitoring
 - progress of healing 344
 - spiropyran (SP) 45, 197, 199
 - stable free radical polymerization (SFRP) 161
 - stacking 37, 130, 277, 282, 285, 291, 297, 301, 327
 - static damage, healing after 343–345
 - static loading 345
 - stimuli-responsive metallopolymer 305–307
 - stimuli-responsive self-healing materials
 - light-responsive capsules 258–260
 - pH-responsive systems 260–263
 - redox-responsive systems 263, 264
 - temperature-responsive systems 263
 - strain energy 139, 195, 343, 366
 - stress equilibrium 75
 - stress-induced isomerization 164
 - stress relaxation 27
 - styrene-maleic anhydride copolymer (PSMA) 251
 - SupraB* 292, 294
 - supramolecular complexes 37, 291
 - supramolecular co-networks 79, 80
 - supramolecular forces 9, 53
 - supramolecular gels 280–284, 289, 329
 - supramolecular hydrogen-bonded networks
 - bond dynamics of 279, 280
 - in bulk 276
 - elastic and viscous behavior 292
 - in gels 276
 - reversibility and dynamics of 275
 - sticky-reptation 276
 - sticky-Rouse 276
 - supramolecular hyperbranched polymer (SHP) 176
 - supramolecular interactions 9, 10, 15, 36, 37, 131, 133, 276, 277, 281, 292, 293
 - supramolecular polymers 115, 130, 210
 - binding energy 277
 - binding motifs utilizing hydrogen bonds 278
 - bondings 282, 289
 - bulk materials 284–297
 - concept of 275
 - degree of polymerization 280
 - gels 280–284
 - healing efficiency 277, 291
 - hydrogen bonds, dynamics of 279, 280
 - network formation in 28–37
 - self-healing in 277, 284
 - surface conduction, healing of 350
 - surface damage 176, 177, 339, 341, 347, 351
 - surface gloss 347
 - surface morphology 347
 - surface rearrangement 12, 13
 - surface roughness 12, 14, 343
 - suspension radical polymerization 200, 247
 - swelling 9, 11, 14, 73, 205, 263, 305, 340, 384
 - “switchable” healing 36
 - “switchable” network formation 44–48
 - “switchable” polymer systems 15
 - synthetic self-mending materials, design principles 91
- t**
- tapered double cantilever beam (TDCB) 344, 363, 364, 374, 405
 - tautomers 280
 - Taylor cone 250
 - temperature-responsive systems 263
 - tensile adhesion, for self-healing systems 343
 - tensile modulus 21, 37, 292, 297
 - tensile testing 198–200, 343
 - tetraethylorthosilicate (TEOS) 254
 - tetrafluoroethene 163
 - 2,2,6,6-tetramethyl-1-piperidinyloxy (TEMPO) 161
 - thermal conduction functionality, healing of 350
 - thermal cyclization 165
 - thermal cycloaddition reaction 163
 - thermal decomposition 163, 164, *see also* mechanical decomposition
 - thermal diffusion 350, 402
 - thermal healing
 - chemical methods for 155, 156
 - – alternative mechanism 163
 - – perfluorocyclobutanes 163, 164
 - – thermoreversible mechanisms 156–163
 - cycle 372, 373, 374
 - physical methods for
 - – interpenetrating networks 154, 155
 - – molecular diffusion across crack interface 153, 154
 - – shape memory assisted self-healing 155
 - thermal interface materials (TIM) 346
 - thermally reversible crosslinked system 27, 319

- thermoplastics 139
 - additives 218, 229
 - block copolymers 131
 - branched 194
 - elastomers 33, 34, 294
 - linear 154, 194, 373
 - molecular interdiffusion of 228, 229
 - self-healing of 11, 153
 - thermo-reversible gels 141
 - thermoreversible mechanisms, for thermal healing
 - Diels–Alder reactions 156–161
 - NO–C bonds 161–163
 - thermoreversible rubber 33
 - thermosets 33, 34, 154, 164, 208
 - self-healing in 10, 11
 - viscoelastic properties of 144
 - thiocarbonyl bond 157
 - thiol chemistry 10
 - thiol-ene healing system 224, 225
 - thiol-ene polymerization 208
 - thiol-epoxy healing system 224
 - thiol-maleimide healing system 225
 - thiol-yne click reactions 21, 22
 - thymine (Thy) 34, 131, 132, 277, 285
 - time domain thermorefectance (TDTR) 350
 - time flux 350
 - tissue regeneration 1, 8, 63
 - p*-toluene sulfonic acid 84
 - torsional shear testing 200, 344
 - trans–cis photoisomerization 176
 - transesterification 44, 208
 - transition metals 36, 303, 304, 307, 316
 - transmission electron microscopy (TEM) 319, 340, 388, 389
 - triethylene glycol dimethacrylate (TEGDMA) 251
 - trifluorovinylethers (TFVE) 163, 164
 - trithiocarbonate (TTC) 176, 233
 - tube model, for short polymer chains 122, 124–130, 134
 - turbulent flow 201
- u**
- ultramicroelectrode (UME) 353
 - ultra-microtomy 351
 - ultrasound transducer 198
 - ultraviolet irradiation 177
 - ultraviolet/ozone (UVO) treatment 102
 - upper critical solution temperatures (UCSTs) 147, 148, 263
- v**
- UPy-polymer 284
 - urazole 34, 286, 287
 - 2-ureido-4[1 *H*]-pyrimidinone dimers 277
 - ureido–pyrimidone bond 33
 - UV-based healing system 232, 237
 - UV irradiation 176–178, 180, 182, 183, 189, 224, 233, 234, 259, 260, 384
 - UV–vis spectroscopy 186, 187, 196
- van der Waals forces 195**
- vascular-based healing systems 368, 369, 375
- coatings, healing of 370, 371
 - principle of 49, 50
 - recovery of
 - fracture damage 369, 370
 - impact damage 370
 - self-sensing, self-healing vascularized composites 371
- Verein Deutscher Ingenieure (VDI) 75, 76
- vicinal fluorination 163
- Vinca* plant species 65
- vinyl ester healing system 228
- viscoelastic deformation 71
- viscoelasticity 117, 320
- of sol–gel transition 143–147
- viscoelastic polymer systems, self-healing in 344
- viscous flow 195
- w**
- waste storage system 63
 - Weiner process 104
 - welding 9, 11, 13, 14, 374, 402
 - wetting 12, 13, 154, 186, 187, 227
 - Wheatstone bridge circuit 349
 - Williams–Landel–Ferry (WLF) equation 287
 - wound healing 73, 91
- x**
- X-ray tomography 341, 402
- y**
- Young's modulus 68
- z**
- zero-shear viscosity 145, 286, 293

